Proposal Defense

Socratic AI: Agentic AI for Fostering Critical Thinking Education

A multi-agent tutor that asks instead of answers, and measures how well the learner reasons

Presented by : Eusoff Amir ([Student ID])

Supervised by : Dr Ho Tatt Wei

Internal Examiner : [Name]


Course : [Course code] Final Year Project I

Project code : 26S004

Date : 21st October 2026

OUTLINE OF PRESENTATION

1. Introduction
2. Problem Statement, Objectives, Scope of Study
3. Literature Review
4. Proposed Methodology
5. Gantt Chart & Milestones
6. Preliminary Results
7. Conclusion



The working prototype, live online

INTRODUCTION

Generative AI now gives students a finished answer in seconds, so they can skip the thinking.

62%

of students use generative AI at least weekly [12]

319

knowledge workers studied: more trust in AI meant less critical thinking [10]

4

costs of "outsourced reasoning": fewer ideas, less effort, weaker memory, less reflection [11]

The idea of this project

Turn the same AI around. Instead of an answer machine, build a tutor that asks Socratic questions in a set order, so the learner builds the understanding, and then measure the quality of the learner's reasoning against a framework.

PROBLEM STATEMENT

Two Gemini Gem tutors were tested (an online Socratic Tutor and the first project prompt). Three problems were found.

1

No structure

Questions do not climb step by step from clarifying to questioning the question itself.

2

No assessment

The tutor cannot say how well the learner reasoned against any framework.

3

Poor experience

It repeated questions, forgot answers, ignored frustration and never said when it would end.

Real tester messages: *"bro i explained this before"* and *"you are asking way too much follow up questions"*

So a single Socratic prompt is not enough. The tutor needs a structured ladder, a separate assessor, memory, and a clear goal, progress and end.

OBJECTIVES

1. To design and build Socratic AI, a multi-agent tutoring prototype that teaches beginners one quant topic through Socratic dialogue.
2. To guide the tutor through six levels of Socratic questioning, and to assess the learner with the nine intellectual standards.
3. To show which type of reasoning (inductive, deductive, abductive) and which types of knowledge the learner used, measured over many questions.
4. To adapt the difficulty and support to each learner, with a clear goal, feedback after each answer and a progress view.
5. To evaluate the prototype against the baseline tutors from early testing.

SCOPE OF STUDY

1

One quant topic

Telling a real pattern in data from luck, for beginners, with no complex machine learning. Three short cases.

2

Multi-agent tutor

Four AI agents (Assessor, Planner, Tutor, Checker) guarded by plain-code rules, on the free Gemini model.

3

Framework assessment

6 Socratic levels and 9 standards now, then reasoning type and knowledge type, with a learner dashboard.

Target learners: university students new to quant (early testers are Dr Ho's students).

Future work, outside FYP: a second topic, real reading material with retrieval (RAG) [15], knowledge graphs, and a full class study (needs a paid key and ethics approval).

LITERATURE REVIEW

Frameworks for Critical Thinking

Framework	Year	Core idea	Role in this project	Limitation	Ref
Paul's 6 Socratic question levels	-	Clarify, assumptions, evidence, viewpoints, implications, question the question	The ladder: what the Tutor asks next	Says what to ask, not how good the answer is	[1]
Paul-Elder 9 intellectual standards	-	Clarity, accuracy, precision, relevance, depth, breadth, logic, significance, fairness	The Assessor marks each as 1 or 0	Does not say which type of reasoning was used	[1]
Paul-Elder 8 elements of thought	-	Purpose, question, information, inference, concepts, assumptions, implications, point of view	Prerequisites before reasoning (planned)	Links to reasoning types still open	[1]
Revised Bloom's taxonomy	2001	Knowledge dimension: factual, conceptual, procedural, metacognitive	Types of knowledge used (planned)	No causal or relational type	[2]
SOLO taxonomy	1982	Prestructural to extended abstract outcomes	Complexity: how many knowledge types are joined	Needs adapting to dialogue	[3]

Paul and Elder year and edition still to be confirmed.

LITERATURE REVIEW

Socratic Questioning and Socratic AI

Study	Year	Setting	Main finding	Limitation	Ref
Sahamid	2016	Classroom action research	Socratic questioning built critical thinking	Small, one class	[4]
Makhene	2019	Nursing education	Socratic inquiry helps critical thinking	Needs skilled teachers' time	[5]
Ho, Chen and Li	2023	Healthcare students	Socratic method improved thinking skills	Human tutor, does not scale	[6]
Degen and Asanov	2025	65 pre-service teachers, Socratic AI vs plain chatbot	More support for critical, reflective thinking; argues for multi-agent systems	Self-reported, not a direct measure	[7]
Fan	2025	Socratic scaffolding through AI	Structured scaffolding deepened inquiry	No link to reasoning constructs	[8]
Lee, Ang and Lai	2025	Bloom labels on chatbot dialogues	Dialogue logs reveal thinking processes	Descriptive only	[9]
Lee et al. (CHI)	2025	319 knowledge workers	More AI trust, less critical thinking	Survey, self-reported	[10]

LITERATURE REVIEW

Existing Socratic AI Tutors

Tool	Refuses answers	Question ladder	Framework assessment	Goal, progress, end	Reasoning and knowledge types
Online Gemini Gem "Socratic Tutor" (Test #1)	Yes	No	No (informal points)	No	No
Project prompt v1 (Test #2)	Yes	Partly	Partly (hidden 1 to 3 score)	No	No
Khanmigo, custom GPTs *	Yes	Not shown	Not shown	Partly	No
Socratic AI (this project)	**Yes**	**Yes, 6 levels**	**Yes, 9 standards**	**Yes**	**Planned**

** From public descriptions, not tested in this project.*

No tested tool combines a question ladder, framework assessment and a clear session, and none shows which type of reasoning a learner used.

LITERATURE REVIEW

RESEARCH GAP

- AI use can reduce critical thinking effort, and current tutors are mostly answer machines.
- Socratic AI tutors are promising, but their questions have no principled ladder.
- Reasoning is rarely measured against a defined framework, and evidence is mostly self-reported.
- No tool shows the learner which type of reasoning or knowledge they used.

JUSTIFICATION

- A multi-agent tutor where the Tutor follows Paul's six levels, so questions climb in a set order.
- A separate Assessor marks every answer against the nine standards, with evidence, so it can be checked against human markers.
- Plain-code rules guard every AI decision, so steps are fair and testable ("agents decide, rules guard").
- Next, new agents add reasoning type and knowledge type, measured over many questions.

PROPOSED METHODOLOGY

Phase 1	Phase 2	Phase 3	Phase 4	Phase 5
Early testing	**Requirements**	**Build**	**Test and fix**	**Evaluate**
Two Gemini Gem tutors tested; problems written down	9 design requirements R1 to R9 from the tests	4 agents, rules, 3 cases, simulations, web app	Real sessions read turn by turn; problems fixed	Requirements, Assessor vs humans, learners

R1 Clear mission	R2 Fixed rounds, progress	R3 Remember, never re-ask
R4 Feedback and teaching	R5 Notice frustration	R6 Vary formats
R7 Separate assessor	R8 Learner stats	R9 Stable topic

Software


- Python 3.13, FastAPI, LangGraph
- Gemini 3.5 Flash Lite (free tier)
- HTML and JavaScript front end
- Supabase database, Render hosting (free)
- pytest: 94 automatic tests

Hardware

- A normal laptop; the AI runs in the cloud, so no GPU is needed

PROPOSED METHODOLOGY

System Architecture: Agents Decide, Rules Guard




1. **Assessor:** marks each answer, 9 standards as 1 or 0, with an evidence quote
2. **Planner:** proposes the next level, question format, hint and simulation
3. **Rules (code):** a frustrated learner always gets an easy A or B question; no level up after a weak answer
4. **Tutor:** short feedback, a hidden hint, one question; may run a quant simulation
5. **Checker:** stops replies that give away the answer or repeat a question
6. **Coach:** one comment at the end on how the learner answered


Each agent gets a small JSON payload built by code and must reply in a fixed JSON shape. About 25 AI calls per 6-round session.

PROPOSED METHODOLOGY

Session Design (R1 to R9)



1. A short reading and a mission before each case




2. Feedback, one question, a hidden hint, and a simulation result

3, 6 or no-limit rounds | **Round and level shown** | **4 question formats** | **"I'm not sure" button** | **Status panel** | **Tutorial**

PROPOSED METHODOLOGY

Next Stage (Goal 1): Reasoning and Knowledge Layer



- Knowledge layer: each case note tagged with its type of knowledge; an agent drafts a knowledge graph
- Reasoning agent: 1 or 0 for inductive, deductive and abductive reasoning and each knowledge type, with evidence
- Question bank: several questions per skill, so there are enough trials
- Statistics: share of 1s and Hamming distance per learner [14]; factor analysis across learners
- Explainer agent: a plain scenario on why a skill matters

Example: "All the regional banks fell, not just CIMB" is inductive reasoning on relational knowledge.

PROPOSED METHODOLOGY

Evaluation Plan

1 Requirement check

Run the same scenarios on the baseline Gem tutors and on Socratic AI, and mark R1 to R9 as met or not.

2 Assessor vs human markers

Mark 61 test answers by hand with a marking guide. Compare using percent agreement and Cohen's kappa per standard (parent grant target 0.8).


3 With and without agents

Switch the Planner, simulations or Checker off, and compare the same sessions.

4 Learner experience

A short questionnaire with Dr Ho's students, after ethics approval.

GANTT CHART & MILESTONES



Key Milestones

21 Oct 2026
Proposal defence

Mid Nov 2026
Goal 1 done, mock presentation

End of FYP 1
Interim report


FYP 2
Assessor validation, learner tests, second topic

End of FYP 2
Dissertation and technical paper

FYP 2 dates are a first plan, to be confirmed with the supervisor.

PRELIMINARY RESULTS

A Real 3-Round Session (Gemini)



End profile: level reached, the 9 standards chart and the Coach comment


0 times the answer was given away, even when asked to ignore the rules

5 of 5 problems found in testing were fixed

~24 AI calls per session, inside the free tier

PRELIMINARY RESULTS

Assessor on a 61-Answer Test Set



37 real answers from test sessions and 24 constructed answers. Not yet compared with human markers, so this is not a validation yet.

Problems found and fixed

- The welcome said there was no round limit: now written by code
- The same question asked again in new words: the Checker now compares questions
- The Planner's simulation was ignored: the rules now run it
- Levels rose too fast: now 2 good answers in a row, or 1 strong answer
- The Assessor was generous: strict rules per standard; standards met fell from 24 to 16 on 12 real answers

Next: keyword-only answers still score about 4 of 9, so the Assessor prompt is tightened again.

CONCLUSIONS

Generative AI makes it easy to skip thinking, and existing Socratic tutors have no structured question ladder, no assessment against a framework and no clear session. This project has built Socratic AI, a working multi-agent tutor that follows Paul's six question levels, marks every answer against the nine intellectual standards, and uses plain-code rules to guard every AI decision. First tests show it never gives the answer away and ends every session with a learner profile. The next stage shows which type of reasoning and knowledge a learner used, measured over many questions, and validates the Assessor against human markers.

Take-home message

This is a reasoning trainer, not an answer machine, built in a new way: many prompted agents working together, guarded by code.

REFERENCES

[1] R. Paul and L. Elder, The Thinker's Guide to the Art of Socratic Questioning. Foundation for Critical Thinking (year and edition to be confirmed).

[2] L. W. Anderson and D. R. Krathwohl, Eds., A Taxonomy for Learning, Teaching, and Assessing. Longman, 2001.

[3] J. B. Biggs and K. F. Collis, Evaluating the Quality of Learning: The SOLO Taxonomy. Academic Press, 1982.

[4] H. Sahamid, "Developing critical thinking through Socratic questioning," Int. J. Educ. Literacy Stud., vol. 4, no. 3, pp. 62-72, 2016.

[5] A. Makhene, "The use of Socratic inquiry to facilitate critical thinking in nursing education," Health SA Gesondheid, vol. 24, a1224, 2019.

[6] Y.-R. Ho, B.-Y. Chen and C.-M. Li, "Thinking more wisely: Using the Socratic method to develop critical thinking skills amongst healthcare students," BMC Med. Educ., vol. 23, 173, 2023.

[7] P.-B. Degen and I. Asanov, "Beyond automation: Socratic AI, epistemic agency, and ... multi-agent learning architectures," arXiv:2508.05116, 2025.

[8] F. Fan, "Socratic scaffolding in AI education: A framework for critical thinking," Regional Educ. Technol. J., vol. 8, no. 1, 2025.

[9] K. W. Lee, Y. S. Ang and J. W. Lai, "Learning analytics with scalable Bloom's taxonomy labeling of Socratic chatbot dialogues," Computers, vol. 14, no. 12, 555, 2025.

[10] H.-P. Lee et al., "The impact of generative AI on critical thinking," in Proc. CHI '25, Art. 1121, 2025.

[11] A. Sarkar, "How to stop AI from killing your critical thinking," TEDAI Vienna, 2025.

[12] L. Brand, "A practical guide to agentic AI in higher education," QS, 11 Sep. 2026.

[13] L. Yan et al., "Practical and ethical challenges of large language models in education," Br. J. Educ. Technol., vol. 55, no. 1, pp. 90-112, 2023.

[14] R. W. Hamming, "Error detecting and error correcting codes," Bell Syst. Tech. J., vol. 29, no. 2, pp. 147-160, 1950.

[15] P. Lewis et al., "Retrieval-augmented generation for knowledge-intensive NLP tasks," NeurIPS, vol. 33, pp. 9459-9474, 2020.

UNIVERSITI
TEKNOLOGI
PETRONAS

THANK YOU

Q & A