


Mapa de Furação



- 1
- Text element with square border.
2.
- Text element with no border
- 3
- Text element with circle border
4.
- Text element with no border
5.
- Text element with no border
6.
- Text element with no border
7.
- Text element with no border

Drill Table

Symbol	Count	Hole Size	Plated	Hole Tolerance
✕	15	1.10mm(43.31mil)	Plated	
□	2	2.00mm(78.74mil)	Non-Plated	
▽	9	0.40mm(15.75mil)	Plated	


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EPB DESENVOLVIMENTO ME.. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN

PROPRIETARY AND CONFIDENTIAL

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	EPB DESENVOLVIMENTO ME.			
		DIMENSIONS ARE IN INCHES	DRAWN	Euzébio Benad	2025-11-18	TITLE RS232 interface for DONGLE01			
		TOLERANCES:	CHECKED	Euzébio					
		FRACTIONAL±	ENG APPR.	Euzébio					
		ANGULAR: MACH± BEND ±	MFG APPR.						
		TWO PLACE DECIMAL ±	Q.A.						
		THREE PLACE DECIMAL ±	COMMENTS:			SIZE DWG. NO.			
		INTERPRET GEOMETRIC TOLERANCING PER:							
		MATERIAL							
NEXT ASSY	USED ON	FINISH							
APPLICATION		DO NOT SCALE DRAWING				SCALE:	1:1	WEIGHT:	SHEET 1 OF 10

1

1



2

2

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EPB DESENVOLVIMENTO ME.. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN

PROPRIETARY AND CONFIDENTIAL

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	EPB DESENVOLVIMENTO ME.		
		DIMENSIONS ARE IN INCHES		DRAWN	Euzébio Benad	2025-11-18	TITLE	
		TOLERANCES:		CHECKED	Euzébio			
		FRACTIONAL±		ENG APPR.	Euzébio			
		ANGULAR: MACH± BEND ±		MFG APPR.				
		TWO PLACE DECIMAL ±		Q.A.				
		THREE PLACE DECIMAL ±		COMMENTS:			RS232 interface for DONGLE01	
		INTERPRET GEOMETRIC					SIZE	DWG. NO.
		TOLERANCING PER:						
		MATERIAL						
		FINISH						
NEXT ASSY	USED ON							
APPLICATION		DO NOT SCALE DRAWING					SCALE: 1:1	WEIGHT: SHEET 2 OF 10

1

1

Layer Stack Legend

Material	Layer	Thickness	Dielectric Material Type	Gerber
	Top Overlay		Legend	GTO
	Surface Material	Top Solder	0.0254mm(1.000mil) SM-001	Solder Mask GTS
	Lead-Free	Top Surface Finish	0.0200mm(0.787mil)	Surface Finish
	CF-004	Top Layer	0.0350mm(1.378mil)	Signal GTL
	Core		0.9906mm(39.000mil) Core-042	Dielectric
	CF-004	Bottom Layer	0.0350mm(1.378mil)	Signal GBL
	Lead-Free	Bottom Surface Finish	0.0200mm(0.787mil)	Surface Finish
	Surface Material	Bottom Solder	0.0254mm(1.000mil) SM-001	Solder Mask GBS
	Bottom Overlay		Legend	GB0

Total thickness: 1.1514mm(45.331mil)

2

2

Observação:

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EPB DESENVOLVIMENTO ME.. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN

PROPRIETARY AND CONFIDENTIAL

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	EPB DESENVOLVIMENTO ME.		
		DIMENSIONS ARE IN INCHES	DRAWN	Euzébio Benad	2025-11-18	TITLE RS232 interface for DONGLE01		
		TOLERANCES:	CHECKED	Euzébio				
		FRACTIONAL±	ENG APPR.	Euzébio				
		ANGULAR: MACH± BEND ±	MFG APPR.					
		TWO PLACE DECIMAL ±	Q.A.					
		THREE PLACE DECIMAL ±	COMMENTS:			SIZE	DWG. NO.	
		INTERPRET GEOMETRIC TOLERANCING PER:						
		MATERIAL						
		FINISH						
NEXT ASSY	USED ON							
APPLICATION		DO NOT SCALE DRAWING				SCALE: 1:1	WEIGHT:	SHEET 3 OF 10

A

B

C

D

1

1

Layer Stack Legend

Material	Layer	Thickness	Dielectric Material Type	Gerber
	Top Overlay		Legend	GTO
	Surface Material	Top Solder	1.000mil(0.025mm) SM-001	Solder Mask GTS
	Lead-Free	Top Surface Finish	0.787mil(0.020mm)	Surface Finish
	CF-004	Top Layer	1.378mil(0.035mm)	Signal GTL
	Core		39.000mil(0.991mm) Core-042	Dielectric
	CF-004	Bottom Layer	1.378mil(0.035mm)	Signal GBL
	Lead-Free	Bottom Surface Finish	0.787mil(0.020mm)	Surface Finish
	Surface Material	Bottom Solder	1.000mil(0.025mm) SM-001	Solder Mask GBS
	Bottom Overlay		Legend	GB0

Total thickness: 45.331mil(1.151mm)

2

2

Observação:

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EPB DESENVOLVIMENTO ME.. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN

PROPRIETARY AND CONFIDENTIAL

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	EPB DESENVOLVIMENTO ME.			
		DIMENSIONS ARE IN INCHES	DRAWN	Euzébio Benad	2025-11-18	TITLE RS232 interface for DONGLE01			
		TOLERANCES:	CHECKED	Euzébio					
		FRACTIONAL ±	ENG APPR.	Euzébio					
		ANGULAR: MACH ± BEND ±	MFG APPR.						
		TWO PLACE DECIMAL ±	Q.A.						
		THREE PLACE DECIMAL ±	COMMENTS:			SIZE DWG. NO.			
		INTERPRET GEOMETRIC TOLERANCING PER:							
		MATERIAL							
NEXT ASSY	USED ON	FINISH				SCALE: 1:1 WEIGHT: SHEET 4 OF 10			
APPLICATION		DO NOT SCALE DRAWING							

A


B

C

D

HASL Lead Free
Acabamento de Superfície

Top Layer (Scale 7:1)



THE INFORMATION CONTAINED IN
THIS DRAWING IS THE SOLE
PROPERTY OF
EPB DESENVOLVIMENTO ME.. ANY
REPRODUCTION IN PART OR AS A
WHOLE WITHOUT THE WRITTEN

PROPRIETARY AND CONFIDENTIAL

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	EPB DESENVOLVIMENTO ME.		
		DIMENSIONS ARE IN INCHES	DRAWN	Euzébio Benad	2025-11-18	TITLE RS232 interface for DONGLE01		
		TOLERANCES:	CHECKED	Euzébio				
		FRACTIONAL±	ENG APPR.	Euzébio				
		ANGULAR: MACH± BEND ±	MFG APPR.					
		TWO PLACE DECIMAL ±	Q.A.					
		THREE PLACE DECIMAL ±	COMMENTS:			SIZE	DWG. NO.	
		INTERPRET GEOMETRIC						
		TOLERANCING PER:						
		MATERIAL						
		FINISH						
NEXT ASSY	USED ON	DO NOT SCALE DRAWING				SCALE: 1:1	WEIGHT:	SHEET 5 OF 10
APPLICATION								

A

B


C

D

HASL Lead Free

Acabamento de Superfície

Bottom Layer (Scale 7:1)



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EPB DESENVOLVIMENTO ME.. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN

PROPRIETARY AND CONFIDENTIAL

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	EPB DESENVOLVIMENTO ME.		
		DIMENSIONS ARE IN INCHES	DRAWN	Euzébio Benad	2025-11-18	TITLE RS232 interface for DONGLE01		
		TOLERANCES:	CHECKED	Euzébio				
		FRACTIONAL ±	ENG APPR.	Euzébio				
		ANGULAR: MACH ± BEND ±	MFG APPR.					
		TWO PLACE DECIMAL ±				COMMENTS:		
		THREE PLACE DECIMAL ±						
		INTERPRET GEOMETRIC TOLERANCING PER:	Q.A.			SIZE DWG. NO.		
		MATERIAL						
NEXT ASSY	USED ON	FINISH				SCALE: 1:1 WEIGHT: SHEET 6 OF 10		
APPLICATION		DO NOT SCALE DRAWING						


A

B


C

D


Top Solder, Top Mask (green)



Top Paste




Bottom Solder, Bottom Mask (green)



NÃO HÁ COMPONENTES NO LADO SOLDA.

Bottom Paste, Bot Paste




THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EPB DESENVOLVIMENTO ME.. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PROPRIETARY AND CONFIDENTIAL

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	EPB DESENVOLVIMENTO ME.			
		DIMENSIONS ARE IN INCHES	DRAWN	Euzébio Benad	2025-11-18	TITLE RS232 interface for DONGLE01			
		TOLERANCES:	CHECKED	Euzébio					
		FRACTIONAL±	ENG APPR.	Euzébio					
		ANGULAR: MACH± BEND ±	MFG APPR.						
		TWO PLACE DECIMAL ±	Q.A.						
		THREE PLACE DECIMAL ±	COMMENTS:			SIZE DWG. NO.			
		INTERPRET GEOMETRIC TOLERANCING PER:							
		MATERIAL							
NEXT ASSY	USED ON	FINISH							
APPLICATION		DO NOT SCALE DRAWING				SCALE:	1:1	WEIGHT:	SHEET 7 OF 10

1

1

Top Overlay, Top Silk (White)



2

2


Top Silk / Top Overlay: BRANCO.
Preferencialmente Liquid Photo
Imageable.

THE INFORMATION CONTAINED IN
THIS DRAWING IS THE SOLE
PROPERTY OF
EPB DESENVOLVIMENTO ME.. ANY
REPRODUCTION IN PART OR AS A
WHOLE WITHOUT THE WRITTEN

PROPRIETARY AND CONFIDENTIAL

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	EPB DESENVOLVIMENTO ME.		
		DIMENSIONS ARE IN INCHES	DRAWN	Euzébio Benad	2025-11-18	TITLE RS232 interface for DONGLE01		
		TOLERANCES:	CHECKED	Euzébio				
		FRACTIONAL±	ENG APPR.	Euzébio				
		ANGULAR: MACH± BEND ±	MFG APPR.					
		TWO PLACE DECIMAL ±	Q.A.					
		THREE PLACE DECIMAL ±	COMMENTS:			SIZE DWG. NO.		
		INTERPRET GEOMETRIC TOLERANCING PER:						
		MATERIAL						
		FINISH						
NEXT ASSY	USED ON							
APPLICATION		DO NOT SCALE DRAWING				SCALE: 1:1	WEIGHT:	SHEET 8 OF 10

Realistic View




Top Silk / Top Overlay: BRANCO.
Preferencialmente Liquid Photo
Imageable.

THE INFORMATION CONTAINED IN
THIS DRAWING IS THE SOLE
PROPERTY OF
EPB DESENVOLVIMENTO ME.. ANY
REPRODUCTION IN PART OR AS A
WHOLE WITHOUT THE WRITTEN

PROPRIETARY AND CONFIDENTIAL

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	EPB DESENVOLVIMENTO ME.		
		DIMENSIONS ARE IN INCHES		DRAWN	Euzébio Benadour	2025-11-18	TITLE	
		TOLERANCES:		CHECKED	Euzébio			
		FRACTIONAL ±		ENG APPR.	Euzébio			
		ANGULAR: MACH ± BEND ±		MFG APPR.				
		TWO PLACE DECIMAL ±		Q.A.				
		THREE PLACE DECIMAL ±		COMMENTS:			RS232 interface for DONGLE01	
		INTERPRET GEOMETRIC						
		TOLERANCING PER:						
		MATERIAL					SIZE	DWG. NO.
		FINISH						
NEXT ASSY	USED ON							
APPLICATION		DO NOT SCALE DRAWING					SCALE: 1:1	WEIGHT:
								SHEET 9 OF 10

Realistic View



Bottom Silk / Bottom Overlay: BRANCO.
Aceita-se serigrafia normal.

THE INFORMATION CONTAINED IN
THIS DRAWING IS THE SOLE
PROPERTY OF
EPB DESENVOLVIMENTO ME.. ANY
REPRODUCTION IN PART OR AS A
WHOLE WITHOUT THE WRITTEN

PROPRIETARY AND CONFIDENTIAL

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	EPB DESENVOLVIMENTO ME.			
		DIMENSIONS ARE IN INCHES	DRAWN	Euzébio Benad	2025-11-18	TITLE RS232 interface for DONGLE01			
		TOLERANCES:	CHECKED	Euzébio					
		FRACTIONAL ±	ENG APPR.	Euzébio					
		ANGULAR: MACH ± BEND ±	MFG APPR.						
		TWO PLACE DECIMAL ±	Q.A.						
		THREE PLACE DECIMAL ±	COMMENTS:			SIZE DWG. NO.			
		INTERPRET GEOMETRIC TOLERANCING PER:							
		MATERIAL							
NEXT ASSY	USED ON	FINISH				SCALE: 1:1 WEIGHT: SHEET 10 OF 10			
APPLICATION		DO NOT SCALE DRAWING							