




2025 and 2026: all picks (n = 200)
every pick overlaid, shifted so the marked pick time is t = 0
Vacuum pressure
2025 (n = 77)
2026 (n = 123)
|F| (N)
d|F|/dt (N/s)
Flex sensors
ToF (mm)
Time from pick (s)


2025 and 2026: all slips (n = 112)
every slip overlaid, shifted so the marked slip time is t = 0
Vacuum pressure
2025 (n = 8)
2026 (n = 104)
|F| (N)
d|F|/dt (N/s)
Flex sensors
ToF (mm)
Time from slip (s)


2025 and 2026: all picks (n = 200)
every pick overlaid, shifted so the marked pick time is t = 0
Vacuum pressure
0
−20
−40
−60
−80
|F| (N)
80
60
40
20
0
d|F|/dt (N/s)
1000
500
0
−500
−1000
Flex sensors
80
60
40
20
0
ToF (mm)
800
600
400
200
0
−20
−10
0
10
20
Time from pick (s)


2025 and 2026: all slips (n = 112)
every slip overlaid, shifted so the marked slip time is t = 0
Vacuum pressure
0
−20
−40
−60
|F| (N)
100
80
60
40
20
0
d|F|/dt (N/s)
250
0
−250
−500
−750
Flex sensors
80
60
40
20
0
ToF (mm)
1200
1000
800
600
400
200
0
−20
−15
−10
−5
0
5
10
Time from slip (s)