

List of Google's common crawlers

Google's common crawlers are used to find information for building Google's search indexes, perform other product specific crawls, and for analysis. They always obey [robots.txt rules](#) (/crawling/docs/robots-txt/robots-txt-spec) when crawling automatically. The general [technical properties](#) (/crawling/docs/crawlers-fetchers/overview-google-crawlers#crawl-technical-props) of Google's crawlers also apply to the common crawlers.

The common crawlers generally crawl from the IP ranges published in the [common-crawlers.json](#) (/static/crawling/ipranges/common-crawlers.json) object, and the reverse DNS mask of their hostname matches `crawl-***-***-***-***.googlebot.com` or `geo-crawl-***-***-***-***.geo.googlebot.com`.

The following list shows the common crawlers, their user agent strings as they appear in the HTTP requests, their user agent tokens for the `User-agent`: line in robots.txt, and the products that are affected by crawl preferences for the crawler. Some crawlers have more than one user agent token; you need to match only one crawler token for a rule to apply. The list is not exhaustive, it only covers the requestors that are more likely to show up in log files and that we've received questions about.

Caution: The HTTP user agent string can be spoofed. [Learn how to verify if a visitor is a Google crawler](#) (/crawling/docs/crawlers-fetchers/verify-google-requests).

Googlebot (/search/docs/crawling-indexing/googlebot)

User-Agent in HTTP requests	Googlebot Smartphone	Mozilla/5.0 (Linux; Android 6.0.1; Nexus 5X Build/MMB29P) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/W.X.Y.Z (#user_agent_version) Mobile Safari/537.36 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
	Googlebot Desktop	Mozilla/5.0 AppleWebKit/537.36 (KHTML, like Gecko; compatible; Googlebot/2.1; +http://www.google.com/bot.html) Chrome/W.X.Y.Z (#user_agent_version) Safari/537.36 Rarely: - Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html) - Googlebot/2.1 (+http://www.google.com/bot.html)
robots.txt	User-agent token in robots.txt	Googlebot
	Example robots.txt group	user-agent: Googlebot allow: /archive/1Q84 disallow: /archive
Affected products	Crawling preferences addressed to the Googlebot user agent affect Google Search (including Discover and all Google Search features), as well as other products such as Google Images, Google Video, Google News, and Discover.	

Googlebot Image

User-Agent in HTTP requests

	Googlebot-Image/1.0	
robots.txt	User-agent token in robots.txt	Googlebot-Image
		Googlebot
	Example robots.txt group	<pre> user-agent: Googlebot-Image allow: /archive/1Q84 disallow: /archive/moons.jpg </pre>
Affected products	Crawling preferences addressed to the Googlebot-Image user agent affect Google Images, Discover, Google Video, and all features in Google Search where images, logos, and favicons are presented.	

Googlebot Video

User-Agent in HTTP requests	Googlebot-Video/1.0	
robots.txt	User-agent token in robots.txt	Googlebot-Video
		Googlebot
	Example robots.txt group	<pre> user-agent: Googlebot-Video allow: /archive/1Q84 disallow: /archive/ </pre>
Affected products	Crawling preferences addressed to the Googlebot-Video user agent affect video-related Google Search features and other products dependent on videos.	

Googlebot News

User-Agent in HTTP requests	Googlebot-news doesn't have a separate HTTP request user agent string. Crawling is done with various Googlebot user agent strings (#googlebot).	
robots.txt	User-agent token in robots.txt	Googlebot-News
		Googlebot
	Example robots.txt group	<pre> user-agent: Googlebot-News allow: /archive/1Q84 disallow: /archive/ </pre>
Affected products	Crawling preferences addressed to the Googlebot-News user agent affect the Google News product, including news.google.com (https://news.google.com/) and the Google News app.	

Google StoreBot (<https://support.google.com/merchants/answer/13294660>)

User-Agent in HTTP requests	Desktop agent	Mozilla/5.0 (X11; Linux x86_64; Storebot-Google/1.0) AppleWebKit/537.36 (KHTML, like Gecko) <u>Chrome/W.X.Y.Z</u> (#user_agent_version) Safari/537.36
	Mobile agent	Mozilla/5.0 (Linux; Android 8.0; Pixel 2 Build/OPD3.170816.012; Storebot-Google/1.0) AppleWebKit/537.36 (KHTML, like Gecko) <u>Chrome/W.X.Y.Z</u> (#user_agent_version) Mobile Safari/537.36
robots.txt	User-agent token in robots.txt	Storebot-Google
	Example robots.txt group	<pre> user-agent: Storebot-Google allow: /archive/1Q84 disallow: /archive/konbini </pre>
Affected products	Crawling preferences addressed to the Storebot-Google user agent affect all surfaces of Google Shopping (for example, the Shopping tab in Google Search and Google Shopping (https://shopping.google.com/)).	

Google-InspectionTool

User-Agent in HTTP requests	Desktop agent	Mozilla/5.0 (compatible; Google-InspectionTool/1.0)
	Mobile agent	Mozilla/5.0 (Linux; Android 6.0.1; Nexus 5X Build/MMB29P) AppleWebKit/537.36 (KHTML, like Gecko) <u>Chrome/W.X.Y.Z</u> (#user_agent_version) Mobile Safari/537.36 (compatible; Google-InspectionTool/1.0)
robots.txt	User-agent token in robots.txt	Google-InspectionTool
	Example robots.txt group	<pre> user-agent: Google-InspectionTool allow: /archive/1Q84 disallow: /archive/ </pre>
Affected products	Crawling preferences addressed to the Google-InspectionTool user agent affect Search testing tools such as the Rich Result Test (https://search.google.com/test/rich-results) and URL inspection (https://support.google.com/webmasters/answer/9012289) in Search Console. It has no effect on Google Search or other products.	

GoogleOther

User-Agent in HTTP requests	Mozilla/5.0 (Linux; Android 6.0.1; Nexus 5X Build/MMB29P) AppleWebKit/537.36 (KHTML, like Gecko) <u>Chrome/W.X.Y.Z</u> (#user_agent_version) Mobile Safari/537.36 (compatible; GoogleOther)	
	Mozilla/5.0 AppleWebKit/537.36 (KHTML, like Gecko; compatible; GoogleOther) <u>Chrome/W.X.Y.Z</u> (#user_agent_version) Safari/537.36	
robots.txt	User-agent token in robots.txt	GoogleOther
	Example robots.txt group	user-agent: GoogleOther allow: /archive/1Q84 disallow: /archive/
Affected products	Crawling preferences addressed to the GoogleOther user agent don't affect any specific product. GoogleOther is the generic crawler that may be used by various product teams for fetching publicly accessible content from sites. For example, it may be used for one-off crawls for internal research and development.	

GoogleOther-Image

User-Agent in HTTP requests	GoogleOther-Image/1.0	
robots.txt	User-agent token in robots.txt	GoogleOther-Image
		GoogleOther
	Example robots.txt group	user-agent: GoogleOther-Image allow: /archive/1Q84 disallow: /archive/moon.jpg
Affected products	Crawling preferences addressed to the GoogleOther-Image user agent don't affect any specific product, similar to GoogleOther. GoogleOther-Image is the version of GoogleOther optimized for fetching publicly accessible image URLs.	

GoogleOther-Video

User-Agent in HTTP requests	GoogleOther-Video/1.0	
robots.txt	User-agent token in robots.txt	GoogleOther-Video

	GoogleOther	
	Example robots.txt group	<pre>user-agent: GoogleOther-Video allow: /archive/1Q84 disallow: /archive</pre>
Affected products	Crawling preferences addressed to the GoogleOther-Video user agent don't affect any specific product, similar to GoogleOther. GoogleOther-Video is the version of GoogleOther optimized for fetching publicly accessible video URLs.	

Google-CloudVertexBot

User-Agent substring in HTTP requests	Google-CloudVertexBot	
robots.txt	User-agent token in robots.txt	Google-CloudVertexBot
		Googlebot
	Example robots.txt group	<pre>user-agent: Google-CloudVertexBot allow: /archive/1Q84 disallow: /archive/</pre>
Affected products	Crawling preferences addressed to the Google-CloudVertexBot user agent affect crawls requested by the site owners' for building Vertex AI Agents (https://cloud.google.com/generative-ai-app-builder/docs/prepare-data#website). It has no effect on Google Search or other products.	

Google-Extended

User-Agent in HTTP requests	Google-Extended doesn't have a separate HTTP request user agent string. Crawling is done with existing Google user agent strings; the robots.txt user-agent token is used in a control capacity.	
robots.txt	User-agent token in robots.txt	Google-Extended
	Example robots.txt group	<pre>user-agent: Google-Extended allow: /archive/1Q84 disallow: /archive/</pre>
Affected products	Google-Extended is a standalone product token that web publishers can use to manage whether content Google crawls from their sites may be used for training future generations of Gemini models that power Gemini Apps (https://support.google.com/gemini/answer/13594961#gemini_apps&zippy=%2Cwhat-are-gemini-apps) and Vertex AI API for Gemini (https://cloud.google.com/vertex-ai/generative-ai/docs/model-reference/inference) and for grounding (providing content from the Google Search index to the model at prompt time to improve factuality and relevancy) in Gemini Apps (https://support.google.com/gemini/answer/13594961#gemini_apps&zippy=%2Cwhat-are-gemini-apps) and Grounding with Google Search on Vertex AI (https://cloud.google.com/vertex-ai/generative-ai/docs/grounding/overview#ground-public).	

Google-Extended does not impact a site's inclusion in Google Search nor is it used as a ranking signal in Google Search.

A note about Chrome/*W.X.Y.Z* in user agents

The string **Chrome/*W.X.Y.Z*** in the user agent strings in the list is a placeholder that represents the version of the Chrome browser used by that user agent: for example, `41.0.2272.96`. This version number increases over time to [match the latest Chromium release version used by Googlebot](#) ([/search/blog/2019/05/the-new-evergreen-googlebot](#)).

If you are searching your logs or filtering your server for a user agent with this pattern, use wildcards for the version number rather than specifying an exact version number.

Except as otherwise noted, the content of this page is licensed under the [Creative Commons Attribution 4.0 License](https://creativecommons.org/licenses/by/4.0/) (<https://creativecommons.org/licenses/by/4.0/>), and code samples are licensed under the [Apache 2.0 License](https://www.apache.org/licenses/LICENSE-2.0) (<https://www.apache.org/licenses/LICENSE-2.0>). For details, see the [Google Developers Site Policies](https://developers.google.com/site-policies) (<https://developers.google.com/site-policies>). Java is a registered trademark of Oracle and/or its affiliates.

Last updated 2026-07-14 UTC.