

Bots

ProfoundBot

ProfoundBot is a user-initiated HTTP agent. When you supply a URL through the Profound platform or API, it fetches that public web page and returns its content as Markdown and/or HTML.

Summary

Operator	Profound (tryprofound.com)
User-Agent	ProfoundBot/1.0 (+ https://docs.tryprofound.com/bots)
Trigger	User-initiated
Schedule	None
Resources fetched	The single URL the customer supplies
Network origin	AWS by default; enrolled domains are fetched from a fixed set of dedicated egress IPs (see Network origin and dedicated IPs below)

What it does

When you supply a public webpage URL to read the content from, ProfoundBot makes a bounded set of HTTP requests to that URL’s origin to fetch the page, then returns the content as Markdown, HTML or both.

When a page is rendered with a headless browser, that page’s own subresources (scripts, stylesheets, images) load as they would in any browser. ProfoundBot doesn’t follow links to other pages.

What it doesn’t do

- **Crawl.** Each customer action fetches exactly one URL. The bot does not recursively follow links or build an index of your site
- **Submit forms,** follow login flows, or access authenticated areas
- **Persist** a long-running index of your site. Fetched content is delivered to you and is not republished
- **Reach private or internal network targets**

Request behavior

Each user action triggers a small, bounded interaction scoped to the single requested URL.

Redirects	Followed
Caching	None: each customer invocation issues fresh requests
Headers	User-Agent: ProfoundBot/1.0 (+https://docs.tryprofound.com/bots)

Network origin and dedicated IPs

By default, ProfoundBot egresses from a dynamic IP range. Identify it by its User-Agent.

You can enroll a domain (a per-domain setting, off by default) so that ProfoundBot fetches it from a fixed set of dedicated egress IPs. This is useful if you prefer to allowlist Profound by IP rather than by User-Agent. When a domain is enrolled, requests egress from one of these IPs:

- 54.71.251.60
- 54.185.59.110
- 100.22.234.65

These dedicated IPs are also available in a [machine-readable JSON format](#).



To enroll a domain for dedicated-IP fetching, go to your Profound account **Settings** → **Web Scrape** and toggle the **Primary Domain Scraping via Static IPs** setting to **On**.

robots.txt handling

ProfoundBot is user-initiated and fetches a single page per user action rather than crawling. Support for honoring `Disallow` directives in `robots.txt` is planned for a future release.

To prevent ProfoundBot from accessing your site in the meantime, see [How to block](#) section.

How to identify the bot

Use the exact User-Agent header:

```
User-Agent: ProfoundBot/1.0 (+https://docs.tryprofound.com/bots)
```



All Profound bots use User-Agent strings that start with `Profound`, so a prefix match is a good way to identify all Profound traffic, current and future. For enrolled domains, you can also match on the dedicated egress IPs listed in the [Network origin and dedicated IPs](#) section.

How to block

Block ProfoundBot using any of the following methods:

- A WAF or CDN rule matching User-Agent containing `ProfoundBot`

- A WAF or CDN rule matching User-Agent containing the prefix **Profound**
- For enrolled domains, a firewall or WAF rule blocking the dedicated egress IPs (**54.71.251.60** , **54.185.59.110** , **100.22.234.65**)

Reporting abuse

If you observe behavior that doesn't match this documentation, such as recursive crawling, request rates inconsistent with user-initiated single-page fetches, or activity from an unrecognized **Profound*** User-Agent, report it to [**security@tryprofound.com**](mailto:security@tryprofound.com) with example log lines.

Profound treats these reports as security issues and responds to all of them.

Was this page helpful?

 Yes

 No

[< Introduction](#)

[Profound Sheets Sitemap Importer >](#)