SIME DARBY PROPERTY UNIVERSITY HACKATHON 2026 · TEAM ONE

TEDUH demo guide

The 5-minute pitch, step by step, with a picture of every click. Read it once, then follow it with the app open.

PRESENTS THE SLIDES

Steven

Chang Juan Jue. Opens and closes the pitch, and runs every slide.

RUNS THE DEMO

Thien Gen

Hong Thien Gen. Drives the app and does all the talking from 1:30 to 3:45.

0:00–1:30
Steven
Slides: problem, user, solution

1:30–3:45
Thien Gen
Live demo in the app

3:45–5:00
Steven
Slides: how, impact, pilot, ask

How to read the pictures

1 CLICK — Pink box: click this. The number is the order.

CHECK — Blue dashed box: look here to make sure it worked.

1 DRAG ← — Pink arrow: hold the mouse button down and drag.

Set up the laptop

1. **Open a terminal** (Windows: Start → type *PowerShell* → Enter) and go to the project folder:

   ```
   cd "C:\Users\evanl\Downloads\SDP Hackathon"
   ```

   On a different laptop: `git clone https://github.com/evan-2005/Teduh.git`, then `cd Teduh`.

2. **Install the packages** (first time only):

   ```
   npm install
   ```

3. **Check the AI model is downloaded.** The list must show `qwen2.5vl:7b`:

   ```
   ollama list
   ```

   Missing? Run `ollama pull qwen2.5vl:7b` (about 6 GB).

4. **Check the settings file.** Open `.env` in the project folder; it must contain:

   ```
   VITE_ENABLE_AI=true
   AI_PROVIDER=ollama
   OLLAMA_MODEL=qwen2.5vl:7b
   ```

5. **Run the checks.** Every test must pass:

   ```
   npm test
   ```

6. **Take a footpath photo** on your phone around 2 pm, half in shade if you can, and copy it to the laptop. (Fallback: `pitch\assets\sample-path-synthetic.jpg`, a drawing: say so if you use it.)

7. **Record a backup video** of the full 5 minutes and keep it on a phone.

30 MINUTES BEFORE


Start the app

T-30	Thien Gen · demo	Plug in the charger. Settings → System → Power → **Best performance**. Close games and video tabs.

T-28	Thien Gen · demo	Terminal 1:
		`cd "C:\Users\evanl\Downloads\SDP Hackathon"`
		`npm run dev:server`
		Wait for *"Teduh API listening … local model (qwen2.5vl:7b)"*.

T-27	Thien Gen · demo	Terminal 2:
		`cd "C:\Users\evanl\Downloads\SDP Hackathon"`
		`npm run build`
		`npm run preview`
		Wait for `http://localhost:4173/`.


T-26	Thien Gen · demo	Open **http://localhost:4173** in Chrome or Edge. Press Ctrl+0, then maximise the window. You should see the picture on the right.
T-25	Thien Gen · demo	**Warm up the AI:** 4 AI scan → Choose File → your photo → Estimate shade. The first one takes 30–60 s. Then click **Undo all**.
T-20	Both	One full practice run with a stopwatch. It must end by 5:00.
T-5	Thien Gen · demo	Press F5 to reload the app. Click **1 Map & routes**.
T-5	Steven · presenter	Open the PowerPoint deck and press **F5** (Slide Show) on the cover. Check Alt+Tab switches between the deck and the app.



What you should see at T-26: the SS 15, Subang Jaya map.

Steven opens: 0:00 to 1:30 (1 of 2)

Steven · presenter Thien Gen stays silent.



0:00

"Hi, we are Team One. I'm Steven, this is Thien Gen. Teduh is Malay for shaded or sheltered. Our track is Planet, focus climate resilience."

Then: Deck on the cover slide.




0:15

"Picture SS 15 in Subang Jaya at 2 pm. About 5,000 people leave the LRT station on a weekday; that is real Prasarana ticket-gate data. Our model sends about 590 of them a day to the mall next door, and on that walk there's a 218-metre stretch with no shade at all. The township has trees and footpaths. The problem is the gaps between them, and a manager with a small budget can't see which gap matters most."

Then: Next slide: Problem.

Steven opens: 0:00 to 1:30 (2 of 2)


Steven · presenter Thien Gen stays silent.



0:50

“Our user is the person who holds the budget: the township manager. The landscape team builds it, and residents on foot benefit.”

Then: Next slide: Target user.




1:10

“Teduh answers one question: with this budget, which shade helps the most walks? It recommends trees and covered walkways, shows before and after, and hands off a build pack. Thien Gen will show you on a real township.”

Then: Next slide: Solution, then the Live demo slide. Move aside; Thien Gen takes the keyboard.

HANDOVER

Steven → Thien Gen at 1:30




1. Steven finishes the Solution slide: *“Thien Gen will show you on a real township.”*
2. Steven presses → once to show the **Live demo** slide (left), then moves aside.
3. Thien Gen takes the mouse and keyboard and presses **Alt+Tab** to the app.
4. From now until 3:45 only Thien Gen speaks.

1:30

PART 2 · DEMO · STEP 1 OF 17

Load the demo

Thien Gen · demo



SAY


“Thanks, Steven. This is the real SS 15. Streets and buildings are from OpenStreetMap. Here is the 2 pm walk from the LRT station to the mall.”

DO

- Press **Alt+Tab** to switch from the slides to the app.

1. Click **Demo: 2 pm walk from the LRT station to the shopping mall** (left panel).

CLOSE-UP




1:40

PART 2 · DEMO · STEP 2 OF 17

Check the numbers

Thien Gen · demo




CHECK

The big number says **12.7**.

Top journey: **LRT station → Shopping mall**, sun 3.0 → 1.9 min, exposed 218 → 149 m.

CLOSE-UP




1:45

PART 2 · DEMO · STEP 3 OF 17

Open the Plan builder

Thien Gen · demo




SAY

"With RM 100,000, Teduh tried every affordable combination and recommends one covered walkway and two tree rows, for RM 94,100. The walkway from the station on Jengka Avenue does most of the work."

DO

1. Click **2 Plan builder** in the top bar.

CLOSE-UP




1:50

PART 2 · DEMO · STEP 4 OF 17

Point at the best plan

Thien Gen · demo




DO

- Move the mouse over the **Best** card.

CHECK

1 covered walkway + 2 tree rows, RM 94,100 · 12.7 pedestrian-hours/day.

CLOSE-UP




1:55

PART 2 · DEMO · STEP 5 OF 17

Show what each item adds

Thien Gen · demo




DO

- Scroll the left panel down to **What each one adds**.

CHECK

The LRT walkway adds **539 min/day**, by far the most.

CLOSE-UP




2:05

PART 2 · DEMO · STEP 6 OF 17

Swipe before / after

Thien Gen · demo




SAY

“Before on the left, after on the right.”

DO

1. Put the mouse on the round ⇄ handle in the middle of the map, hold the left button, drag slowly **left** past the LRT station label, and let go.

CLOSE-UP




2:20

PART 2 · DEMO · STEP 7 OF 17

Make the key point

Thien Gen · demo



SAY

“That’s the key idea: one walkway on a shared stretch helps the mall, the college and the clinic walks at once.”


DO

- Keep the mouse still.

CHECK

The amber dashed paths by the station are now **solid green**.

CLOSE-UP




2:30

PART 2 · DEMO · STEP 8 OF 17

Grow the trees ten years

Thien Gen · demo




SAY

“Trees take years; a walkway works on day one. Let’s grow them ten years.”

DO

1. Click **Future** (above the map).
2. Click **Grow**, then wait about 5 seconds.

CLOSE-UP




2:50

PART 2 · DEMO · STEP 9 OF 17

Read the year-10 result

Thien Gen · demo



SAY

“Twice the benefit for about half the money, if you can wait, and if the trees grow as modelled.”


CHECK

The slider says **Year 10**.

The **Best** card says **5 tree rows**, RM 51,700 · 26.5.

The big number at the top (22.9) is today’s plan at year 10. Read the Best card instead.

CLOSE-UP




2:55

PART 2 · DEMO · STEP 10 OF 17

Open the spec pack

Thien Gen · demo




SAY

“Every item comes with a spec pack a contractor can quote from.”

DO

1. Click **Now** (above the map).
2. In the left panel under **Candidates**, click **Details** next to **Covered walkway from the LRT station on Jengka Avenue (69 m)**. Scroll down if you can’t see it.

CLOSE-UP




3:00

PART 2 · DEMO · STEP 11 OF 17

Spec pack: the facts

Thien Gen · demo




DO

- Scroll the left panel down slowly.

CHECK

Covered length **69 m**, install cost **RM 79,000**, starts at the LRT station.

CLOSE-UP




3:05

PART 2 · DEMO · STEP 12 OF 17

Spec pack: the drawing

Thien Gen · demo




CHECK

The elevation drawing, then the bill of materials below it.

Download CSV at the bottom works, but don't click it on stage.

CLOSE-UP




3:15

PART 2 · DEMO · STEP 13 OF 17

Open the AI scan

Thien Gen · demo




SAY

“OpenStreetMap has almost no trees mapped here, so our shade is a model. A survey photo fills that gap. A vision model running on this laptop estimates the shade, and nothing reaches the map until a person confirms it.”

DO

1. Click **4 AI scan** in the top bar.

CLOSE-UP




3:18

PART 2 · DEMO · STEP 14 OF 17

Choose the photo

Thien Gen · demo




DO

1. Click **Choose File**, pick your footpath photo, click **Open**.

CHECK

Path segment already says **Jengka Avenue (Main road) · seg-116**. Leave it.

CLOSE-UP




3:25

PART 2 · DEMO · STEP 15 OF 17

Estimate the shade

Thien Gen · demo




SAY

“Photos stay on this laptop, and there’s no cloud cost per photo.”

DO

2. Click **Estimate shade**. It takes about 10 seconds: keep talking.

CLOSE-UP




3:35

PART 2 · DEMO · STEP 16 OF 17

Check, adjust, confirm

Thien Gen · demo



SAY

“I’ll check it against the photo, adjust, and confirm.”


DO

3. If the photo looks different, drag **Your value**.
4. Click **Confirm and apply to map**.

CHECK

“AI estimate: …% shaded” and “Estimated by a local model”.

CLOSE-UP




3:40

PART 2 · DEMO · STEP 17 OF 17

Confirmed, then hand back

Thien Gen · demo



DO


- Say: *“Back to Steven.”*
- Press **Alt+Tab** to the slides and hand the keyboard to Steven.

CHECK

“Applied to seg-116 at 14:00 as **AI-CONFIRMED**”.


If the big number drops (e.g. 12.7 → 7.9), that’s correct: the photo shows the path already has some shade. Before the next run, click **Undo all** or the Demo button.

CLOSE-UP



HANDOVER


Thien Gen → Steven at 3:45



1. Thien Gen says *“Back to Steven”* and presses **Alt+Tab** to the slides.
2. Steven presses → once to show **How it works** (left).
3. From now until 5:00 only Steven speaks.

Steven closes: 3:45 to 5:00 (1 of 3)

Steven · presenter Thien Gen stays silent.



3:45

"Under the hood: open map data, the real sun position, real station counts, and a score anyone can inspect: hours walked in direct sun, avoided."

Then: Next slide: How it works.



4:05

"In this scenario, RM 94,000 takes 12.7 pedestrian-hours a day out of direct sun. These are model estimates; a pilot measures the real effect."

Then: Next slide: Impact.

Steven closes: 3:45 to 5:00 (2 of 3)

Steven · presenter Thien Gen stays silent.

INNOVATION

Routing apps help a walker. Teduh helps a township build.

	Shade-aware routing (e.g. Undercover, Singapore)	Teduh
Question	Which way should I walk?	Where should we build shade first?
Money	Not the focus	Every option priced: install and upkeep, within a budget
Time	Not the focus	4 times of day, and trees growing over 10 years
Output	A route	A spec pack a contractor can quote from
Field data	Not the focus	Photo → AI shade estimate → a person confirms

8

4:20

"Routing apps like Singapore's Undercover help a walker. Teduh helps a township decide what to build."

Then: Next slide: Innovation.

FEASIBILITY


It already runs, on any township

15 Klang Valley areas built in, and any other place in about 40 seconds. Right: Ara Damansara.

Open data only: OpenStreetMap and data.gov.my ridership. No sensors to install.

AI runs on a laptop (an open vision model via Ollama), so photos stay local and cost nothing per call.

515 automated tests. Unit costs are editable, so quotes replace estimates.



9

4:30

"It already runs on 15 Klang Valley areas and any other place in about 40 seconds: this is SDP's own Ara Damansara."

Then: Next slide: Feasibility.

Steven closes: 3:45 to 5:00 (3 of 3)

Steven · presenter Thien Gen stays silent.




4:45

"Our ask: one SDP township to pilot, a landscape contact and a small budget line. Survey, build, measure in six months. Thank you."

Then: Next slide: Implementation. Stop at 5:00.

If something breaks

Map background blank or grey	No internet. Map layers → None. Buildings, paths and landmarks still draw.
AI scan says MOCK	Ollama isn't running. Say: "No model is running, so it shows a labelled mock; a person still sets the value." Continue. Afterwards start Ollama from the Start menu.
AI scan takes over 30 s	The first call loads the model. Keep talking; after 60 s it falls back to MOCK. Next time do the warm-up at T-25.
Wrong area showing	Area → SS 15, Subang Jaya, or open http://localhost:4173/?area=ss15-subang-jaya
Numbers differ from ◆	A setting or AI edit changed them. 1 Map & routes → Demo button: it resets the budget, settings and AI edits.
Map stuck picking paths	Cancel under Place your own, or switch to another page.
App won't load	Check both terminals are still running. If not, play pitch/backup-demo.mp4 or show the appendix screen slides.




Blank map? **Map layers** → **None**.


ONLY FOR THE 10-MINUTE PITCH ON 14 NOV

Extra demo steps (Thien Gen)


Thien Gen carries on after the AI scan instead of handing back, adds these, and hands back to Steven at 7:30.



3:45 Time of day. On 1 Map & routes, drag the slider from 2 pm to 5 pm and back.



4:15 Place your own. 2 Plan builder → Plant a tree row → click 2–3 joined paths → Add.



5:30 Any township. Look up a place → *Ara Damansara* → pick “Petaling Jaya, Petaling, Selangor”. About 40 s.

Also at 5:00: 4 AI scan → **Explain this plan** (about 20 s). At 6:30 hand the mouse to a judge: “Change the budget, untick a candidate, prioritise the college.”

Likely questions

How accurate is the shade?	Thien Gen · demo	Modelled from mapped buildings and the real sun at four times of day. OpenStreetMap has few trees here, so midday shade is understated. The pilot and the AI scan replace estimates with surveyed values, and every number shows its source.
Where do the walking numbers come from?	Steven · presenter	Station exits are real Prasarana ticket-gate counts on data.gov.my. How they split between places, and bus stop trips, are estimates. A count at the station and the mall is the first thing the pilot adds.
Does shade make it cooler or safer?	Steven · presenter	We don’t claim that. Shade is not comfort or safety. We measure time walked in direct sun.
What would it cost SDP?	Steven · presenter	The tool runs on open data and a laptop, so it costs little. The money is the trees and walkways, and Teduh puts that money where most people walk. Costs are bottom-up estimates; the pilot swaps in real quotes.
Why not plant trees everywhere?	Thien Gen · demo	Budgets are limited. In SS 15 one 69 m walkway does more than several tree rows because it sits on the busiest shared stretch.
Will it work on Elmina or Bukit Raja?	Thien Gen · demo	Yes: Look up a place builds any area in about 40 seconds. We showed Ara Damansara.
What does the AI do?	Thien Gen · demo	It estimates shade from a survey photo, which a person must confirm, and writes a plain summary of the plan from the numbers on screen. A check rejects any summary that invents a number. It runs locally, or on Claude in the cloud.
What happens after the hackathon?	Steven · presenter	A six-month pilot in one SDP township: survey, build one walkway and some tree rows, then compare predicted and observed shade and walker counts.

Never say shade lowers temperature, makes a route safe or healthy, or that the figures are measurements. Say “modelled”, “estimated” and “direct sun avoided” instead.

BEFORE 23 OCT, 11:59 PM

Submission checklist

- ☐ Check the names on the cover slide and in the opening line.
- ☐ Add 3–5 real resident quotes to pitch/resident-interviews.md. Never invent quotes; evidence is 10% of the score.
- ☐ Export the deck as PDF if the form asks for one (PowerPoint: File → Export → PDF).
- ☐ Record and upload the 5-minute video (Part A).
- ☐ Add the GitHub link: https://github.com/evan-2005/Teduh
- ☐ Re-check every ◆ number against the app after any data change.

Files: `pitch\TEDUH-pitch-deck.pptx` (slides, with lines in the speaker notes) · `pitch\TEDUH-demo-script.docx` (full script) · this guide.