

# CS23336-Introduction to Python Programming

Started on

Monday, 5 August 2024, 1:51 PM

State

Finished

Completed on

Wednesday, 7 August 2024, 2:43 PM


Time taken

2 days

## Question 1

Correct

Marked out of 1.00

Flag question

### Question text

In department 54% are boys and 46% are girls and 8% are hostel (boys/girls). write a python code to print total no of boys, girls and hostel students in the specific format using modulo operator.

input: 1500

output: Total Students : 1500, Boys : 810, Girls : 690, Hostel : 120

Answer:(penalty regime: 0 %)  
Ace editor not ready. Perhaps reload page?  
Falling back to raw text area.

```
n=int(input())
boys=(54/100)*n
girls=(46/100)*n
hostel=(8/100)*n

print("Total Students :
{:.0f}",".format(n),"Bo
ys :
{:.0f}",".format(boys),"
Girls :
{:.0f}",".format(girls),"
Hostel :
{:.0f}",".format(hostel))
```

### Feedback


Input	Expected	Got
1500	Total Students : 1500, Boys : 810, Girls : 690, Hostel : 120	Total Students : 1500, Boys : 810, Girls : 690, Hostel : 120

Passed all tests!

## Question 2

Correct

Marked out of 1.00

Flag question

### Question text

You went on a tour to Ooty with your friends. As a part of the tour, you went boating with them. For the boat to remain stable, the number of people on one boat is restricted based on the weight of the people. You find that the boatman who is sailing your boat is so much greedy of money. For earning more, he takes too many people to travel in the boat at a time. So you want to check how many people can travel in the boat at a time so that the boat will not drown. Calculate the weight by considering the number of adults and number of children. Assume that an adult weighs 75 kg and children

weigh 30 kg each. If the weight is normal, display Boat is stable, else display Boat will drown.

INPUT & OUTPUT FORMAT:

Input consists of 3 integers.

First input corresponds to the weight that the boat can handle.

Second input corresponds to the number of adults.

Third input corresponds to the number of children.

Answer:(penalty regime: 0 %)

Ace editor not ready. Perhaps reload page?

Falling back to raw text area.


```
a=int(input())
b=int(input())
c=int(input())
d=(b*75)+(c*30)
if a>d:
    print("Boat is
stable")
else:
    print("Boat will
drow")
```

Feedback

Input	Expected	Got
340 2 3	Boat is stable	Boat is stable
600 7 4	Boat will drow	Boat will drow

Passed all tests!

Question 3

Correct  
Marked out of 1.00  
 Flag question

Question text

Alfred buys an old scooter for Rs. X and spends Rs. Y on its repairs. If he sells the scooter for Rs. Z ( $Z > X + Y$ ). Write a program to help Alfred to find his gain percent. Get all the above-mentioned values through the keyboard and find the gain percent.

Input Format:

The first line contains the Rs X

The second line contains Rs Y

The third line contains Rs Z

Sample Input:

10000

250

15000

Sample Output:

46.34 is the gain percent.

For example:

Input	Result
45500	
500	30.43 is the gain percent.
60000	

Answer:(penalty regime: 0 %)  
Ace editor not ready. Perhaps reload page?  
Falling back to raw text area.


```
x=int(input())
y=int(input())
z=int(input())
a=z-(x+y)
a=(a/(x+y))*100
print("{:.2f} is the
gain
percent.".format(a))
```

Feedback

Input	Expected	Got
10000		
250	46.34 is the gain percent.	46.34 is the gain percent.
15000		
45500		
500	30.43 is the gain percent.	30.43 is the gain percent.
60000		
5000		
0	40.00 is the gain percent.	40.00 is the gain percent.
7000		
12500		
5000	2.86 is the gain percent.	2.86 is the gain percent.
18000		

Passed all tests!

Question 4

Correct  
Marked out of 1.00  
 Flag question

Question text

Ramesh’s basic salary is input through the keyboard. His dearness allowance is 40% of his basic salary, and his house rent allowance is 20% of his basic salary. Write a program to calculate his gross salary.

Sample Input:

10000

Sample Output:

16000

For example:

**Input Result**

10000 16000

Answer:(penalty regime: 0 %)  
Ace editor not ready. Perhaps reload page?  
Falling back to raw text area.

```
tot=int(input())
a=(tot/100)*40
b=(tot/100)*20
c=a+b+tot
print("
{:.0f}".format(c))
```

**Feedback**


**Input Expected Got**

10000	16000	16000
20000	32000	32000
28000	44800	44800
5000	8000	8000

Passed all tests!

**Question 5**

Correct  
Marked out of 1.00

 Flag question

**Question text**

In a Logistic the Parcels to be delivered in 4 locations (1st locaion 20%, 2nd location 40%, 3rd location 30% and 4th location 10%). write a python code to find the total no. of parcels after the delivery in 2 locations . use a format() to print the no of parcels delivered in in each location

Input:

250

output:

Total Parcels is 250

1st Location 50 parcels

2nd Location 100 parcels

3rd Location 75 parcels

4th Location 25 parcels

Answer:(penalty regime: 0 %)

Ace editor not ready. Perhaps reload page?

Falling back to raw text area.

```
n=int(input())
a=(20/100)*n
b=(40/100)*n
c=(30/100)*n
d=(10/100)*n
print("Total Parcels
is",n)
print("1st Location
{:.0f}".format(a),"pa
rcels")
print("2nd Location
{:.0f}".format(b),"pa
rcels")
print("3rd Location
{:.0f}".format(c),"pa
rcels")
print("4th Location
{:.0f}".format(d),"pa
```

Feedback


Input	Expected	Got
250	Total Parcels is 250 1st Location 50 parcels 2nd Location 100 parcels 3rd Location 75 parcels 4th Location 25 parcels	Total Parcels is 250 1st Location 50 parcels 2nd Location 100 parcels 3rd Location 75 parcels 4th Location 25 parcels

Passed all tests!

Question 6

Correct

Marked out of 1.00

 Flag question

Question text

Justin is a carpenter who works on an hourly basis. He works in a company where he is paid Rs 50 for an hour on weekdays and Rs 80 for an hour on weekends. He works 10 hrs more on weekdays than weekends. If the salary paid for him is given, write a program to find the number of hours he has worked on weekdays and weekends.

**Hint:**

If the final result(hrs) are in -ve convert that to +ve using abs() function

The abs() function returns the absolute value of the given number.

```
number = -20
absolute_number = abs(number)
print(absolute_number)
# Output: 20
```

Sample Input:

450

Sample Output:

weekdays 10.38

weekend 0.38

For example:

**Input      Result**

450	weekdays 10.38
	weekend 0.38

Answer:(penalty regime: 0 %)  
Ace editor not ready. Perhaps reload page?  
Falling back to raw text area.

```
n=int(input())
b=0
c=0
c=abs((n-500)/130)
b=10+c
print("weekdays
{:.2f}\nweekend
{:.2f}".format(b,c))
```

**Feedback**


**Input    Expected      Got**

450	weekdays 10.38 weekend 0.38	weekdays 10.38 weekend 0.38
500	weekdays 10.00 weekend 0.00	weekdays 10.00 weekend 0.00
10000	weekdays 83.08 weekend 73.08	weekdays 83.08 weekend 73.08
6789	weekdays 58.38 weekend 48.38	weekdays 58.38 weekend 48.38

Passed all tests!

**Question 7**

Correct  
Marked out of 1.00

 Flag question

**Question text**

In a Lab 36% are Dell and 34% Lennovo and 28% are Acer and 2% are Samsung. write a python code to print total systems and brand wise count in the specific format using sep operator.

input: 150

output: Total System:150

Dell:54

Lennovo:51

Acer:42

Samsung:3

Answer:(penalty regime: 0 %)

Ace editor not ready. Perhaps reload page?

Falling back to raw text area.

```
tot=int(input())
dell=(36/100)*tot
lenovo=(34/100)*tot
acer=(28/100)*tot
samsung=(2/100)*tot
print("Total System:
{:.0f}".format(tot))
print("Dell:
{:.0f}".format(dell))
print("Lenovo:
{:.0f}".format(lenovo)
)
print("Acer:
{:.0f}".format(acer))
print("Samsung:
{:.0f}".format(samsun
g))
```

## Feedback


Input	Expected	Got
150	Total System:150 Dell:54 Lenovo:51 Acer:42 Samsung:3	Total System:150 Dell:54 Lenovo:51 Acer:42 Samsung:3

Passed all tests!

## Question 8

Correct

Marked out of 1.00

 Flag question

### Question text

In many jurisdictions, a small deposit is added to drink containers to encourage people to recycle them. In one particular jurisdiction, drink containers holding one liter or less have a \$0.10 deposit and drink containers holding more than one liter have a \$0.25 deposit. Write a program that reads the number of containers of each size(less and more) from the user. Your program should continue by computing and displaying the refund that will be received for returning those containers. Format the output so that it includes a dollar sign and always displays exactly two decimal places.

Sample Input

10

20

Sample Output

Your total refund will be \$6.00.

For example:

Input	Result
20 20	Your total refund will be \$7.00.

Answer:(penalty regime: 0 %)

Ace editor not ready. Perhaps reload page?

Falling back to raw text area.


```
a=int(input())
b=int(input())
x=a*0.10
y=b*0.25
z=x+y
print("Your total
refund will be
${:.2f}.".format(z))
```

Feedback

Input	Expected	Got
20 20	Your total refund will be \$7.00.	Your total refund will be \$7.00.
11 22	Your total refund will be \$6.60.	Your total refund will be \$6.60.
123 200	Your total refund will be \$62.30.	Your total refund will be \$62.30.
76 38	Your total refund will be \$17.10.	Your total refund will be \$17.10.

Passed all tests!

Question 9

Correct  
Marked out of 1.00  
 Flag question

Question text

Write a program that returns the second last digit of the given number. Second last digit is being referred 10the digit in the tens place in the given number.

For example, if the given number is 197, the second last digit is 9.

Note1 - The second last digit should be returned as a positive number. i.e. if the given number is -197, the second last digit is 9.

Note2 - If the given number is a single digit number, then the second last digit does not exist. In such cases, the program should return -1. i.e. if the given number is 5, the second last digit should be returned as -1

For example:

Input Result

197	9
-197	9
5	-1

Answer:(penalty regime: 0 %)  
Ace editor not ready. Perhaps reload page?  
Falling back to raw text area.



```
a=input()
if len(a)>1:
    print(a[-2])
else:
    print("-1")
```

## Feedback


### Input Expected Got

197	9	9
-197	9	9
5	-1	-1

Passed all tests!

## Question 10

Correct  
Marked out of 1.00

 Flag question

### Question text

Write a program to convert strings to an integer and float and display its type.

Sample Input:

10

10.9

Sample Output:

10,<class 'int'>

10.9,<class 'float'>

For example:

Input	Result
10	10,<class 'int'>
10.9	10.9,<class 'float'>

Answer:(penalty regime: 0 %)  
Ace editor not ready. Perhaps reload page?  
Falling back to raw text area.

```
a=int(input())
b=float(input())
print(a,type(a),sep=",")
print(
{:.1f}".format(b),type(
b),sep=",")
```

Feedback

Input	Expected	Got
10	10,<class 'int'>	10,<class 'int'>
10.9	10.9,<class 'float'>	10.9,<class 'float'>
12	12,<class 'int'>	12,<class 'int'>
12.5	12.5,<class 'float'>	12.5,<class 'float'>
89	89,<class 'int'>	89,<class 'int'>
7.56	7.6,<class 'float'>	7.6,<class 'float'>
55000	55000,<class 'int'>	55000,<class 'int'>
56.2	56.2,<class 'float'>	56.2,<class 'float'>
2541	2541,<class 'int'>	2541,<class 'int'>
2541.679	2541.7,<class 'float'>	2541.7,<class 'float'>

Passed all tests!

[Finish review](#)  
[Skip Quiz navigation](#)

Quiz navigation

[Question 1 This page](#) [Question 2 This page](#) [Question 3 This page](#) [Question 4 This page](#) [Question 5 This page](#) [Question 6 This page](#) [Question 7 This page](#) [Question 8 This page](#) [Question 9 This page](#) [Question 10 This page](#)  
[Show one page at a time](#)[Finish review](#)