

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>LinkVault</title>
  <script src="https://cdn.tailwindcss.com"></script>
  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/@fortawesome/fontawesome-free@6.4.0/css/all.min.css">
  <script>
    tailwind.config = {
      darkMode: 'class',
    }
  </script>
  <style>
    .custom-bg {
      background-size: cover;
      background-position: center;
      background-repeat: no-repeat;
    }
    ::-webkit-scrollbar {
      width: 6px;
      height: 6px;
    }
    ::-webkit-scrollbar-track {
      background: rgba(0, 0, 0, 0.1);
    }
    ::-webkit-scrollbar-thumb {
      background: rgba(150, 150, 150, 0.3);
      border-radius: 3px;
    }
  </style>
</head>
<body id="pageBody" class="h-screen overflow-y-auto font-sans selection:bg-indigo-500 selection:text-white relative flex flex-col transition-colors duration-300">

  <!-- Background Layer with Dynamic Image & Overlay -->
  <div id="bgLayer" class="fixed inset-0 custom-bg transition-all duration-300 -z-20"></div>
  <div id="bgOverlay" class="fixed inset-0 backdrop-blur-sm -z-10 transition-all duration-300"></div>

  <!-- Main Container -->
  <div class="max-w-4xl w-full mx-auto p-4 sm:p-6 flex-1 flex flex-col min-h-full">

    <!-- Header -->
    <header class="flex flex-col sm:flex-row items-center justify-between gap-4 py-4 border-b border-current/10 mb-6 shrink-0">
      <div class="flex items-center gap-3">
        <div class="w-10 h-10 rounded-xl bg-indigo-600 flex items-center justify-center shadow-lg shadow-indigo-500/30 text-white font-bold text-xl">
          <i class="fa-solid fa-vault"></i>
        </div>
        <div>
          <h1 class="text-xl font-bold tracking-tight">LinkVault</h1>
          <p class="text-xs opacity-70">Secure Links & Scripts
Dashboard</p>
        </div>
      </div>

    <!-- Mode Switcher Bar & Settings Toggle -->
    <div class="flex items-center gap-3 w-full sm:w-auto justify-end">

```

```

        <div class="bg-current/5 p-1 rounded-xl border border-current/10
flex items-center gap-1">
            <button onclick="setMode('links')" id="modeLinksBtn"
class="px-4 py-1.5 rounded-lg text-xs font-medium transition-all bg-indigo-600
text-white shadow">
                Links
            </button>
            <button onclick="setMode('text')" id="modeTextBtn"
class="px-4 py-1.5 rounded-lg text-xs font-medium transition-all opacity-70
hover:opacity-100">
                Text & Scripts
            </button>
        </div>
        <button onclick="toggleSettings()" class="p-2.5 rounded-xl bg-
current/5 hover:bg-current/10 border border-current/10 transition-all"
title="Settings">
            <i class="fa-solid fa-gear"></i>
        </button>
    </div>
</header>

<!-- Action Bar (Add Item) -->
<div class="bg-current/5 border border-current/10 rounded-2xl p-4 sm:p-5
backdrop-blur-md mb-6 shadow-xl shrink-0">
    <h2 id="formTitle" class="text-sm font-semibold mb-3 flex items-
center gap-2 opacity-90">
        <i class="fa-solid fa-plus text-indigo-400"></i> Add New Link
    </h2>
    <form id="vaultForm" onsubmit="handleFormSubmit(event)"
class="space-y-3">
        <div class="grid grid-cols-1 sm:grid-cols-2 gap-3">
            <input type="text" id="itemTitle" placeholder="Title (e.g.
GitHub Repository)" required
                class="bg-current/5 border border-current/10 rounded-xl
px-4 py-2.5 text-sm placeholder-current/40 focus:outline-none focus:border-
indigo-500 transition-all">
                <div id="primaryInputContainer">
                    <input type="url" id="itemValue"
placeholder="https://example.com" required
                        class="w-full bg-current/5 border border-current/10
rounded-xl px-4 py-2.5 text-sm placeholder-current/40 focus:outline-none
focus:border-indigo-500 transition-all">
                </div>
            </div>

            <!-- Secondary Notes Bar with dynamic 50% / 0% opacity
placeholder handling -->
            <div>
                <input type="text" id="itemNote" placeholder="ex. Python,
Roast, Important text"
                    class="w-full bg-current/5 border border-current/10
rounded-xl px-4 py-2.5 text-sm placeholder-current/50 focus:placeholder-
current/90 focus:outline-none focus:border-indigo-500 transition-all">
            </div>

            <div class="flex justify-end pt-1">
                <button type="submit" class="bg-indigo-600 hover:bg-
indigo-500 text-white font-medium px-5 py-2 rounded-xl text-sm transition-all
shadow-lg shadow-indigo-600/20 flex items-center gap-2">
                    <i class="fa-solid fa-check"></i> Save to Vault
                </button>
            </div>
        </form>

```

```

</div>

<!-- Search & Filter Bar -->
<div class="flex items-center gap-3 mb-6 shrink-0">
  <div class="relative flex-1">
    <i class="fa-solid fa-search absolute left-4 top-1/2 -translate-y-1/2 text-sm opacity-50"></i>
    <input type="text" id="searchInput" oninput="renderItems()"
placeholder="Search vault items..."
      class="w-full bg-current/5 border border-current/10 rounded-xl pl-11 pr-4 py-2.5 text-sm placeholder-current/40 focus:outline-none focus:border-indigo-500 transition-all">
    </div>
  </div>

  <!-- Vault Items Grid / List -->
  <div id="vaultGrid" class="grid grid-cols-1 sm:grid-cols-2 gap-4 pb-12">
    <!-- Dynamically populated items -->
  </div>

  <!-- Empty State -->
  <div id="emptyState" class="hidden flex-col items-center justify-center py-16 text-center opacity-60 my-auto">
    <i class="fa-solid fa-box-open text-4xl mb-3 opacity-40"></i>
    <p class="text-sm">Your vault is empty in this mode.</p>
  </div>

</div>

<!-- Settings Modal Drawer -->
<div id="settingsModal" class="fixed inset-0 bg-black/60 backdrop-blur-md z-50 flex items-center justify-center p-4 hidden">
  <div class="bg-slate-900 text-slate-100 border border-white/10 rounded-3xl max-w-md w-full p-6 shadow-2xl space-y-6 relative max-h-[90vh] overflow-y-auto">
    <div class="flex items-center justify-between border-b border-white/10 pb-4">
      <h3 class="font-bold text-lg flex items-center gap-2">
        <i class="fa-solid fa-gear text-indigo-400"></i> Settings &
Account
      </h3>
      <button onclick="toggleSettings()" class="text-slate-400 hover:text-white p-1">
        <i class="fa-solid fa-xmark text-lg"></i>
      </button>
    </div>

    <!-- Theme Toggle Section -->
    <div class="space-y-2">
      <label class="text-xs font-semibold text-slate-400 uppercase tracking-wider">Appearance</label>
      <div class="flex items-center justify-between bg-black/40 border border-white/10 rounded-xl px-4 py-3">
        <span class="text-xs text-slate-300 font-medium">Theme
Mode</span>
        <button onclick="toggleTheme()" id="themeToggleBtn"
class="bg-indigo-600 hover:bg-indigo-500 text-white px-3 py-1.5 rounded-lg text-xs font-medium transition-all flex items-center gap-2">
          <i class="fa-solid fa-sun"></i> Light Mode
        </button>
      </div>
    </div>

    <!-- Account Key Section (Mullvad style 18 character uneditable

```

```

code) -->
    <div class="space-y-2 pt-2 border-t border-white/10">
        <label class="text-xs font-semibold text-slate-400 uppercase
tracking-wider">Account Key (Data & Theme Sync)</label>
        <div class="flex gap-2">
            <input type="text" id="accountKeyInput" readonly
                class="w-full bg-black/50 border border-white/10
rounded-xl px-3 py-2 text-xs font-mono text-indigo-300 select-all focus:outline-
none">
            <button onclick="copyAccountKey()" class="bg-white/10
hover:bg-white/20 text-white px-3 py-2 rounded-xl text-xs font-medium
transition-all shrink-0">
                <i class="fa-solid fa-copy"></i> Copy
            </button>
        </div>
        <p class="text-[11px] text-slate-500">Use this exact key to
restore your links, scripts, background, and theme settings across devices.</p>
    </div>

    <!-- Restore Account Key Input -->
    <div class="space-y-2 pt-2 border-t border-white/10">
        <label class="text-xs font-semibold text-slate-400 uppercase
tracking-wider">Restore Account</label>
        <div class="flex gap-2">
            <input type="text" id="restoreKeyInput" placeholder="xxxx-
xxxx-xxxx-xxxx-xx"
                class="w-full bg-black/50 border border-white/10
rounded-xl px-3 py-2 text-xs font-mono text-slate-200 placeholder-slate-600
focus:outline-none focus:border-indigo-500">
            <button onclick="restoreAccount()" class="bg-indigo-600
hover:bg-indigo-500 text-white px-3 py-2 rounded-xl text-xs font-medium
transition-all shrink-0">
                Restore
            </button>
        </div>
    </div>

    <!-- Custom Background Uploader -->
    <div class="space-y-2 pt-2 border-t border-white/10">
        <label class="text-xs font-semibold text-slate-400 uppercase
tracking-wider">Custom Background Image</label>
        <div class="flex items-center gap-3">
            <label class="cursor-pointer bg-white/10 hover:bg-white/20
text-white px-4 py-2 rounded-xl text-xs font-medium transition-all border
border-white/10 flex items-center gap-2">
                <i class="fa-solid fa-image"></i> Upload File
                <input type="file" accept="image/*"
onchange="handleImageUpload(event)" class="hidden">
            </label>
            <button onclick="clearBackground()" class="text-xs text-
rose-400 hover:text-rose-300 transition-all">Remove</button>
        </div>
    </div>

    <!-- Background Overlay Opacity Slider -->
    <div class="space-y-2 pt-2 border-t border-white/10">
        <div class="flex justify-between text-xs">
            <span class="font-semibold text-slate-400 uppercase
tracking-wider">Background Dimness</span>
            <span id="opacityVal" class="text-indigo-400 font-
mono">20%</span>
        </div>
        <input type="range" id="opacitySlider" min="0" max="95"
value="20" oninput="updateOpacity(this.value)"

```

```

        class="w-full accent-indigo-500 cursor-pointer">
    </div>

    <div class="pt-4 border-t border-white/10 flex justify-end">
        <button onclick="toggleSettings()" class="bg-indigo-600
hover:bg-indigo-500 text-white px-4 py-2 rounded-xl text-xs font-medium
transition-all">
            Done
        </button>
    </div>
</div>
</div>

<script>
// State Management
let currentMode = 'links'; // 'links' or 'text'
let vaultData = {
    links: [],
    texts: [],
    settings: {
        theme: 'light', // Default to light mode state
        bgImage: '',
        bgOpacity: 0.2,
        accountKey: ''
    }
};

// Initialize or load vault key & data
function initVault() {
    let storedKey = localStorage.getItem('linkvault_active_key');
    if (!storedKey) {
        storedKey = generateAccountKey();
        localStorage.setItem('linkvault_active_key', storedKey);
    }
    loadVaultData(storedKey);
}

function generateAccountKey() {
    const chars = 'abcdefghijklmnopqrstuvwxyz0123456789';
    const segments = [4, 4, 4, 4, 2];
    return segments.map(len => {
        let seg = '';
        for (let i = 0; i < len; i++) {
            seg += chars.charAt(Math.floor(Math.random() *
chars.length));
        }
        return seg;
    }).join('-');
}

function getStorageKey(accountKey) {
    return `linkvault_data_${accountKey}`;
}

function loadVaultData(accountKey) {
    const raw = localStorage.getItem(getStorageKey(accountKey));
    if (raw) {
        try {
            vaultData = JSON.parse(raw);
        } catch (e) {
            console.error('Failed to parse vault data', e);
        }
    } else {
        // Default starter items for new account

```

```

        vaultData = {
            links: [
                { id: 1, title: 'GitHub', value: 'https://github.com',
note: 'Development' },
                { id: 2, title: 'Google', value: 'https://google.com',
note: 'Search Engine' }
            ],
            texts: [
                { id: 1, title: 'Python Snippet', value: 'print("Hello
from LinkVault!")', note: 'ex. Python, Roast, Important text' }
            ],
            settings: {
                theme: 'light',
                bgImage: '',
                bgOpacity: 0.2,
                accountKey: accountKey
            }
        };
        saveVaultData();
    }

    if (!vaultData.settings.theme) {
        vaultData.settings.theme = 'light';
    }

    vaultData.settings.accountKey = accountKey;
    document.getElementById('accountKeyInput').value = accountKey;
    applySettings();
    renderItems();
}

function saveVaultData() {
    const key = vaultData.settings.accountKey;
    localStorage.setItem(getStorageKey(key), JSON.stringify(vaultData));
}

// Mode Switching ('links' vs 'text')
function setMode(mode) {
    currentMode = mode;
    const linksBtn = document.getElementById('modeLinksBtn');
    const textBtn = document.getElementById('modeTextBtn');
    const formTitle = document.getElementById('formTitle');
    const primaryContainer =
document.getElementById('primaryInputContainer');

    if (mode === 'links') {
        linksBtn.className = "px-4 py-1.5 rounded-lg text-xs font-medium
transition-all bg-indigo-600 text-white shadow";
        textBtn.className = "px-4 py-1.5 rounded-lg text-xs font-medium
transition-all opacity-70 hover:opacity-100";
        formTitle.innerHTML = '<i class="fa-solid fa-plus text-
indigo-400"></i> Add New Link';
        primaryContainer.innerHTML = `<input type="url" id="itemValue"
placeholder="https://example.com" required class="w-full bg-current/5 border
border-current/10 rounded-xl px-4 py-2.5 text-sm placeholder-current/40
focus:outline-none focus:border-indigo-500 transition-all">`;
    } else {
        textBtn.className = "px-4 py-1.5 rounded-lg text-xs font-medium
transition-all bg-indigo-600 text-white shadow";
        linksBtn.className = "px-4 py-1.5 rounded-lg text-xs font-medium
transition-all opacity-70 hover:opacity-100";
        formTitle.innerHTML = '<i class="fa-solid fa-code text-
indigo-400"></i> Add Text or Script';
        primaryContainer.innerHTML = `<textarea id="itemValue"

```

```

placeholder="Paste your text or script here..." rows="2" required class="w-full
bg-current/5 border border-current/10 rounded-xl px-4 py-2.5 text-sm
placeholder-current/40 focus:outline-none focus:border-indigo-500 transition-
all"></textarea>`;
    }
    renderItem();
  }

  // Form Submission
  function handleFormSubmit(e) {
    e.preventDefault();
    const title = document.getElementById('itemTitle').value.trim();
    const value = document.getElementById('itemValue').value.trim();
    const note = document.getElementById('itemNote').value.trim();

    const newItem = {
      id: Date.now(),
      title,
      value,
      note
    };

    if (currentMode === 'links') {
      vaultData.links.unshift(newItem);
    } else {
      vaultData.texts.unshift(newItem);
    }

    saveVaultData();
    document.getElementById('vaultForm').reset();
    renderItem();
  }

  // Render Vault Items
  function renderItem() {
    const grid = document.getElementById('vaultGrid');
    const emptyState = document.getElementById('emptyState');
    const searchVal =
document.getElementById('searchInput').value.toLowerCase();

    const items = currentMode === 'links' ? vaultData.links :
vaultData.texts;
    const filtered = items.filter(item =>
      item.title.toLowerCase().includes(searchVal) ||
      item.value.toLowerCase().includes(searchVal) ||
      (item.note && item.note.toLowerCase().includes(searchVal))
    );

    grid.innerHTML = '';

    if (filtered.length === 0) {
      emptyState.classList.remove('hidden');
      emptyState.classList.add('flex');
      return;
    }

    emptyState.classList.remove('flex');
    emptyState.classList.add('hidden');

    filtered.forEach(item => {
      const card = document.createElement('div');
      card.className = "bg-current/5 border border-current/10
rounded-2xl p-4 backdrop-blur-md flex flex-col justify-between gap-3
hover:border-indigo-500/50 transition-all group";

```

```

        let contentHTML = '';
        if (currentMode === 'links') {
            contentHTML = `
                <a href="${item.value}" target="_blank" class="text-sm
text-indigo-400 hover:underline truncate block flex items-center gap-2">
                    <i class="fa-solid fa-arrow-up-right-from-square
text-xs opacity-70"></i> ${escapeHTML(item.value)}
                </a>
            `;
        } else {
            contentHTML = `
                <div class="bg-black/20 border border-current/5 rounded-
xl p-3 font-mono text-xs max-h-28 overflow-y-auto whitespace-pre-wrap select-
all">
                    ${escapeHTML(item.value)}
                </div>
            `;
        }

        card.innerHTML = `
            <div>
                <div class="flex items-center justify-between gap-2
mb-1">
                    <h3 class="font-semibold text-sm truncate">${
escapeHTML(item.title)}</h3>
                    <button onclick="deleteItem(${item.id})"
class="opacity-0 group-hover:opacity-100 hover:text-rose-400 transition-all
p-1">
                        <i class="fa-solid fa-trash-can text-xs"></i>
                    </button>
                </div>
                ${contentHTML}
            </div>
            <div class="flex items-center justify-between pt-2 border-t
border-current/5 text-xs">
                <span class="opacity-70 truncate max-w-[200px]">${
item.note ? escapeHTML(item.note) : ''}</span>
                ${currentMode === 'text' ? `
                    <button onclick="copyText(this, \`${
escapeJsString(item.value)}\`)" class="bg-current/10 hover:bg-current/20 px-3
py-1 rounded-lg text-xs font-medium transition-all flex items-center gap-1.5
shrink-0">
                        <i class="fa-solid fa-copy"></i> Copy
                    </button>
                ` : `
                    <a href="${item.value}" target="_blank" class="bg-
indigo-600/20 hover:bg-indigo-600/40 text-indigo-400 px-3 py-1 rounded-lg text-
xs font-medium transition-all">
                        Open
                    </a>
                `}
            </div>
        `;
        grid.appendChild(card);
    });
}

function deleteItem(id) {
    if (currentMode === 'links') {
        vaultData.links = vaultData.links.filter(i => i.id !== id);
    } else {
        vaultData.texts = vaultData.texts.filter(i => i.id !== id);
    }
}

```

```

        saveVaultData();
        renderItems();
    }

    function copyText(btn, text) {
        navigator.clipboard.writeText(text).then(() => {
            const originalHTML = btn.innerHTML;
            btn.innerHTML = `

localStorage.setItem('linkvault_active_key', keyInput);
        loadVaultData(keyInput);
        toggleSettings();
        document.getElementById('restoreKeyInput').value = '';
        alert('Account successfully restored!');
    }

    function handleImageUpload(e) {
        const file = e.target.files[0];
        if (!file) return;
        const reader = new FileReader();
        reader.onload = function(event) {
            vaultData.settings.bgImage = event.target.result;
            saveVaultData();
            applySettings();
        };
        reader.readAsDataURL(file);
    }


```

```

function clearBackground() {
    vaultData.settings.bgImage = '';
    saveVaultData();
    applySettings();
}

function updateOpacity(val) {
    const opacity = val / 100;
    vaultData.settings.bgOpacity = opacity;
    document.getElementById('opacityVal').innerText = val + '%';
    applyOverlayColor();
    saveVaultData();
}

function applyOverlayColor() {
    const overlay = document.getElementById('bgOverlay');
    const opacity = vaultData.settings.bgOpacity !== undefined ?
vaultData.settings.bgOpacity : 0.2;
    const isDark = vaultData.settings.theme === 'dark';

    if (isDark) {
        overlay.style.backgroundColor = `rgba(10, 15, 30, ${opacity})`;
    } else {
        overlay.style.backgroundColor = `rgba(245, 247, 250, $
{opacity})`;
    }
}

function applySettings() {
    const pageBody = document.getElementById('pageBody');
    const bgLayer = document.getElementById('bgLayer');
    const slider = document.getElementById('opacitySlider');
    const opacityVal = document.getElementById('opacityVal');
    const themeBtn = document.getElementById('themeToggleBtn');

    const theme = vaultData.settings.theme || 'light';

    if (theme === 'dark') {
        pageBody.className = "h-screen overflow-y-auto font-sans
selection:bg-indigo-500 selection:text-white relative flex flex-col transition-
colors duration-300 bg-slate-950 text-slate-100 dark";
        themeBtn.innerHTML = `</i> Dark
Mode`;
    } else {
        pageBody.className = "h-screen overflow-y-auto font-sans
selection:bg-indigo-500 selection:text-white relative flex flex-col transition-
colors duration-300 bg-slate-100 text-slate-900";
        themeBtn.innerHTML = `</i> Light
Mode`;
    }

    if (vaultData.settings.bgImage) {
        bgLayer.style.backgroundImage = `url('${$
{vaultData.settings.bgImage}'))`;
    } else {
        bgLayer.style.backgroundImage = 'none';
    }

    const opacity = vaultData.settings.bgOpacity !== undefined ?
vaultData.settings.bgOpacity : 0.2;
    slider.value = Math.round(opacity * 100);
    opacityVal.innerText = Math.round(opacity * 100) + '%';
    applyOverlayColor();
}

```

```
function escapeHTML(str) {
  return str.replace(/[\<>'"]/g,
    tag => ({ '&': '&amp;', '<': '&lt;', '>': '&gt;', '"': '&#39;',
    "'": '&quot;' }[tag] || tag)
  );
}

function escapeJsString(str) {
  return str.replace(/["'\\]/g, '\\$&');
}

window.onload = initVault;
</script>
</body>
</html>
```