The Documentation

[Type the document subtitle]

[Your Name]

[Pick the date]

[Type the abstract of the document here. The abstract is typically a short summary of the contents of the document. Type the abstract of the document here. The abstract is typically a short summary of the contents of the document.]

Table of Contents

1. Pages

1.1. Page Tree

Splash
    OnBoarding
   Landing
            Home
                January
                February
                March
                April
                May
                Add Item

1.2. Splash

1.2.1. User Interface

1.2.2. Widget Table

Footnote	Name	Interactions
1		OnLoad: Case 1: Wait 2000 ms Open OnBoarding in Current Window

1.3. OnBoarding

1.3.1. User Interface

1.3.2. Widget Table

| Footnote	Name	Interactions

1	Onboarding_slide3Banner	OnSwipeLeft:
		  Case 1:
		    Set Onboarding_slide3Banner to Next slide left in 500ms
		OnSwipeRight:
		  Case 1:
		    Set Onboarding_slide3Banner to Previous slide right in 500ms

1.3.3. Onboarding_slide3Banner

1.3.3.1. State1

1.3.3.2. User Interface

1.3.3.3. State2

1.3.3.4. User Interface

1.3.3.5. State3

1.3.3.6. User Interface

1.3.3.7. Widget Table

Footnote	Interactions
1	OnClick: Case 1: Open Landing in Current Window

1.4. Landing

1.4.1. User Interface

1.4.2. Widget Table

Footnote	Name	Interactions

1	LogIn Signup and forgot password	OnClick:
		  Case 1
		(If text on emailAddressRetrievetxt equals "evangel"):
		    Show Error Correct email format @gmail.com Error msg fade 500 ms treat as lightbox
		    Bring Error Correct email format @gmail.com Error msg to Front

1.4.3. NousernamePassword

1.4.3.1. NoUserPwd

1.4.3.2. User Interface

1.4.3.3. Widget Table

Footnote	Name	Interactions

1		OnClick:
		  Case 1:
		    Hide NousernamePassword fade 500 ms
		    Send NousernamePassword to Back

1.4.4. LogIn Signup and forgot password

1.4.4.1. Login

1.4.4.2. User Interface

1.4.4.3. Widget Table

Footnote	Name	Interactions

Footnote	Name	Interactions

1	login button	OnClick:
		  Case 1
		(If text on user name text field equals "evangel@gmail.com" and text on password text field equals "123"):
		    Open Home in Current Window
		  Case 2
		(Else If text on emailAddressRetrievetxt equals "" and text on password text field equals ""):
		    Set NousernamePassword to NoUserPwd fade in 500ms
		    Show NousernamePassword fade 500 ms bring to front treat as lightbox
		  Case 3
		(Else If text on user name text field equals "admin" and text on password text field equals "123"):
		    Set wrong username and password to wrong username and password fade in 500ms
		    Open Home in Current Window
		  Case 4
		(Else If text on user name text field does not equal "admin" and text on password text field does not equal "123"):
		    Set wrong username and password to wrong username and password fade in 500ms
		    Show wrong username and password fade 500 ms treat as lightbox
		  Case 5
		(Else If True):
		    Set value of username equal to text on user name text field
		    Open Home in Current Window

2		OnClick:
		  Case 1:
		    Set LogIn Signup and forgot password to ForgotPassword fade in 500ms

3	login button	OnClick:
		  Case 1:
		    Set LogIn Signup and forgot password to SignUp fade in 500ms

1.4.4.4. SignUp

1.4.4.5. User Interface

1.4.4.6. Widget Table

Footnote	Name	Interactions

Footnote	Name	Interactions

1	login button	OnClick:
		  Case 1
		(If text on emailaddresstxt equals "evangel" and text on passwordtxt equals "123" and text on passwordretypetxt equals "123"):
		   Show Error Correct email format @gmail.com Error msg fade 500 ms treat as lightbox
		   Bring Error Correct email format @gmail.com Error msg to Front
		  Case 2
		(Else If text on emailaddresstxt equals "" and text on passwordtxt equals "" and text on passwordretypetxt equals ""):
		   Show Error All fields are completed fade 500 ms treat as lightbox
		   Bring Error All fields are completed to Front
		  Case 3
		(Else If text on emailaddresstxt equals "evangel@gmail.com" and text on passwordtxt equals "123" and text on passwordretypetxt equals "1234"):
		   Show Error if both password match fade 500 ms treat as lightbox
		   Bring Error if both password match to Front
		  Case 4
		(Else If text on emailaddresstxt equals "evangel@gmail.com" and text on passwordtxt equals "123" and text on passwordretypetxt equals "123"):
		   Open Home in Current Window

2	login button	OnClick:
		  Case 1:
		   Open Landing in Current Window

1.4.4.7. ForgotPassword

1.4.4.8. User Interface

1.4.4.9. Widget Table

Footnote	Name	Interactions

1		OnClick:
		  Case 1:
		   Set LogIn Signup and forgot password to Login fade in 500ms

Footnote	Name	Interactions

2	login button	OnClick:
		  Case 1
		 (If text on emailAddressRetrievetxt equals ""):
		    Show Error All fields are completed fade 500 ms treat as lightbox
		    Bring Error All fields are completed to Front
		  Case 2
		 (Else If text on emailAddressRetrievetxt equals "evangel@yahoo.com"):
		    Show Error if email add is not present retrieve fade 500 ms treat as lightbox
		    Bring Error if email add is not present retrieve to Front
		  Case 3
		 (Else If text on emailAddressRetrievetxt does not equal "evangel@gmail.com"):
		    Show Error Correct email format @gmail.com Error msg fade 500 ms treat as lightbox
		    Bring Error Correct email format @gmail.com Error msg to Front
		  Case 4
		 (Else If text on emailAddressRetrievetxt equals "evangel@yahoo.com"):
		    Show Error if email add is not present retrieve fade 500 ms treat as lightbox
		    Bring Error if email add is not present retrieve to Front
		  Case 5
		 (Else If text on emailAddressRetrievetxt equals "evangel@gmail.com"):
		    Show Pin Code confirm
		    Bring Pin Code confirm to Front
		    Wait 2500 ms
		    Set LogIn Signup and forgot password to Pin Code Input fade in 500ms

1.4.4.10. Pin Code Input

1.4.4.11. User Interface

1.4.5. Pin Code confirm

1.4.5.1. Pin Code confirm

1.4.5.2. User Interface

Message from Tuition
Center:
Your PIN CODE: is
123456. Use this to reset
your password

1.4.6. Pin Code INput

1.4.6.1. Pin Code Input

1.4.6.2. User Interface

1.4.6.3. Widget Table

Footnote	Name	Interactions

1	verifypincode_btn	OnClick:
		  Case 1
		(If text on pincodetxt equals "123456"):
		    Set reset password to reset password slide right in 500ms
		    Show LogIn Signup and forgot password,
		reset password
		  Case 2
		(Else If text on pincodetxt does not equal "123456"):
		    Show pin code not found
		    Bring pin code not found to Front

1.4.7. wrong username and password

1.4.7.1. wrong username and password

1.4.7.2. User Interface

1.4.7.3. Widget Table

Footnote	Name	Interactions

1		OnClick:
		  Case 1:
		    Hide wrong username and password fade 500 ms
		    Send NousernamePassword,
		wrong username and password to Back

1.4.8. Error Correct email format @gmail.com Error msg

1.4.8.1. Correct email format @gmail.com Error msg

1.4.8.2. User Interface

1.4.8.3. Widget Table

Footnote	Interactions

1	OnClick:
	  Case 1:
	    Hide Error Correct email format @gmail.com Error msg
	    Send NousernamePassword,
	Error Correct email format @gmail.com Error msg to Back

1.4.9. Error All fields are completed

1.4.9.1. All fields are completed Error msg

1.4.9.2. User Interface

1.4.9.3. Widget Table

Footnote	Interactions
1	OnClick: Case 1: Hide Error All fields are completed fade 500 ms Send NousernamePassword, Error All fields are completed to Back

1.4.10. Error if both password match

1.4.10.1. password match Error msg

1.4.10.2. User Interface

1.4.10.3. Widget Table

Footnote	Interactions
1	OnClick: Case 1: Hide Error if both password match fade 500 ms Send NousernamePassword, Error if both password match to Back

1.4.11. ForgotPass

1.4.11.1. ForgotPass

1.4.11.2. User Interface

Password does not match

OK

1.4.11.3. Widget Table

Footnote	Interactions
1	OnClick: Case 1: Hide ForgotPass fade 500 ms Send NousernamePassword, ForgotPass to Back

1.4.12. resetPassword

1.4.12.1. ResetPassword

1.4.12.2. User Interface

Password does not match

OK

1.4.12.3. Widget Table

Footnote	Interactions
1	OnClick: Case 1: Hide resetPassword fade 500 ms Send NousernamePassword, resetPassword to Back

1.4.13. Error if email add is not present retrieve

1.4.13.1. email address not present

1.4.13.2. User Interface

1.4.13.3. Widget Table

Footnote	Interactions

1	OnClick:
	  Case 1:
	    Hide Error if email add is not present retrieve fade 500 ms
	    Send NousernamePassword,
	Error if email add is not present retrieve to Back

1.4.14. if email address is found

1.4.14.1. email add is found

1.4.14.2. User Interface

1.4.14.3. Widget Table

Footnote	Interactions

1	OnClick:
	  Case 1:
	    Hide if email address is found fade 500 ms
	    Send NousernamePassword,
	if email address is found to Back

1.4.15. if email address is found

1.4.15.1. email add is found

1.4.15.2. User Interface

PIN CODE is Invalid

OK

1.4.15.3. Widget Table

Footnote	Interactions
1	OnClick: 　Case 1: 　　Hide if email address is found fade 500 ms 　　Send NousernamePassword, if email address is found to Back

1.4.16. pin code not found

1.4.16.1. pin code not found

1.4.16.2. User Interface

PIN CODE invalid

OK

1.4.16.3. Widget Table

Footnote	Interactions
1	OnClick: 　Case 1: 　　Hide pin code not found fade 500 ms 　　Send NousernamePassword, pin code not found to Back

1.4.17. reset password

1.4.17.1. reset password

1.4.17.2. User Interface

1.4.17.3. Widget Table

Footnote	Name	Interactions
1	login button	OnClick: Case 4 (If text on passwordreset_txt equals "123" and text on passwordretypeReset_txt equals "123"): Open Landing in Current Window

1.5. Home

OnPageLoad:
  Case 1:
   Set text on welcomeUser equal to "Welcome! [[username]]"

1.5.1. User Interface

1.5.2. Widget Table

Footnote	Name	Interactions

Footnote	Name	Interactions

1	jan20View_btn	OnClick:
		   Case 1:
		     Open January in Current Window

2		OnClick:
		   Case 1:
		     Open February in Current Window

3		OnClick:
		   Case 1:
		     Open March in Current Window

4		OnClick:
		   Case 1:
		     Open April in Current Window

5		OnClick:
		   Case 1:
		     Open Add Item in Current Window

6		OnClick:
		   Case 1:
		     Open April in Current Window

7	logout_btn	OnClick:
		   Case 1:
		     Set Logout to Logout
		     Show Logout slide down 500 ms
		     Bring Logout to Front

1.5.3. Logout

1.5.3.1. Logout

1.5.3.2. User Interface

1.5.3.3. Widget Table

| Footnote	Interactions

1	OnClick:
	   Case 1:
	     Open Landing in Current Window

2	OnClick:
	   Case 1:
	     Open Home in Current Window

1.6. January

1.6.1. User Interface

1.6.2. Widget Table

Footnote	Name	Interactions

1	home_image_btn	OnClick:
		    Case 1:
		        Open Home in Current Window

1.7. February

1.7.1. User Interface

1.7.2. Widget Table

Footnote	Name	Interactions
1	home_image_btn	OnClick: Case 1: Open Home in Current Window

1.8. March

1.8.1. User Interface

1.8.2. Widget Table

Footnote	Name	Interactions

1	home_image_btn	OnClick:
		  Case 1:
		    Open Home in Current Window

2		OnClick:
		  Case 1:
		    Open Add Item in Current Window

1.9. April

1.9.1. User Interface

1.9.2. Widget Table

Footnote	Name	Interactions
1	home_image_btn	OnClick: Case 1: Open Home in Current Window
2		OnClick: Case 1: Open Add Item in Current Window

1.10. May

1.10.1. User Interface

1.10.2. Widget Table

| Footnote	Name	Interactions

1	home_image_btn	OnClick:
		  Case 1:
		    Open Home in Current Window

2		OnClick:
		  Case 1:
		    Open Add Item in Current Window

1.11. Add Item

1.11.1. User Interface

1.11.2. Widget Table

| Footnote	Name	Interactions

1		OnClick:
		  Case 1:
		    Open Add Item in Current Window

2	jan20View_btn	OnClick:
		  Case 1:
		    Set save Material to save material slide down in 500ms
		    Show save Material
		    Bring save Material to Front
		    Wait 1000 ms

Footnote	Name	Interactions

3		OnClick:
		  Case 1:
		    Open Home in Current Window

1.11.3. save Material

1.11.3.1. save material

1.11.3.2. User Interface

1.11.3.3. Widget Table

Footnote	Interactions

1	OnClick:
	  Case 1:
	    Open Add Item in Current Window

2. Masters

2.1. Master List

Status Bar
Action Bar BG Color
bottom
tray
topHeader

2.2. Status Bar

2.2.1. User Interface

2.2.2. Status Bar

2.2.2.1. Status Bar

2.2.2.2. User Interface

2.3. Action Bar BG Color

2.3.1. User Interface

## 2.4. bottom

2.4.1. User Interface

2.4.2. Unnamed

2.4.2.1. White Icons

2.4.2.2. User Interface

2.5. tray

2.5.1. User Interface

2.5.2. Widget Table

Footnote	Interactions
1	OnClick: Case 1: Open Link in Current Window
2	OnClick: Case 1: Open Link in Current Window
3	OnClick: Case 1: Open Link in Current Window

Footnote	Interactions

4	OnClick:
	  Case 1:
	    Hide (Group) slide left 250 ms

2.6. topHeader

2.6.1. User Interface

2.6.2. Widget Table

Footnote	Name	Interactions

1	Action Bar	OnClick:
		   Case 1:
		     Toggle (tray)/(Group) Show slide right 250 ms Hide slide left 250 ms

2.6.3. Action Bar

2.6.3.1. Action Bar

2.6.3.2. User Interface