

Growing Degree Days - Project

A. Naveen, C. Chagas, A. Iyer, O. Abramov, E. Kielley, R. Brecht

June 7, 2017

Contents

1	Motivation	1
2	Minimum core tasks	2
2.1	Files and Scripts	2
2.2	Process flow	2
2.3	Results	5
3	Secondary tasks	7

1 Motivation

We want to use Python and Bash scripts to analyse growing degree days for cities in Canada. Growing degree days are used to predict when a flower or plant will bloom.

2 Minimum core tasks

2.1 Files and Scripts

gdd.py

Input: `tbase`, `tupper`, `input_folder` (optional)

Output: `year_cityName_tbase_tupper_gdd.csv`

Searches for files that ends with *temp.csv*. We expect, that these files have the columns: Date/Time, Min Temp(°C), Max Temp(°C).

Then these columns of each file will be copied into a new csv file with the name *year_cityName_tbase_tupper_gdd.csv*, where `cityName` is extracted of the current file name. That file will be saved in the folder *Output*. After that, a column called GDD will be added. The value of cell n is calculated with the formula:

$$\sum_{i=1}^n \left(\frac{t_{\max_i} + t_{\min_i}}{2} - t_{\text{base}} \right)$$

If t_{\max_i} or t_{\min_i} is bigger than `tupper` it is set to `tupper`, also if t_{\min_i} or t_{\max_i} is smaller than `tbase` then it is set to `tbase`.

create_plots.py

Output: `CumulativeGDD.png`, `CompareMaxMinTemp.png`


Searches for files ending with *gdd.csv*. Then reads of each file the max and min temperature column and creates a subplot showing the time line of the max and min temperature. Also reads the GDD column and adds accumulated GDD to another figure. Finally saves the two created figures as PNG-files in the *Plot* folder.

2.2 Process flow

The following diagramm shows the dependencies and execution steps of the scripts we are running.

By executing the *Makefile*, we create a folder called *Output* and run the


python script *gdd.py* with the arguments *tbase=10*, *tupper=30* and the path *./Input/*. This produces 3 csv files, because we have 3 files of the format *year-cityName_.csv* in the folder *Input*. Next the script *create_plots.py* is called by Makefile and produces 2 PNG- files. Finally Makefile creates the file *report.pdf* by compiling the *report.tex* file.



`./Report/diagram_workflow.pdf`


Figure 1: Shows the process flow of our scripts.

2.3 Results



`./Output/CumulativeGDD.png`

Figure 2: Shows the accumulated GDD vs time for three selected cities.



`./Output/CompareMaxMinTemp.png`

Figure 3: Shows the min and max temperature for three selected cities.

3 Secondary tasks