

Lab 1:**Policy JSON:****P1** [Info](#)**Policy details**

Type

Customer managed

Creation time

April 08, 2026, 11:43 (UTC-05:00)

[Permissions](#)[Entities attached](#)[Tags](#)[Policy versions \(2\)](#)[Last Accessed](#)**Permissions defined in this policy** [Info](#)

Permissions defined in this policy document specify which actions are allowed or denied. To define per

```
1  {
2    "Version": "2012-10-17",
3    "Statement": [
4      {
5        "Sid": "ListBuckets",
6        "Effect": "Allow",
7        "Action": "s3:ListAllMyBuckets",
8        "Resource": "*"
9      },
10     {
11       "Sid": "ListSecureBucketObjects",
12       "Effect": "Allow",
13       "Action": "s3:ListBucket",
14       "Resource": "arn:aws:s3:::a5-securebucket"
15     },
16     {
17       "Sid": "AllowGetObjectInSecureBucket",
18       "Effect": "Allow",
19       "Action": "s3:GetObject",
20       "Resource": "arn:aws:s3:::a5-securebucket/*"
21     },
22     {
23       "Sid": "DenyGetObjectEverywhereElse",
24       "Effect": "Deny",
25       "Action": "s3:GetObject",
26       "NotResource": "arn:aws:s3:::a5-securebucket/*"
27     },
28     {
29       "Sid": "ReadOnlyEC2Describe",
30       "Effect": "Allow",
31       "Action": "ec2:Describe*",
32       "Resource": "*"
33     }
34   ]
35 }
```

Secure Bucket Permissions:

a5-securebucket info

Objects

Metadata

Properties

Permissions

Metrics

Management

File systems - new

Access Points

Permissions overview

Access finding

Access findings are provided by IAM external access analyzers. Learn more about [How IAM analyzer findings work](#)

[View analyzer for us-east-2](#)

Block public access (bucket settings)

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to all your S3 buckets and objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to your buckets or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

Block all public access

On

Individual Block Public Access settings for this bucket

Block public access (bucket settings)

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to all your S3 buckets and objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to your buckets or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

Block all public access

On

Individual Block Public Access settings for this bucket

Bucket policy

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. [Learn more](#)

Public access is blocked because Block Public Access settings are turned on for this bucket

To determine which settings are turned on, check your Block Public Access settings for this bucket. [Learn more about using Amazon S3 Block Public Access](#)

No policy to display.

Copy

Auditor User Permissions:

AuditorUser info

Delete

Summary

ARN

arn:aws:iam::865268032810:user:AuditorUser

Created

April 08, 2026, 11:59 (UTC-05:00)

Console access

Enabled without MFA

Access key 1

Create access key

Last console sign-in

Never

Permissions

Groups

Tags

Security credentials

Last Accessed

Permissions policies (2)

Permissions are defined by policies attached to the user directly or through groups.

Search

Filter by Type

All types

< 1 >

Policy name

Type

Attach...

IAMUserChangePassword

AWS managed

Directly

P1

Customer managed

Directly

Permissions boundary (not set)


Generate policy based on CloudTrail events

You can generate a new policy based on the access activity for this user, then customize, create, and attach it to this role. AWS uses your CloudTrail events to identify the services and actions used and generate a policy. [Learn more](#)

Generate policy

No requests to generate a policy in the past 7 days.

S3 Secure Bucket Response:



S3 Bucket List:

[Alt+S] Ask Amazon Q

United States (Ohio) evanlitz (8652-6803-2810) AuditorUser

Buckets

General purpose buckets All AWS Regions Directory buckets

General purpose buckets (4) Info

Copy ARN Empty Delete Create bucket

Buckets are containers for data stored in S3.

Find buckets by name

Name	AWS Region	Creation date
a5-otherbucket	US East (Ohio) us-east-2	April 8, 2026, 11:35:11 (UTC-05:00)
a5-securebucket	US East (Ohio) us-east-2	April 8, 2026, 11:30:47 (UTC-05:00)

AuditorUser Insufficient Permissions:

herbucket

a5-otherbucket Info

Objects Metadata Properties Permissions Metrics Management File systems - new

Objects

Copy S3 URI Copy URL Download Open i2 Delete Actions

Create folder Upload

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix Show versions

Name	Type	Last modified	Size	Storage class
------	------	---------------	------	---------------

Insufficient permissions to list objects

After you or your AWS administrator has updated your permissions to allow the s3:ListBucket action, refresh the page. [Learn more about identity and access management in Amazon S3](#)

Diagnose with Amazon Q

securebucket a5-test.txt

a5-test.txt Info

Copy S3 URI Download Open i2 Object actions

Properties Permissions Versions

Object overview

Owner

8b0b493742e3cad14e314c35ba9b026f90b30fd2c4095bbbaecf467dccc2fd0d

AWS Region

US East (Ohio) us-east-2

Last modified

April 8, 2026, 11:33:45 (UTC-05:00)

Size

43.0 B

Type

txt

Key

a5-test.txt

S3 URI

s3://a5-securebucket/a5-test.txt

Amazon Resource Name (ARN)

arn:aws:s3::a5-securebucket/a5-test.txt

Entity tag (Etag)

2095dba824725d2145c19285e4eb9a25

Object URL

https://a5-securebucket.s3.us-east-2.amazonaws.com/a5-test.txt

Object management overview

The following bucket properties and object management configurations impact the behavior of this object.

Bucket properties

Bucket Versioning

When enabled, multiple variants of an object can be stored in the bucket to easily recover from unintended user actions and application failures.

You don't have permission to view bucket versioning status

You or your AWS administrator must update your IAM permissions to allow GetBucketVersioning. After you obtain the necessary permission, click Retry. [Learn more about identity and access management in Amazon S3](#)

API response

Retry Diagnose with Amazon Q

Management configurations

Replication status

When a replication rule is applied to an object the replication status indicates the progress of the operation.

View replication rules

Expiration rule

You can use a lifecycle configuration to define expiration rules to schedule the removal of this object after a pre-defined time period.

Expiration date

The object will be permanently deleted on this date.

Storage class

Amazon S3 offers a range of storage classes designed for different use cases. [Learn more](#) or see [Amazon S3 pricing](#)

Storage class

Edit

6c3c34e99bc67ba

Failed to stop the instance i-066c3c34e99bc67ba

You are not authorized to perform this operation. User: arn:aws:iam::865268032810:user/AuditorUser is not authorized to perform: ec2:StopInstances on resource: arn:aws:ec2:us-east-2:865268032810:instance/i-066c3c34e99bc67ba because no identity-based policy allows the ec2:StopInstances action. Encoded authorization failure message: NC32RqKuJXxaiOgaVQigKT44pePijb6YCb9qjBwn6lrGnpiW5SoBMZA8Fou0n7GMh6laWEFzs1RSAqH4yx94d9cpY5cR6IZx0J6NNPCWfvOHL8eHJyqCOLCTixZQLicLiifTmw2pJfdyMLRZYa-V9MRVWMkZ8-YHVSVilalEcX7m2ffRTWnuXkPMqoznJkiceU6CKC9GZYBGfK94ve_b1LrxV3u9eRLTJkaFdJrkk4IL1XoRkI4RD65fO64zOYawUIQvo6h-enYmttGB0g_wblqJkIKZicu7BDYKv20TW719uZ74QJoHobAcWhanK-zzAmKFMNPL4J1Bkd53tPSiyvX6POAsotYmvd8yUQ8ze2yl9ykHaNL2FOM9qxiO5Miv9M9hriO3JZWeCdL-wgr0rGKD9ix4aPw3sYVf-53QSx8SMuJloQn_wqeYxFcXq-Gp9q7WBwqdlOpygNR0TTI5Ee055BNHrI4UKiA00NQZFNNKNo-WGS8svu8fNu74juxly3u5zm7gqnsICa6i2-enkQCPRCaopfUkC-uxw2-nekn2oDRXRnbjNnEmdGqFQDWGvDA5yO9o6HNGEzU0CgsWSVR8B5B-elkbZL4mj9rRZqnbWOMOk_UmDXHXArujAWQOhDwri467ZABJL3g0-F2FdqRD1wOaQt17T84A2t4lpVo1wDcFL56F50sfFuFQTxd2YISy-0Uh3mlnsTKvUqy3e4lFNTrzwZ5Fahy4As7h9lea77LvSNibYhAcyzIT6QK628SUzPyq3S2dxajCRylgbxMc-eez2f5Fe5sUom8QOGF_sYZ_gfp_8qDidh8uANLWMWwGo1libDHvuqHU

Instance summary for i-066c3c34e99bc67ba (region-a-web-server)

Connect Instance state Actions

Updated less than a minute ago

Instance ID
i-066c3c34e99bc67ba

IPv6 address
-

Hostname type
IP name: ip-10-0-1-24.us-east-2.compute.internal

Answer private resource DNS name
-

Auto-assigned IP address
3.145.108.228 [Public IP]

Public IPv4 address
3.145.108.228 | open address

Instance state
Running

Private IP DNS name (IPv4 only)
ip-10-0-1-24.us-east-2.compute.internal

Instance type
t2.micro

VPC ID
vpc-0f13335290b64ece5 (Internet-VPC-A)

Private IPv4 addresses
10.0.1.24

Public DNS
-

Elastic IP addresses
-

AWS Compute Optimizer finding
User: arn:aws:iam::865268032810:user/AuditorUser is not authorized to perform: compute-optimizer:GetEnrollmentStatus on resource: * because no identity-based policy allows the compute-

AuditorUser Sufficient Permissions:

Instances (7) Info

Last updated less than a minute ago

Connect Instance state Actions Launch instances

Saved filter sets Choose filter set

Find Instance by attribute or tag (case-sensitive)

☐	Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Av.
☐	region-a-web-...	i-066c3c34e99bc67ba	Running	t2.micro	2/2 checks passed	An unexpected	us-
☐	task2-client	i-071b4db7ac53dded5	Running	t2.micro	2/2 checks passed	An unexpected	us-
☐	task2-bastion	i-07495321204e0cddc	Running	t2.micro	2/2 checks passed	An unexpected	us-
☐	task3-client	i-065412d36133715a4	Running	t2.micro	2/2 checks passed	An unexpected	us-
☐	task3-bastion	i-018f8cbb4697bc8d	Running	t2.micro	2/2 checks passed	An unexpected	us-
☐	task3-server	i-0455752bd88f6d840	Running	t2.micro	2/2 checks passed	An unexpected	us-
☐	task2-private-...	i-0e1903e849d811be1	Running	t2.micro	2/2 checks passed	An unexpected	us-

AppRole Permissions and TrustRelations Tab:

Role AppRole created.

View role

X

AppRole

Info

Delete

Allows EC2 instances to call AWS services on your behalf.

Summary

Edit

Creation date

April 08, 2026, 13:51 (UTC-05:00)

ARN

arn:aws:iam::865268032810:role/AppRole

Instance profile ARN

arn:aws:iam::865268032810:instance-profile/AppRole

Last activity

-

Maximum session duration

1 hour

Permissions

Trust relationships

Tags

Last Accessed

Revoke sessions

Trusted entities

Edit trust policy

Entities that can assume this role under specified conditions.

```
1 {
2   "Version": "2012-10-17",
3   "Statement": [
4     {
5       "Effect": "Allow",
6       "Principal": {
7         "Service": "ec2.amazonaws.com"
8       },
9       "Action": "sts:AssumeRole"
10    }
11  ]
12 }
```

Role AppRole created.

View role

X

AppRole

Info

Delete

Allows EC2 instances to call AWS services on your behalf.

Summary

Edit

Creation date

April 08, 2026, 13:51 (UTC-05:00)

ARN

arn:aws:iam::865268032810:role/AppRole

Instance profile ARN

arn:aws:iam::865268032810:instance-profile/AppRole

Last activity

-

Maximum session duration

1 hour

Permissions

Trust relationships

Tags

Last Accessed

Revoke sessions

Permissions policies (1)

Info

Simulate

Remove

Add permissions

You can attach up to 10 managed policies.

Search

Filter by Type

All types

< 1 >

☐

Policy name

▲

Type

▼

Attached entities

▼

☐

P1

Customer man...

2

► Permissions boundary (not set)

▼ Generate policy based on CloudTrail events

You can generate a new policy based on the access activity for this role, then customize, create, and attach it to this role. AWS uses your CloudTrail events to identify the services and actions used and generate a policy. [Learn more](#)

Generate policy

No requests to generate a policy in the past 7 days.

EC2 CLI S3 Success/Failure:

```
[ec2-user@ip-10-10-1-107 ~]$ aws s3 cp s3://a5-securebucket/a5-test.txt .
download: s3://a5-securebucket/a5-test.txt to ./a5-test.txt
[ec2-user@ip-10-10-1-107 ~]$ aws s3 cp s3://a5-otherbucket/a5-test-other.txt .
fatal error: An error occurred (403) when calling the HeadObject operation: Forbidden
[ec2-user@ip-10-10-1-107 ~]$
```


Lab 2:

VPCFlowLogsRoles Permissions and Trust Relationship:

VPCFlowLogsRole

Info

Delete

Summary

Edit

Creation date

April 08, 2026, 15:47 (UTC-05:00)

ARN

arn:aws:iam::865268032810:role/VPCFlowLogsRole

Last activity

-

Maximum session duration

1 hour

Permissions

Trust relationships

Tags

Last Accessed

Revoke sessions

Permissions policies (1)

Info

Simulate

Remove

Add permissions

You can attach up to 10 managed policies.

Filter by Type

Search

All types

<

1

>

Policy name

Type

Attached entities

VPCFlowLogsPolicy

Customer managed

1

Permissions boundary (not set)

Generate policy based on CloudTrail events

You can generate a new policy based on the access activity for this role, then customize, create, and attach it to this role. AWS uses your CloudTrail events to identify the services and actions used and generate a policy. [Learn more](#)

Generate policy

No requests to generate a policy in the past 7 days.

Role VPCFlowLogsRole created.

View role

VPCFlowLogsRole

Info

Delete

Summary

Edit

Creation date

April 08, 2026, 15:47 (UTC-05:00)

ARN

arn:aws:iam::865268032810:role/VPCFlowLogsRole

Last activity

-

Maximum session duration

1 hour

Permissions

Trust relationships

Tags

Last Accessed

Revoke sessions

Trusted entities

Edit trust policy

Entities that can assume this role under specified conditions.

1

{

2

"Version": "2012-10-17",

3

"Statement": [

4

{

5

"Effect": "Allow",

6

"Principal": {

7

"Service": "vpc-flow-logs.amazonaws.com"

8

},

9

"Action": "sts:AssumeRole"

10

}

11

]

12

}

Cloudwatch Log Group and Stream List:

nent > defaultVPCLogs

🔍 📄

defaultVPCLogs

Actions ▾

View in Logs Insights

Start tailing

Search log group

▼ Log group details

Log class [Info](#)
Standard

ARN
 arn:aws:logs:us-east-2:865268032810:log-group:defaultVPCLogs:*

Creation time
1 hour ago

Retention
Never expire

Stored bytes
-

Metric filters
0

Subscription filters
0

Contributor Insights rules
-

KMS key ID
-

Deletion protection
⊖ Off

Data protection
-

Sensitive data count
-

Custom field indexes
[Configure](#)

Transformer
[Configure](#)

Anomaly detection
[Configure](#)

Bearer token authentication
⊖ Off

< [Log streams](#) Tags Data protection Anomaly detection Metric filters Subscription filters >

Log streams (6)



Delete

Create log stream

Search all log streams

By default, we only load the most recent log streams.

🔍 Filter log streams or try prefix search

☐ Exact match

☐ Show expired

[Info](#)

< 1 >



☐	Log stream	Last event time
☐	eni-03449bc3d25609d59-all	2026-04-08 21:47:14 (UTC)
☐	eni-088a1e64ea3a9ebfe-all	2026-04-08 21:46:01 (UTC)
☐	eni-037a7ed977d091809-all	2026-04-08 21:40:29 (UTC)
☐	eni-0583b2aa3eb3db03a-all	2026-04-08 21:38:35 (UTC)
☐	eni-0ecb868693ef6bd7c-all	2026-04-08 21:35:38 (UTC)
☐	nat-157dcbc731a055a7d-all	2026-04-08 21:34:52 (UTC)

VPC Flow Log Tab:

vpc-07c647f5e05138a7a / VPC-A

Actions ▾

Details [Info](#)

VPC ID
 vpc-07c647f5e05138a7a

DNS resolution
Enabled

Main network ACL
[acl-0fcd978b48b929edb](#)

IPv6 CIDR
-

Encryption control ID
-

State
🟢 Available

Tenancy
default

Default VPC
No

Network Address Usage metrics
Disabled

Encryption control mode
-

Block Public Access
⊖ Off

DHCP option set
[dopt-060d536497f526bf0](#)

IPv4 CIDR
10.10.0.0/16

Route 53 Resolver DNS Firewall
rule groups

-

DNS hostnames
Disabled

Main route table
[rtb-0296e43b6bda082e / vpc-a-private](#)

IPv6 pool
-

Owner ID
 865268032810

Resource map CIDRs [Flow logs](#) Tags Integrations

Flow logs (1)



Actions ▾

Create flow log

🔍 Search

< 1 >



☐	Name	Flow log ID	Traffic type	Dest
☐	-	fl-0ea2ce7148387adec	All	cloud

VPC Log Events:

Log events

Actions

Start tailing

Create metric filter

You can use the filter bar below to search for and match terms, phrases, or values in your log events.

Learn more about filter patterns

Filter events - press enter to search

1m1h

UTC timezone

Display

	Timestamp	Message
	2026-04-08T21:45:25.000Z	2 865268032810 eni-03449bc3d25609d59 176.65.148.150 10.10.1.148 60286 2082 6 1 40 1775684725...
	2026-04-08T21:45:25.000Z	2 865268032810 eni-03449bc3d25609d59 35.203.210.223 10.10.1.148 56888 21311 6 1 44 177568472...
	2026-04-08T21:45:25.000Z	2 865268032810 eni-03449bc3d25609d59 45.79.186.176 10.10.1.148 54308 80 6 1 44 1775684725 17...
	2026-04-08T21:45:25.000Z	2 865268032810 eni-03449bc3d25609d59 35.203.211.38 10.10.1.148 57342 46693 6 1 44 1775684725...
	2026-04-08T21:45:25.000Z	2 865268032810 eni-03449bc3d25609d59 172.237.156.201 10.10.1.148 53068 80 6 1 52 1775684725 ...
	2026-04-08T21:46:15.000Z	2 865268032810 eni-03449bc3d25609d59 13.214.173.166 10.10.1.148 0 0 1 1 28 1775684775 177568...
	2026-04-08T21:46:15.000Z	2 865268032810 eni-03449bc3d25609d59 154.83.197.11 10.10.1.148 49341 11154 6 1 40 1775684775...
	2026-04-08T21:46:15.000Z	2 865268032810 eni-03449bc3d25609d59 147.185.133.248 10.10.1.148 50567 9053 6 1 44 177568477...
	2026-04-08T21:46:15.000Z	2 865268032810 eni-03449bc3d25609d59 10.10.1.148 184.178.172.20 22 38814 6 2 133 1775684775 ...
	2026-04-08T21:46:15.000Z	2 865268032810 eni-03449bc3d25609d59 184.178.172.20 10.10.1.148 38814 22 6 3 164 1775684775 ...
	2026-04-08T21:46:15.000Z	2 865268032810 eni-03449bc3d25609d59 23.133.64.111 10.10.1.148 0 0 1 1 40 1775684775 1775684...
	2026-04-08T21:46:15.000Z	2 865268032810 eni-03449bc3d25609d59 35.203.210.53 10.10.1.148 53403 29091 6 1 44 1775684775...
	2026-04-08T21:46:15.000Z	2 865268032810 eni-03449bc3d25609d59 162.216.150.208 10.10.1.148 52697 9570 6 1 44 177568477...
	2026-04-08T21:46:15.000Z	2 865268032810 eni-03449bc3d25609d59 45.156.87.10 10.10.1.148 44770 27017 6 1 44 1775684775 ...
	2026-04-08T21:46:15.000Z	2 865268032810 eni-03449bc3d25609d59 162.216.149.200 10.10.1.148 51129 9143 6 1 44 177568477...
	2026-04-08T21:46:15.000Z	2 865268032810 eni-03449bc3d25609d59 147.185.132.80 10.10.1.148 52910 1554 6 1 44 1775684775...
	2026-04-08T21:46:15.000Z	2 865268032810 eni-03449bc3d25609d59 167.94.146.43 10.10.1.148 2258 58824 6 1 60 1775684775 ...
	2026-04-08T21:46:15.000Z	2 865268032810 eni-03449bc3d25609d59 79.124.59.78 10.10.1.148 61000 34120 6 1 40 1775684775 ...
	2026-04-08T21:47:14.000Z	2 865268032810 eni-03449bc3d25609d59 35.203.210.174 10.10.1.148 51629 5985 6 1 44 1775684834...
	2026-04-08T21:47:14.000Z	2 865268032810 eni-03449bc3d25609d59 198.235.24.32 10.10.1.148 56495 1801 6 1 44 1775684834 ...
	2026-04-08T21:47:14.000Z	2 865268032810 eni-03449bc3d25609d59 35.203.210.120 10.10.1.148 57206 16026 6 1 44 177568483...
	2026-04-08T21:47:14.000Z	2 865268032810 eni-03449bc3d25609d59 178.20.210.152 10.10.1.148 57461 8291 6 1 44 1775684834...
	2026-04-08T21:47:14.000Z	2 865268032810 eni-03449bc3d25609d59 147.185.132.176 10.10.1.148 53678 9257 6 1 44 177568483...
	2026-04-08T21:47:14.000Z	2 865268032810 eni-03449bc3d25609d59 205.210.31.19 10.10.1.148 49783 5001 6 1 44 1775684834 ...
	2026-04-08T21:47:14.000Z	2 865268032810 eni-03449bc3d25609d59 162.216.149.194 10.10.1.148 53230 9427 6 1 44 177568483...
	2026-04-08T21:47:14.000Z	2 865268032810 eni-03449bc3d25609d59 162.216.149.14 10.10.1.148 57027 12443 6 1 44 177568483...
	2026-04-08T21:47:14.000Z	2 865268032810 eni-03449bc3d25609d59 35.203.211.44 10.10.1.148 54166 5506 6 1 44 1775684834 ...
	2026-04-08T21:47:14.000Z	2 865268032810 eni-03449bc3d25609d59 147.185.132.17 10.10.1.148 53393 30019 6 1 44 177568483...

No newer events at this moment. Auto retrv naused. Resume

Back to top

Accept & Reject Record:

▼	2026-04-08T21:39:17.000Z	2 865268032810 eni-03449bc3d25609d59 116.147.107.181 10.10.1.148 54460 443 6 2 80 1775684357 1775684410 REJECT OK
		2 865268032810 eni-03449bc3d25609d59 116.147.107.181 10.10.1.148 54460 443 6 2 80 1775684357 1775684410 REJECT OK
▼	2026-04-08T21:39:17.000Z	2 865268032810 eni-03449bc3d25609d59 10.10.1.148 194.85.69.22 22 55672 6 12 720 1775684357 1775684470 ACCEPT OK
		2 865268032810 eni-03449bc3d25609d59 10.10.1.148 194.85.69.22 22 55672 6 12 720 1775684357 1775684470 ACCEPT OK

Accepted Record:

The accepted traffic was allowed because the EC2 instance has a security group that contains an inbound rule that permits HTTP traffic on port 80 from any source. When a curl request is sent to the instance's public IP on port 80, the traffic matches the rule and reaches the web server that is running in another terminal. This is then recorded in the VPC Flow logs.

Rejected Record:

The rejected traffic was blocked because the request was targeted on port 81. This is not allowed by the EC2 instance's security group that only allows traffic on port 80. There is no inbound rule for port 81, so the connection attempt is denied and the VPC flow logs record it as REJECTED.