



CHIS 2023 DATA DICTIONARY

Public Use File (PUF) Data Dictionary

Adult

February 2025



CHIS 2023 DATA DICTIONARY

Adult Survey

PUF

February 2025

adult.sas7bdat

Contact:

California Health Interview Survey
UCLA Center for Health Policy Research
10960 Wilshire Blvd., Suite 1550
Los Angeles, CA 90024
Email: chis@ucla.edu

Suggested Citation:

California Health Interview Survey. CHIS 2023 Adult Survey. UCLA Center for Health Policy Research. Los Angeles, CA: February 2025

TABLE OF CONTENTS

1. Introduction	1
1.1 CHIS 2023 Adult Survey Data File	1
1.2 Accompanying Files	1
2. What’s New in CHIS 2023	2
3. CHIS 2023 Sample Design and Methodology	6
3.1 Overview	6
3.2 Sample Additions and Data Collection Methodology Updates	7
3.3 Sample Design Objectives	8
3.4 Data Collection	12
3.5 Response Rates	18
3.6 Weighting the Sample	19
3.7 Imputation Methods	21
4. Sample Code for Analysis and Pooling of CHIS Data	24
5. Restricted Variables	25
6. CHIS Data Dictionary	26

Click on the “Bookmarks” icon to navigate between sections of the data dictionary:

1. Introduction

1.1 CHIS 2023 Adult Survey Data File

The 2023 California Health Interview Survey (CHIS 2023) Adult Data File consists of individual records obtained from the 2023 data collection period of the CHIS 2023-2024 Adult survey.

The UCLA-Center for Health Policy Research (UCLA-CHPR) is responsible for maintaining consistent standards to protect respondent confidentiality as specified in approved protocols by the UCLA IRB (IRB# 17-000362) and the California Committee for the Protection of Human Subjects (12-05-0176). Organizations that receive CHIS data are required to complete a data use agreement with UCLA-CHPR. The data files listed below must be maintained in accordance with the provisions of the data use agreement between the recipient and UCLA-CHPR. In order to protect respondent confidentiality, UCLA-CHPR maintains the most confidential and sensitive CHIS data only in its files at the Data Access Center (DAC) located at UCLA-CHPR. Researcher access to confidential data, including respondent latitude and longitude, is available by application to the DAC. For more information, please contact dacchpr@ucla.edu. Limited technical assistance is also available from CHIS – please send email to chis@ucla.edu.

1.2 Accompanying Files

In addition to the data file are several accompanying files that facilitate use of the data file; some are not necessary for data analysis but add convenience in utilizing the main data.

- a. Data file:** ADULT.SAS7BDAT, ADULT.DTA
- b. Proc format file:** ADULT_PROC_FORMAT.SAS
- c. Format file:** ADULT_FORMAT.SAS
- d. Label file:** ADULT_LABEL.SAS
- e. Imputation flag file:** ADULTF.SAS7BDAT, ADULTF.DTA

2. What's New in CHIS 2023

This document describes new and notable design features and data collected in California Health Interview Survey (CHIS) 2023. CHIS data users should review the information below and detailed online documentation before analyzing or reporting CHIS data. For more details on CHIS methods, please visit the [CHIS Methodology page](#).

Oversamples

As with previous cycles, CHIS 2023 saw an oversample in San Diego County thanks to funds provided by the County of San Diego Health and Human Services Agency.

To better target populations not adequately covered by the primary address-based sample (ABS) frame, CHIS 2023 utilized an additional prepaid cell phone frame and targeted 450 completes for this oversample.

To provide researchers in City of Long Beach Health and Human Services with sufficient sample to produce estimates for a variety of health-related topics, CHIS 2023 targeted an oversample of 500 interviews in the City of Long Beach.

To provide Santa Clara County Public Health Department with sufficient samples to produce estimates for a variety of topics, CHIS 2023 oversampled 1,925 respondents from the county.

New and Updated Survey Questions

Survey questions are added, removed, and modified in each two-year cycle of CHIS to meet stakeholders' needs and monitor emerging public health concerns. Questions are removed from the interview to reduce its length and save data collection costs when topics are no longer relevant for public health surveillance, or when sponsor funding is no longer available. For CHIS 2023 approximately 80% of the content continued from CHIS 2021-2022. Occasionally, changes to question wording are made based on methodological evaluations or when user feedback strongly suggests that changes will produce better data. Otherwise, questions are consistent across years to aid in trending and pooling. Reinstated questions were asked in cycles prior to 2021-2022, and again in 2023.

The full list of topics and questionnaires for CHIS 2023 are available on the [CHIS Survey Topics and questionnaires page](#).

New Adult Questionnaire Topics in 2023

- Hemoglobin A1C level under control among diabetics^{1,2}
- Medication to control hypertension, hypertension under control in past 12 months, reduce salt in diet to control hypertension^{1,2}
- High cholesterol in the past 12 months^{1,2}
- Ever had stroke^{1,2}
- COVID-19: Home test vs lab test^{1,2,4}
- COVID-19: Booster vaccination status^{1,2,4}
- COVID-19: Likelihood of getting additional vaccine doses, reason for getting additional vaccine doses^{1,2,4}
- COVID-19: N95, KN95 OR K94 masks, reason for not getting N95, KN95 OR K94 mask^{1,2,4}
- Number of hours of moderate physical activities in a week^{1,2}
- E-cigarette cessation in the past month^{1,2}
- Prescription painkiller use in the past 12 months^{1,2}
- Reasons for using prescription painkiller in the past 12 months²
- Source of prescription painkiller^{2,3}
- Gambling in the past 12 months^{1,2}
- Financial and mental impacts of gambling on behavioral health^{1,2}
- Withheld information about gambling from friends and family^{1,2}
- Received care through telehealth services for mental health or use of alcohol/drugs^{2,3}
- Preference and satisfaction with telehealth services^{2,3}
- Accessed filtered air during wildfire smoke^{1,2}
- Usual provider offered telehealth, mode and type in the past 12 months^{1,2}
- Ease of accessing care and treatment in past 6 months^{1,2}
- Delayed or forgone care in getting prescription medication or needed care^{1,2}
- Reasons for delayed care or delayed prescription^{1,2,3}
- Unintended pregnancy in the past 12 months^{1,2}
- Frequency and place of receiving dental care^{1,2}
- Main reason for not seeing a dentist^{1,2}
- Place of residency one year ago^{1,2,3}
- Housing discrimination experience, main reason for discrimination^{1,2,3}
- Housing Choice section 8 voucher^{1,2}
- Hate incident experience and witness, type, location, reason for hate incident^{1,2,3}
- Adverse Childhood Experiences (ACEs) awareness^{1,2}
- Provider discussed strengths, resilience during ACEs assessment^{1,2}
- **Reinstated content:**

- Activities of daily living/Disability status^{1,2}
- Caregiving and its effects on caregivers^{1,2}

New Child Questionnaire Topics in 2023

- Gender identity^{2,3}
- COVID-19: Booster vaccination status^{1,2,4}
- Ease of accessing care and treatment in the past 6 months^{1,2}
- Delayed or forgone care in getting prescription medication or needed care^{1,2}
- Reasons for delayed care or delayed prescription^{1,2,3}

New Adolescent Questionnaire Topics in 2023

- COVID-19: Booster vaccination status^{1,2,4}
- Heroin use in the past 12 months³
- Prescription painkiller use in the past 12 months³
- Methamphetamine use in the past 12 months³
- Satisfaction with mental telehealth care^{2,3}
- Delayed or forgone mental health care, reasons for delayed mental health care^{2,3}
- Delayed or forgone care in getting prescription medication or needed care^{1,2}
- Reasons for delayed care or delayed prescription^{1,2,3}
- Unintended pregnancy in the past 12 months³
- Plans for college, impact of pandemic on college plans^{1,2}
- Hate incident experience and witness, type, location, reason for hate incident^{1,2,3}
- Adverse Childhood Experiences (ACEs) awareness^{1,2}
- Provider discussed strengths, resilience during ACEs assessment^{1,2}
- Frequency and place of receiving dental care^{1,2}
- Source of dental health information^{1,2}
- Main reason for not seeing a dentist^{1,2}
- Ease of accessing care and treatment in the past 6 months^{1,2}
- Sexual orientation^{1,2}

¹Available in Public Use Files (PUFs)

²Available through [AskCHIS™](#)

³Raw data for some variables in the topic area only available for analysis through the Data Access Center (DAC). For more information, visit the [DAC webpage](#).

⁴Preliminary 2023 COVID-19 estimates are available on the Center's 2023 CHIS COVID-19 Preliminary Estimates Dashboard.

Targeting Through Predictive Modeling

CHIS 2023 continued to employ Big Data techniques to help target specific, commonly underrepresented demographic groups. Individual sample flags and geographic density indicators

of households with certain attributes were applied to predictive models evaluation in CHIS 2023. For more details on the predictive modeling, see [CHIS 2023 Methodology Report 1 — Sample Design](#).

Data Collection Methodology Innovations

In order to increase response rates and improve sample yield among African Americans, the third mailing was sent via FedEx to the eligible sampled households in CHIS 2023. Specifically, sampled households that met the criteria of high density African American census block groups (defined as 13% or higher) were randomly assigned to this experiment – to either receive the FedEx or regular First Class envelope. While the FedEx mailing increased overall response, it was not cost-efficient and did not meet our objectives of increasing the proportion of responses coming from Black/African American Californians. As a result, this strategy was discontinued in future CHIS surveys. For more details on the study, see the [working paper](#).

CHIS 2023 also experimentally evaluated the use of sending a second incentive to convert partial interviews to completes. Results show that sending a second incentive significantly improved the completion rate for the *sufficient partials* and had lower costs per complete. Sending a second incentive to the *insufficient partials* also significantly improved the response rate. For more information about this experiment, see the [working paper](#).

Data Collection Timeline

CHIS 2023 data were collected between January 2023 and December 2023. Approximately 90% of adult interviews were completed over the web with the remainder over the phone.

For small populations or rare conditions and characteristics, pooling two or more single-year datasets may be required to achieve sufficient sample size and statistical stability. Users who need more information about pooling or trending data over time should review the [Analyze CHIS Data website](#) or go to the [CHIS FAQs page](#). You can also email questions to dacchpr@ucla.edu.

3. CHIS 2023 Sample Design and Methodology

3.1 Overview

A series of five methodology reports is available with more detail about the methods used in CHIS 2023.

- Report 1 – Sample Design;
- Report 2 – Data Collection Methods;
- Report 3 – Data Processing Procedures;
- Report 4 – Response Rates; and
- Report 5 – Weighting and Variance Estimation.

For further information on CHIS data and the methods used in the survey, visit the California Health Interview Survey Web site at <http://www.chis.ucla.edu> or contact CHIS at CHIS@ucla.edu. For methodology reports from previous CHIS cycles, go to <https://healthpolicy.ucla.edu/our-work/california-health-interview-survey-chis/chis-design-and-methods/chis-methodology-reports-repository>.

The CHIS is a population-based multimode (web and telephone) survey of California's residential, noninstitutionalized population conducted every other year since 2001 and continually beginning in 2011. CHIS is the nation's largest state-level health survey and one of the largest health surveys in the nation. The UCLA Center for Health Policy Research (UCLA-CHPR) conducts CHIS in collaboration with multiple funding sources from public, private, and non-profit organizations. CHIS collects extensive information for all age groups on health status, health conditions, health-related behaviors, health insurance coverage, access to health care services, and other health and health-related issues.

The sample is designed and optimized to meet two objectives:

- 1) Provide estimates for large- and medium-sized counties in the state, and for groups of the smallest counties (based on population size), and
- 2) Provide statewide estimates for California's overall population, its major racial and ethnic groups, as well as several racial and ethnic subgroups.

The CHIS sample is representative of California's non-institutionalized population living in households. CHIS data and results are used extensively by federal and State agencies, local

public health agencies and organizations, advocacy and community organizations, other local agencies, hospitals, community clinics, health plans, foundations, and researchers. These data are used for analyses and publications to assess public health and health care needs, to develop and advocate policies to meet those needs, and to plan and budget health care coverage and services. Many researchers throughout California and the nation use CHIS data files to further their understanding of a wide range of health related issues (visit UCLA-CHPR's publication page at <https://healthpolicy.ucla.edu/our-work/publications> for examples of CHIS studies).

3.2 Sample Additions and Data Collection Methodology Updates

Starting in 2021, the CHIS added a prepaid cell phone sample to the primary ABS sample. A second innovation was altering the envelope for the initial mailing to have a window that would allow the incentive to be seen. The CHIS research team deemed these changes necessary to improve representation of California's diverse population and improve response rates.

For CHIS 2023, respondents in the ABS sample are invited to either complete the survey online or call in to be interviewed by a member of the SSRS interviewing staff. Respondents receive an initial invitation letter with a \$2.00 pre-incentive. This is followed by a reminder postcard, a standard letter, and a final postcard. Where addresses can be matched to a listed telephone number, the nonresponding households are also called up to six times to attempt to complete an interview before the sampled household is considered to be a resolved nonresponse. In addition to the ABS sample frame, CHIS 2023 utilized a supplemental listed prepaid cell phone sample to meet targets in certain stratum.

The prepaid cell phone oversample followed the same dialing protocol of up to six dials before retiring the sample. In addition, the sampled phone number was screened for respondents who were either aged 18 to 24, Hispanic, African American, or would take the survey in one of the non-English languages offered for CHIS 2023.

In addition to the prepaid cell phone oversample, CHIS 2023 included two geographic oversamples:

- 1) An oversample of households from 11 ZIP codes in the City of Long Beach.
- 2) An oversample of households in Santa Clara County.

In order to provide CHIS data users with more complete and up-to-date information to facilitate analyses of CHIS data, additional information on how to use the CHIS sampling weights, including sample statistical code, is available at <https://healthpolicy.ucla.edu/our-work/california-health-interview-survey-chis/access-chis-data/resources> .

Additional documentation on constructing the CHIS sampling weights is available in the *CHIS 2023 Methodology Series: Report 5—Weighting and Variance Estimation* posted at <https://healthpolicy.ucla.edu/our-work/california-health-interview-survey-chis/chis-design-and-methods/chis-methodology-reports-repository>. Other helpful information for understanding the CHIS sample design and data collection processing can be found in the four other methodology reports for each CHIS cycle and year.

3.3 Sample Design Objectives

The CHIS 2023 sample was designed to meet the two sampling objectives discussed above: (1) provide estimates for adults in most counties and in groups of counties with small populations; and (2) provide estimates for California’s overall population, major racial and ethnic groups, and for several smaller racial and ethnic subgroups.

To achieve these objectives, CHIS 2023 continued to employ an address-based sample design. For the ABS sample, the 58 counties in the state were grouped into 44 primary geographic sampling strata, and 14 sub-strata were created within the two most populous counties in the state (Los Angeles and San Diego). The same geographic stratification of the state has been used since CHIS 2005. The Los Angeles County stratum included eight sub-strata for Service Planning Areas, and the San Diego County stratum included six sub-strata for Health Service Districts. Most of the strata (39 of 44) consisted of a single county with no sub-strata (see counties 3-41 in Table 1-1). Three multi-county strata comprised the 17 remaining counties (see counties 42-44 in Table 1-1). A sufficient number of adult interviews were allocated to each stratum and sub-stratum to support the first sample design objective for the two-year cycle—to provide health estimates for adults at the local level.

As with CHIS 2021-2022, the address-based sample in CHIS 2023 was stratified into different strata that had higher incidences of individuals with targeted characteristics. For CHIS 2023, these strata were based on predictive models that employed Big Data techniques to identify household attributes such as demographics, spoken languages, and even attitudinal

metrics that are correlated with important respondent characteristics. The process begins by taking prior data and building models with those data, and then scoring future samples with the outcomes of those models. In addition to evaluating the predictive models, for CHIS 2023 we also investigated the utility of individual sample flags provided by MSG database information, including the surname flags, child indicator variables, and resident age information as well as PDB block-group characteristics including the density of households with African American residents and households with limited English proficiency.

For CHIS 2023, the following strata were created¹:

- 1) Vietnamese
- 2) Korean
- 3) Likely Asian-language Interview
- 4) Likely Spanish-language interview
- 5) Hispanic
- 6) Other high-density non-English
- 7) Other Asian
- 8) High density African American
- 9) HH with children
- 10) Other 65+
- 11) Residual - Match
- 12) Residual – No match

This stratification scheme was designed to make use of the most effective predictive variables to target key demographic subgroups in an efficient way that minimizes the impact of the disproportionate sampling on the design effect. Those models that were not sufficiently predictive to add value were excluded. It should be noted that this stratification includes two additional strata: 1) sample records for which none of the variables or models predicted any attribute, but for which auxiliary data could be matched to the address (“Residual - Match” sample) and sample for which no Big Data was found (“Residual - No match” sample). The final

¹ The Santa Clara oversample employs a slightly different strata, please refer to Methodology Report 1 – Sample Design for additional details.

step in utilizing the models is to develop sampling fractions by which modeled households will be selected. The final sample fractions balanced the need to increase the frequency of the lowest incidence groups, while accounting for subgroup differences in response propensity and minimizing disproportionate weighting whenever possible.

Within each geographic and modeled stratum combination, residential addresses were selected, and within each household, one adult (age 18 and over) respondent was randomly selected. In those households with adolescents (ages 12-17) and/or children (under age 12), one adolescent and one child of the selected parent/guardian were randomly selected. The adolescent was interviewed directly via CATI or Web. The child interview was completed by the selected adult respondent who was the parent or guardian.

Table 1-1. California county and county group strata used in the CHIS 2023 sample design

1. Los Angeles	7. Alameda	27. Shasta
1.1 Antelope Valley	8. Sacramento	28. Yolo
1.2 San Fernando Valley	9. Contra Costa	29. El Dorado
1.3 San Gabriel Valley	10. Fresno	30. Imperial
1.4 Metro	11. San Francisco	31. Napa
1.5 West	12. Ventura	32. Kings
1.6 South	13. San Mateo	33. Madera
1.7 East	14. Kern	34. Monterey
1.8 South Bay	15. San Joaquin	35. Humboldt
2. San Diego	16. Sonoma	36. Nevada
2.1 N. Coastal	17. Stanislaus	37. Mendocino
2.2 N. Central	18. Santa Barbara	38. Sutter
2.3 Central	19. Solano	39. Yuba
2.4 South	20. Tulare	40. Lake
2.5 East	21. Santa Cruz	41. San Benito
2.6 N. Inland	22. Marin	42. Colusa, Glenn, Tehama
3. Orange	23. San Luis Obispo	43. Del Norte, Lassen, Modoc,
4. Santa Clara	24. Placer	Plumas, Sierra, Siskiyou, Trinity
5. San Bernardino	25. Merced	44. Amador, Alpine, Calaveras, Inyo,
6. Riverside	26. Butte	Mariposa, Mono, Tuolumne

Source: UCLA Center for Health Policy Research, 2023 California Health Interview Survey.

In addition to the ABS sample frame, CHIS 2023 utilized a supplemental listed prepaid cellphone sample to meet targets in twelve geographic stratum that were underperforming in completion rate. Listed prepaid cell phones were sampled from the following 12 geographic strata:

1. Los Angeles
 - a. SPA1
 - b. SPA5
2. San Diego
 - a. Central
3. Santa Clara
4. Sacramento
5. Contra Costa
6. Ventura
7. San Joaquin
8. Sonoma
9. Santa Cruz
10. Merced
11. Mendocino
12. San Benito

To better target populations not adequately covered under the ABS frame in CHIS 2023, we utilized a prepaid cell phone oversample of 450 completes to obtain additional in-language interviews, Hispanic and African American samples, and young adults. Prepaid cell phone numbers are associated with cell phones that are “pay-as-you-go” and do not require a contract. Prepaid numbers are more likely to be used by Hispanics, people with lower education and lower income, and other related groups that are often underrepresented in general population samples (e.g., the uninsured).

The CHIS ABS sample and the prepaid oversample were of sufficient size to accomplish the second objective, i.e., to produce statistically stable estimates for small population groups such as racial/ethnic subgroups, children, adolescents, etc.

3.4 Data Collection

To capture the rich diversity of the California population, interviews were conducted in six languages: English, Spanish, Chinese (Mandarin and Cantonese dialect), Vietnamese, Korean, and Tagalog. These languages were chosen based on analysis of ACS 2021 5-year data to identify the languages that would cover the largest number of Californians in the CHIS sample that either did not speak English or did not speak English well enough to otherwise participate.

SSRS collaborated with UCLA on the methodology and collected data for CHIS 2023, under contract with the UCLA Center for Health Policy Research. SSRS is an independent research firm that specializes in innovative methodologies, optimized sample designs, and reaching low-incidence populations. For all sampled households, one randomly selected adult in each sampled household either completed an on-line survey or was interviewed by telephone by an SSRS interviewer. In addition, the study sampled one adolescent and one child if they were present in the household and the sampled adult was their parent or legal guardian. Thus, up to three interviews could have been completed in each household. The child interview was moved in 2019 to take place immediately after Section A of the adult survey and the rostering of the household. The adolescent survey took place either immediately after the adult with phone interviews or in a separate session online.

Table 1-2 shows the number of completed adult, child, and adolescent interviews in CHIS 2023 by mode of interview. Note that these figures were accurate as of data collection completion for 2023 and may differ slightly from numbers in the data files due to data cleaning and edits. Sample sizes to compare against data files you are using are found online at <https://healthpolicy.ucla.edu/our-work/california-health-interview-survey-chis/chis-design-and-methods/chis-design>.

Table 1-2. Number of completed interviews by mode of interview and instrument

	Adult	Child	Adolescent
--	-------	-------	------------

Totals ¹	23,697	3,650	1,045
Completes by Web	21,101	3,370	989
Completes by phone	2,596	280	56

Source: UCLA Center for Health Policy Research, 2023 California Health Interview Survey.

¹ Includes interviews meeting the criteria of sufficient partial.

Interviews in all languages were administered using SSRS's computer-assisted web interviewing and computer-assisted telephone interviewing (CAWI/CATI) system. As expected, the CATI interviews were longer in duration. The duration of the CATI interviews averaged almost 68 minutes, 20 minutes, and 25 minutes for the adult, child, and adolescent interviews, respectively; the duration of the CAWI interviews averaged around 45 minutes, 13 minutes, and 18 minutes for the adult, child, and adolescent interviews, respectively. Interviews in non-English languages typically took longer to complete across both modes: the non-English CATI interviews had an average length of about 76 minutes, 22 minutes, and 25 minutes for the adult, child, and adolescent interviews respectively; the non-English CAWI interviews had an average length of about 54 minutes, 16 minutes, and 18 minutes for the adult, child, and adolescent interviews, respectively.

Nearly 8 percent of the adult interviews were completed in a language other than English, as were about 12 percent of all child (parent proxy) interviews and 2 percent of all adolescent interviews.

Table 1-3 shows the major topic areas for each of the three survey instruments (adult, child, and adolescent). If questions were asked in only one year of survey implementation, the specific year is indicated in the table.

Table 1-3. CHIS 2023 survey topic areas by instrument

Health status	Adult	Adolescent	Child
General health status	✓	✓	✓
Days missed from work or school due to health problems	✓	✓	✓
Health conditions	Adult	Adolescent	Child
Asthma	✓	✓	✓
Diabetes	✓		
Heart disease, High blood pressure, Cholesterol	✓		
Physical disability	✓		
Mental health	Adult	Adolescent	Child
Mental health status	✓	✓	
Perceived need, Access and utilization of mental health services	✓	✓	
Functional impairment, Stigma	✓		
Suicide ideation and attempts	✓	✓	
Telehealth and mental health services satisfaction, Delays in mental health services	✓	✓	
Climate Change	✓	✓	
Health behaviors	Adult	Adolescent	Child
Moderate physical activity	✓		
Dietary intake	✓	✓	✓
Breastfeeding (younger than 3 years)			✓
Sugar-sweetened beverages	✓	✓	✓
Alcohol use, Cigarette use, E-cigarette use, Marijuana use, CBD use	✓	✓	
CBD Use	✓		
Opioid use, Prescription painkiller use	✓		
Exposure to second-hand smoke/vapor, Exposure to marijuana smoke	✓		
Sexual behaviors, HIV testing, HIV prevention medication	✓	✓	
Caregiving	✓		
Gambling, Financial and mental impacts of gambling	✓		
Gun Violence	Adult	Adolescent	Child
Firearm ownership/presence, Loaded, and secure, Firearm victimization, Quick access to firearm	✓		
Women's health	Adult	Adolescent	Child
Pregnancy status	✓		

(continued)

Table 1-3. CHIS 2023 survey topic areas by instrument (continued)

Dental health	Adult	Adolescent	Child
Last dental visit, Main reason have not visited dentist, Number of dental visits, Location of dental service	✓	✓	✓
Current dental insurance coverage	✓	✓	✓
Source of dental care	✓	✓	✓
Neighborhood and housing	Adult	Adolescent	Child
Safety, Social cohesion	✓	✓	✓
Civic engagement	✓	✓	
Participation in extracurricular activities		✓	
Housing security/stability, Place of residency last year	✓		
Encounters with police	✓		
Adverse Childhood Experiences	Adult	Adolescent	Child
ACES Screener	✓	✓	
Past ACES screener	✓	✓	
Safe and nurtured childhood experiences	✓	✓	
Access to and use of health care	Adult	Adolescent	Child
Usual source of care, Visits to medical doctor	✓	✓	✓
Emergency room visits	✓	✓	✓
Delays in getting care (prescriptions and medical care)	✓	✓	✓
Communication problems with doctor	✓		✓
Contraception	✓	✓	
Timely appointment	✓	✓	✓
Access to specialist and general doctors	✓		
Telehealth care, Telehealth visit satisfaction and barriers	✓		
Care coordination	✓	✓	✓
Discrimination in healthcare setting	✓		
Difficulty in accessing care, tests, treatment	✓	✓	✓
Voter engagement	Adult	Adolescent	Child
Voter engagement	✓		
Voter attitudes	✓		
Food environment	Adult	Adolescent	Child
Availability of food in household over past 12 months, Hunger	✓		

(continued)

Table 1-3. CHIS 2023 survey topic areas by instrument (continued)

Health insurance	Adult	Adolescent	Child
Current insurance coverage, Spouse's coverage, Who pays for coverage	✓	✓	✓
Health plan enrollment, Characteristics and assessment of plan	✓	✓	✓
Whether employer offers coverage, Respondent/spouse eligibility	✓		
Coverage over past 12 months, Reasons for lack of insurance	✓	✓	✓
High deductible health plans	✓	✓	✓
Partial scope Medi-Cal, Medical debt, Hospitalizations	✓		
Public program eligibility	Adult	Adolescent	Child
Household poverty level	✓		
Program participation (CalWORKs, Food Stamps, SSI, SSDI, WIC, TANF)	✓	✓	✓
Assets, Child support, Social security/pension, Worker's compensation	✓		
Medi-Cal eligibility, Medi-Cal renewal, Notice of actions from Medi-Cal	✓		
Reason for Medi-Cal non-participation among potential beneficiaries	✓	✓	✓
Use of public benefits among immigrant residents	✓		
Parental involvement/adult supervision	Adult	Adolescent	Child
Parental involvement			✓
Book ownership, Source of reading materials, Challenges to reading to child			✓
Child care and school	Adult	Adolescent	Child
Current child care arrangements			✓
Paid child care	✓		
First 5 California: Talk, Read, Sing Program / Kit for New Parents			✓
Preschool/school attendance, School name		✓	✓
Preschool quality			✓
Employment	Adult	Adolescent	Child
Employment status, Spouse's employment status	✓		
Hours worked at all jobs	✓		
Industry and occupation, Firm size	✓		
Paid Family Leave	✓		
Income	Adult	Adolescent	Child
Respondent's and spouse's earnings last month before taxes	✓		
Household income, Number of persons supported by household income	✓		

(continued)

Table 1-3. CHIS 2023 survey topic areas by instrument (continued)

Respondent characteristics	Adult	Adolescent	Child
Race and ethnicity, Age, Gender, Height, Weight	✓	✓	✓
Veteran status	✓		
Marital status, Registered domestic partner status (same-sex couples)	✓		
Sexual orientation	✓		
Gender identity	✓	✓	
Gender expression		✓	
Living with parents	✓		
Education, English language proficiency	✓		
Citizenship, Immigration status, Country of birth, Length of time in U.S., Languages spoken at home	✓	✓	✓
COVID-19	Adult	Adolescent	Child
Ever tested positive for COVID-19, Test type	✓		
Experienced long COVID-19 symptoms	✓		
COVID vaccine status, COVID booster status	✓	✓	✓
Future COVID vaccine acceptance, Reasons for COVID vaccine hesitancy	✓		
Challenges experience due to COVID-19 pandemic	✓		
N95 masks, Ability to get N95 masks	✓		
Adolescent Future Preparedness	Adult	Adolescent	Child
Plans for college, Impact of pandemic on college plans		✓	
Discrimination	Adult	Adolescent	Child
Housing discrimination experience, Main reason for discrimination, Housing Choice Section 8 Voucher	✓		
Hate incident experience and witness, Type, Location, Reason for hate incident	✓	✓	

Source: UCLA Center for Health Policy Research, 2023 California Health Interview Survey.

3.5 Response Rates

The overall response rates for CHIS 2023 are composites of the screener completion rate (i.e., success in introducing the survey to a household and randomly selecting an adult to be interviewed) and the extended interview completion rate (i.e., success in getting one or more selected persons to complete the extended interview). For CHIS 2023, the overall household response rate was 8.5 percent (the product of the screener response rate of 11.8 percent and the extended interview response rate at the household level of 72.1 percent). CHIS uses the RR4 type response rate described in the AAPOR (The American Association for Public Opinion Research), 2016 guidelines (see more detailed in *CHIS 2023 Methodology Series: Report 4 – Response Rates*).

The extended interview response rate for the ABS sample varied across the adult (64.7 percent), child (82.2 percent) and adolescent (27.9 percent) interviews. The adolescent rate includes the process of obtaining permission from a parent or guardian.

Multiplying these rates by the screener response rates used in the household rates above gives an overall response rate for each type of interview for 2023 (see Table 1-4b).

Table 1-4a. CHIS response rates - Conditional

Type of Sample	Screener ¹	Household (given screened) ¹	Adult (given screened) ¹	Child (given screened & eligibility) ¹	Adolescent (given screened & permission) ¹
Overall	11.8%	72.1%	64.7%	82.2%	27.9%

Source: UCLA Center for Health Policy Research, 2023 California Health Interview Survey.

¹ The prepaid cell, Long Beach, and Santa Clara oversamples are not included in these rates.

Table 1-4b. CHIS response rates - Unconditional

Type of Sample	Screener ¹	Household (given screened) ¹	Adult (given screened) ¹	Child (given screened & eligibility) ¹	Adolescent (given screened & permission) ¹
Overall	11.8%	8.5%	7.7%	9.7%	3.3%

Source: UCLA Center for Health Policy Research, 2023 California Health Interview Survey.

¹ The prepaid cell, Long Beach, and Santa Clara oversamples are not included in these rates.

After all follow-up attempts to complete the full questionnaire were exhausted, adults who completed at least approximately 80 percent of the questionnaire (i.e., through Section K which covers employment, income, poverty status, and food security), were counted as “sufficient partial complete.” At least some responses in the employment and income series, or public program eligibility and food insecurity series were missing from those cases that did not complete the entire interview. They were imputed to enhance the analytic utility of the data.

Proxy interviews were conducted for any adult who was unable to complete the extended adult interview for themselves, in order to avoid biases for health estimates of chronically ill or handicapped people. Eligible selected persons were re-contacted and offered a proxy option. In CHIS 2023, either a spouse/partner or adult child completed a proxy interview for sixteen adults. A reduced questionnaire, with questions identified as appropriate for a proxy respondent, was administered.

Further information about CHIS data quality and nonresponse bias is available at <https://healthpolicy.ucla.edu/our-work/california-health-interview-survey-chis/chis-design-and-methods/chis-design/chis-2019-2020-redesign>.

3.6 Weighting the Sample

To produce population estimates from CHIS data, weights were applied to the sample data to compensate for the probability of selection and a variety of other factors, some directly resulting from the design and administration of the survey. The sample was weighted to represent the noninstitutionalized population for each sampling stratum and statewide. The weighting procedures used for CHIS 2023 accomplish the following objectives:

- Compensate for differential probabilities of selection for addresses (households) and persons within household;
- Reduce biases occurring because non-respondents may have different characteristics than respondents;

- Adjust, to the extent possible, for under coverage in the sampling frame and in the conduct of the survey; and
- Reduce the variance of the estimates by using auxiliary information

As part of the weighting process, a household weight was created for all households that completed the screener interview. This household weight is the product of the “base weight” (the inverse of the probability of selection of the address) and several adjustment factors. The household weight was used to compute a person-level weight, which includes adjustments for the within-household sampling of persons and for nonresponse. The final step was to adjust the person-level weight using weight calibration, a procedure that forced the CHIS weights to sum to estimated population control totals simultaneously from an independent data source (see below).

Population control totals of the number of persons by age, race, and sex at the stratum level for CHIS 2023 were primarily created from the California Department of Finance’s (DOF) 2023 Population Estimates, and associated population projections. The procedure used several dimensions, which are combinations of demographic variables (age, sex, race, and ethnicity), geographic variables (county, Service Planning Area) in Los Angeles County, and Health and Human Services Agency (HHSA) region in San Diego County), and education. One limitation of using DOF data is that it includes about 2.4 percent of the population of California who live in “group quarters” (i.e., persons living with nine or more unrelated persons and includes, for example nursing homes, prisons, dormitories, etc.). These persons were excluded from the CHIS target population and, as a result, the number of persons living in group quarters was estimated and removed from the DOF control totals prior to calibration.

The DOF control totals used to create the CHIS 2023 weights are based on 2020 Census counts. Please pay close attention when comparing estimates using CHIS 2023 data with estimates using data from CHIS cycles before 2023. The most accurate California population figures are available when the U.S. Census Bureau conducts the decennial census. For periods between each census, population-based surveys like CHIS must use population projections based on the decennial count. For example, population control totals for CHIS 2009 were based on 2009 DOF estimates and projections, which were based on Census 2000 counts with adjustments for demographic

changes within the state between 2000 and 2009. These estimates become less accurate and more dependent on the models underlying the adjustments over time. Using the most recent Census population count information to create control totals for weighting produces the most statistically accurate population estimates for the current cycle, but it may produce unexpected increases or decreases in some survey estimates when comparing survey cycles that use 2010 Census-based information and 2020 Census-based information.

3.7 Imputation Methods

Missing values in the CHIS data files were replaced through imputation for nearly every variable. This was a substantial task designed to enhance the analytic utility of the files. SSRS imputed missing values for those variables used in the weighting process and UCLA-CHPR staff imputed values for nearly every other variable.

Three different imputation procedures were used by SSRS to fill in missing responses for items essential for weighting the data. The first imputation technique was a completely random selection from the observed distribution of respondents. This method was used only for a few variables when the percentage of the items missing was very small. The second technique was hot-deck imputation. The hot-deck approach is one of the most used methods for assigning values for missing responses. Using a hot deck, a value reported by a respondent for a specific item was assigned or donated to a “similar” person who did not respond to that item. The characteristics defining “similar” vary for different variables. To carry out hot-deck imputation, the respondents who answered a survey item formed a pool of donors, while the item non-respondents formed a group of recipients. A recipient was matched to the subset pool of donors based on household and individual characteristics. A value for the recipient was then randomly imputed from one of the donors in the pool. SSRS used hot-deck imputation to impute the same items that have been imputed in all CHIS cycles since 2003 (i.e., race, ethnicity, home ownership, and education). The last technique was external data assignment. This method was used for geocoding variables such as strata, Los Angeles SPA, San Diego HSSA region, and zipcode where the respondent provided inconsistent information. For such cases geocoding information was used for imputation.

UCLA-CHPR imputed missing values for nearly every variable in the data files other than those imputed by SSRS and some sensitive variables for which nonresponse had its own meaning.

Overall, item nonresponse rates in CHIS 2023 were low, with most variables missing valid responses for less than 1% of the sample. Questions that go to fewer overall respondents or that ask about more sensitive topics can have higher nonresponse.

The imputation process conducted by UCLA-CHPR started with data editing, sometimes referred to as logical or relational imputation: for any missing value, a valid replacement value was sought based on known values of other variables of the same respondent or other sample(s) from the same household. For the remaining missing values, model-based hot-deck imputation without donor replacement was used. This method replaced a missing value for one respondent using a valid response from another respondent with similar characteristics as defined by a generalized linear model with a set of control variables (predictors). The link function of the model corresponded to the nature of the variable being imputed (e.g. linear regression for continuous variables, logistic regression for binary variables, etc.). Donors and recipients were grouped based on their predicted values from the model.

Control variables (predictors) used in the model to form donor pools for hot-decking always included standard measures of demographic and socioeconomic characteristics, as well as geographic region; however, the full set of control variables varies depending on which variable is being imputed. Most imputation models included additional characteristics, such as health status or access to care, which are used to improve the quality of the donor-recipient match.

Among the standard list of control variables, gender, age, race/ethnicity, educational attainment and region of California were imputed by SSRS. UCLA-CHPR began their imputation process by imputing household income so that this characteristic was available for the imputation of other variables. Sometimes CHIS collects bracketed information about the range in which the respondent's value falls when the respondent will not or cannot report an exact amount. Household income, for example, was imputed using the hot-deck method within ranges defined by a set of auxiliary variables such as bracketed income range and/or poverty level.

The imputation order of the other variables generally followed the questionnaire. After all imputation procedures were complete, every step in the data quality control process was performed

once again to ensure consistency between the imputed and non-imputed values on a case-by-case basis.

4. Sample Code for Analysis and Pooling of CHIS Data

As previously noted, sample code to assist with analyses and pooling of CHIS data is available on the CHIS website at <https://healthpolicy.ucla.edu/our-work/california-health-interview-survey-chis/access-chis-data/resources>.

5. Restricted Variables

The following geographic variables are not located in any released files, but may be accessible upon request and IRB approval (UCLA & CPHS). These variables are restricted due to their identifiable nature.

VARIABLE	LABEL	NOTE
LATITUDE	LATITUDE	GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING.
LONGIT	LONGITUDE	GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING.
CBLK	CENSUS BLOCK INCLUDING CENSUS TRACT	SMALLEST CENSUS DELINEATION AVAILABLE TO MERGE WITH CENSUS DATA; USED FOR MULTILEVEL MODELING, NEIGHBORHOOD ANALYSIS.

Teen and child restricted variables:

VARIABLE	LABEL	NOTE
SCH_BLK	SCHOOL CENSUS TRACT INCLUDING BLOCK	SMALLEST CENSUS DELINEATION AVAILABLE TO MERGE WITH CENSUS DATA; USED FOR MULTILEVEL MODELING, SCHOOL NEIGHBORHOOD ANALYSIS.
SCH_CDS	STATE SCHOOL ID NUMBER	
SCH_LAT	SCHOOL LATITUDE	GEOGRAPHIC LONGITUDE OF SCHOOL. USED FOR MAPPING.
SCH_LON	SCHOOL LONGITUDE	GEOGRAPHIC LONGITUDE OF SCHOOL. USED FOR MAPPING.

6. CHIS Data Dictionary

How to Use the Data Dictionary

This Data Dictionary describes the variables in the CHIS 2023 data file. The index of the data dictionary lists variables first in alphabetical order and then in the order they were administered in the survey questionnaire. Please note that identical variable names appearing in the CHIS 2001, CHIS 2003, CHIS 2005, CHIS 2007, CHIS 2009, CHIS 2011-12, CHIS 2013-2014, CHIS 2015-16, CHIS 2017-18, CHIS 2019-20, CHIS 2021-2022, and CHIS 2023 data files does not guarantee identical question wording, response categories or universe; please consult the questionnaires and data dictionaries to assess comparability across cycles. A printable version of the questionnaire can be found on the California Health Interview Survey web site at <http://healthpolicy.ucla.edu/our-work/california-health-interview-survey-chis/chis-design-and-methods/survey-topics-and-questionnaires>.

The data dictionary contains the following fields:

- **VARNAME:** The names of the variables.
- **LABEL:** A description (or label) of the variable which is the same as what is included in the label file described in Section 1.2.
- **VALUE:** Response categories and their sample distributions of categorical variables. The following negative values are used for all variables:
 - 1: INAPPLICABLE.
 - 2: PROXY SKIPPED.
 - 5: CHILD/HOUSEHOLD INFORMATION NOT COLLECTED FOR TEEN AND CHILD INTERVIEWS.
 - 7: REFUSED.
 - 8: DON'T KNOW.
 - 9: NOT ASCERTAINED.
- **MEAN STATISTICS:** Sample distributions of continuous variables.
- **UNIVERSE:** The scope of eligible respondents for the corresponding item. For some questions and variables, certain respondents become ineligible due to skip patterns or other restrictions (e.g., age and sex).
- **INPUT VAR:** Source variables used to construct the one in the **VARNAME** field.
- **NOTES:** Additional information about the variable.

Navigation

Users can also navigate between data dictionary sections by clicking on the section listings on the next page.

TABLE OF CONTENTS

VARIABLE NAME (alphabetical)

VARIABLE NAME (location)

SECTION Q: SCREENING INFORMATION

SECTION A: DEMOGRAPHIC INFORMATION, PART I

SECTION B: GENERAL HEALTH CONDITION

SECTION C: HEALTH BEHAVIORS

**SECTION D: GENERAL HEALTH, DISABILITY &
SEXUAL HEALTH**

SECTION E: WOMEN'S HEALTH

SECTION F: MENTAL HEALTH

**SECTION G: DEMOGRAPHIC INFORMATION, PART II
& CHILD CARE**

SECTION H: HEALTH INSURANCE

**SECTION J: HEALTH CARE UTILIZATION/ACCESS &
DENTAL HEALTH**

**SECTION K: EMPLOYMENT, INCOME, POVERTY
STATUS & FOOD SECURITY**

SECTION L: PUBLIC PROGRAM PARTICIPATION

SECTION M: HOUSING & COMMUNITY INVOLVEMENT

**SECTION N: DEMOGRAPHIC INFO. PART III, GEOGRAPHIC
INFO.**

**SECTION O: FULL DESIGN & REPLICATE WEIGHT
SERIES 0-80**

SECTION P: VOTER ENGAGEMENT

SECTION CV: COVID-19

SECTION GV: GUN VIOLENCE

SECTION R: ADVERSE CHILDHOOD EXPERIENCES

Variable Name (alphabetical)

Variable	Label	Page
AA5C	ENROLLED MEMBER IN RECOGNIZED TRIBE	A-7
AA5G	IDENTIFY WITH ONE RACE IN PARTICULAR	A-8
AADATE_MM	DATE ADULT SECTION A DONE (YYYYMM)	Q-1
AB1	GENERAL HEALTH CONDITION	B-1
AB112	MEDICAL PROVIDERS DEVELOP DIABETES CARE PLAN	B-8
AB150	DOCTOR TOLD HEMOGLOBIN A1C LEVEL <9% IN PAST YEAR	B-14
AB152	HBP UNDER CONTROL LAST TIME CHECKED BY DOCTOR IN PAST YEAR (< 140	B-10
AB153	REDUCED SALT IN DIET TO HELP CONTROL HBP IN PAST YEAR	B-10
AB154	DOCTOR TOLD HAVE HIGH CHOLESTEROL IN PAST YEAR (> 240)	B-11
AB155	CHOLESTEROL WAS < 200 LAST TIME CHECKED BY DR	B-12
AB17	DOCTOR EVER TOLD HAVE ASTHMA	B-1
AB18	TAKING DAILY MEDICATION TO CONTROL ASTHMA	B-4
AB22V2	DOCTOR EVER TOLD HAVE DIABETES	B-5
AB24	CURRENTLY TAKING INSULIN	B-7
AB25	CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR	B-7
AB27_P1	# OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR (PUF 1 YR RECOD	B-14
AB29V2	DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE	B-9
AB30V2	CURRENTLY TAKING MEDICATIONS FOR HIGH BLOOD PRESSURE	B-9
AB34	DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE	B-13
AB40	STILL HAS ASTHMA	B-2
AB41	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	B-2
AB42V2_P1	WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS (PUF 1 YR RECODE)	B-3
AB43	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	B-4
AB63	LAST EYE EXAM DILATED PUPILS	B-8
AB98	HAVE WRITTEN COPY OF ASTHMA CARE PLAN	B-5

AC115	EVER TRIED MARIJUANA OR HASHISH	C-31
AC116_P1	HOW LONG SINCE LAST MARIJUANA/HASHISH USE (PUF 1 YR RECODE)	C-32
AC117V2	FREQUENCY OF MARIJUANA/HASHISH/THC PRODUCT USE IN PAST 30 DAYS	C-32
AC118V2	HOW OFTEN USE TOBACCO WITH MARIJUANA	C-33
AC119V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - JOINT/BONG/PIPE	C-33
AC120V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - BLUNT	C-34
AC121V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - EAT	C-34
AC122V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - DRINK	C-35
AC123V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - VAPORIZE	C-35
AC124V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - DAB	C-36
AC126V2	ANY MARIJUANA USE RECOMMENDED BY DOCTOR OR HEALTH CARE PROVIDER	C-39
AC127V2	ALL MARIJUANA USE RECOMMENDED BY DOCTOR OR HEALTH CARE PROVIDER	C-40
AC133V2_1	CONDITION TAKING MEDICINE FOR - DENTAL WORK/DENTAL PAIN	C-58
AC133V2_2	CONDITION TAKING MEDICINE FOR - SURGERY, NOT ACCIDENT-RELATED	C-59
AC133V2_3	CONDITION TAKING MEDICINE FOR - RECENT INJURY	C-59
AC133V2_4	CONDITION TAKING MEDICINE FOR - CHRONIC PAIN, REGARDLESS OF CAUSE	C-60
AC134V2	USED E-CIG FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-15
AC135_P1	FREQUENCY OF SMOKELESS TOBACCO PRODUCT USE IN PAST 30 DAYS (PUF 1	C-22
AC136	USED CHEWING TOBACCO FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-23
AC137_P1	FREQUENCY OF SMOKE CIGARILLO/LITTLE CIGAR USE IN PAST 30 DAYS (PU	C-23
AC138	USED CIGARILLO FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-24
AC139_P1	FREQUENCY OF BIG CIGAR USE IN PAST 30 DAYS (PUF 1 YR RECODE)	C-24

AC140	USED BIG CIGAR FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-25
AC141_P1	FREQUENCY OF HOOKAH WATER PIPE USE IN PAST 30 DAYS (PUF 1 YR RECO	C-25
AC142	USED HOOKAH FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-26
AC173	HOW LONG SINCE LAST SMOKED A CIGARETTE	C-6
AC174	# OF DAYS SMOKED CIGARETTES IN PAST 30 DAYS	C-5
AC175	SMOKED MENTHOL CIGARETTES	C-8
AC176	AGE FIRST SMOKED WHOLE CIGARETTE	C-9
AC177	WERE SMOKING CIGARETTES THIS TIME LAST YEAR	C-9
AC178	HOW LONG LAST ATTEMPT TO QUIT SMOKING LASTED	C-12
AC179	USED E-CIG FLAVOR - FRUIT	C-15
AC180	USED E-CIG FLAVOR - CANDY/SWEET	C-16
AC181	USED E-CIG FLAVOR - ALCOHOL/LIQUOR	C-17
AC182A	USED E-CIG FLAVOR - MINT	C-18
AC182B	USED E-CIG FLAVOR - MENTHOL	C-19
AC183	USED E-CIG FLAVOR - TOBACCO	C-20
AC185	PLAN TO QUIT USING E-CIGS	C-22
AC186	BEGAN WITH FLAVORED TOBACCO PRODUCT WHEN FIRST STARTED USING	C-26
AC187	WHEN EXPOSED TO SECONDHAND TOBACCO SMOKE OR E-CIG VAPOR IN CA IN	C-27
AC188	SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - SIDEWALKS	C-27
AC189	SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - INSIDE HOME	C-28
AC190V2	SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - WORKPLACE	C-28
AC191	SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - PUBLIC PARK/BEA	C-29
AC192	WHEN EXPOSED TO SECONDHAND MARIJUANA SMOKE IN THE PAST YEAR	C-47
AC193_P1	MOST COMMON METHOD OF MARIJUANA USE IN PAST 30 DAYS (PUF 1 YR REC	C-41

AC194_1	WHERE GOT MARIJUANA USED - DISPENSARY	C-41
AC194_2	WHERE GOT MARIJUANA USED - VAPE/SMOKE SHOP	C-42
AC194_3	WHERE GOT MARIJUANA USED - OTHER SHOP	C-42
AC194_4	WHERE GOT MARIJUANA USED - DELIVERY SERVICE	C-43
AC194_5	WHERE GOT MARIJUANA USED - WEBSITE	C-43
AC194_6	WHERE GOT MARIJUANA USED - POP-UP SHOP	C-44
AC194_7	WHERE GOT MARIJUANA USED - FAMILY/FRIEND	C-44
AC194_8	WHERE GOT MARIJUANA USED - OTHER PERSON	C-45
AC194_9	WHERE GOT MARIJUANA USED - GROW IT MYSELF	C-45
AC194_91	WHERE GOT MARIJUANA USED - OTHER	C-46
AC195	EVER USED CBD IN ANY FORM	C-48
AC196	HOW LONG SINCE LAST CBD USE	C-49
AC197	# OF DAYS USED CBD IN THE PAST LESS THAN 30 DAYS	C-49
AC198	METHOD OF CBD USE IN PAST 30 DAYS - TAKE ORALLY	C-50
AC199	METHOD OF CBD USE IN PAST 30 DAYS - EAT	C-51
AC200	METHOD OF CBD USE IN PAST 30 DAYS - DRINK	C-52
AC201	METHOD OF CBD USE IN PAST 30 DAYS - APPLY TO SKIN	C-53
AC202	METHOD OF CBD USE IN PAST 30 DAYS - SMOKE	C-54
AC203	METHOD OF CBD USE IN PAST 30 DAYS - VAPORIZE	C-55
AC204	METHOD OF CBD USE IN PAST 30 DAYS - DAB	C-56
AC206	MOST COMMON METHOD OF CBD USE IN PAST 30 DAYS	C-57
AC207	EVER HAD AN ALCOHOLIC BEVERAGE	C-63
AC208	HOW LONG SINCE LAST DRANK AN ALCOHOLIC BEVERAGE	C-63
AC209	# OF DAYS DRANK AT LEAST ONE ALCOHOLIC BEVERAGE IN PAST 30 DAYS	C-64
AC210	# OF DRINKS USUALLY HAD EACH DAY ON DAYS THAT DRANK IN PAST 30 DA	C-64
AC211_P1	# OF DAYS BINGE DRINKING IN PAST 30 DAYS (PUF 1 YR RECODE)	C-65
AC212	DID MODERATE PHYSICAL ACTIVITY FOR 2.5 HOURS IN PAST	C-1

	WEEK	
AC214	STOPPED USING E-CIGS FOR 1+ DAYS IN PAST 30 DAYS BECAUSE TRYING T	C-21
AC215	USED PRESCRIPTION PAINKILLERS IN PAST 12 MOS	C-60
AC218	GAMBLED IN PAST 12 MONTHS	C-66
AC219	BECAME RESTLESS/IRRITABLE/ANXIOUS WHEN TRYING TO STOP/CUT DOWN GA	C-67
AC220	TRIED TO KEEP FAMILY/FRIENDS FROM KNOWING EXTENT OF GAMBLING IN P	C-67
AC221	HAD TO GET HELP WITH LIVING EXPENSES DUE TO FINANCIAL TROUBLE FRO	C-68
AC222_1	REASON TOOK PRESCRIPTION PAINKILLER: DENTAL WORK/PAIN	C-61
AC222_2	REASON TOOK PRESCRIPTION PAINKILLER: SURGERY PAIN	C-61
AC222_3	REASON TOOK PRESCRIPTION PAINKILLER: ACCIDENT/INJURY PAIN	C-62
AC222_4	REASON TOOK PRESCRIPTION PAINKILLER: CHRONIC PAIN	C-62
AC46V2	# OF TIMES DRANK SWEET FRUIT DRINKS PAST MO	C-1
AC49	STOP SMOKING ONE DAY OR LONGER TO QUIT PAST YR	C-11
AC50	THINK ABOUT QUIT SMOKING IN NEXT 6 MOS	C-13
AC54B	HOW SOON SMOKE FIRST CIGARETTE AFTER WAKING	C-8
AC6V2	DOCTOR EVER TOLD HAD A STROKE	B-13
AC77	DOCTOR ADVISED TO QUIT SMOKING IN PAST 12 MOS	C-12
AC81C	EVER SMOKED ELECTRONIC CIGARETTES	C-13
AC82C_P1	DAYS USED E-CIGS PAST 30 DAYS (PUF 1 YEAR RECODE)	C-14
ACE_A	ADVERSE CHILDHOOD EXPERIENCES SCALE	R-9
ACE8	ADVERSE CHILDHOOD EXPERIENCES SCALE (8 PT SCALE)	R-10
ACHLDC_P1	AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE)	G-6
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	J-28
AD13V2	CURRENTLY PREGNANT	E-1
AD32_P1	# OF CIGARETTES PER DAY (PUF 1 YR RECODE)	C-7
AD46CV2	SEXUAL ORIENTATION	D-8

AD50	BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM	D-6
AD65DV2_P1	SEX ASSIGNED ON ORIGINAL BIRTH CERTIFICATE (PUF 1 YR RECODE)	A-2
AD82	EVER HEARD OF PREP/TRUVADA	D-16
AD83	EVER BEEN TESTED FOR HIV	D-17
AD84	OFFERED OR ASKED FOR HIV TEST	D-17
AE_FRUITV2	# OF TIMES EATING FRUIT PER WEEK	C-2
AE_VEGIV2	# OF TIMES EATING VEGETABLES PER WEEK	C-3
AE15	SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME	C-4
AE15A	SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL	C-4
AE16V2_P1	# OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE)	C-7
AE2V2	# TIMES ATE FRUIT IN PAST MO	C-2
AE7V2	# OF TIMES ATE VEGETABLES IN PAST MO	C-3
AF110B	EXPERIENCED EXTREME HEAT WAVE IN PAST 2 YRS	F-15
AF110C	EXPERIENCED WILDFIRE IN PAST 2 YRS	F-15
AF110D	EXPERIENCED SMOKE FROM WILDFIRE IN PAST 2 YRS	F-15
AF110E	EXPERIENCED FLOOD/RISING SEA/MUDSLIDE IN PAST 2 YRS	F-16
AF111B_1	PHYSICAL HEALTH HARMED BY EVENT: EXTREME HEAT WAVE	F-17
AF111B_3	PHYSICAL HEALTH HARMED BY EVENT: WILDFIRE	F-17
AF111B_4	PHYSICAL HEALTH HARMED BY EVENT: SMOKE FROM WILDFIRE	F-18
AF111B_5	PHYSICAL HEALTH HARMED BY EVENT: NOT HARMED	F-18
AF112B_1	MENTAL HEALTH HARMED BY EVENT: EXTREME HEAT WAVE	F-19
AF112B_3	MENTAL HEALTH HARMED BY EVENT: WILDFIRE	F-19
AF112B_4	MENTAL HEALTH HARMED BY EVENT: SMOKE FROM WILDFIRE	F-20
AF112B_5	MENTAL HEALTH HARMED BY EVENT: NOT HARMED	F-20
AF118_1	SPACE WITH FILTERED AIR ACCESSED DURING WILDFIRE SMOKE EVENT: MY	F-22
AF118_2	SPACE WITH FILTERED AIR ACCESSED DURING WILDFIRE SMOKE EVENT: FRI	F-23
AF118_3	SPACE WITH FILTERED AIR ACCESSED DURING WILDFIRE SMOKE	F-23

	EVENT: COM	
AF118_4	SPACE WITH FILTERED AIR ACCESSED DURING WILDFIRE SMOKE EVENT: COM	F-24
AF118_5	SPACE WITH FILTERED AIR ACCESSED DURING WILDFIRE SMOKE EVENT: DID	F-24
AF118_6	SPACE WITH FILTERED AIR ACCESSED DURING WILDFIRE SMOKE EVENT: NOT	F-25
AF40BV3	USES OR MALE SEX PARTNER USES BIRTH CONTROL	D-10
AF62	ANY MONTH PAST 12 MONTHS FELT WORSE	F-5
AF63	FEEL NERVOUS WORST MONTH	F-6
AF64	FEEL HOPELESS WORST MONTH	F-6
AF65	FEEL RESTLESS WORST MONTH	F-7
AF66	FEEL DEPRESSED WORST MONTH	F-7
AF67	FEEL EVERYTHING AN EFFORT WORST MONTH	F-8
AF68	FEEL WORTHLESS WORST MONTH	F-8
AF69B	EMOTIONS INTERFERE W/WORK WORST MONTH	F-9
AF70B	EMOTIONS INTERFERE W/CHORES WORST MONTH	F-9
AF71B	EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH	F-10
AF72B	EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH	F-10
AF81	NEEDED HELP FOR EMOT/MNTL OR ALCOH/DRUG PRBLM IN PAST YR	F-14
AG1	TIME SINCE LAST VISIT TO DENTIST/SPECIALIST	J-59
AG10	RESPONDENT USUALLY WORKS	G-8
AG11	SPOUSE USUALLY WORKS	G-9
AG22	EVER SERVE IN U.S. ARMED FORCES	G-10
AG3	HAVE ANY KIND OF DENTAL INSURANCE	J-63
AG31	HAVE VA SERVICE-CONNECTED DISABILITY RATING	G-10
AG8	WORK STATUS OF SPOUSE LAST WEEK	G-7
AG9_P1	TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE)	G-8
AGV1_P1	# OF FIREARMS KEPT IN HOME (PUF 1 YR RECODE)	GV-1
AGV2_P1	# OF HANDGUNS KEPT IN HOME (PUF 1 YR RECODE)	GV-2

AGV3	FIREARM IS A HANDGUN	GV-2
AGV8V2	ABLE TO GET FIREARM IF WANTED WITHIN 2 DAYS	GV-3
AGV9	ANY FIREARMS KEPT LOADED AND UNLOCKED	GV-3
AH100	ANYONE HELP FIND HEALTH PLAN	H-3
AH101_P	PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE)	H-23
AH103	BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO	H-4
AH104	PURCHASE INS DIRECT OR THRU COVERED CA	H-4
AH105	GET INS THRU EMPLOYER,UNION,SHOP PROGRAM	H-5
AH107	GET SUBSIDY/DISCOUNT ON PLAN PREMIUM	H-5
AH110	SOURCE OF COVERAGE PURCHASED DIRECTLY	H-6
AH111	FIND PLAN WITH NEEDED COVERAGE-COVERED CA	H-6
AH112	FIND PLAN COULD AFFORD-COVERED CA	H-7
AH113	ANYONE HELP R FIND HEALTH PLAN-COVERED CA	H-7
AH114	WHO HELPED R FIND HEALTH PLAN-COVERED CA	H-8
AH115	HAD NEEDED INFO TO PICK HEALTH PLAN	H-8
AH117	COST OF SELECTED PLAN IMPORTANT	H-9
AH118	CARE FROM SPECIFIC DOCTOR THRU PLAN IMPORTANT	H-9
AH119	CARE FROM SPECIFIC HOSPITAL THRU PLAN IMPORTANT	H-10
AH120	CHOICE OF DOCTORS THRU PLAN IMPORTANT	H-10
AH126_P1	SIGN UP DIRECTLY OR THROUGH EMPLOYER (PUF 1 YR RECODE)	H-25
AH128	AMOUNT RESPONDENT OR FAMILY PAYS EACH MONTH FOR HEALTH INSURANCE	H-44
AH129	AMOUNT EMPLOYER/UNION/PROF ORG CONTRIBUTES TO HEALTH PLAN EACH MO	H-45
AH12V2	VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS	J-69
AH130	HAS MONEY IN HSA ACCOUNT	H-45
AH131V2_P	AMOUNT OF MONEY IN HSA ACCOUNT (PUF RECODE)	H-46
AH132	LENGTH OF TIME RESPONDENT HAS HAD CURRENT HEALTH INSURANCE PLAN	H-47
AH133	# OF MONTHS HAD CURRENT HEALTH INSURANCE PLAN	H-47

AH134	HEALTH INSURANCE BEFORE CURRENT PLAN	H-48
AH135	OTHER HEALTH INSURANCE BEFORE CURRENT PLAN	H-49
AH136	LENGTH OF TIME RESPONDENT HAS HAD OTHER HEALTH INSURANCE PLAN	H-50
AH137	EVER CHANGED HEALTH INSURANCE PLAN IN PAST 12 MOS	H-50
AH139	SELF-REPORTED SATISFACTION WITH CURRENT HEALTH PLAN	H-51
AH14	PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS	H-23
AH140	REASON FOR NOT HAVING HEALTH INSURANCE IN PAST YEAR RELATED TO EM	H-20
AH141	REASON FOR NOT CURRENTLY HAVING HEALTH INSURANCE RELATED TO EMPLO	H-20
AH16	DELAY/NOT GET PRESCRIPTION IN PAST 12 MO	J-32
AH1V2	HAVE USUAL SOURCE OF HEALTH CARE	J-1
AH22	DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS	J-40
AH3_P1	KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE)	J-24
AH33NEW	BORN IN U.S.	G-1
AH34NEW	MOTHER BORN IN U.S.	G-1
AH35NEW	FATHER BORN IN U.S.	G-2
AH37	LEVEL OF ENGLISH PROFICIENCY: GENERAL	A-9
AH43A	LIVING WITH A PARENT	G-4
AH44	SPOUSE LIVING IN SAME HOUSEHOLD	A-10
AH44A	USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH	G-5
AH44B	AMOUNT PAID FOR ALL CHILD CARE ARRANGEMENTS LAST MONTH	G-5
AH5	# OF TIMES SAW MD IN PAST 12 MOS	J-27
AH53	PAYS ANY PART OF MEDICARE HMO/SUPP PREMIUM	H-2
AH54	SOMEONE ELSE PAYS ANY PART MEDICARE HMO/SUPP PREMIUM	H-2
AH6	HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH	J-27
AH71_P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE)	H-17
AH72_P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR RECODE)	H-17

AH73B	SPECIAL FUND TO PAY MEDICAL EXPENSES	H-19
AH74	TRIED TO FIND HEALTH INSURANCE ON OWN	H-21
AH75	TRIED TO FIND HEALTH INSURANCE ON OWN	H-21
AH79B	REACHED LIMIT OF INS CMPY CONTRIBUTIONS TO CURRENT HEALTH PLAN	H-40
AH80B	REACHED LIMIT OF INS CMPY CONTRIBUTIONS IN PAST 12 MOS	H-41
AH81B	EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S MEDICAL B	H-41
AH83B	AMOUNT OF MEDICAL BILLS HAVING TROUBLE PAYING	H-42
AH84B	UNINSURED AT TIME MEDICAL CARE WAS PROVIDED	H-42
AH85B	UNABLE TO PAY FOR BASIC NECESSITIES DUE TO MEDICAL BILLS	H-43
AH86B	TOOK ON CREDIT CARD DEBT B/C OF MEDICAL BILLS	H-43
AH95_P1	# TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE)	J-69
AH98_P1	DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR RECODE)	H-24
AH99_P1	DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE)	H-24
AHCHLDC	AMOUNT SPENT ON CHILD CARE PER WEEK	G-6
AHEDC_P1	EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE)	G-7
AI1	COVERED BY MEDICARE	H-1
AI15	MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN	H-11
AI15A	MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	H-11
AI22A_P	NAME OF HEALTH PLAN (PUF RECODE)	H-16
AI22C	MAIN HEALTH PLAN IS HMO	H-14
AI25	COVERED FOR PRESCRIPTION DRUGS	H-15
AI25NEW	RX COVERAGE EDITED FOR MEDI-CAL	H-15
AI27	COVERED BY HEALTH INS AT ANY TIME IN PAST 12 MOS	H-22
AI28	HOW LONG SINCE LAST HAD HEALTH INS	H-22
AI31	HAD CURRENT INS FOR ALL 12 OF PAST 12 MOS	H-18
AI32	HAD OTHER HEALTH INS WHEN NOT COVERED BY CURRENT INS	H-18

AI34	ANY TIME IN PAST 12 MOS HAD NO HEALTH INS AT ALL	H-19
AI37	SPOUSE COVERED BY MEDICARE	H-12
AI37A	SPOUSE COVERED BY MEDICARE SUPPL POLICY	H-12
AI38	SPOUSE COVERED BY MEDI-CAL	H-13
AI4	COVERED BY MEDICARE SUPPL POLICY	H-1
AI45_P1	MAIN REASON SPOUSE NOT IN EMP HEALTH PLAN (PUF 1 YR RECODE)	H-13
AI45A_P1	MAIN REASON SPOUSE INELIGIBLE EMP HEALTH PLAN (PUF 1 YR RECODE)	H-14
AI6	COVERED BY MEDI-CAL	H-3
AJ1	INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS	F-14
AJ101V2	CURRENTLY PROVIDE CARE	J-72
AJ102	SOUGHT APPNT W/DOC IN 2 DAYS PAST YR	J-40
AJ103	HOW OFTEN GET APPNT IN 2 DAYS	J-41
AJ105	KNOW RIGHTS TO INTERPRETER DURING MED VISIT	J-42
AJ10V2	NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR	J-31
AJ114	TIME SINCE LAST DOC VISIT FOR ROUTINE CHECK-UP	J-42
AJ115_P1	# OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY (PUF 1	J-44
AJ11V2	WHO HELPED YOU UNDERSTAND DOCTOR	J-31
AJ129	EVENTUALLY RECEIVED MED CARE THAT WAS DELAYED	J-46
AJ133	HAD TROUBLE FINDING GENERAL DOC PAST 12 MOS	J-66
AJ134	NOT ACCEPTED AS NEW PATIENT BY DOC PAST YR	J-66
AJ135	INSURANCE NOT ACCEPTED BY DOC PAST YR	J-66
AJ136	NEEDED TO SEE MED SPECIALIST PAST YR	J-64
AJ137	HAD TROUBLE FINDING SPECIALTY DR PAST 12 MOS	J-64
AJ138	NOT ACCEPTED AS NEW PATIENT BY SPECIALIST PAST YR	J-65
AJ139	INSURANCE NOT ACCEPTED BY SPECIALIST PAST YR	J-65
AJ167	ROUTINE CHECKUP/CLEANING OR SPECIFIC PROBLEM	J-60
AJ169V3	RESPONDENT'S PREGNANCY PLANS	D-8

AJ170V3_P1	MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R	D-12
AJ175V3_P1	MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R	D-16
AJ176	DELAYED/DIDN'T GET A MEDICINE WHILE INSURED BY CURRENT PLAN	J-70
AJ177	DELAYED/DIDN'T GET OTHER MEDICAL CARE WHILE INSURED BY CURRENT PL	J-71
AJ178	DOCTOR'S OFFICE CONNECTS FAMILY WITH COMMUNITY-BASED SERVICES	M-8
AJ191	PAID FOR ANY HOURS HELPED CARE RECIPIENT	J-93
AJ193	FINANCIAL STRESS DUE TO CAREGIVING	J-74
AJ194_1	DISABILITY OR ILLNESS OF CARE RECIPIENT: ALZHEIMER'S, CONFUSION,	J-77
AJ194_10	DISABILITY OR ILLNESS OF CARE RECIPIENT: MOBILITY PROBLEM	J-82
AJ194_11	DISABILITY OR ILLNESS OF CARE RECIPIENT: OLD AGE, AGING	J-82
AJ194_12	DISABILITY OR ILLNESS OF CARE RECIPIENT: STROKE	J-83
AJ194_13	DISABILITY OR ILLNESS OF CARE RECIPIENT: SURGERY, WOUNDS	J-83
AJ194_14	DISABILITY OR ILLNESS OF CARE RECIPIENT: OTHER	J-84
AJ194_15	DISABILITY OR ILLNESS OF CARE RECIPIENT: NEUROLOGICAL, AUTOIMMUNE	J-84
AJ194_16	DISABILITY OR ILLNESS OF CARE RECIPIENT: VISION, HEARING PROBLEM	J-85
AJ194_17	DISABILITY OR ILLNESS OF CARE RECIPIENT: BLOOD, ORGAN, MUSCULAR,	J-85
AJ194_18	DISABILITY OR ILLNESS OF CARE RECIPIENT: COVID-RELATED ISSUE	J-86
AJ194_2	DISABILITY OR ILLNESS OF CARE RECIPIENT: ARTHRITIS	J-78
AJ194_3	DISABILITY OR ILLNESS OF CARE RECIPIENT: BACK PROBLEMS	J-78
AJ194_4	DISABILITY OR ILLNESS OF CARE RECIPIENT: BROKEN BONES	J-79
AJ194_5	DISABILITY OR ILLNESS OF CARE RECIPIENT: CANCER	J-79
AJ194_6	DISABILITY OR ILLNESS OF CARE RECIPIENT: DIABETES	J-80
AJ194_7	DISABILITY OR ILLNESS OF CARE RECIPIENT: FEEBLE, UNSTEADY, FALLIN	J-80

AJ194_8	DISABILITY OR ILLNESS OF CARE RECIPIENT: LUNG DISEASE, EMPHYSEMA,	J-81
AJ194_9	DISABILITY OR ILLNESS OF CARE RECIPIENT: MENTAL ILLNESS, EMOTIONA	J-81
AJ197V2	HAVE SUPPORT/SERVICES NEEDED TO CARE FOR CARE RECIPIENT	J-86
AJ199A	EXPERIENCED PHYSICAL HEALTH PROBLEM IN PAST 12 MONTHS DUE TO PROV	J-87
AJ199B	EXPERIENCED MENTAL HEALTH PROBLEM IN PAST 12 MONTHS DUE TO PROVID	J-87
AJ200V2_1	CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: NO CHANGE	J-88
AJ200V2_2	CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: CHANGED JOB	J-88
AJ200V2_3	CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: TOOK 2ND JOB/INCREASE	J-89
AJ200V2_4	CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: REDUCED WORK HOURS/UN	J-89
AJ200V2_5	CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: TEMPORARY LEAVE/SICK/	J-90
AJ200V2_6	CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: QUIT JOB/LAID OFF	J-90
AJ200V2_7	CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: RETIRED/RETIRED EARLY	J-91
AJ200V2_8	CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: PAID FAMILY LEAVE	J-91
AJ200V2_9	CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: DOES NOT WORK	J-92
AJ201_P1	AGE OF CARE RECIPIENT (PUF 1 YR RECODE)	J-72
AJ202	RECEIVED CARE FROM A DOCTOR VIA VIDEO/TELEPHONE CONVERSATION INST	J-5
AJ203V2_1	HEALTH PROBLEM FOR TELE-MEDICAL CARE: PRIMARY CARE	J-5
AJ203V2_2	HEALTH PROBLEM FOR TELE-MEDICAL CARE: DENTAL CARE	J-6
AJ203V2_3	HEALTH PROBLEM FOR TELE-MEDICAL CARE: MENTAL HEALTH	J-6
AJ203V2_4	HEALTH PROBLEM FOR TELE-MEDICAL CARE: FAMILY PLANNING	J-7
AJ203V2_5	HEALTH PROBLEM FOR TELE-MEDICAL CARE: OTHER SPECIALTY CARE	J-7
AJ203V2_91	HEALTH PROBLEM FOR TELE-MEDICAL CARE: OTHER	J-8

AJ218	HOW OFTEN EASY TO GET CARE/TESTS/TREATMENT NEEDED IN PAST 6 MOS	J-43
AJ219	HOW OFTEN EASY TO GET CARE/TESTS/TREATMENT TEEN NEEDED IN PAST 6	J-43
AJ220	USUAL MEDICAL PROVIDER OFFERED PHONE/VIDEO APPTS IN PAST 12 MOS	J-2
AJ221_1	OPTIONS OFFERED BY MEDICAL PROVIDER: IN-PERSON APPTS	J-2
AJ221_2	OPTIONS OFFERED BY MEDICAL PROVIDER: TELEPHONE APPTS	J-3
AJ221_3	OPTIONS OFFERED BY MEDICAL PROVIDER: VIDEO APPTS	J-3
AJ222	SATISFACTION WITH AVAILABILITY OF PHONE/VIDEO CARE FROM PROVIDER	J-4
AJ223_1	REC'D FAMILY PLANNING CARE FROM: DOCTOR'S OFFICE	J-8
AJ223_10	REC'D FAMILY PLANNING CARE FROM: PHARMACY	J-12
AJ223_2	REC'D FAMILY PLANNING CARE FROM: HMO	J-9
AJ223_3	REC'D FAMILY PLANNING CARE FROM: HOSPITAL/CLINIC	J-9
AJ223_4	REC'D FAMILY PLANNING CARE FROM: PLANNED PARENTHOOD	J-10
AJ223_5	REC'D FAMILY PLANNING CARE FROM: COUNTY HEALTH DEPT	J-10
AJ223_6	REC'D FAMILY PLANNING CARE FROM: FAMILY PLANNING CLINIC	J-11
AJ223_7	REC'D FAMILY PLANNING CARE FROM: COMMUNITY CLINIC	J-11
AJ223_8	REC'D FAMILY PLANNING CARE FROM: SCHOOL/SCHOOL CLINIC	J-12
AJ223_91	REC'D FAMILY PLANNING CARE FROM: SOME OTHER PLACE	J-13
AJ224	TYPE OF FAMILY PLANNING CARE APPT	J-13
AJ225	SATISFACTION THAT PROVIDER ADDRESSED HEALTH CONCERNS VIA PHONE/VI	J-14
AJ226	WOULD HAVE PREFERRED IN-PERSON VISIT TO MOST RECENT PHONE/VIDEO E	J-14
AJ227	RATING OF MOST RECENT DENTAL CARE VIDEO VISIT COMPARED TO IN-PERS	J-15
AJ228	RATING OF MOST RECENT MENTAL HEALTH CARE VIDEO VISIT COMPARED TO	J-15
AJ229	RATING OF MOST RECENT PRIMARY CARE VIDEO VISIT COMPARED TO IN-PER	J-16
AJ230	RATING OF MOST RECENT DENTAL CARE PHONE VISIT COMPARED	J-16

	TO IN-PERS	
AJ231	RATING OF MOST RECENT MENTAL HEALTH CARE PHONE VISIT COMPARED TO	J-17
AJ232	RATING OF MOST RECENT PRIMARY CARE PHONE VISIT COMPARED TO IN-PER	J-17
AJ233	HAD ANY PROBLEMS WITH PHONE/VIDEO APPT	J-18
AJ234_1	PHONE/VIDEO APPT PROBLEM EXPERIENCED: BAD INTERNET/NETWORK CONNEC	J-18
AJ234_2	PHONE/VIDEO APPT PROBLEM EXPERIENCED: COULDN'T DOWNLOAD TELEHEALT	J-19
AJ234_3	PHONE/VIDEO APPT PROBLEM EXPERIENCED: AUDIO/VIDEO NOT WORKING	J-19
AJ234_4	PHONE/VIDEO APPT PROBLEM EXPERIENCED: NO PRIVACY DURING APPT	J-20
AJ234_5	PHONE/VIDEO APPT PROBLEM EXPERIENCED: DR DID NOT SPEAK/UNDERSTAND	J-20
AJ234_6	PHONE/VIDEO APPT PROBLEM EXPERIENCED: DIFFICULTY HEARING OR COMMU	J-21
AJ234_7	PHONE/VIDEO APPT PROBLEM EXPERIENCED: PROVIDER WAS LATE/DID NOT S	J-21
AJ234_8	PHONE/VIDEO APPT PROBLEM EXPERIENCED: OTHER TECHNICAL DIFFICULTY	J-22
AJ234_9	PHONE/VIDEO APPT PROBLEM EXPERIENCED: TOO IMPERSONAL/UNABLE TO HE	J-22
AJ234_91	PHONE/VIDEO APPT PROBLEM EXPERIENCED: OTHER	J-23
AJ235	BECAME PREGNANT WITH UNINTENDED PREGNANCY IN PAST 12 MOS	D-9
AJ236	TALKED TO DR/PROVIDER/COUNSELOR ABOUT BIRTH CONTROL IN PAST 12 MO	D-9
AJ237_P1	MAIN BIRTH CONTROL METHOD USED IN PAST 12 MONTHS (PUF 1 YR RECODE	D-10
AJ238	GOT TUBAL LIGATION/VASECTOMY/IUD/IMPLANT METHOD USED WITHIN PAST	D-11
AJ239_P1	WHERE REC'D MAIN BIRTH CONTROL METHOD IN PAST 12 MOS (PUF 1 YR RE	D-11
AJ240	REC'D MAIN BIRTH CONTROL METHOD VIA VIDEO/PHONE VISIT IN PAST 12	D-12
AJ241	TALKED TO DR/PROVIDER/COUNSELOR ABOUT BIRTH CONTROL IN	D-13

	PAST 12 MO	
AJ242	USED OR FEMALE PARTNER USED BIRTH CONTROL METHOD IN PAST 12 MOS	D-13
AJ243_P1	MAIN BIRTH CONTROL METHOD USED IN PAST 12 MONTHS (PUF 1 YR RECODE	D-14
AJ244	GOT TUBAL LIGATION/VASECTOMY/IUD/IMPLANT METHOD USED WITHIN PAST	D-14
AJ245_P1	WHERE REC'D MAIN BIRTH CONTROL METHOD IN PAST 12 MOS (PUF 1 YR RE	D-15
AJ246	REC'D MAIN BIRTH CONTROL METHOD VIA VIDEO/PHONE VISIT IN PAST 12	D-15
AJ247	# TIMES REC'D DENTAL SERVICE IN PAST 12 MOS	J-60
AJ248B_1	WHERE REC'D DENTAL SERVICE IN PAST 12 MOS: FREE HEALTH/DENTAL EVE	J-61
AJ248B_2	WHERE REC'D DENTAL SERVICE IN PAST 12 MOS: DENTIST OFFICE	J-61
AJ248B_3	WHERE REC'D DENTAL SERVICE IN PAST 12 MOS: HOSPITAL	J-62
AJ248B_4	WHERE REC'D DENTAL SERVICE IN PAST 12 MOS: OTHER LOCATION	J-62
AJ250	MAIN REASON NOT VISITED DENTIST IN PAST 12 MOS	J-63
AJ251	EVENTUALLY REC'D PRESCRIBED MEDICINE THAT WAS DELAYED	J-32
AJ252_1	REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: MED NOT IN STOCK	J-33
AJ252_10	REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: TOO EXPENSIVE	J-37
AJ252_11	REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: NEED TO SEE DOCTOR	J-38
AJ252_12	REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: TRANSPORTATION ISS	J-38
AJ252_2	REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: INS APPROVAL ISSUE	J-33
AJ252_3	REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: COMMUNICATION DELA	J-34
AJ252_4	REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: SIDE EFFECTS CONCE	J-34
AJ252_5	REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: DIDN'T WANT/NEED	J-35

AJ252_6	REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: TOO HARD TO TRACK	J-35
AJ252_7	REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: FORGOT/LOST PRESCR	J-36
AJ252_8	REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: DIDN'T HAVE TIME	J-36
AJ252_9	REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: NO INSURANCE	J-37
AJ252_91	REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: OTHER REASON	J-39
AJ254_1	REASON DELAYED/DIDN'T GET NEEDED CARE: COULDN'T GET APPT	J-46
AJ254_10	REASON DELAYED/DIDN'T GET NEEDED CARE: TOO EXPENSIVE	J-51
AJ254_11	REASON DELAYED/DIDN'T GET NEEDED CARE: NO INSURANCE	J-51
AJ254_12	REASON DELAYED/DIDN'T GET NEEDED CARE: DID NOT THINK SERIOUS ENOU	J-52
AJ254_13	REASON DELAYED/DIDN'T GET NEEDED CARE: NOT SATISFIED WITH HEALTH	J-52
AJ254_14	REASON DELAYED/DIDN'T GET NEEDED CARE: PROCRASTINATION OR LACK OF	J-53
AJ254_15	REASON DELAYED/DIDN'T GET NEEDED CARE: ANXIETY, FEAR, OR AVOIDANC	J-53
AJ254_16	REASON DELAYED/DIDN'T GET NEEDED CARE: COVID-RELATED REASON	J-54
AJ254_17	REASON DELAYED/DIDN'T GET NEEDED CARE: OTHER INSURANCE COMPLICATI	J-54
AJ254_18	REASON DELAYED/DIDN'T GET NEEDED CARE: NEEDED REFERRAL OR PRESCRI	J-55
AJ254_19	REASON DELAYED/DIDN'T GET NEEDED CARE: NEED A NEW DOCTOR OR TO FI	J-55
AJ254_2	REASON DELAYED/DIDN'T GET NEEDED CARE: INSURANCE NOT ACCEPTED	J-47
AJ254_20	REASON DELAYED/DIDN'T GET NEEDED CARE: ILLNESS/DISABILITY/AGE MAK	J-56
AJ254_3	REASON DELAYED/DIDN'T GET NEEDED CARE: INSURANCE DIDN'T COVER	J-47
AJ254_4	REASON DELAYED/DIDN'T GET NEEDED CARE: LANGUAGE PROBLEM	J-48

AJ254_5	REASON DELAYED/DIDN'T GET NEEDED CARE: TRANSPORTATION PROBLEM	J-48
AJ254_6	REASON DELAYED/DIDN'T GET NEEDED CARE: HOURS NOT CONVENIENT	J-49
AJ254_7	REASON DELAYED/DIDN'T GET NEEDED CARE: NO CHILD CARE	J-49
AJ254_8	REASON DELAYED/DIDN'T GET NEEDED CARE: FORGOT/LOST REFERRAL	J-50
AJ254_9	REASON DELAYED/DIDN'T GET NEEDED CARE: DIDN'T HAVE TIME	J-50
AJ254_91	REASON DELAYED/DIDN'T GET NEEDED CARE: OTHER REASON	J-56
AJ29	FEEL NERVOUS PAST 30 DAYS	F-1
AJ30	FEEL HOPELESS PAST 30 DAYS	F-1
AJ31	FEEL RESTLESS PAST 30 DAYS	F-2
AJ32	FEEL DEPRESSED PAST 30 DAYS	F-2
AJ33	FEEL EVERYTHING AN EFFORT PAST 30 DAYS	F-3
AJ34	FEEL WORTHLESS PAST 30 DAYS	F-3
AJ50V2_P	LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)	J-30
AJ77	HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER	J-29
AJ80	HAS SOMEONE AT DOCTOR'S OFFICE/CLINIC WHO HELPS COORDINATE MEDICA	J-1
AJ87	PROVIDE CARE TO FAM/FRND W/ILLNESS/DISABILITY PAST YR	J-71
AJ8V3	HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT	J-29
AJ90	RELATIONSHIP WITH PERSON YOU PROVIDE MOST HELP TO	J-73
AJ91B_1	DURING PAST 12 MOS CARE RECIPIENT LIVED: ALONE	J-74
AJ91B_2	DURING PAST 12 MOS CARE RECIPIENT LIVED: WITH YOU	J-75
AJ91B_3	DURING PAST 12 MOS CARE RECIPIENT LIVED: WITH SOME OTHER FAMILY M	J-75
AJ91B_4	DURING PAST 12 MOS CARE RECIPIENT LIVED: IN A NURSING HOME	J-76
AJ91B_5	DURING PAST 12 MOS CARE RECIPIENT LIVED: IN AN ASSISTED-LIVING FA	J-76
AJ91B_6	DURING PAST 12 MOS CARE RECIPIENT LIVED: IN SOME OTHER LIVING SIT	J-77
AJ93	# HRS SPENT HELPING CARE RECIPIENT IN TYPICAL WEEK	J-93

AJ9V2	MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND	J-30
AK1	WORK STATUS LAST WEEK	K-1
AK10_P	RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)	K-8
AK10A_P	SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)	K-10
AK136	SEEN OR HEARD ABOUT NEW 2020 CA PAID FAMILY/MEDICAL LEAVE LAW	K-11
AK137	TOOK PAID LEAVE LONGER THAN 2 WEEKS FROM WORK DUE TO OWN/FAMILY M	K-12
AK138_1	REASON FOR PAID LEAVE: OWN HEALTH	K-12
AK138_2	REASON FOR PAID LEAVE: FAMILY MEMBER'S HEALTH	K-13
AK138_3	REASON FOR PAID LEAVE: ARRIVAL OR NEWBORN, NEWLY ADOPTED CHILD, 0	K-13
AK138_91	REASON FOR PAID LEAVE: OTHER	K-14
AK139_1	REASON DID NOT TAKE LEAVE: FEAR OF LOSING JOB	K-14
AK139_2	REASON DID NOT TAKE LEAVE: FEAR OF HURTING CHANGES OF JOB ADVANCE	K-15
AK139_3	REASON DID NOT TAKE LEAVE: COULD NOT AFFORD TO GO ON LEAVE	K-15
AK139_4	REASON DID NOT TAKE LEAVE: EMPLOYER DENIED REQUEST FOR LEAVE	K-16
AK139_5	REASON DID NOT TAKE LEAVE: NOT ELIGIBLE	K-16
AK139_6	REASON DID NOT TAKE LEAVE: DIDN'T KNOW ABOUT LEAVE PROGRAM	K-17
AK139_7	REASON DID NOT TAKE LEAVE: PROCESS TO APPLY FOR LEAVE TOO COMPLIC	K-17
AK139_8	REASON DID NOT TAKE LEAVE: USED OTHER AVAILABLE LEAVE OPTIONS (E.	K-18
AK139_9	REASON DID NOT TAKE LEAVE: DID NOT NEED TO TAKE LEAVE	K-18
AK2_P1	MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE)	K-1
AK20_P1	# OF HRS PER WEEK SPOUSE USUALLY WORKS (PUF 1 YR RECODE)	K-8
AK22_P1	HH TOTAL ANN. INC BEFORE TAXES IN PREVIOUS YEAR (PUF 1 YR RECODE)	K-9
AK23	LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE	M-1

	HOME	
AK25	OWN OR RENT HOME	M-1
AK28	HOW OFTEN FEEL SAFE IN NEIGHBORHOOD	M-11
AK3_P1V2	# OF USUAL HRS WORKED PER WEEK (PUF 1 YR RECODE VERSION 2)	K-2
AK32V2	HH INCOME SUPPORTS SOMEONE LIVING IN U.S. BUT NOT LIVING IN HH (I	K-10
AK33V2_P1	# OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (INCLUDES SINGLE PE	K-11
AK4	TYPE OF EMPLOYER AT MAIN JOB	K-2
AK7_P1V2	LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE VERSION 2)	K-6
AK8	# PEOPLE WORKING FOR EMPLOYER/YOU	K-7
AKWKLNG	TIME AT MAIN JOB	K-7
AL10	HAVE DIFFICULTY CONCENTRATING	D-6
AL105_1	NOTICE OF ACTIONS: EASY TO READ OR UNDERSTAND	L-15
AL105_2	NOTICE OF ACTIONS: DIFFICULT TO READ OR UNDERSTAND	L-16
AL105_3	NOTICE OF ACTIONS: CONTAIN HELPFUL INFORMATION	L-16
AL105_4	NOTICE OF ACTIONS: DOES NOT CONTAIN HELPFUL INFORMATION	L-17
AL105_5	NOTICE OF ACTIONS: NEVER GOT A NOTICE OF ACTIONS	L-17
AL106_1	HOW TO IMPROVE NOTICE OF ACTIONS: REDUCE TEXT	L-18
AL106_2	HOW TO IMPROVE NOTICE OF ACTIONS: SIMPLIFY LANGUAGE/READING LEVEL	L-18
AL106_3	HOW TO IMPROVE NOTICE OF ACTIONS: SHORTER PARAGRAPHS/SENTENCES	L-19
AL106_4	HOW TO IMPROVE NOTICE OF ACTIONS: SEND FEWER NOTICES	L-19
AL106_5	HOW TO IMPROVE NOTICE OF ACTIONS: GIVE CLEAR STEPS OF WHAT TO DO	L-20
AL106_6	HOW TO IMPROVE NOTICE OF ACTIONS: NO IMPROVEMENTS NEEDED	L-20
AL107	ABLE TO UPDATE CONTACT INFORMATION	L-21
AL108V2	WHY NOT ABLE TO UPDATE CONTACT INFO	L-21
AL109	EASY TO UPDATE CONTACT INFO	L-22

AL11	HAVE DIFFICULTY DRESSING/BATHING	D-6
AL110_1	HOW UPDATED CONTACT INFO: VISITED OFFICE IN PERSON	L-22
AL110_2	HOW UPDATED CONTACT INFO: CALLED COUNTY OFFICE	L-23
AL110_3	HOW UPDATED CONTACT INFO: CALLED HEALTH PLAN	L-23
AL110_4	HOW UPDATED CONTACT INFO: DIRECTLY CONTACTED ELIGIBILITY WORKER	L-24
AL110_5	HOW UPDATED CONTACT INFO: ONLINE	L-24
AL110_6	HOW UPDATED CONTACT INFO: MAIL	L-25
AL110_7	HOW UPDATED CONTACT INFO: PORTAL	L-25
AL110_91	HOW UPDATED CONTACT INFO: OTHER	L-26
AL12	HAVE DIFFICULTY DOING ERRANDS	D-7
AL18AV2	RECVD SOCIAL SECURITY OR PENSION LAST MONTH	L-3
AL19V2_P1V2	MAIN REASON NOT ENROLLED IN MEDI-CAL (PUF 1 YR RECODE V2)	L-4
AL22	RECEIVING SOCIAL SECURITY DISABILITY INS	L-2
AL2V2	RECEIVING TANF OR CALWORKS	L-1
AL32V2	RECD ANY WORKERS COMPENSATION LAST MO	L-3
AL40V2_P1	LENGTH OF TIME HAD MEDI-CAL (PUF 1YR RECODE)	L-4
AL5V2	RECEIVING FOOD STAMP BENEFITS	L-1
AL6V2	RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)	L-2
AL86	WAIT TIME WITH COUNTY OFFICE ABOUT MEDICAL BENEFITS IN PAST 12 MO	L-5
AL87	METHOD OF CONTACTING COUNTY OFFICE	L-5
AL88	LENGTH OF TIME COUNTY REP TO TAKE CARE OF R'S PROBLEM	L-6
AL89	COUNTY REP ANSWER ALL OF R'S QUESTIONS	L-6
AL90	COUNTY REP TREATED R WITH RESPECT	L-7
AL91_1	AREAS COUNTY OFFICE CAN IMPROVE: REDUCE WAIT TIMES	L-7
AL91_10	AREAS COUNTY OFFICE CAN IMPROVE: IMPROVE KNOWLEDGE/SKILLS OF STAF	L-12
AL91_11	AREAS COUNTY OFFICE CAN IMPROVE: EXPAND MEDICAL COVERAGE/SERVICES	L-12

AL91_12	AREAS COUNTY OFFICE CAN IMPROVE: OTHERS	L-13
AL91_13	AREAS COUNTY OFFICE CAN IMPROVE: IMPROVE COMMUNICATION	L-13
AL91_2	AREAS COUNTY OFFICE CAN IMPROVE: SPEND MORE TIME WITH R	L-8
AL91_3	AREAS COUNTY OFFICE CAN IMPROVE: EXPLAIN THINGS BETTER	L-8
AL91_4	AREAS COUNTY OFFICE CAN IMPROVE: TELL R THE NEXT STEPS	L-9
AL91_5	AREAS COUNTY OFFICE CAN IMPROVE: NO IMPROVEMENTS	L-9
AL91_6	AREAS COUNTY OFFICE CAN IMPROVE: ADD MORE LOCATIONS/STAFF	L-10
AL91_7	AREAS COUNTY OFFICE CAN IMPROVE: ADD MORE WAYS TO REACH STAFF	L-10
AL91_8	AREAS COUNTY OFFICE CAN IMPROVE: BETTER ATTITUDE	L-11
AL91_9	AREAS COUNTY OFFICE CAN IMPROVE: SIMPLIFIED/UP-TO-DATE SYSTEM/ONL	L-11
AL92	SATISFACTION RATING OF COUNTY OFFICE	L-14
AL93	RENEWED MEDI-CAL IN PAST 12 MOS	L-14
AL94	HAVE ISSUES RENEWING MEDI-CAL	L-15
AM1	HOW OFTEN FOOD DIDN'T LAST,COULDN'T AFFORD MORE, PAST 12 MOS	K-19
AM183	HOW FEEL ABOUT CURRENT HOUSING SITUATION	M-3
AM184	HOW OFTEN WORRY ABOUT STRUGGLING TO KEEP UP WITH MORTGAGE/RENT PA	M-4
AM185_1	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: TAKE ON ADDITIO	M-5
AM185_2	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: STOP SAVING FOR	M-5
AM185_3	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: ACCUMULATE CRED	M-5
AM185_4	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: CUT BACK ON HEA	M-6
AM185_5	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: CUT BACK ON HEA	M-6
AM185_6	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: MOVE TO NEIGHBO	M-6
AM185_7	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: MOVE TO PLACE W	M-7

AM185_8	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: NONE OF THESE/N	M-7
AM186_P1	# OF TIMES STOPPED BY POLICE IN PAST 3 YEARS (PUF 1 YR RECODE)	M-9
AM189	EXPERIENCED DISCRIMINATION/HARASSMENT RELATED TO HOUSING IN PAST	M-14
AM19	PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER	M-9
AM192	RECEIVED OR USED HOUSING CHOICE SECTION 8 VOUCHER IN PAST 2 YRS	M-14
AM193_1	ACTIONS RELATED TO HOUSING VOUCHER: UNABLE TO USE VOUCHER	M-15
AM193_2	ACTIONS RELATED TO HOUSING VOUCHER: DENIED HOUSING BECAUSE OF VOU	M-15
AM193_3	ACTIONS RELATED TO HOUSING VOUCHER: TOLD BY LANDLORD VOUCHER NOT	M-16
AM193_4	ACTIONS RELATED TO HOUSING VOUCHER: NONE OF THESE	M-16
AM194	EXPERIENCED A HATE INCIDENT IN PAST 12 MONTHS	M-17
AM199	WITNESSED A HATE INCIDENT IN PAST 12 MONTHS	M-18
AM2	HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS	K-19
AM20	PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG	M-10
AM200_1	TYPE OF HATE INCIDENT WITNESSED: PHYSICAL ABUSE/ATTACK	M-18
AM200_2	TYPE OF HATE INCIDENT WITNESSED: VERBAL ABUSE/INSULTS	M-19
AM200_3	TYPE OF HATE INCIDENT WITNESSED: CYBERBULLYING	M-19
AM200_4	TYPE OF HATE INCIDENT WITNESSED: PROPERTY DAMAGE	M-20
AM200_5	TYPE OF HATE INCIDENT WITNESSED: WORSE SERVICE/TREATMENT OR RULES	M-20
AM200_6	TYPE OF HATE INCIDENT WITNESSED: EMOTIONAL OR PSYCHOLOGICAL ABUSE	M-21
AM200_7	TYPE OF HATE INCIDENT WITNESSED: THREATS AND INTIMIDATION, OTHER	M-21
AM200_8	TYPE OF HATE INCIDENT WITNESSED: EXPERIENCED OR WITNESSED A CLIMA	M-22
AM200_91	TYPE OF HATE INCIDENT WITNESSED: SOME OTHER TYPE	M-22
AM201_1	LOCATION OF WITNESSED HATE INCIDENT: HOME	M-23

AM201_2	LOCATION OF WITNESSED HATE INCIDENT: SCHOOL	M-23
AM201_3	LOCATION OF WITNESSED HATE INCIDENT: WORK	M-24
AM201_4	LOCATION OF WITNESSED HATE INCIDENT: A BUSINESS (STORE, THEATER,	M-24
AM201_5	LOCATION OF WITNESSED HATE INCIDENT: ON STREET OR SIDEWALK	M-25
AM201_6	LOCATION OF WITNESSED HATE INCIDENT: ONLINE	M-25
AM201_8	LOCATION OF WITNESSED HATE INCIDENT: PUBLIC GATHERING PLACE (PARK	M-26
AM201_9	LOCATION OF WITNESSED HATE INCIDENT: EXPERIENCED OR WITNESSED A C	M-26
AM201_91	LOCATION OF WITNESSED HATE INCIDENT: SOMEWHERE ELSE	M-27
AM202_1	REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: RACE/SKIN COL	M-27
AM202_10	REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: BECAUSE OF EC	M-32
AM202_2	REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: SEXUAL ORIENT	M-28
AM202_3	REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: GENDER/SEX/GE	M-28
AM202_4	REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: RELIGION	M-29
AM202_5	REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: ANCESTRY/ORIG	M-29
AM202_6	REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: DISABILITY	M-30
AM202_7	REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: IMMIGRATION S	M-30
AM202_8	REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: AGE	M-31
AM202_9	REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: BECAUSE OF PO	M-31
AM202_91	REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: OTHER REASON	M-32
AM204	LIVED IN CURRENT HOUSE/APT ONE YEAR AGO	M-2
AM21	PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED	M-10

AM3	ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	K-20
AM39	VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR	M-11
AM3A	HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	K-20
AM4	ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS	K-21
AM45	CAN CONTACT ELECTED OFFICIAL IN COMMUNITY	M-12
AM48	ACTIVE MEMBER IN COMMUNITY POLITICAL GROUP (NOT POLITICAL PARTY)	M-12
AM5	HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS	K-21
AP73V2	FREQUENCY OF VOTING IN PRESIDENTIAL ELECTIONS	P-1
AP74V2	FREQUENCY OF VOTING IN STATE ELECTIONS	P-1
AP75V2	FREQUENCY OF VOTING IN LOCAL ELECTIONS	P-2
AP80	MAIN REASON DID NOT VOTE	P-3
AQ1	LIVED WITH ANYONE WHO WAS DEPRESSED/MENTALLY ILL/SUICIDAL BEFORE	R-1
AQ12	EVER BEEN VICTIM OF VIOLENCE OR WITNESSED VIOLENCE IN NEIGHBORHOOD	R-4
AQ13	EVER BEEN TREATED UNFAIRLY DUE TO RACE/ETHNICITY BEFORE AGE 18	R-4
AQ14	EVER LIVED WITH A PARENT WHO DIED BEFORE AGE 18	R-5
AQ15	HOW OFTEN HARD TO GET BY ON FAMILY'S INCOME BEFORE AGE 18	R-5
AQ2	LIVED WITH ANYONE WHO WAS A PROBLEM DRINKER/ALCOHOLIC BEFORE AGE	R-1
AQ23V2	EVER COMPLETED AN ACES ASSESSMENT WITH A HEALTH PROFESSIONAL	R-6
AQ24V2	EVER COMPLETED AN ACES ASSESSMENT FOR TEEN WITH A HEALTH PROFESSIONAL	R-6
AQ25V2	EVER COMPLETED AN ACES ASSESSMENT FOR CHILD WITH A HEALTH PROFESSIONAL	R-7
AQ28	EVER HEARD THE TERM ADVERSE CHILDHOOD EXPERIENCES OR ACES	R-7
AQ29	HEALTH PRO DISCUSSED STRENGTHS/RESILIENCE/POSITIVE EXPERIENCES BEFORE	R-8

AQ3	LIVED WITH ANYONE WHO USED ILLEGAL DRUGS/ABUSED PRESCRIPTION MEDS	R-1
AQ30	AMOUNT OF CHILDHOOD HAD ADULT IN HH WHO MADE FEEL SAFE/PROTECTED	R-8
AQ31	AMOUNT OF CHILDHOOD HAD ADULT IN HH WHO TRIED TO MAKE SURE BASIC	R-9
AQ4	LIVED WITH ANYONE WHO SERVED JAIL/PRISON TIME BEFORE AGE 18	R-2
AQ5	PARENTS SEPARATED OR DIVORCED BEFORE AGE 18	R-2
AQ6	HOW OFTEN ADULTS IN HOME PHYSICALLY FOUGHT EACH OTHER BEFORE AGE	R-3
AQ7	HOW OFTEN ADULTS IN HOME PHYSICALLY HURT R BEFORE AGE 18	R-3
AQ8	HOW OFTEN ADULTS IN HOME SWEARED AT OR INSULTED R BEFORE AGE 18	R-4
ASTCUR	CURRENT ASTHMA STATUS	B-3
BINGE30	BINGE DRINKING IN PAST 30 DAYS	C-65
BLACKCRB	BLACK: CARIBBEAN	A-3
BLACKSSA	BLACK: SUB-SAHARAN AFRICAN	A-4
BMI_P	BODY MASS INDEX (PUF RECODE)	D-4
CARE_PV	HAD A PREVENTIVE CARE VISIT IN PAST YEAR	J-58
CAREGIVEPROB	EXPERIENCED HEALTH PROBLEM DUE TO PROVIDING CARE	J-92
CATRIBE	CALIFORNIA TRIBE	A-7
CBD_DAB	METHOD OF CBD USE IN PAST 30 DAYS - DAB (UPCODED)	C-56
CBD_DRINK	METHOD OF CBD USE IN PAST 30 DAYS - DRINK (UPCODED)	C-52
CBD_EAT	METHOD OF CBD USE IN PAST 30 DAYS - EAT (UPCODED)	C-51
CBD_ORAL	METHOD OF CBD USE IN PAST 30 DAYS - TAKE ORALLY (UPCODED)	C-50
CBD_SKIN	METHOD OF CBD USE IN PAST 30 DAYS - APPLY TO SKIN (UPCODED)	C-53
CBD_SMK	METHOD OF CBD USE IN PAST 30 DAYS - SMOKE (UPCODED)	C-54
CBD_VAP	METHOD OF CBD USE IN PAST 30 DAYS - VAPORIZE (UPCODED)	C-55
CBDCUR	CURRENT CBD USER	C-57
CBDMETHOD	MOST USED METHOD OF CBD USE	C-58

CHORES2	CHORE IMPAIRMENT PAST 12 MONTHS	F-12
CITIZEN2	CITIZENSHIP STATUS (3 LVLS)	G-2
COVID_VAX	LEVEL OF COVID-19 VACCINATION	CV-14
COVRDCA	PRIVATE/EMP BASED COVERAGE FROM COVERED CALIFORNIA	H-37
COVRDCA_S	SPOUSE WITH PRIVATE/EMPLOYER-BASED COVERAGE FROM COVERED CALIFORNIA	H-38
CV15V2	EVER EXPERIENCED LONG-LASTING COVID-19 SYMPTOMS FOR 2 MONTHS OR L	CV-1
CV16A	COMPLETED PRIMARY SERIES OF COVID-19 VACCINE	CV-9
CV16B	RECEIVED ANY ADDTL COVID-19 DOSES OR BOOSTERS	CV-9
CV17_1	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: WORRIED A	CV-5
CV17_2	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: VACCINE D	CV-5
CV17_3	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: DON'T KNO	CV-6
CV17_4	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: VACCINE I	CV-6
CV17_5	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: DON'T BEL	CV-7
CV17_6	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: PLAN TO G	CV-7
CV17_7	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: ALREADY H	CV-8
CV17_91	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: OTHER	CV-8
CV23	HOW RECEIVED POSITIVE TEST RESULT FOR COVID-19	CV-10
CV24	WILL GET ADDITIONAL COVID-19 VACCINE DOSES IF GUIDELINES RECOMMEN	CV-10
CV25	WHAT WOULD MAKE MORE LIKELY TO GET ADDITIONAL COVID-19 VACCINE DO	CV-11
CV26	HAVE N95/KN95/KF94 MASK	CV-11
CV27	COULD GET N95/KN95/KF94 MASK IF RECOMMENDED TO PROTECT FROM COVID	CV-12
CV28_1	REASON UNABLE TO GET N95/KN95/KF94 MASK: TOO EXPENSIVE	CV-12

CV28_2	REASON UNABLE TO GET N95/KN95/KF94 MASK: DON'T KNOW WHERE TO BUY/	CV-13
CV28_3	REASON UNABLE TO GET N95/KN95/KF94 MASK: DON'T KNOW	CV-13
CV5V2	EVER RECEIVED POSITIVE TEST RESULT FOR COVID-19	CV-1
CV7V3_10	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: NONE OF THESE	CV-3
CV7V3_15	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: QUIT JOB TO TAKE CARE	CV-4
CV7V3_16	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: FINANCIAL DIFFICULTIES	CV-4
CV7V3_5	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: CHILDCARE DIFFICULTIES	CV-2
CV7V3_6	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: DIFFICULTIES PAYING RE	CV-2
CV7V3_8	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: TREATED UNFAIRLY DUE T	CV-3
DIABETES	DOCTOR EVER TOLD HAVE DIABETES (NON-GESTATIONAL)	B-6
DIAMED	TAKING INSULIN OR PILLS	B-6
DISABILITY	DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION	D-7
DISCRIM	DISCRIMINATION IN HEALTHCARE	M-14
DISTRESS	SERIOUS PSYCHOLOGICAL DISTRESS	F-4
DMC8	WOULD HAVE GOTTEN BETTER MEDICAL CARE IF DIFF RACE/ETHNICITY	M-13
DMC9	HOW LONG AGO TREATED UNFAIRLY W/ MEDICAL CARE DUE TO RACE/ETHNICI	M-13
DOCT_YR	VISITED DOCTOR IN PAST 12 MOS	J-28
DSTRS_P1	SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE)	F-5
DSTRS12	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR	F-11
DSTRS30	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH	F-4
DSTRSYR	SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)	F-11
EFLAV_ALC	USED E-CIG FLAVOR - ALCOHOL/LIQUOR (UPCODED)	C-18
EFLAV_FRUIT	USED E-CIG FLAVOR - FRUIT (UPCODED)	C-16
EFLAV_MENTHO	USED E-CIG FLAVOR - MENTHOL (UPCODED)	C-20

EFLAV_MINTV2	USED E-CIG FLAVOR - MINT (UPCODED)	C-19
EFLAV_SWEET	USED E-CIG FLAVOR - CANDY/SWEET (UPCODED)	C-17
EFLAV_TOB	USED E-CIG FLAVOR - TOBACCO (UPCODED)	C-21
ELGMAGI3	MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (2 LVLS)	K-24
ELGMAGI4	MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (3 LVLS)	K-25
ELGMAGI5	MEDI-CAL ELIG FOR INDIVIDUALS <65 YRS:ACA MAGI(3 LVLS)	K-25
ER	ER VISIT WITHIN THE PAST YEAR	J-70
ESMKCUR	CURRENT E-CIGARETTE SMOKER	C-14
EXTRMWEATHER	HAS EXPERIENCED AN EXTREME WEATHER EVENT IN PAST 2 YEARS	F-16
FAMILY2	FAMILY LIFE IMPAIRMENT PAST 12 MONTHS	F-13
FAMSIZE2_P1	FAMILY SIZE: INCL. ALL SUPT'D BY HH INCOME (PUF 1 YR RECODE)	G-12
FAMT4	FAMILY TYPE - 4 LVLS	G-13
FAMTYP_P	FAMILY TYPE (PUF RECODE)	G-12
FIREARM	FIREARM KEPT IN HOME	GV-4
FLAVTOB	CURRENT (PAST 30 DAYS) USE OF FLAVORED TOBACCO PRODUCTS	C-30
FLAVTOB2	CURRENT (PAST 30 DAYS) USE OF NON-TOBACCO FLAVORED CIGS/E-CIGS/CI	C-30
FORGO	HAD TO FORGO NECESSARY CARE	J-59
FSLEV	FOOD SECURITY STATUS LEVEL	K-22
FSLEVCB	FOOD SECURITY STATUS (2 LVLS)	K-22
GAMBPROB	HAS A GAMBLING PROBLEM	C-68
HANDGUN	HANDGUN KEPT IN HOME	GV-4
HANDGUNNUM_P	NUMBER OF HANDGUNS KEPT IN HOME (PUF 1 YR RECODE)	GV-5
HBPCONTROL	HIGH BLOOD PRESSURE UNDER CONTROL IN PAST YEAR DUE TO STEPS TAKEN	B-11
HEALTHHARM	PHYSICAL OR MENTAL HEALTH HARMED BY EXTREME WEATHER IN PAST 2 YRS	F-21
HEIGHM_P	HEIGHT: METERS - UCLA (PUF RECODE)	D-2
HGHTI_P	HEIGHT: INCHES (PUF RECODE)	D-1

HGHTM_P	HEIGHT: METERS (PUF RECODE)	D-1
HHSIZE_P1	HOUSEHOLD SIZE (PUF 1 YR RECODE)	Q-2
HMO	HMO STATUS	H-16
HOUSETYPE	HOUSING STATUS	M-2
HSAAMTV2_P1	AMOUNT IN HEALTH SAVINGS ACCOUNTS (PUF RECODE)	H-46
IHS	COVERED BY INDIAN HEALTH SERVICES	H-32
ILLIDRUGV2	USED HEROIN, METHAMPHETAMINE, OR PRESCRIPTION DRUG AS NOT DIRECTE	C-66
IND_FLAG3	CENSUS INDUSTRY CODE - CODING METHOD	K-4
INDMAIN2	MAIN INDUSTRY - RECODE (CENSUS 2017 IND. CLASSIFICATION SCHEME)	K-3
INPERSON_NO	USUAL MEDICAL PROVIDER DOES NOT OFFER IN-PERSON APPOINTMENTS IN P	J-4
INS	CURRENTLY INSURED	H-25
INS_S	SPOUSE CURRENTLY INSURED	H-26
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	H-26
INS64	TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65	H-27
INS64_P	CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)	H-28
INS64_S	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR SPOUSE - UNDER 65	H-28
INS64S_P	SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)	H-29
INS65	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+	H-30
INS65_S	TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+	H-31
INS9TP	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (9 LVLS)	H-32
INSANY	ANY INS IN LAST 12 MOS	H-29
INSEM	COVERED BY EMPLOYER-BASED PLANS	H-33
INSEM_S	SPOUSE COVERED BY EMPLOYER-BASED PLANS	H-33
INSLMT12M	REACHED HEALTH INSURANCE PAYMENT LIMIT IN PAST 12 MONTHS	H-44
INSLT_P	HEALTH INS COVG LAST 12 MOS, W/ CURRENT STATUS (PUF RECODE)	H-36
INSMC	COVERED BY MEDICARE	H-33

INSMC_S	SPOUSE COVERED BY MEDICARE	H-34
INSMD	COVERED BY MEDI-CAL	H-35
INSMD_S	SPOUSE COVERED BY MEDI-CAL	H-35
INSOG	COVERED BY OTHER GOVT PLANS	H-35
INSOG_S	SPOUSE COVERED BY OTHER GOVT PLANS	H-36
INSPR	COVERED BY PLANS PURCHASED ON OWN	H-37
INSPR_S	SPOUSE COVERED BY PLANS PURCHASED ON OWN	H-37
INSPS	PRIMARY OR SECONDARY COVERAGE	H-38
INSPS_S	SPOUSE PRIMARY OR SECONDARY COVERAGE	H-39
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	H-30
INSTYPE	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES	H-31
INTV_MODE2	INTERVIEW MODE (PHONE OR WEB)	A-12
INTVLNGC_P1	LANGUAGE OF INTERVIEW (PUF 1 YR RECODE)	Q-2
LATIN2TP	LATIN/HISPANIC SUBTYPES (2 LVLS)	A-3
LNGHM_P1	LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE)	A-8
MAIN_DELAYCA	MAIN REASON DELAYED OR DID NOT GET MEDICAL CARE	J-57
MAIN_DELAYME	MAIN REASON DELAYED OR DID NOT GET MEDICINE PRESCRIBED BY DOCTOR	J-39
MAIN_HATEWIT	MAIN REASON WITNESSED PERSON TARGETED FOR A HATE INCIDENT	M-33
MAR_BLUNTV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - BLUNT (UPCODED)	C-37
MAR_DABV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - DAB (UPCODED)	C-39
MAR_DRINKV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - DRINK (UPCODED)	C-38
MAR_EATV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - EAT (UPCODED)	C-37
MAR_SMKV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - JOINT/BONG/PIPE (UPCODE)	C-36
MAR_VAPV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - VAPORIZE (UPCODED)	C-38
MARCUR	CURRENT MARIJUANA USER	C-46

MAREXPOSE	EXPOSED TO MARIJUANA SMOKE IN PAST YEAR	C-46
MARIT	MARITAL STATUS- 3 CATEGORIES	A-10
MARIT_45	MARITAL STATUS - AGE 45 AND OLDER	A-11
MARIT2	MARITAL STATUS- 4 CATEGORIES	A-11
MARTYPEV2	METHOD OF TAKING MARIJUANA	C-40
MASK_VAX	OWNS COVID-19 MASK BASED ON COVID-19 PRIMARY VACCINE SERIES STATU	CV-14
MC_TYPE	TYPE OF MEDICARE COVERAGE	H-34
MENA	MIDDLE EAST AND NORTH AFRICA ORIGIN	A-4
MENTALHEALTH	MENTAL HEALTH HARMED BY EXTREME WEATHER IN PAST 2 YRS	F-21
MJMETHOD_P1	MOST USED METHOD OF MARIJUANA USE (PUF 1 YR RECODE)	C-47
MORE_VAX	WOULD GET ADDITIONAL COVID-19 DOSE BASED ON PRIMARY SERIES STATUS	CV-15
MORE_VAX2	WOULD GET ADDITIONAL COVID-19 DOSE BASED ON COVID-19 VACCINE STAT	CV-15
NONCIGPRO	CURRENT (PAST 30 DAYS) USE OF NON-CIGARETTE TOBACCO PRODUCTS	C-31
NONFLAVTOB	CURRENT (PAST 30 DAYS) USE OF TOBACCO FLAVORED E-CIGS OR FLAVORED	C-31
NOVOUCHER	UNABLE TO USE HOUSING VOUCHER FOR SOME REASON IN PAST 2 YRS	M-17
NUMCIG	# OF CIGARETTES PER DAY	C-11
OCC_FLAG3	CENSUS OCCUPATION CODE - CODING METHOD	K-6
OCCMAIN2	MAIN OCCUPATION - RECODE (CENSUS 2018 OCC. CLASSIFICATION SCHEME)	K-5
OFFTK	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS	H-39
OFFTK_S	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE	H-40
OMBSRR_P1	OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE)	A-5
OVRWT	OVERWEIGHT OR OBESE	D-5
PC_INS	PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS INS	J-67
PC_NEWP	PRIMARY CARE: DIFFICULTY FINDING A PROVIDER ACCEPTING	J-67

	NEW PATIENT	
PCTLF_P	PERCENT LIFE IN US (PUF RECODE)	G-4
PHYSHEALTH	PHYSICAL HEALTH HARMED BY EXTREME WEATHER IN PAST 2 YRS	F-22
PINSTYPE	TYPE OF HEALTH INSURANCE BEFORE CURRENT PLAN	H-49
PLCSTOP	STOPPED BY POLICE IN PAST 3 YEARS	M-8
POVGWD_P1	FAMILY POVERTY THRESHOLD LEVEL (PUF 1 YR RECODE)	K-23
POVLL	POVERTY LEVEL	K-24
POVLL2_P1V2	POVERTY LEVEL AS TIMES OF 100% FPL (PUF RECODE V2)	K-23
PROXY	A PROXY INTERVIEW	Q-3
PUF1Y_ID	PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES	Q-1
RACECN_P1	RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE)	A-5
RACEDF_P1	FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE)	A-6
RACEHP2_P1	RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE)	A-6
RAKEDW0	CHIS2023 RAKED WEIGHT - FULL SAMPLE	0-1
RAKEDW1	CHIS2023 RAKED WEIGHT - REPLICATE 1	0-1
RAKEDW10	CHIS2023 RAKED WEIGHT - REPLICATE 10	0-4
RAKEDW11	CHIS2023 RAKED WEIGHT - REPLICATE 11	0-4
RAKEDW12	CHIS2023 RAKED WEIGHT - REPLICATE 12	0-5
RAKEDW13	CHIS2023 RAKED WEIGHT - REPLICATE 13	0-5
RAKEDW14	CHIS2023 RAKED WEIGHT - REPLICATE 14	0-5
RAKEDW15	CHIS2023 RAKED WEIGHT - REPLICATE 15	0-6
RAKEDW16	CHIS2023 RAKED WEIGHT - REPLICATE 16	0-6
RAKEDW17	CHIS2023 RAKED WEIGHT - REPLICATE 17	0-6
RAKEDW18	CHIS2023 RAKED WEIGHT - REPLICATE 18	0-7
RAKEDW19	CHIS2023 RAKED WEIGHT - REPLICATE 19	0-7
RAKEDW2	CHIS2023 RAKED WEIGHT - REPLICATE 2	0-1
RAKEDW20	CHIS2023 RAKED WEIGHT - REPLICATE 20	0-7
RAKEDW21	CHIS2023 RAKED WEIGHT - REPLICATE 21	0-8

RAKEDW22	CHIS2023 RAKED WEIGHT - REPLICATE 22	0-8
RAKEDW23	CHIS2023 RAKED WEIGHT - REPLICATE 23	0-8
RAKEDW24	CHIS2023 RAKED WEIGHT - REPLICATE 24	0-9
RAKEDW25	CHIS2023 RAKED WEIGHT - REPLICATE 25	0-9
RAKEDW26	CHIS2023 RAKED WEIGHT - REPLICATE 26	0-9
RAKEDW27	CHIS2023 RAKED WEIGHT - REPLICATE 27	0-10
RAKEDW28	CHIS2023 RAKED WEIGHT - REPLICATE 28	0-10
RAKEDW29	CHIS2023 RAKED WEIGHT - REPLICATE 29	0-10
RAKEDW3	CHIS2023 RAKED WEIGHT - REPLICATE 3	0-2
RAKEDW30	CHIS2023 RAKED WEIGHT - REPLICATE 30	0-11
RAKEDW31	CHIS2023 RAKED WEIGHT - REPLICATE 31	0-11
RAKEDW32	CHIS2023 RAKED WEIGHT - REPLICATE 32	0-11
RAKEDW33	CHIS2023 RAKED WEIGHT - REPLICATE 33	0-12
RAKEDW34	CHIS2023 RAKED WEIGHT - REPLICATE 34	0-12
RAKEDW35	CHIS2023 RAKED WEIGHT - REPLICATE 35	0-12
RAKEDW36	CHIS2023 RAKED WEIGHT - REPLICATE 36	0-13
RAKEDW37	CHIS2023 RAKED WEIGHT - REPLICATE 37	0-13
RAKEDW38	CHIS2023 RAKED WEIGHT - REPLICATE 38	0-13
RAKEDW39	CHIS2023 RAKED WEIGHT - REPLICATE 39	0-14
RAKEDW4	CHIS2023 RAKED WEIGHT - REPLICATE 4	0-2
RAKEDW40	CHIS2023 RAKED WEIGHT - REPLICATE 40	0-14
RAKEDW41	CHIS2023 RAKED WEIGHT - REPLICATE 41	0-14
RAKEDW42	CHIS2023 RAKED WEIGHT - REPLICATE 42	0-15
RAKEDW43	CHIS2023 RAKED WEIGHT - REPLICATE 43	0-15
RAKEDW44	CHIS2023 RAKED WEIGHT - REPLICATE 44	0-15
RAKEDW45	CHIS2023 RAKED WEIGHT - REPLICATE 45	0-16
RAKEDW46	CHIS2023 RAKED WEIGHT - REPLICATE 46	0-16
RAKEDW47	CHIS2023 RAKED WEIGHT - REPLICATE 47	0-16
RAKEDW48	CHIS2023 RAKED WEIGHT - REPLICATE 48	0-17

RAKEDW49	CHIS2023 RAKED WEIGHT - REPLICATE 49	0-17
RAKEDW5	CHIS2023 RAKED WEIGHT - REPLICATE 5	0-2
RAKEDW50	CHIS2023 RAKED WEIGHT - REPLICATE 50	0-17
RAKEDW51	CHIS2023 RAKED WEIGHT - REPLICATE 51	0-18
RAKEDW52	CHIS2023 RAKED WEIGHT - REPLICATE 52	0-18
RAKEDW53	CHIS2023 RAKED WEIGHT - REPLICATE 53	0-18
RAKEDW54	CHIS2023 RAKED WEIGHT - REPLICATE 54	0-19
RAKEDW55	CHIS2023 RAKED WEIGHT - REPLICATE 55	0-19
RAKEDW56	CHIS2023 RAKED WEIGHT - REPLICATE 56	0-19
RAKEDW57	CHIS2023 RAKED WEIGHT - REPLICATE 57	0-20
RAKEDW58	CHIS2023 RAKED WEIGHT - REPLICATE 58	0-20
RAKEDW59	CHIS2023 RAKED WEIGHT - REPLICATE 59	0-20
RAKEDW6	CHIS2023 RAKED WEIGHT - REPLICATE 6	0-3
RAKEDW60	CHIS2023 RAKED WEIGHT - REPLICATE 60	0-21
RAKEDW61	CHIS2023 RAKED WEIGHT - REPLICATE 61	0-21
RAKEDW62	CHIS2023 RAKED WEIGHT - REPLICATE 62	0-21
RAKEDW63	CHIS2023 RAKED WEIGHT - REPLICATE 63	0-22
RAKEDW64	CHIS2023 RAKED WEIGHT - REPLICATE 64	0-22
RAKEDW65	CHIS2023 RAKED WEIGHT - REPLICATE 65	0-22
RAKEDW66	CHIS2023 RAKED WEIGHT - REPLICATE 66	0-23
RAKEDW67	CHIS2023 RAKED WEIGHT - REPLICATE 67	0-23
RAKEDW68	CHIS2023 RAKED WEIGHT - REPLICATE 68	0-23
RAKEDW69	CHIS2023 RAKED WEIGHT - REPLICATE 69	0-24
RAKEDW7	CHIS2023 RAKED WEIGHT - REPLICATE 7	0-3
RAKEDW70	CHIS2023 RAKED WEIGHT - REPLICATE 70	0-24
RAKEDW71	CHIS2023 RAKED WEIGHT - REPLICATE 71	0-24
RAKEDW72	CHIS2023 RAKED WEIGHT - REPLICATE 72	0-25
RAKEDW73	CHIS2023 RAKED WEIGHT - REPLICATE 73	0-25

RAKEDW74	CHIS2023 RAKED WEIGHT - REPLICATE 74	0-25
RAKEDW75	CHIS2023 RAKED WEIGHT - REPLICATE 75	0-26
RAKEDW76	CHIS2023 RAKED WEIGHT - REPLICATE 76	0-26
RAKEDW77	CHIS2023 RAKED WEIGHT - REPLICATE 77	0-26
RAKEDW78	CHIS2023 RAKED WEIGHT - REPLICATE 78	0-27
RAKEDW79	CHIS2023 RAKED WEIGHT - REPLICATE 79	0-27
RAKEDW8	CHIS2023 RAKED WEIGHT - REPLICATE 8	0-3
RAKEDW80	CHIS2023 RAKED WEIGHT - REPLICATE 80	0-27
RAKEDW9	CHIS2023 RAKED WEIGHT - REPLICATE 9	0-4
RBMI	BMI DESCRIPTIVE	D-4
RISK_CONTROL	ALL DIAGNOSED CHRONIC RISK FACTORS UNDER CONTROL IN PAST YEAR (AS	B-12
RISK2	EVER DIAGNOSED WITH ANY CHRONIC RISK FACTOR (ASTHMA, DIABETES, HB	B-13
RN_FORGOV2	REASONS FORGONE NECESSARY CARE	J-58
SC_INS	SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS I	J-68
SC_NEWP	SPECIALTY CARE: DIFFICULTY FINDING PROVIDER ACCEPTING NEW PATIENT	J-68
SCND_SMK	LOCATION OF SECONDHAND SMOKE EXPOSURE	C-29
SECTION A	DEMOGRAPHIC INFORMATION, PART I	A-1
SECTION B	GENERAL HEALTH CONDITION	B-1
SECTION C	HEALTH BEHAVIORS	C-1
SECTION CV	COVID-19	CV-1
SECTION D	GENERAL HEALTH, DISABILITY & SEXUAL HEALTH	D-1
SECTION E	WOMEN'S HEALTH	E-1
SECTION F	MENTAL HEALTH	F-1
SECTION G	DEMOGRAPHIC INFORMATION, PART II & CHILD CARE	G-1
SECTION GV	GUN VIOLENCE	GV-1
SECTION H	HEALTH INSURANCE	H-1
SECTION J	HEALTH CARE UTILIZATION/ACCESS & DENTAL HEALTH	J-1

SECTION K	EMPLOYMENT, INCOME, POVERTY STATUS & FOOD SECURITY	K-1
SECTION L	PUBLIC PROGRAM PARTICIPATION	L-1
SECTION M	HOUSING & COMMUNITY INVOLVEMENT	M-1
SECTION N	DEMOGRAPHIC INFO. PART III, GEOGRAPHIC INFO.	N-1
SECTION O	FULL DESIGN & REPLICATE WEIGHT SERIES 0-80	O-1
SECTION P	VOTER ENGAGEMENT	P-1
SECTION Q	SCREENING INFORMATION	Q-1
SECTION R	ADVERSE CHILDHOOD EXPERIENCES	R-1
SERVED	LENGTH OF TIME SERVED IN ACTIVE DUTY	G-11
SMKCUR	CURRENT SMOKER	C-10
SMKCUR30	CURRENT SMOKER (PAST 30 DAYS)	C-5
SMKEXPOSE	SECONDHAND EXPOSURE TO TOBACCO OR MARIJUANA SMOKE IN PAST MONTH	C-48
SMOKING	CURRENT SMOKING HABITS	C-10
SOCIAL2	SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS	F-12
SPK_ENG	ENGLISH USE AND PROFICIENCY	A-9
SRAGE_P1	SELF-REPORTED AGE (PUF 1 YR RECODE)	A-1
SREDUC	SELF-REPORTED EDUC LEVEL OF RESP (ADLTS)	G-11
SRSEX	SELF-REPORTED GENDER	A-1
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	Q-3
SSNCIT_YN	ASKED FOR SSN OR CITIZENSHIP TO GET MEDICAL SERVICES/SCHOOL ENROL	L-26
STABLEHOUSE	HAS STABLE HOUSING	M-3
STABLEHOUSE2	HAS STABLE HOUSING (ALTERNATE DEFINITION)	M-4
TCURPLAN	TIME ADULT HAS BEEN ENROLLED IN CURRENT PLAN: MONTHS	H-48
TECHDIFF	EXPERIENCED ANY TECHNICAL DIFFICULTY WITH TELEHEALTH APPOINTMENT	J-23
TELEPREFER	SATISFACTION AND PREFERENCE WITH TELEHEALTH APPOINTMENT	J-24
TIMAPPT	ABLE TO GET AN APPOINTMENT IN A TIMELY WAY	J-41
TOBCUR	CURRENT (PAST 30 DAYS) USE OF ANY TOBACCO PRODUCTS	C-6

TRANSGEND2	CURRENT SELF REPORTED GENDER AND SEX AT BIRTH: 2-LEVELS	A-2
UNINSANY	UNINSURED IN PAST 12 MOS	H-27
UR_BG4	RURAL AND URBAN - CLARITAS (BY BLOCK GROUP) (4 LVLS)	N-2
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	N-1
UR_CLRT4	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	N-3
UR_IHS	RURAL AND URBAN - IHS	N-1
UR_OMB	RURAL AND URBAN - OMB	N-1
UR_RHP	RURAL AND URBAN - RHP	N-2
UR_TRACT4	RURAL AND URBAN - CLARITAS (BY CENSUS TRACT) (4 LVLS)	N-3
USOC	USUAL SOURCE OF CARE OTHER THAN ER	J-25
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE	J-25
USUAL_TP	USUAL SOURCE OF CARE (7 LVLS)	J-26
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	J-26
VOTE_ENG2	VOTER ENGAGEMENT	P-2
VOTE_RSNNO	MAIN REASON DID NOT VOTE	P-3
WEATHERV2	EFFECTS OF WEATHER-RELATED EVENTS	F-26
WEIGHK_P	WEIGHT: KG - UCLA (PUF RECODE)	D-2
WGHTK_P	WEIGHT: KG (PUF RECODE)	D-3
WGHTP_P	WEIGHT: LBS (PUF RECODE)	D-3
WHOBMI	BODY MASS INDEX: WHO DEFINITION	D-5
WLDFRE	ACCESSED FILTERED AIR DURING WILDFIRE SMOKE EVENT IN PAST 2 YRS	F-25
WORK2	WORK IMPAIRMENT PAST 12 MONTHS	F-13
WORKSICK_P1	# OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY (PUF 1	J-45
WRKST_P1	WORKING STATUS (PUF 1 YR RECODE)	G-9
YRUS_P1	YEARS LIVED IN THE U.S. (PUF 1 YR RECODE)	G-3
YRUS6P	YEARS LIVED IN THE US: 6+	G-3

Variable Name (by location)

Variable	Label	Page
SECTION Q	SCREENING INFORMATION	Q-1
PUF1Y_ID	PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES	Q-1
AADATE_MM	DATE ADULT SECTION A DONE (YYYYMM)	Q-1
HHSIZE_P1	HOUSEHOLD SIZE (PUF 1 YR RECODE)	Q-2
INTVLNGC_P1	LANGUAGE OF INTERVIEW (PUF 1 YR RECODE)	Q-2
PROXY	A PROXY INTERVIEW	Q-3
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	Q-3
SECTION A	DEMOGRAPHIC INFORMATION, PART I	A-1
SRAGE_P1	SELF-REPORTED AGE (PUF 1 YR RECODE)	A-1
SRSEX	SELF-REPORTED GENDER	A-1
AD65DV2_P1	SEX ASSIGNED ON ORIGINAL BIRTH CERTIFICATE (PUF 1 YR RECODE)	A-2
TRANSGEND2	CURRENT SELF REPORTED GENDER AND SEX AT BIRTH: 2-LEVELS	A-2
LATIN2TP	LATIN/HISPANIC SUBTYPES (2 LVLS)	A-3
BLACKCRB	BLACK: CARIBBEAN	A-3
BLACKSSA	BLACK: SUB-SAHARAN AFRICAN	A-4
MENA	MIDDLE EAST AND NORTH AFRICA ORIGIN	A-4
OMBSRR_P1	OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE)	A-5
RACECN_P1	RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE)	A-5
RACEDF_P1	FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE)	A-6
RACEHP2_P1	RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE)	A-6
CATRIBE	CALIFORNIA TRIBE	A-7
AA5C	ENROLLED MEMBER IN RECOGNIZED TRIBE	A-7
AA5G	IDENTIFY WITH ONE RACE IN PARTICULAR	A-8
LNGHM_P1	LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE)	A-8
AH37	LEVEL OF ENGLISH PROFICIENCY: GENERAL	A-9

SPK_ENG	ENGLISH USE AND PROFICIENCY	A-9
AH44	SPOUSE LIVING IN SAME HOUSEHOLD	A-10
MARIT	MARITAL STATUS- 3 CATEGORIES	A-10
MARIT_45	MARITAL STATUS - AGE 45 AND OLDER	A-11
MARIT2	MARITAL STATUS- 4 CATEGORIES	A-11
INTV_MODE2	INTERVIEW MODE (PHONE OR WEB)	A-12
SECTION B	GENERAL HEALTH CONDITION	B-1
AB1	GENERAL HEALTH CONDITION	B-1
AB17	DOCTOR EVER TOLD HAVE ASTHMA	B-1
AB40	STILL HAS ASTHMA	B-2
AB41	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	B-2
AB42V2_P1	WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS (PUF 1 YR RECODE)	B-3
ASTCUR	CURRENT ASTHMA STATUS	B-3
AB18	TAKING DAILY MEDICATION TO CONTROL ASTHMA	B-4
AB43	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	B-4
AB98	HAVE WRITTEN COPY OF ASTHMA CARE PLAN	B-5
AB22V2	DOCTOR EVER TOLD HAVE DIABETES	B-5
DIABETES	DOCTOR EVER TOLD HAVE DIABETES (NON-GESTATIONAL)	B-6
DIAMED	TAKING INSULIN OR PILLS	B-6
AB24	CURRENTLY TAKING INSULIN	B-7
AB25	CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR	B-7
AB63	LAST EYE EXAM DILATED PUPILS	B-8
AB112	MEDICAL PROVIDERS DEVELOP DIABETES CARE PLAN	B-8
AB29V2	DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE	B-9
AB30V2	CURRENTLY TAKING MEDICATIONS FOR HIGH BLOOD PRESSURE	B-9
AB152	HBP UNDER CONTROL LAST TIME CHECKED BY DOCTOR IN PAST YEAR (< 140	B-10
AB153	REDUCED SALT IN DIET TO HELP CONTROL HBP IN PAST YEAR	B-10
HBPCONTROL	HIGH BLOOD PRESSURE UNDER CONTROL IN PAST YEAR DUE TO	B-11

	STEPS TAKEN	
AB154	DOCTOR TOLD HAVE HIGH CHOLESTEROL IN PAST YEAR (> 240)	B-11
AB155	CHOLESTEROL WAS < 200 LAST TIME CHECKED BY DR	B-12
RISK_CONTROL	ALL DIAGNOSED CHRONIC RISK FACTORS UNDER CONTROL IN PAST YEAR (AS	B-12
RISK2	EVER DIAGNOSED WITH ANY CHRONIC RISK FACTOR (ASTHMA, DIABETES, HB	B-13
AB34	DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE	B-13
AC6V2	DOCTOR EVER TOLD HAD A STROKE	B-13
AB27_P1	# OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR (PUF 1 YR RECOD	B-14
AB150	DOCTOR TOLD HEMOGLOBIN A1C LEVEL <9% IN PAST YEAR	B-14
SECTION C	HEALTH BEHAVIORS	C-1
AC212	DID MODERATE PHYSICAL ACTIVITY FOR 2.5 HOURS IN PAST WEEK	C-1
AC46V2	# OF TIMES DRANK SWEET FRUIT DRINKS PAST MO	C-1
AE2V2	# TIMES ATE FRUIT IN PAST MO	C-2
AE_FRUITV2	# OF TIMES EATING FRUIT PER WEEK	C-2
AE7V2	# OF TIMES ATE VEGETABLES IN PAST MO	C-3
AE_VEGIV2	# OF TIMES EATING VEGETABLES PER WEEK	C-3
AE15	SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME	C-4
AE15A	SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL	C-4
AC174	# OF DAYS SMOKED CIGARETTES IN PAST 30 DAYS	C-5
SMKCUR30	CURRENT SMOKER (PAST 30 DAYS)	C-5
TOBCUR	CURRENT (PAST 30 DAYS) USE OF ANY TOBACCO PRODUCTS	C-6
AC173	HOW LONG SINCE LAST SMOKED A CIGARETTE	C-6
AD32_P1	# OF CIGARETTES PER DAY (PUF 1 YR RECODE)	C-7
AE16V2_P1	# OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE)	C-7
AC54B	HOW SOON SMOKE FIRST CIGARETTE AFTER WAKING	C-8
AC175	SMOKED MENTHOL CIGARETTES	C-8

AC176	AGE FIRST SMOKED WHOLE CIGARETTE	C-9
AC177	WERE SMOKING CIGARETTES THIS TIME LAST YEAR	C-9
SMKCUR	CURRENT SMOKER	C-10
SMOKING	CURRENT SMOKING HABITS	C-10
NUMCIG	# OF CIGARETTES PER DAY	C-11
AC49	STOP SMOKING ONE DAY OR LONGER TO QUIT PAST YR	C-11
AC178	HOW LONG LAST ATTEMPT TO QUIT SMOKING LASTED	C-12
AC77	DOCTOR ADVISED TO QUIT SMOKING IN PAST 12 MOS	C-12
AC50	THINK ABOUT QUIT SMOKING IN NEXT 6 MOS	C-13
AC81C	EVER SMOKED ELECTRONIC CIGARETTES	C-13
ESMKCUR	CURRENT E-CIGARETTE SMOKER	C-14
AC82C_P1	DAYS USED E-CIGS PAST 30 DAYS (PUF 1 YEAR RECODE)	C-14
AC134V2	USED E-CIG FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-15
AC179	USED E-CIG FLAVOR - FRUIT	C-15
EFLAV_FRUIT	USED E-CIG FLAVOR - FRUIT (UPCODED)	C-16
AC180	USED E-CIG FLAVOR - CANDY/SWEET	C-16
EFLAV_SWEET	USED E-CIG FLAVOR - CANDY/SWEET (UPCODED)	C-17
AC181	USED E-CIG FLAVOR - ALCOHOL/LIQUOR	C-17
EFLAV_ALC	USED E-CIG FLAVOR - ALCOHOL/LIQUOR (UPCODED)	C-18
AC182A	USED E-CIG FLAVOR - MINT	C-18
AC182B	USED E-CIG FLAVOR - MENTHOL	C-19
EFLAV_MINTV2	USED E-CIG FLAVOR - MINT (UPCODED)	C-19
EFLAV_MENTHO	USED E-CIG FLAVOR - MENTHOL (UPCODED)	C-20
AC183	USED E-CIG FLAVOR - TOBACCO	C-20
EFLAV_TOB	USED E-CIG FLAVOR - TOBACCO (UPCODED)	C-21
AC214	STOPPED USING E-CIGS FOR 1+ DAYS IN PAST 30 DAYS BECAUSE TRYING T	C-21
AC185	PLAN TO QUIT USING E-CIGS	C-22
AC135_P1	FREQUENCY OF SMOKELESS TOBACCO PRODUCT USE IN PAST 30 DAYS (PUF 1	C-22

AC136	USED CHEWING TOBACCO FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-23
AC137_P1	FREQUENCY OF SMOKE CIGARILLO/LITTLE CIGAR USE IN PAST 30 DAYS (PU	C-23
AC138	USED CIGARILLO FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-24
AC139_P1	FREQUENCY OF BIG CIGAR USE IN PAST 30 DAYS (PUF 1 YR RECODE)	C-24
AC140	USED BIG CIGAR FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-25
AC141_P1	FREQUENCY OF HOOKAH WATER PIPE USE IN PAST 30 DAYS (PUF 1 YR RECO	C-25
AC142	USED HOOKAH FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-26
AC186	BEGAN WITH FLAVORED TOBACCO PRODUCT WHEN FIRST STARTED USING	C-26
AC187	WHEN EXPOSED TO SECONDHAND TOBACCO SMOKE OR E-CIG VAPOR IN CA IN	C-27
AC188	SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - SIDEWALKS	C-27
AC189	SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - INSIDE HOME	C-28
AC190V2	SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - WORKPLACE	C-28
AC191	SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - PUBLIC PARK/BEA	C-29
SCND_SMK	LOCATION OF SECONDHAND SMOKE EXPOSURE	C-29
FLAVTOB	CURRENT (PAST 30 DAYS) USE OF FLAVORED TOBACCO PRODUCTS	C-30
FLAVTOB2	CURRENT (PAST 30 DAYS) USE OF NON-TOBACCO FLAVORED CIGS/E-CIGS/CI	C-30
NONFLAVTOB	CURRENT (PAST 30 DAYS) USE OF TOBACCO FLAVORED E-CIGS OR FLAVORED	C-31
NONCIGPRO	CURRENT (PAST 30 DAYS) USE OF NON-CIGARETTE TOBACCO PRODUCTS	C-31
AC115	EVER TRIED MARIJUANA OR HASHISH	C-31
AC116_P1	HOW LONG SINCE LAST MARIJUANA/HASHISH USE (PUF 1 YR RECODE)	C-32

AC117V2	FREQUENCY OF MARIJUANA/HASHISH/THC PRODUCT USE IN PAST 30 DAYS	C-32
AC118V2	HOW OFTEN USE TOBACCO WITH MARIJUANA	C-33
AC119V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - JOINT/BONG/PIPE	C-33
AC120V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - BLUNT	C-34
AC121V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - EAT	C-34
AC122V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - DRINK	C-35
AC123V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - VAPORIZE	C-35
AC124V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - DAB	C-36
MAR_SMKV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - JOINT/BONG/PIPE (UPCODE	C-36
MAR_BLUNTV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - BLUNT (UPCODED)	C-37
MAR_EATV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - EAT (UPCODED)	C-37
MAR_DRINKV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - DRINK (UPCODED)	C-38
MAR_VAPV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - VAPORIZE (UPCODED)	C-38
MAR_DABV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - DAB (UPCODED)	C-39
AC126V2	ANY MARIJUANA USE RECOMMENDED BY DOCTOR OR HEALTH CARE PROVIDER	C-39
MARTYPEV2	METHOD OF TAKING MARIJUANA	C-40
AC127V2	ALL MARIJUANA USE RECOMMENDED BY DOCTOR OR HEALTH CARE PROVIDER	C-40
AC193_P1	MOST COMMON METHOD OF MARIJUANA USE IN PAST 30 DAYS (PUF 1 YR REC	C-41
AC194_1	WHERE GOT MARIJUANA USED - DISPENSARY	C-41
AC194_2	WHERE GOT MARIJUANA USED - VAPE/SMOKE SHOP	C-42
AC194_3	WHERE GOT MARIJUANA USED - OTHER SHOP	C-42
AC194_4	WHERE GOT MARIJUANA USED - DELIVERY SERVICE	C-43
AC194_5	WHERE GOT MARIJUANA USED - WEBSITE	C-43
AC194_6	WHERE GOT MARIJUANA USED - POP-UP SHOP	C-44

AC194_7	WHERE GOT MARIJUANA USED - FAMILY/FRIEND	C-44
AC194_8	WHERE GOT MARIJUANA USED - OTHER PERSON	C-45
AC194_9	WHERE GOT MARIJUANA USED - GROW IT MYSELF	C-45
AC194_91	WHERE GOT MARIJUANA USED - OTHER	C-46
MARCUR	CURRENT MARIJUANA USER	C-46
MAREXPOSE	EXPOSED TO MARIJUANA SMOKE IN PAST YEAR	C-46
MJMETHOD_P1	MOST USED METHOD OF MARIJUANA USE (PUF 1 YR RECODE)	C-47
AC192	WHEN EXPOSED TO SECONDHAND MARIJUANA SMOKE IN THE PAST YEAR	C-47
SMKEXPOSE	SECONDHAND EXPOSURE TO TOBACCO OR MARIJUANA SMOKE IN PAST MONTH	C-48
AC195	EVER USED CBD IN ANY FORM	C-48
AC196	HOW LONG SINCE LAST CBD USE	C-49
AC197	# OF DAYS USED CBD IN THE PAST LESS THAN 30 DAYS	C-49
AC198	METHOD OF CBD USE IN PAST 30 DAYS - TAKE ORALLY	C-50
CBD_ORAL	METHOD OF CBD USE IN PAST 30 DAYS - TAKE ORALLY (UPCODED)	C-50
AC199	METHOD OF CBD USE IN PAST 30 DAYS - EAT	C-51
CBD_EAT	METHOD OF CBD USE IN PAST 30 DAYS - EAT (UPCODED)	C-51
AC200	METHOD OF CBD USE IN PAST 30 DAYS - DRINK	C-52
CBD_DRINK	METHOD OF CBD USE IN PAST 30 DAYS - DRINK (UPCODED)	C-52
AC201	METHOD OF CBD USE IN PAST 30 DAYS - APPLY TO SKIN	C-53
CBD_SKIN	METHOD OF CBD USE IN PAST 30 DAYS - APPLY TO SKIN (UPCODED)	C-53
AC202	METHOD OF CBD USE IN PAST 30 DAYS - SMOKE	C-54
CBD_SMK	METHOD OF CBD USE IN PAST 30 DAYS - SMOKE (UPCODED)	C-54
AC203	METHOD OF CBD USE IN PAST 30 DAYS - VAPORIZE	C-55
CBD_VAP	METHOD OF CBD USE IN PAST 30 DAYS - VAPORIZE (UPCODED)	C-55
AC204	METHOD OF CBD USE IN PAST 30 DAYS - DAB	C-56
CBD_DAB	METHOD OF CBD USE IN PAST 30 DAYS - DAB (UPCODED)	C-56
AC206	MOST COMMON METHOD OF CBD USE IN PAST 30 DAYS	C-57

CBDCUR	CURRENT CBD USER	C-57
CBDMETHOD	MOST USED METHOD OF CBD USE	C-58
AC133V2_1	CONDITION TAKING MEDICINE FOR - DENTAL WORK/DENTAL PAIN	C-58
AC133V2_2	CONDITION TAKING MEDICINE FOR - SURGERY, NOT ACCIDENT-RELATED	C-59
AC133V2_3	CONDITION TAKING MEDICINE FOR - RECENT INJURY	C-59
AC133V2_4	CONDITION TAKING MEDICINE FOR - CHRONIC PAIN, REGARDLESS OF CAUSE	C-60
AC215	USED PRESCRIPTION PAINKILLERS IN PAST 12 MOS	C-60
AC222_1	REASON TOOK PRESCRIPTION PAINKILLER: DENTAL WORK/PAIN	C-61
AC222_2	REASON TOOK PRESCRIPTION PAINKILLER: SURGERY PAIN	C-61
AC222_3	REASON TOOK PRESCRIPTION PAINKILLER: ACCIDENT/INJURY PAIN	C-62
AC222_4	REASON TOOK PRESCRIPTION PAINKILLER: CHRONIC PAIN	C-62
AC207	EVER HAD AN ALCOHOLIC BEVERAGE	C-63
AC208	HOW LONG SINCE LAST DRANK AN ALCOHOLIC BEVERAGE	C-63
AC209	# OF DAYS DRANK AT LEAST ONE ALCOHOLIC BEVERAGE IN PAST 30 DAYS	C-64
AC210	# OF DRINKS USUALLY HAD EACH DAY ON DAYS THAT DRANK IN PAST 30 DA	C-64
BINGE30	BINGE DRINKING IN PAST 30 DAYS	C-65
AC211_P1	# OF DAYS BINGE DRINKING IN PAST 30 DAYS (PUF 1 YR RECODE)	C-65
ILLIDRUGV2	USED HEROIN, METHAMPHETAMINE, OR PRESCRIPTION DRUG AS NOT DIRECTE	C-66
AC218	GAMBLED IN PAST 12 MONTHS	C-66
AC219	BECAME RESTLESS/IRRITABLE/ANXIOUS WHEN TRYING TO STOP/CUT DOWN GA	C-67
AC220	TRIED TO KEEP FAMILY/FRIENDS FROM KNOWING EXTENT OF GAMBLING IN P	C-67
AC221	HAD TO GET HELP WITH LIVING EXPENSES DUE TO FINANCIAL TROUBLE FRO	C-68
GAMBPROB	HAS A GAMBLING PROBLEM	C-68

SECTION D	GENERAL HEALTH, DISABILITY & SEXUAL HEALTH	D-1
HGHTI_P	HEIGHT: INCHES (PUF RECODE)	D-1
HGHTM_P	HEIGHT: METERS (PUF RECODE)	D-1
HEIGHM_P	HEIGHT: METERS - UCLA (PUF RECODE)	D-2
WEIGHK_P	WEIGHT: KG - UCLA (PUF RECODE)	D-2
WGHTK_P	WEIGHT: KG (PUF RECODE)	D-3
WGHTP_P	WEIGHT: LBS (PUF RECODE)	D-3
BMI_P	BODY MASS INDEX (PUF RECODE)	D-4
RBMI	BMI DESCRIPTIVE	D-4
WHOBMI	BODY MASS INDEX: WHO DEFINITION	D-5
OVRWT	OVERWEIGHT OR OBESE	D-5
AD50	BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM	D-6
AL10	HAVE DIFFICULTY CONCENTRATING	D-6
AL11	HAVE DIFFICULTY DRESSING/BATHING	D-6
AL12	HAVE DIFFICULTY DOING ERRANDS	D-7
DISABILITY	DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION	D-7
AD46CV2	SEXUAL ORIENTATION	D-8
AJ169V3	RESPONDENT'S PREGNANCY PLANS	D-8
AJ235	BECAME PREGNANT WITH UNINTENDED PREGNANCY IN PAST 12 MOS	D-9
AJ236	TALKED TO DR/PROVIDER/COUNSELOR ABOUT BIRTH CONTROL IN PAST 12 MO	D-9
AF40BV3	USES OR MALE SEX PARTNER USES BIRTH CONTROL	D-10
AJ237_P1	MAIN BIRTH CONTROL METHOD USED IN PAST 12 MONTHS (PUF 1 YR RECODE)	D-10
AJ238	GOT TUBAL LIGATION/VASECTOMY/IUD/IMPLANT METHOD USED WITHIN PAST	D-11
AJ239_P1	WHERE REC'D MAIN BIRTH CONTROL METHOD IN PAST 12 MOS (PUF 1 YR RE	D-11
AJ240	REC'D MAIN BIRTH CONTROL METHOD VIA VIDEO/PHONE VISIT IN PAST 12	D-12
AJ170V3_P1	MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R	D-12

AJ241	TALKED TO DR/PROVIDER/COUNSELOR ABOUT BIRTH CONTROL IN PAST 12 MO	D-13
AJ242	USED OR FEMALE PARTNER USED BIRTH CONTROL METHOD IN PAST 12 MOS	D-13
AJ243_P1	MAIN BIRTH CONTROL METHOD USED IN PAST 12 MONTHS (PUF 1 YR RECODE)	D-14
AJ244	GOT TUBAL LIGATION/VASECTOMY/IUD/IMPLANT METHOD USED WITHIN PAST	D-14
AJ245_P1	WHERE REC'D MAIN BIRTH CONTROL METHOD IN PAST 12 MOS (PUF 1 YR RE	D-15
AJ246	REC'D MAIN BIRTH CONTROL METHOD VIA VIDEO/PHONE VISIT IN PAST 12	D-15
AJ175V3_P1	MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R	D-16
AD82	EVER HEARD OF PREP/TRUVADA	D-16
AD83	EVER BEEN TESTED FOR HIV	D-17
AD84	OFFERED OR ASKED FOR HIV TEST	D-17
SECTION E	WOMEN'S HEALTH	E-1
AD13V2	CURRENTLY PREGNANT	E-1
SECTION F	MENTAL HEALTH	F-1
AJ29	FEEL NERVOUS PAST 30 DAYS	F-1
AJ30	FEEL HOPELESS PAST 30 DAYS	F-1
AJ31	FEEL RESTLESS PAST 30 DAYS	F-2
AJ32	FEEL DEPRESSED PAST 30 DAYS	F-2
AJ33	FEEL EVERYTHING AN EFFORT PAST 30 DAYS	F-3
AJ34	FEEL WORTHLESS PAST 30 DAYS	F-3
DSTRS30	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH	F-4
DISTRESS	SERIOUS PSYCHOLOGICAL DISTRESS	F-4
DSTRS_P1	SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE)	F-5
AF62	ANY MONTH PAST 12 MONTHS FELT WORSE	F-5
AF63	FEEL NERVOUS WORST MONTH	F-6
AF64	FEEL HOPELESS WORST MONTH	F-6

AF65	FEEL RESTLESS WORST MONTH	F-7
AF66	FEEL DEPRESSED WORST MONTH	F-7
AF67	FEEL EVERYTHING AN EFFORT WORST MONTH	F-8
AF68	FEEL WORTHLESS WORST MONTH	F-8
AF69B	EMOTIONS INTERFERE W/WORK WORST MONTH	F-9
AF70B	EMOTIONS INTERFERE W/CHORES WORST MONTH	F-9
AF71B	EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH	F-10
AF72B	EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH	F-10
DSTRS12	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR	F-11
DSTRSYR	SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)	F-11
CHORES2	CHORE IMPAIRMENT PAST 12 MONTHS	F-12
SOCIAL2	SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS	F-12
WORK2	WORK IMPAIRMENT PAST 12 MONTHS	F-13
FAMILY2	FAMILY LIFE IMPAIRMENT PAST 12 MONTHS	F-13
AF81	NEEDED HELP FOR EMOT/MNTL OR ALCOH/DRUG PRBLM IN PAST YR	F-14
AJ1	INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS	F-14
AF110B	EXPERIENCED EXTREME HEAT WAVE IN PAST 2 YRS	F-15
AF110C	EXPERIENCED WILDFIRE IN PAST 2 YRS	F-15
AF110D	EXPERIENCED SMOKE FROM WILDFIRE IN PAST 2 YRS	F-15
AF110E	EXPERIENCED FLOOD/RISING SEA/MUDSLIDE IN PAST 2 YRS	F-16
EXTRMWEATHER	HAS EXPERIENCED AN EXTREME WEATHER EVENT IN PAST 2 YEARS	F-16
AF111B_1	PHYSICAL HEALTH HARMED BY EVENT: EXTREME HEAT WAVE	F-17
AF111B_3	PHYSICAL HEALTH HARMED BY EVENT: WILDFIRE	F-17
AF111B_4	PHYSICAL HEALTH HARMED BY EVENT: SMOKE FROM WILDFIRE	F-18
AF111B_5	PHYSICAL HEALTH HARMED BY EVENT: NOT HARMED	F-18
AF112B_1	MENTAL HEALTH HARMED BY EVENT: EXTREME HEAT WAVE	F-19
AF112B_3	MENTAL HEALTH HARMED BY EVENT: WILDFIRE	F-19
AF112B_4	MENTAL HEALTH HARMED BY EVENT: SMOKE FROM WILDFIRE	F-20

AF112B_5	MENTAL HEALTH HARMED BY EVENT: NOT HARMED	F-20
HEALTHHARM	PHYSICAL OR MENTAL HEALTH HARMED BY EXTREME WEATHER IN PAST 2 YRS	F-21
MENTALHEALTH	MENTAL HEALTH HARMED BY EXTREME WEATHER IN PAST 2 YRS	F-21
PHYSHEALTH	PHYSICAL HEALTH HARMED BY EXTREME WEATHER IN PAST 2 YRS	F-22
AF118_1	SPACE WITH FILTERED AIR ACCESSED DURING WILDFIRE SMOKE EVENT: MY	F-22
AF118_2	SPACE WITH FILTERED AIR ACCESSED DURING WILDFIRE SMOKE EVENT: FRI	F-23
AF118_3	SPACE WITH FILTERED AIR ACCESSED DURING WILDFIRE SMOKE EVENT: COM	F-23
AF118_4	SPACE WITH FILTERED AIR ACCESSED DURING WILDFIRE SMOKE EVENT: COM	F-24
AF118_5	SPACE WITH FILTERED AIR ACCESSED DURING WILDFIRE SMOKE EVENT: DID	F-24
AF118_6	SPACE WITH FILTERED AIR ACCESSED DURING WILDFIRE SMOKE EVENT: NOT	F-25
WLDFRE	ACCESSED FILTERED AIR DURING WILDFIRE SMOKE EVENT IN PAST 2 YRS	F-25
WEATHERV2	EFFECTS OF WEATHER-RELATED EVENTS	F-26
SECTION G	DEMOGRAPHIC INFORMATION, PART II & CHILD CARE	G-1
AH33NEW	BORN IN U.S.	G-1
AH34NEW	MOTHER BORN IN U.S.	G-1
AH35NEW	FATHER BORN IN U.S.	G-2
CITIZEN2	CITIZENSHIP STATUS (3 LVLS)	G-2
YRUS6P	YEARS LIVED IN THE US: 6+	G-3
YRUS_P1	YEARS LIVED IN THE U.S. (PUF 1 YR RECODE)	G-3
PCTLF_P	PERCENT LIFE IN US (PUF RECODE)	G-4
AH43A	LIVING WITH A PARENT	G-4
AH44A	USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH	G-5
AH44B	AMOUNT PAID FOR ALL CHILD CARE ARRANGEMENTS LAST MONTH	G-5
AHCHLDC	AMOUNT SPENT ON CHILD CARE PER WEEK	G-6

ACHLDC_P1	AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE)	G-6
AHEDC_P1	EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE)	G-7
AG8	WORK STATUS OF SPOUSE LAST WEEK	G-7
AG9_P1	TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE)	G-8
AG10	RESPONDENT USUALLY WORKS	G-8
AG11	SPOUSE USUALLY WORKS	G-9
WRKST_P1	WORKING STATUS (PUF 1 YR RECODE)	G-9
AG22	EVER SERVE IN U.S. ARMED FORCES	G-10
AG31	HAVE VA SERVICE-CONNECTED DISABILITY RATING	G-10
SERVED	LENGTH OF TIME SERVED IN ACTIVE DUTY	G-11
SREDUC	SELF-REPORTED EDUC LEVEL OF RESP (ADLTS)	G-11
FAMTYP_P	FAMILY TYPE (PUF RECODE)	G-12
FAMSIZE2_P1	FAMILY SIZE: INCL. ALL SUPT'D BY HH INCOME (PUF 1 YR RECODE)	G-12
FAMT4	FAMILY TYPE - 4 LVLS	G-13
SECTION H	HEALTH INSURANCE	H-1
AI1	COVERED BY MEDICARE	H-1
AI4	COVERED BY MEDICARE SUPPL POLICY	H-1
AH53	PAYS ANY PART OF MEDICARE HMO/SUPP PREMIUM	H-2
AH54	SOMEONE ELSE PAYS ANY PART MEDICARE HMO/SUPP PREMIUM	H-2
AI6	COVERED BY MEDI-CAL	H-3
AH100	ANYONE HELP FIND HEALTH PLAN	H-3
AH103	BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO	H-4
AH104	PURCHASE INS DIRECT OR THRU COVERED CA	H-4
AH105	GET INS THRU EMPLOYER, UNION, SHOP PROGRAM	H-5
AH107	GET SUBSIDY/DISCOUNT ON PLAN PREMIUM	H-5
AH110	SOURCE OF COVERAGE PURCHASED DIRECTLY	H-6
AH111	FIND PLAN WITH NEEDED COVERAGE-COVERED CA	H-6
AH112	FIND PLAN COULD AFFORD-COVERED CA	H-7

AH113	ANYONE HELP R FIND HEALTH PLAN-COVERED CA	H-7
AH114	WHO HELPED R FIND HEALTH PLAN-COVERED CA	H-8
AH115	HAD NEEDED INFO TO PICK HEALTH PLAN	H-8
AH117	COST OF SELECTED PLAN IMPORTANT	H-9
AH118	CARE FROM SPECIFIC DOCTOR THRU PLAN IMPORTANT	H-9
AH119	CARE FROM SPECIFIC HOSPITAL THRU PLAN IMPORTANT	H-10
AH120	CHOICE OF DOCTORS THRU PLAN IMPORTANT	H-10
AI15	MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN	H-11
AI15A	MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	H-11
AI37	SPOUSE COVERED BY MEDICARE	H-12
AI37A	SPOUSE COVERED BY MEDICARE SUPPL POLICY	H-12
AI38	SPOUSE COVERED BY MEDI-CAL	H-13
AI45_P1	MAIN REASON SPOUSE NOT IN EMP HEALTH PLAN (PUF 1 YR RECODE)	H-13
AI45A_P1	MAIN REASON SPOUSE INELIGIBLE EMP HEALTH PLAN (PUF 1 YR RECODE)	H-14
AI22C	MAIN HEALTH PLAN IS HMO	H-14
AI25NEW	RX COVERAGE EDITED FOR MEDI-CAL	H-15
AI25	COVERED FOR PRESCRIPTION DRUGS	H-15
AI22A_P	NAME OF HEALTH PLAN (PUF RECODE)	H-16
HMO	HMO STATUS	H-16
AH71_P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE)	H-17
AH72_P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR RECODE)	H-17
AI31	HAD CURRENT INS FOR ALL 12 OF PAST 12 MOS	H-18
AI32	HAD OTHER HEALTH INS WHEN NOT COVERED BY CURRENT INS	H-18
AH73B	SPECIAL FUND TO PAY MEDICAL EXPENSES	H-19
AI34	ANY TIME IN PAST 12 MOS HAD NO HEALTH INS AT ALL	H-19
AH140	REASON FOR NOT HAVING HEALTH INSURANCE IN PAST YEAR RELATED TO EM	H-20

AH141	REASON FOR NOT CURRENTLY HAVING HEALTH INSURANCE RELATED TO EMPLO	H-20
AH74	TRIED TO FIND HEALTH INSURANCE ON OWN	H-21
AH75	TRIED TO FIND HEALTH INSURANCE ON OWN	H-21
AI27	COVERED BY HEALTH INS AT ANY TIME IN PAST 12 MOS	H-22
AI28	HOW LONG SINCE LAST HAD HEALTH INS	H-22
AH14	PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS	H-23
AH101_P	PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE)	H-23
AH98_P1	DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR RECODE)	H-24
AH99_P1	DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE)	H-24
AH126_P1	SIGN UP DIRECTLY OR THROUGH EMPLOYER (PUF 1 YR RECODE)	H-25
INS	CURRENTLY INSURED	H-25
INS_S	SPOUSE CURRENTLY INSURED	H-26
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	H-26
UNINSANY	UNINSURED IN PAST 12 MOS	H-27
INS64	TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65	H-27
INS64_P	CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)	H-28
INS64_S	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR SPOUSE - UNDER 65	H-28
INS64S_P	SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)	H-29
INSANY	ANY INS IN LAST 12 MOS	H-29
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	H-30
INS65	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+	H-30
INS65_S	TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+	H-31
INSTYPE	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES	H-31
INS9TP	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (9 LVLS)	H-32
IHS	COVERED BY INDIAN HEALTH SERVICES	H-32
INSEM	COVERED BY EMPLOYER-BASED PLANS	H-33

INSEM_S	SPOUSE COVERED BY EMPLOYER-BASED PLANS	H-33
INSMC	COVERED BY MEDICARE	H-33
MC_TYPE	TYPE OF MEDICARE COVERAGE	H-34
INSMC_S	SPOUSE COVERED BY MEDICARE	H-34
INSMC	COVERED BY MEDI-CAL	H-35
INSMC_S	SPOUSE COVERED BY MEDI-CAL	H-35
INSOG	COVERED BY OTHER GOVT PLANS	H-35
INSOG_S	SPOUSE COVERED BY OTHER GOVT PLANS	H-36
INSLT_P	HEALTH INS COVG LAST 12 MOS, W/ CURRENT STATUS (PUF RECODE)	H-36
INSPR	COVERED BY PLANS PURCHASED ON OWN	H-37
INSPR_S	SPOUSE COVERED BY PLANS PURCHASED ON OWN	H-37
COVRDCA	PRIVATE/EMP BASED COVERAGE FROM COVERED CALIFORNIA	H-37
COVRDCA_S	SPOUSE WITH PRIVATE/EMPLOYER-BASED COVERAGE FROM COVERED CALIFORNIA	H-38
INSPS	PRIMARY OR SECONDARY COVERAGE	H-38
INSPS_S	SPOUSE PRIMARY OR SECONDARY COVERAGE	H-39
OFFTK	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS	H-39
OFFTK_S	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE	H-40
AH79B	REACHED LIMIT OF INS CMPY CONTRIBUTIONS TO CURRENT HEALTH PLAN	H-40
AH80B	REACHED LIMIT OF INS CMPY CONTRIBUTIONS IN PAST 12 MOS	H-41
AH81B	EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S MEDICAL B	H-41
AH83B	AMOUNT OF MEDICAL BILLS HAVING TROUBLE PAYING	H-42
AH84B	UNINSURED AT TIME MEDICAL CARE WAS PROVIDED	H-42
AH85B	UNABLE TO PAY FOR BASIC NECESSITIES DUE TO MEDICAL BILLS	H-43
AH86B	TOOK ON CREDIT CARD DEBT B/C OF MEDICAL BILLS	H-43
INSLMT12M	REACHED HEALTH INSURANCE PAYMENT LIMIT IN PAST 12 MONTHS	H-44
AH128	AMOUNT RESPONDENT OR FAMILY PAYS EACH MONTH FOR HEALTH	H-44

INSURANCE

AH129	AMOUNT EMPLOYER/UNION/PROF ORG CONTRIBUTES TO HEALTH PLAN EACH MO	H-45
AH130	HAS MONEY IN HSA ACCOUNT	H-45
AH131V2_P	AMOUNT OF MONEY IN HSA ACCOUNT (PUF RECODE)	H-46
HSAAMTV2_P1	AMOUNT IN HEALTH SAVINGS ACCOUNTS (PUF RECODE)	H-46
AH132	LENGTH OF TIME RESPONDENT HAS HAD CURRENT HEALTH INSURANCE PLAN	H-47
AH133	# OF MONTHS HAD CURRENT HEALTH INSURANCE PLAN	H-47
TCURPLAN	TIME ADULT HAS BEEN ENROLLED IN CURRENT PLAN: MONTHS	H-48
AH134	HEALTH INSURANCE BEFORE CURRENT PLAN	H-48
AH135	OTHER HEALTH INSURANCE BEFORE CURRENT PLAN	H-49
PINSTYPE	TYPE OF HEALTH INSURANCE BEFORE CURRENT PLAN	H-49
AH136	LENGTH OF TIME RESPONDENT HAS HAD OTHER HEALTH INSURANCE PLAN	H-50
AH137	EVER CHANGED HEALTH INSURANCE PLAN IN PAST 12 MOS	H-50
AH139	SELF-REPORTED SATISFACTION WITH CURRENT HEALTH PLAN	H-51
SECTION J	HEALTH CARE UTILIZATION/ACCESS & DENTAL HEALTH	J-1
AH1V2	HAVE USUAL SOURCE OF HEALTH CARE	J-1
AJ80	HAS SOMEONE AT DOCTOR'S OFFICE/CLINIC WHO HELPS COORDINATE MEDICA	J-1
AJ220	USUAL MEDICAL PROVIDER OFFERED PHONE/VIDEO APPTS IN PAST 12 MOS	J-2
AJ221_1	OPTIONS OFFERED BY MEDICAL PROVIDER: IN-PERSON APPTS	J-2
AJ221_2	OPTIONS OFFERED BY MEDICAL PROVIDER: TELEPHONE APPTS	J-3
AJ221_3	OPTIONS OFFERED BY MEDICAL PROVIDER: VIDEO APPTS	J-3
INPERSON_NO	USUAL MEDICAL PROVIDER DOES NOT OFFER IN-PERSON APPOINTMENTS IN P	J-4
AJ222	SATISFACTION WITH AVAILABILITY OF PHONE/VIDEO CARE FROM PROVIDER	J-4
AJ202	RECEIVED CARE FROM A DOCTOR VIA VIDEO/TELEPHONE CONVERSATION INST	J-5
AJ203V2_1	HEALTH PROBLEM FOR TELE-MEDICAL CARE: PRIMARY CARE	J-5

AJ203V2_2	HEALTH PROBLEM FOR TELE-MEDICAL CARE: DENTAL CARE	J-6
AJ203V2_3	HEALTH PROBLEM FOR TELE-MEDICAL CARE: MENTAL HEALTH	J-6
AJ203V2_4	HEALTH PROBLEM FOR TELE-MEDICAL CARE: FAMILY PLANNING	J-7
AJ203V2_5	HEALTH PROBLEM FOR TELE-MEDICAL CARE: OTHER SPECIALTY CARE	J-7
AJ203V2_91	HEALTH PROBLEM FOR TELE-MEDICAL CARE: OTHER	J-8
AJ223_1	REC'D FAMILY PLANNING CARE FROM: DOCTOR'S OFFICE	J-8
AJ223_2	REC'D FAMILY PLANNING CARE FROM: HMO	J-9
AJ223_3	REC'D FAMILY PLANNING CARE FROM: HOSPITAL/CLINIC	J-9
AJ223_4	REC'D FAMILY PLANNING CARE FROM: PLANNED PARENTHOOD	J-10
AJ223_5	REC'D FAMILY PLANNING CARE FROM: COUNTY HEALTH DEPT	J-10
AJ223_6	REC'D FAMILY PLANNING CARE FROM: FAMILY PLANNING CLINIC	J-11
AJ223_7	REC'D FAMILY PLANNING CARE FROM: COMMUNITY CLINIC	J-11
AJ223_8	REC'D FAMILY PLANNING CARE FROM: SCHOOL/SCHOOL CLINIC	J-12
AJ223_10	REC'D FAMILY PLANNING CARE FROM: PHARMACY	J-12
AJ223_91	REC'D FAMILY PLANNING CARE FROM: SOME OTHER PLACE	J-13
AJ224	TYPE OF FAMILY PLANNING CARE APPT	J-13
AJ225	SATISFACTION THAT PROVIDER ADDRESSED HEALTH CONCERNS VIA PHONE/VI	J-14
AJ226	WOULD HAVE PREFERRED IN-PERSON VISIT TO MOST RECENT PHONE/VIDEO E	J-14
AJ227	RATING OF MOST RECENT DENTAL CARE VIDEO VISIT COMPARED TO IN-PERS	J-15
AJ228	RATING OF MOST RECENT MENTAL HEALTH CARE VIDEO VISIT COMPARED TO	J-15
AJ229	RATING OF MOST RECENT PRIMARY CARE VIDEO VISIT COMPARED TO IN-PER	J-16
AJ230	RATING OF MOST RECENT DENTAL CARE PHONE VISIT COMPARED TO IN-PERS	J-16
AJ231	RATING OF MOST RECENT MENTAL HEALTH CARE PHONE VISIT COMPARED TO	J-17
AJ232	RATING OF MOST RECENT PRIMARY CARE PHONE VISIT COMPARED TO IN-PER	J-17

AJ233	HAD ANY PROBLEMS WITH PHONE/VIDEO APPT	J-18
AJ234_1	PHONE/VIDEO APPT PROBLEM EXPERIENCED: BAD INTERNET/NETWORK CONNEC	J-18
AJ234_2	PHONE/VIDEO APPT PROBLEM EXPERIENCED: COULDN'T DOWNLOAD TELEHEALT	J-19
AJ234_3	PHONE/VIDEO APPT PROBLEM EXPERIENCED: AUDIO/VIDEO NOT WORKING	J-19
AJ234_4	PHONE/VIDEO APPT PROBLEM EXPERIENCED: NO PRIVACY DURING APPT	J-20
AJ234_5	PHONE/VIDEO APPT PROBLEM EXPERIENCED: DR DID NOT SPEAK/UNDERSTAND	J-20
AJ234_6	PHONE/VIDEO APPT PROBLEM EXPERIENCED: DIFFICULTY HEARING OR COMMU	J-21
AJ234_7	PHONE/VIDEO APPT PROBLEM EXPERIENCED: PROVIDER WAS LATE/DID NOT S	J-21
AJ234_8	PHONE/VIDEO APPT PROBLEM EXPERIENCED: OTHER TECHNICAL DIFFICULTY	J-22
AJ234_9	PHONE/VIDEO APPT PROBLEM EXPERIENCED: TOO IMPERSONAL/UNABLE TO HE	J-22
AJ234_91	PHONE/VIDEO APPT PROBLEM EXPERIENCED: OTHER	J-23
TECHDIFF	EXPERIENCED ANY TECHNICAL DIFFICULTY WITH TELEHEALTH APPOINTMENT	J-23
TELEPREFER	SATISFACTION AND PREFERENCE WITH TELEHEALTH APPOINTMENT	J-24
AH3_P1	KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE)	J-24
USOC	USUAL SOURCE OF CARE OTHER THAN ER	J-25
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE	J-25
USUAL_TP	USUAL SOURCE OF CARE (7 LVLS)	J-26
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	J-26
AH5	# OF TIMES SAW MD IN PAST 12 MOS	J-27
AH6	HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH	J-27
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	J-28
DOCT_YR	VISITED DOCTOR IN PAST 12 MOS	J-28

AJ77	HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER	J-29
AJ8V3	HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT	J-29
AJ50V2_P	LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)	J-30
AJ9V2	MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND	J-30
AJ10V2	NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR	J-31
AJ11V2	WHO HELPED YOU UNDERSTAND DOCTOR	J-31
AH16	DELAY/NOT GET PRESCRIPTION IN PAST 12 MO	J-32
AJ251	EVENTUALLY REC'D PRESCRIBED MEDICINE THAT WAS DELAYED	J-32
AJ252_1	REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: MED NOT IN STOCK	J-33
AJ252_2	REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: INS APPROVAL ISSUE	J-33
AJ252_3	REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: COMMUNICATION DELA	J-34
AJ252_4	REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: SIDE EFFECTS CONCE	J-34
AJ252_5	REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: DIDN'T WANT/NEED	J-35
AJ252_6	REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: TOO HARD TO TRACK	J-35
AJ252_7	REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: FORGOT/LOST PRESCR	J-36
AJ252_8	REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: DIDN'T HAVE TIME	J-36
AJ252_9	REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: NO INSURANCE	J-37
AJ252_10	REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: TOO EXPENSIVE	J-37
AJ252_11	REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: NEED TO SEE DOCTOR	J-38
AJ252_12	REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: TRANSPORTATION ISS	J-38
AJ252_91	REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: OTHER REASON	J-39
MAIN_DELAYME	MAIN REASON DELAYED OR DID NOT GET MEDICINE PRESCRIBED	J-39

	BY DOCTOR	
AH22	DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS	J-40
AJ102	SOUGHT APPNT W/DOC IN 2 DAYS PAST YR	J-40
AJ103	HOW OFTEN GET APPNT IN 2 DAYS	J-41
TIMAPPT	ABLE TO GET AN APPOINTMENT IN A TIMELY WAY	J-41
AJ105	KNOW RIGHTS TO INTERPRETER DURING MED VISIT	J-42
AJ114	TIME SINCE LAST DOC VISIT FOR ROUTINE CHECK-UP	J-42
AJ218	HOW OFTEN EASY TO GET CARE/TESTS/TREATMENT NEEDED IN PAST 6 MOS	J-43
AJ219	HOW OFTEN EASY TO GET CARE/TESTS/TREATMENT TEEN NEEDED IN PAST 6	J-43
AJ115_P1	# OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY (PUF 1	J-44
WORKSICK_P1	# OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY (PUF 1	J-45
AJ129	EVENTUALLY RECEIVED MED CARE THAT WAS DELAYED	J-46
AJ254_1	REASON DELAYED/DIDN'T GET NEEDED CARE: COULDN'T GET APPT	J-46
AJ254_2	REASON DELAYED/DIDN'T GET NEEDED CARE: INSURANCE NOT ACCEPTED	J-47
AJ254_3	REASON DELAYED/DIDN'T GET NEEDED CARE: INSURANCE DIDN'T COVER	J-47
AJ254_4	REASON DELAYED/DIDN'T GET NEEDED CARE: LANGUAGE PROBLEM	J-48
AJ254_5	REASON DELAYED/DIDN'T GET NEEDED CARE: TRANSPORTATION PROBLEM	J-48
AJ254_6	REASON DELAYED/DIDN'T GET NEEDED CARE: HOURS NOT CONVENIENT	J-49
AJ254_7	REASON DELAYED/DIDN'T GET NEEDED CARE: NO CHILD CARE	J-49
AJ254_8	REASON DELAYED/DIDN'T GET NEEDED CARE: FORGOT/LOST REFERRAL	J-50
AJ254_9	REASON DELAYED/DIDN'T GET NEEDED CARE: DIDN'T HAVE TIME	J-50
AJ254_10	REASON DELAYED/DIDN'T GET NEEDED CARE: TOO EXPENSIVE	J-51
AJ254_11	REASON DELAYED/DIDN'T GET NEEDED CARE: NO INSURANCE	J-51
AJ254_12	REASON DELAYED/DIDN'T GET NEEDED CARE: DID NOT THINK SERIOUS ENOU	J-52

AJ254_13	REASON DELAYED/DIDN'T GET NEEDED CARE: NOT SATISFIED WITH HEALTH	J-52
AJ254_14	REASON DELAYED/DIDN'T GET NEEDED CARE: PROCRASTINATION OR LACK OF	J-53
AJ254_15	REASON DELAYED/DIDN'T GET NEEDED CARE: ANXIETY, FEAR, OR AVOIDANC	J-53
AJ254_16	REASON DELAYED/DIDN'T GET NEEDED CARE: COVID-RELATED REASON	J-54
AJ254_17	REASON DELAYED/DIDN'T GET NEEDED CARE: OTHER INSURANCE COMPLICATI	J-54
AJ254_18	REASON DELAYED/DIDN'T GET NEEDED CARE: NEEDED REFERRAL OR PRESCRI	J-55
AJ254_19	REASON DELAYED/DIDN'T GET NEEDED CARE: NEED A NEW DOCTOR OR TO FI	J-55
AJ254_20	REASON DELAYED/DIDN'T GET NEEDED CARE: ILLNESS/DISABILITY/AGE MAK	J-56
AJ254_91	REASON DELAYED/DIDN'T GET NEEDED CARE: OTHER REASON	J-56
MAIN_DELAYCA	MAIN REASON DELAYED OR DID NOT GET MEDICAL CARE	J-57
CARE_PV	HAD A PREVENTIVE CARE VISIT IN PAST YEAR	J-58
RN_FORGOV2	REASONS FORGONE NECESSARY CARE	J-58
FORGO	HAD TO FORGO NECESSARY CARE	J-59
AG1	TIME SINCE LAST VISIT TO DENTIST/SPECIALIST	J-59
AJ167	ROUTINE CHECKUP/CLEANING OR SPECIFIC PROBLEM	J-60
AJ247	# TIMES REC'D DENTAL SERVICE IN PAST 12 MOS	J-60
AJ248B_1	WHERE REC'D DENTAL SERVICE IN PAST 12 MOS: FREE HEALTH/DENTAL EVE	J-61
AJ248B_2	WHERE REC'D DENTAL SERVICE IN PAST 12 MOS: DENTIST OFFICE	J-61
AJ248B_3	WHERE REC'D DENTAL SERVICE IN PAST 12 MOS: HOSPITAL	J-62
AJ248B_4	WHERE REC'D DENTAL SERVICE IN PAST 12 MOS: OTHER LOCATION	J-62
AG3	HAVE ANY KIND OF DENTAL INSURANCE	J-63
AJ250	MAIN REASON NOT VISITED DENTIST IN PAST 12 MOS	J-63
AJ136	NEEDED TO SEE MED SPECIALIST PAST YR	J-64

AJ137	HAD TROUBLE FINDING SPECIALTY DR PAST 12 MOS	J-64
AJ138	NOT ACCEPTED AS NEW PATIENT BY SPECIALIST PAST YR	J-65
AJ139	INSURANCE NOT ACCEPTED BY SPECIALIST PAST YR	J-65
AJ133	HAD TROUBLE FINDING GENERAL DOC PAST 12 MOS	J-66
AJ134	NOT ACCEPTED AS NEW PATIENT BY DOC PAST YR	J-66
AJ135	INSURANCE NOT ACCEPTED BY DOC PAST YR	J-66
PC_INS	PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS INS	J-67
PC_NEWP	PRIMARY CARE: DIFFICULTY FINDING A PROVIDER ACCEPTING NEW PATIENT	J-67
SC_INS	SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS I	J-68
SC_NEWP	SPECIALTY CARE: DIFFICULTY FINDING PROVIDER ACCEPTING NEW PATIENT	J-68
AH12V2	VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS	J-69
AH95_P1	# TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE)	J-69
ER	ER VISIT WITHIN THE PAST YEAR	J-70
AJ176	DELAYED/DIDN'T GET A MEDICINE WHILE INSURED BY CURRENT PLAN	J-70
AJ177	DELAYED/DIDN'T GET OTHER MEDICAL CARE WHILE INSURED BY CURRENT PL	J-71
AJ87	PROVIDE CARE TO FAM/FRND W/ILLNESS/DISABILITY PAST YR	J-71
AJ101V2	CURRENTLY PROVIDE CARE	J-72
AJ201_P1	AGE OF CARE RECIPIENT (PUF 1 YR RECODE)	J-72
AJ90	RELATIONSHIP WITH PERSON YOU PROVIDE MOST HELP TO	J-73
AJ193	FINANCIAL STRESS DUE TO CAREGIVING	J-74
AJ91B_1	DURING PAST 12 MOS CARE RECIPIENT LIVED: ALONE	J-74
AJ91B_2	DURING PAST 12 MOS CARE RECIPIENT LIVED: WITH YOU	J-75
AJ91B_3	DURING PAST 12 MOS CARE RECIPIENT LIVED: WITH SOME OTHER FAMILY M	J-75
AJ91B_4	DURING PAST 12 MOS CARE RECIPIENT LIVED: IN A NURSING HOME	J-76

AJ91B_5	DURING PAST 12 MOS CARE RECIPIENT LIVED: IN AN ASSISTED-LIVING FA	J-76
AJ91B_6	DURING PAST 12 MOS CARE RECIPIENT LIVED: IN SOME OTHER LIVING SIT	J-77
AJ194_1	DISABILITY OR ILLNESS OF CARE RECIPIENT: ALZHEIMER'S, CONFUSION,	J-77
AJ194_2	DISABILITY OR ILLNESS OF CARE RECIPIENT: ARTHRITIS	J-78
AJ194_3	DISABILITY OR ILLNESS OF CARE RECIPIENT: BACK PROBLEMS	J-78
AJ194_4	DISABILITY OR ILLNESS OF CARE RECIPIENT: BROKEN BONES	J-79
AJ194_5	DISABILITY OR ILLNESS OF CARE RECIPIENT: CANCER	J-79
AJ194_6	DISABILITY OR ILLNESS OF CARE RECIPIENT: DIABETES	J-80
AJ194_7	DISABILITY OR ILLNESS OF CARE RECIPIENT: FEEBLE, UNSTEADY, FALLIN	J-80
AJ194_8	DISABILITY OR ILLNESS OF CARE RECIPIENT: LUNG DISEASE, EMPHYSEMA,	J-81
AJ194_9	DISABILITY OR ILLNESS OF CARE RECIPIENT: MENTAL ILLNESS, EMOTIONA	J-81
AJ194_10	DISABILITY OR ILLNESS OF CARE RECIPIENT: MOBILITY PROBLEM	J-82
AJ194_11	DISABILITY OR ILLNESS OF CARE RECIPIENT: OLD AGE, AGING	J-82
AJ194_12	DISABILITY OR ILLNESS OF CARE RECIPIENT: STROKE	J-83
AJ194_13	DISABILITY OR ILLNESS OF CARE RECIPIENT: SURGERY, WOUNDS	J-83
AJ194_14	DISABILITY OR ILLNESS OF CARE RECIPIENT: OTHER	J-84
AJ194_15	DISABILITY OR ILLNESS OF CARE RECIPIENT: NEUROLOGICAL, AUTOIMMUNE	J-84
AJ194_16	DISABILITY OR ILLNESS OF CARE RECIPIENT: VISION, HEARING PROBLEM	J-85
AJ194_17	DISABILITY OR ILLNESS OF CARE RECIPIENT: BLOOD, ORGAN, MUSCULAR,	J-85
AJ194_18	DISABILITY OR ILLNESS OF CARE RECIPIENT: COVID-RELATED ISSUE	J-86
AJ197V2	HAVE SUPPORT/SERVICES NEEDED TO CARE FOR CARE RECIPIENT	J-86
AJ199A	EXPERIENCED PHYSICAL HEALTH PROBLEM IN PAST 12 MONTHS DUE TO PROV	J-87
AJ199B	EXPERIENCED MENTAL HEALTH PROBLEM IN PAST 12 MONTHS DUE	J-87

	TO PROVID	
AJ200V2_1	CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: NO CHANGE	J-88
AJ200V2_2	CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: CHANGED JOB	J-88
AJ200V2_3	CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: TOOK 2ND JOB/INCREASE	J-89
AJ200V2_4	CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: REDUCED WORK HOURS/UN	J-89
AJ200V2_5	CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: TEMPORARY LEAVE/SICK/	J-90
AJ200V2_6	CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: QUIT JOB/LAID OFF	J-90
AJ200V2_7	CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: RETIRED/RETIRED EARLY	J-91
AJ200V2_8	CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: PAID FAMILY LEAVE	J-91
AJ200V2_9	CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: DOES NOT WORK	J-92
CAREGIVEPROB	EXPERIENCED HEALTH PROBLEM DUE TO PROVIDING CARE	J-92
AJ93	# HRS SPENT HELPING CARE RECIPIENT IN TYPICAL WEEK	J-93
AJ191	PAID FOR ANY HOURS HELPED CARE RECIPIENT	J-93
SECTION K	EMPLOYMENT, INCOME, POVERTY STATUS & FOOD SECURITY	K-1
AK1	WORK STATUS LAST WEEK	K-1
AK2_P1	MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE)	K-1
AK3_P1V2	# OF USUAL HRS WORKED PER WEEK (PUF 1 YR RECODE VERSION 2)	K-2
AK4	TYPE OF EMPLOYER AT MAIN JOB	K-2
INDMAIN2	MAIN INDUSTRY - RECODE (CENSUS 2017 IND. CLASSIFICATION SCHEME)	K-3
IND_FLAG3	CENSUS INDUSTRY CODE - CODING METHOD	K-4
OCCMAIN2	MAIN OCCUPATION - RECODE (CENSUS 2018 OCC. CLASSIFICATION SCHEME)	K-5
OCC_FLAG3	CENSUS OCCUPATION CODE - CODING METHOD	K-6
AK7_P1V2	LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE VERSION 2)	K-6

AKWKLNG	TIME AT MAIN JOB	K-7
AK8	# PEOPLE WORKING FOR EMPLOYER/YOU	K-7
AK10_P	RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)	K-8
AK20_P1	# OF HRS PER WEEK SPOUSE USUALLY WORKS (PUF 1 YR RECODE)	K-8
AK22_P1	HH TOTAL ANN. INC BEFORE TAXES IN PREVIOUS YEAR (PUF 1 YR RECODE)	K-9
AK10A_P	SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)	K-10
AK32V2	HH INCOME SUPPORTS SOMEONE LIVING IN U.S. BUT NOT LIVING IN HH (I	K-10
AK33V2_P1	# OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (INCLUDES SINGLE PE	K-11
AK136	SEEN OR HEARD ABOUT NEW 2020 CA PAID FAMILY/MEDICAL LEAVE LAW	K-11
AK137	TOOK PAID LEAVE LONGER THAN 2 WEEKS FROM WORK DUE TO OWN/FAMILY M	K-12
AK138_1	REASON FOR PAID LEAVE: OWN HEALTH	K-12
AK138_2	REASON FOR PAID LEAVE: FAMILY MEMBER'S HEALTH	K-13
AK138_3	REASON FOR PAID LEAVE: ARRIVAL OR NEWBORN, NEWLY ADOPTED CHILD, 0	K-13
AK138_91	REASON FOR PAID LEAVE: OTHER	K-14
AK139_1	REASON DID NOT TAKE LEAVE: FEAR OF LOSING JOB	K-14
AK139_2	REASON DID NOT TAKE LEAVE: FEAR OF HURTING CHANGES OF JOB ADVANCE	K-15
AK139_3	REASON DID NOT TAKE LEAVE: COULD NOT AFFORD TO GO ON LEAVE	K-15
AK139_4	REASON DID NOT TAKE LEAVE: EMPLOYER DENIED REQUEST FOR LEAVE	K-16
AK139_5	REASON DID NOT TAKE LEAVE: NOT ELIGIBLE	K-16
AK139_6	REASON DID NOT TAKE LEAVE: DIDN'T KNOW ABOUT LEAVE PROGRAM	K-17
AK139_7	REASON DID NOT TAKE LEAVE: PROCESS TO APPLY FOR LEAVE TOO COMPLIC	K-17
AK139_8	REASON DID NOT TAKE LEAVE: USED OTHER AVAILABLE LEAVE OPTIONS (E.	K-18
AK139_9	REASON DID NOT TAKE LEAVE: DID NOT NEED TO TAKE LEAVE	K-18

AM1	HOW OFTEN FOOD DIDN'T LAST,COULDN'T AFFORD MORE, PAST 12 MOS	K-19
AM2	HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS	K-19
AM3	ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	K-20
AM3A	HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	K-20
AM4	ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS	K-21
AM5	HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS	K-21
FSLEV	FOOD SECURITY STATUS LEVEL	K-22
FSLEVCB	FOOD SECURITY STATUS (2 LVLS)	K-22
POVGWD_P1	FAMILY POVERTY THRESHOLD LEVEL (PUF 1 YR RECODE)	K-23
POVLL2_P1V2	POVERTY LEVEL AS TIMES OF 100% FPL (PUF RECODE V2)	K-23
POVLL	POVERTY LEVEL	K-24
ELGMAGI3	MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (2 LVLS)	K-24
ELGMAGI4	MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (3 LVLS)	K-25
ELGMAGI5	MEDI-CAL ELIG FOR INDIVIDUALS <65 YRS:ACA MAGI(3 LVLS)	K-25
SECTION L	PUBLIC PROGRAM PARTICIPATION	L-1
AL2V2	RECEIVING TANF OR CALWORKS	L-1
AL5V2	RECEIVING FOOD STAMP BENEFITS	L-1
AL6V2	RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)	L-2
AL22	RECEIVING SOCIAL SECURITY DISABILITY INS	L-2
AL32V2	RECD ANY WORKERS COMPENSATION LAST MO	L-3
AL18AV2	RECVD SOCIAL SECURITY OR PENSION LAST MONTH	L-3
AL19V2_P1V2	MAIN REASON NOT ENROLLED IN MEDI-CAL (PUF 1 YR RECODE V2)	L-4
AL40V2_P1	LENGTH OF TIME HAD MEDI-CAL (PUF 1YR RECODE)	L-4
AL86	WAIT TIME WITH COUNTY OFFICE ABOUT MEDICAL BENEFITS IN PAST 12 MO	L-5
AL87	METHOD OF CONTACTING COUNTY OFFICE	L-5
AL88	LENGTH OF TIME COUNTY REP TO TAKE CARE OF R'S PROBLEM	L-6

AL89	COUNTY REP ANSWER ALL OF R'S QUESTIONS	L-6
AL90	COUNTY REP TREATED R WITH RESPECT	L-7
AL91_1	AREAS COUNTY OFFICE CAN IMPROVE: REDUCE WAIT TIMES	L-7
AL91_2	AREAS COUNTY OFFICE CAN IMPROVE: SPEND MORE TIME WITH R	L-8
AL91_3	AREAS COUNTY OFFICE CAN IMPROVE: EXPLAIN THINGS BETTER	L-8
AL91_4	AREAS COUNTY OFFICE CAN IMPROVE: TELL R THE NEXT STEPS	L-9
AL91_5	AREAS COUNTY OFFICE CAN IMPROVE: NO IMPROVEMENTS	L-9
AL91_6	AREAS COUNTY OFFICE CAN IMPROVE: ADD MORE LOCATIONS/STAFF	L-10
AL91_7	AREAS COUNTY OFFICE CAN IMPROVE: ADD MORE WAYS TO REACH STAFF	L-10
AL91_8	AREAS COUNTY OFFICE CAN IMPROVE: BETTER ATTITUDE	L-11
AL91_9	AREAS COUNTY OFFICE CAN IMPROVE: SIMPLIFIED/UP-TO-DATE SYSTEM/ONL	L-11
AL91_10	AREAS COUNTY OFFICE CAN IMPROVE: IMPROVE KNOWLEDGE/SKILLS OF STAF	L-12
AL91_11	AREAS COUNTY OFFICE CAN IMPROVE: EXPAND MEDICAL COVERAGE/SERVICES	L-12
AL91_12	AREAS COUNTY OFFICE CAN IMPROVE: OTHERS	L-13
AL91_13	AREAS COUNTY OFFICE CAN IMPROVE: IMPROVE COMMUNICATION	L-13
AL92	SATISFACTION RATING OF COUNTY OFFICE	L-14
AL93	RENEWED MEDI-CAL IN PAST 12 MOS	L-14
AL94	HAVE ISSUES RENEWING MEDI-CAL	L-15
AL105_1	NOTICE OF ACTIONS: EASY TO READ OR UNDERSTAND	L-15
AL105_2	NOTICE OF ACTIONS: DIFFICULT TO READ OR UNDERSTAND	L-16
AL105_3	NOTICE OF ACTIONS: CONTAIN HELPFUL INFORMATION	L-16
AL105_4	NOTICE OF ACTIONS: DOES NOT CONTAIN HELPFUL INFORMATION	L-17
AL105_5	NOTICE OF ACTIONS: NEVER GOT A NOTICE OF ACTIONS	L-17
AL106_1	HOW TO IMPROVE NOTICE OF ACTIONS: REDUCE TEXT	L-18
AL106_2	HOW TO IMPROVE NOTICE OF ACTIONS: SIMPLIFY LANGUAGE/READING LEVEL	L-18

AL106_3	HOW TO IMPROVE NOTICE OF ACTIONS: SHORTER PARAGRAPHS/SENTENCES	L-19
AL106_4	HOW TO IMPROVE NOTICE OF ACTIONS: SEND FEWER NOTICES	L-19
AL106_5	HOW TO IMPROVE NOTICE OF ACTIONS: GIVE CLEAR STEPS OF WHAT TO DO	L-20
AL106_6	HOW TO IMPROVE NOTICE OF ACTIONS: NO IMPROVEMENTS NEEDED	L-20
AL107	ABLE TO UPDATE CONTACT INFORMATION	L-21
AL108V2	WHY NOT ABLE TO UPDATE CONTACT INFO	L-21
AL109	EASY TO UPDATE CONTACT INFO	L-22
AL110_1	HOW UPDATED CONTACT INFO: VISITED OFFICE IN PERSON	L-22
AL110_2	HOW UPDATED CONTACT INFO: CALLED COUNTY OFFICE	L-23
AL110_3	HOW UPDATED CONTACT INFO: CALLED HEALTH PLAN	L-23
AL110_4	HOW UPDATED CONTACT INFO: DIRECTLY CONTACTED ELIGIBILITY WORKER	L-24
AL110_5	HOW UPDATED CONTACT INFO: ONLINE	L-24
AL110_6	HOW UPDATED CONTACT INFO: MAIL	L-25
AL110_7	HOW UPDATED CONTACT INFO: PORTAL	L-25
AL110_91	HOW UPDATED CONTACT INFO: OTHER	L-26
SSNCIT_YN	ASKED FOR SSN OR CITIZENSHIP TO GET MEDICAL SERVICES/SCHOOL ENROL	L-26
SECTION M	HOUSING & COMMUNITY INVOLVEMENT	M-1
AK23	LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME	M-1
AK25	OWN OR RENT HOME	M-1
AM204	LIVED IN CURRENT HOUSE/APT ONE YEAR AGO	M-2
HOUSETYPE	HOUSING STATUS	M-2
AM183	HOW FEEL ABOUT CURRENT HOUSING SITUATION	M-3
STABLEHOUSE	HAS STABLE HOUSING	M-3
STABLEHOUSE2	HAS STABLE HOUSING (ALTERNATE DEFINITION)	M-4
AM184	HOW OFTEN WORRY ABOUT STRUGGLING TO KEEP UP WITH MORTGAGE/RENT PA	M-4
AM185_1	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: TAKE	M-5

	ON ADDITIO	
AM185_2	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: STOP SAVING FOR	M-5
AM185_3	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: ACCUMULATE CRED	M-5
AM185_4	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: CUT BACK ON HEA	M-6
AM185_5	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: CUT BACK ON HEA	M-6
AM185_6	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: MOVE TO NEIGHBO	M-6
AM185_7	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: MOVE TO PLACE W	M-7
AM185_8	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: NONE OF THESE/N	M-7
AJ178	DOCTOR'S OFFICE CONNECTS FAMILY WITH COMMUNITY-BASED SERVICES	M-8
PLCSTOP	STOPPED BY POLICE IN PAST 3 YEARS	M-8
AM186_P1	# OF TIMES STOPPED BY POLICE IN PAST 3 YEARS (PUF 1 YR RECODE)	M-9
AM19	PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER	M-9
AM20	PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG	M-10
AM21	PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED	M-10
AK28	HOW OFTEN FEEL SAFE IN NEIGHBORHOOD	M-11
AM39	VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR	M-11
AM45	CAN CONTACT ELECTED OFFICIAL IN COMMUNITY	M-12
AM48	ACTIVE MEMBER IN COMMUNITY POLITICAL GROUP (NOT POLITICAL PARTY)	M-12
DMC8	WOULD HAVE GOTTEN BETTER MEDICAL CARE IF DIFF RACE/ETHNICITY	M-13
DMC9	HOW LONG AGO TREATED UNFAIRLY W/ MEDICAL CARE DUE TO RACE/ETHNICI	M-13
DISCRIM	DISCRIMINATION IN HEALTHCARE	M-14
AM189	EXPERIENCED DISCRIMINATION/HARASSMENT RELATED TO HOUSING IN PAST	M-14

AM192	RECEIVED OR USED HOUSING CHOICE SECTION 8 VOUCHER IN PAST 2 YRS	M-14
AM193_1	ACTIONS RELATED TO HOUSING VOUCHER: UNABLE TO USE VOUCHER	M-15
AM193_2	ACTIONS RELATED TO HOUSING VOUCHER: DENIED HOUSING BECAUSE OF VOU	M-15
AM193_3	ACTIONS RELATED TO HOUSING VOUCHER: TOLD BY LANDLORD VOUCHER NOT	M-16
AM193_4	ACTIONS RELATED TO HOUSING VOUCHER: NONE OF THESE	M-16
NOVOUCHER	UNABLE TO USE HOUSING VOUCHER FOR SOME REASON IN PAST 2 YRS	M-17
AM194	EXPERIENCED A HATE INCIDENT IN PAST 12 MONTHS	M-17
AM199	WITNESSED A HATE INCIDENT IN PAST 12 MONTHS	M-18
AM200_1	TYPE OF HATE INCIDENT WITNESSED: PHYSICAL ABUSE/ATTACK	M-18
AM200_2	TYPE OF HATE INCIDENT WITNESSED: VERBAL ABUSE/INSULTS	M-19
AM200_3	TYPE OF HATE INCIDENT WITNESSED: CYBERBULLYING	M-19
AM200_4	TYPE OF HATE INCIDENT WITNESSED: PROPERTY DAMAGE	M-20
AM200_5	TYPE OF HATE INCIDENT WITNESSED: WORSE SERVICE/TREATMENT OR RULES	M-20
AM200_6	TYPE OF HATE INCIDENT WITNESSED: EMOTIONAL OR PSYCHOLOGICAL ABUSE	M-21
AM200_7	TYPE OF HATE INCIDENT WITNESSED: THREATS AND INTIMIDATION, OTHER	M-21
AM200_8	TYPE OF HATE INCIDENT WITNESSED: EXPERIENCED OR WITNESSED A CLIMA	M-22
AM200_91	TYPE OF HATE INCIDENT WITNESSED: SOME OTHER TYPE	M-22
AM201_1	LOCATION OF WITNESSED HATE INCIDENT: HOME	M-23
AM201_2	LOCATION OF WITNESSED HATE INCIDENT: SCHOOL	M-23
AM201_3	LOCATION OF WITNESSED HATE INCIDENT: WORK	M-24
AM201_4	LOCATION OF WITNESSED HATE INCIDENT: A BUSINESS (STORE, THEATER,	M-24
AM201_5	LOCATION OF WITNESSED HATE INCIDENT: ON STREET OR SIDEWALK	M-25
AM201_6	LOCATION OF WITNESSED HATE INCIDENT: ONLINE	M-25

AM201_8	LOCATION OF WITNESSED HATE INCIDENT: PUBLIC GATHERING PLACE (PARK)	M-26
AM201_9	LOCATION OF WITNESSED HATE INCIDENT: EXPERIENCED OR WITNESSED A C	M-26
AM201_91	LOCATION OF WITNESSED HATE INCIDENT: SOMEWHERE ELSE	M-27
AM202_1	REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: RACE/SKIN COL	M-27
AM202_2	REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: SEXUAL ORIENT	M-28
AM202_3	REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: GENDER/SEX/GE	M-28
AM202_4	REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: RELIGION	M-29
AM202_5	REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: ANCESTRY/ORIG	M-29
AM202_6	REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: DISABILITY	M-30
AM202_7	REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: IMMIGRATION S	M-30
AM202_8	REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: AGE	M-31
AM202_9	REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: BECAUSE OF PO	M-31
AM202_10	REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: BECAUSE OF EC	M-32
AM202_91	REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: OTHER REASON	M-32
MAIN_HATEWIT	MAIN REASON WITNESSED PERSON TARGETED FOR A HATE INCIDENT	M-33
SECTION N	DEMOGRAPHIC INFO. PART III, GEOGRAPHIC INFO.	N-1
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	N-1
UR_IHS	RURAL AND URBAN - IHS	N-1
UR_OMB	RURAL AND URBAN - OMB	N-1
UR_RHP	RURAL AND URBAN - RHP	N-2
UR_BG4	RURAL AND URBAN - CLARITAS (BY BLOCK GROUP) (4 LVLS)	N-2
UR_CLRT4	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	N-3

UR_TRACT4	RURAL AND URBAN - CLARITAS (BY CENSUS TRACT) (4 LVLS)	N-3
SECTION 0	FULL DESIGN & REPLICATE WEIGHT SERIES 0-80	0-1
RAKEDW0	CHIS2023 RAKED WEIGHT - FULL SAMPLE	0-1
RAKEDW1	CHIS2023 RAKED WEIGHT - REPLICATE 1	0-1
RAKEDW2	CHIS2023 RAKED WEIGHT - REPLICATE 2	0-1
RAKEDW3	CHIS2023 RAKED WEIGHT - REPLICATE 3	0-2
RAKEDW4	CHIS2023 RAKED WEIGHT - REPLICATE 4	0-2
RAKEDW5	CHIS2023 RAKED WEIGHT - REPLICATE 5	0-2
RAKEDW6	CHIS2023 RAKED WEIGHT - REPLICATE 6	0-3
RAKEDW7	CHIS2023 RAKED WEIGHT - REPLICATE 7	0-3
RAKEDW8	CHIS2023 RAKED WEIGHT - REPLICATE 8	0-3
RAKEDW9	CHIS2023 RAKED WEIGHT - REPLICATE 9	0-4
RAKEDW10	CHIS2023 RAKED WEIGHT - REPLICATE 10	0-4
RAKEDW11	CHIS2023 RAKED WEIGHT - REPLICATE 11	0-4
RAKEDW12	CHIS2023 RAKED WEIGHT - REPLICATE 12	0-5
RAKEDW13	CHIS2023 RAKED WEIGHT - REPLICATE 13	0-5
RAKEDW14	CHIS2023 RAKED WEIGHT - REPLICATE 14	0-5
RAKEDW15	CHIS2023 RAKED WEIGHT - REPLICATE 15	0-6
RAKEDW16	CHIS2023 RAKED WEIGHT - REPLICATE 16	0-6
RAKEDW17	CHIS2023 RAKED WEIGHT - REPLICATE 17	0-6
RAKEDW18	CHIS2023 RAKED WEIGHT - REPLICATE 18	0-7
RAKEDW19	CHIS2023 RAKED WEIGHT - REPLICATE 19	0-7
RAKEDW20	CHIS2023 RAKED WEIGHT - REPLICATE 20	0-7
RAKEDW21	CHIS2023 RAKED WEIGHT - REPLICATE 21	0-8
RAKEDW22	CHIS2023 RAKED WEIGHT - REPLICATE 22	0-8
RAKEDW23	CHIS2023 RAKED WEIGHT - REPLICATE 23	0-8
RAKEDW24	CHIS2023 RAKED WEIGHT - REPLICATE 24	0-9
RAKEDW25	CHIS2023 RAKED WEIGHT - REPLICATE 25	0-9
RAKEDW26	CHIS2023 RAKED WEIGHT - REPLICATE 26	0-9

RAKEDW27	CHIS2023 RAKED WEIGHT - REPLICATE 27	0-10
RAKEDW28	CHIS2023 RAKED WEIGHT - REPLICATE 28	0-10
RAKEDW29	CHIS2023 RAKED WEIGHT - REPLICATE 29	0-10
RAKEDW30	CHIS2023 RAKED WEIGHT - REPLICATE 30	0-11
RAKEDW31	CHIS2023 RAKED WEIGHT - REPLICATE 31	0-11
RAKEDW32	CHIS2023 RAKED WEIGHT - REPLICATE 32	0-11
RAKEDW33	CHIS2023 RAKED WEIGHT - REPLICATE 33	0-12
RAKEDW34	CHIS2023 RAKED WEIGHT - REPLICATE 34	0-12
RAKEDW35	CHIS2023 RAKED WEIGHT - REPLICATE 35	0-12
RAKEDW36	CHIS2023 RAKED WEIGHT - REPLICATE 36	0-13
RAKEDW37	CHIS2023 RAKED WEIGHT - REPLICATE 37	0-13
RAKEDW38	CHIS2023 RAKED WEIGHT - REPLICATE 38	0-13
RAKEDW39	CHIS2023 RAKED WEIGHT - REPLICATE 39	0-14
RAKEDW40	CHIS2023 RAKED WEIGHT - REPLICATE 40	0-14
RAKEDW41	CHIS2023 RAKED WEIGHT - REPLICATE 41	0-14
RAKEDW42	CHIS2023 RAKED WEIGHT - REPLICATE 42	0-15
RAKEDW43	CHIS2023 RAKED WEIGHT - REPLICATE 43	0-15
RAKEDW44	CHIS2023 RAKED WEIGHT - REPLICATE 44	0-15
RAKEDW45	CHIS2023 RAKED WEIGHT - REPLICATE 45	0-16
RAKEDW46	CHIS2023 RAKED WEIGHT - REPLICATE 46	0-16
RAKEDW47	CHIS2023 RAKED WEIGHT - REPLICATE 47	0-16
RAKEDW48	CHIS2023 RAKED WEIGHT - REPLICATE 48	0-17
RAKEDW49	CHIS2023 RAKED WEIGHT - REPLICATE 49	0-17
RAKEDW50	CHIS2023 RAKED WEIGHT - REPLICATE 50	0-17
RAKEDW51	CHIS2023 RAKED WEIGHT - REPLICATE 51	0-18
RAKEDW52	CHIS2023 RAKED WEIGHT - REPLICATE 52	0-18
RAKEDW53	CHIS2023 RAKED WEIGHT - REPLICATE 53	0-18
RAKEDW54	CHIS2023 RAKED WEIGHT - REPLICATE 54	0-19

RAKEDW55	CHIS2023 RAKED WEIGHT - REPLICATE 55	0-19
RAKEDW56	CHIS2023 RAKED WEIGHT - REPLICATE 56	0-19
RAKEDW57	CHIS2023 RAKED WEIGHT - REPLICATE 57	0-20
RAKEDW58	CHIS2023 RAKED WEIGHT - REPLICATE 58	0-20
RAKEDW59	CHIS2023 RAKED WEIGHT - REPLICATE 59	0-20
RAKEDW60	CHIS2023 RAKED WEIGHT - REPLICATE 60	0-21
RAKEDW61	CHIS2023 RAKED WEIGHT - REPLICATE 61	0-21
RAKEDW62	CHIS2023 RAKED WEIGHT - REPLICATE 62	0-21
RAKEDW63	CHIS2023 RAKED WEIGHT - REPLICATE 63	0-22
RAKEDW64	CHIS2023 RAKED WEIGHT - REPLICATE 64	0-22
RAKEDW65	CHIS2023 RAKED WEIGHT - REPLICATE 65	0-22
RAKEDW66	CHIS2023 RAKED WEIGHT - REPLICATE 66	0-23
RAKEDW67	CHIS2023 RAKED WEIGHT - REPLICATE 67	0-23
RAKEDW68	CHIS2023 RAKED WEIGHT - REPLICATE 68	0-23
RAKEDW69	CHIS2023 RAKED WEIGHT - REPLICATE 69	0-24
RAKEDW70	CHIS2023 RAKED WEIGHT - REPLICATE 70	0-24
RAKEDW71	CHIS2023 RAKED WEIGHT - REPLICATE 71	0-24
RAKEDW72	CHIS2023 RAKED WEIGHT - REPLICATE 72	0-25
RAKEDW73	CHIS2023 RAKED WEIGHT - REPLICATE 73	0-25
RAKEDW74	CHIS2023 RAKED WEIGHT - REPLICATE 74	0-25
RAKEDW75	CHIS2023 RAKED WEIGHT - REPLICATE 75	0-26
RAKEDW76	CHIS2023 RAKED WEIGHT - REPLICATE 76	0-26
RAKEDW77	CHIS2023 RAKED WEIGHT - REPLICATE 77	0-26
RAKEDW78	CHIS2023 RAKED WEIGHT - REPLICATE 78	0-27
RAKEDW79	CHIS2023 RAKED WEIGHT - REPLICATE 79	0-27
RAKEDW80	CHIS2023 RAKED WEIGHT - REPLICATE 80	0-27
SECTION P	VOTER ENGAGEMENT	P-1
AP73V2	FREQUENCY OF VOTING IN PRESIDENTIAL ELECTIONS	P-1
AP74V2	FREQUENCY OF VOTING IN STATE ELECTIONS	P-1

AP75V2	FREQUENCY OF VOTING IN LOCAL ELECTIONS	P-2
VOTE_ENG2	VOTER ENGAGEMENT	P-2
AP80	MAIN REASON DID NOT VOTE	P-3
VOTE_RSNNO	MAIN REASON DID NOT VOTE	P-3
SECTION CV	COVID-19	CV-1
CV5V2	EVER RECEIVED POSITIVE TEST RESULT FOR COVID-19	CV-1
CV15V2	EVER EXPERIENCED LONG-LASTING COVID-19 SYMPTOMS FOR 2 MONTHS OR L	CV-1
CV7V3_5	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: CHILDCARE DIFFICULTIES	CV-2
CV7V3_6	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: DIFFICULTIES PAYING RE	CV-2
CV7V3_8	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: TREATED UNFAIRLY DUE T	CV-3
CV7V3_10	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: NONE OF THESE	CV-3
CV7V3_15	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: QUIT JOB TO TAKE CARE	CV-4
CV7V3_16	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: FINANCIAL DIFFICULTIES	CV-4
CV17_1	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: WORRIED A	CV-5
CV17_2	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: VACCINE D	CV-5
CV17_3	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: DON'T KNO	CV-6
CV17_4	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: VACCINE I	CV-6
CV17_5	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: DON'T BEL	CV-7
CV17_6	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: PLAN TO G	CV-7
CV17_7	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: ALREADY H	CV-8
CV17_91	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: OTHER	CV-8

CV16A	COMPLETED PRIMARY SERIES OF COVID-19 VACCINE	CV-9
CV16B	RECEIVED ANY ADDTL COVID-19 DOSES OR BOOSTERS	CV-9
CV23	HOW RECEIVED POSITIVE TEST RESULT FOR COVID-19	CV-10
CV24	WILL GET ADDITIONAL COVID-19 VACCINE DOSES IF GUIDELINES RECOMMEN	CV-10
CV25	WHAT WOULD MAKE MORE LIKELY TO GET ADDITIONAL COVID-19 VACCINE DO	CV-11
CV26	HAVE N95/KN95/KF94 MASK	CV-11
CV27	COULD GET N95/KN95/KF94 MASK IF RECOMMENDED TO PROTECT FROM COVID	CV-12
CV28_1	REASON UNABLE TO GET N95/KN95/KF94 MASK: TOO EXPENSIVE	CV-12
CV28_2	REASON UNABLE TO GET N95/KN95/KF94 MASK: DON'T KNOW WHERE TO BUY/	CV-13
CV28_3	REASON UNABLE TO GET N95/KN95/KF94 MASK: DON'T KNOW	CV-13
COVID_VAX	LEVEL OF COVID-19 VACCINATION	CV-14
MASK_VAX	OWNS COVID-19 MASK BASED ON COVID-19 PRIMARY VACCINE SERIES STATU	CV-14
MORE_VAX	WOULD GET ADDITIONAL COVID-19 DOSE BASED ON PRIMARY SERIES STATUS	CV-15
MORE_VAX2	WOULD GET ADDITIONAL COVID-19 DOSE BASED ON COVID-19 VACCINE STAT	CV-15
SECTION GV	GUN VIOLENCE	GV-1
AGV1_P1	# OF FIREARMS KEPT IN HOME (PUF 1 YR RECODE)	GV-1
AGV2_P1	# OF HANDGUNS KEPT IN HOME (PUF 1 YR RECODE)	GV-2
AGV3	FIREARM IS A HANDGUN	GV-2
AGV9	ANY FIREARMS KEPT LOADED AND UNLOCKED	GV-3
AGV8V2	ABLE TO GET FIREARM IF WANTED WITHIN 2 DAYS	GV-3
FIREARM	FIREARM KEPT IN HOME	GV-4
HANDGUN	HANDGUN KEPT IN HOME	GV-4
HANDGUNNUM_P	NUMBER OF HANDGUNS KEPT IN HOME (PUF 1 YR RECODE)	GV-5
SECTION R	ADVERSE CHILDHOOD EXPERIENCES	R-1
AQ1	LIVED WITH ANYONE WHO WAS DEPRESSED/MENTALLY ILL/SUICIDAL BEFORE	R-1

AQ2	LIVED WITH ANYONE WHO WAS A PROBLEM DRINKER/ALCOHOLIC BEFORE AGE	R-1
AQ3	LIVED WITH ANYONE WHO USED ILLEGAL DRUGS/ABUSED PRESCRIPTION MEDS	R-1
AQ4	LIVED WITH ANYONE WHO SERVED JAIL/PRISON TIME BEFORE AGE 18	R-2
AQ5	PARENTS SEPARATED OR DIVORCED BEFORE AGE 18	R-2
AQ6	HOW OFTEN ADULTS IN HOME PHYSICALLY FOUGHT EACH OTHER BEFORE AGE	R-3
AQ7	HOW OFTEN ADULTS IN HOME PHYSICALLY HURT R BEFORE AGE 18	R-3
AQ8	HOW OFTEN ADULTS IN HOME SWEARED AT OR INSULTED R BEFORE AGE 18	R-4
AQ12	EVER BEEN VICTIM OF VIOLENCE OR WITNESSED VIOLENCE IN NEIGHBORHOOD	R-4
AQ13	EVER BEEN TREATED UNFAIRLY DUE TO RACE/ETHNICITY BEFORE AGE 18	R-4
AQ14	EVER LIVED WITH A PARENT WHO DIED BEFORE AGE 18	R-5
AQ15	HOW OFTEN HARD TO GET BY ON FAMILY'S INCOME BEFORE AGE 18	R-5
AQ23V2	EVER COMPLETED AN ACES ASSESSMENT WITH A HEALTH PROFESSIONAL	R-6
AQ24V2	EVER COMPLETED AN ACES ASSESSMENT FOR TEEN WITH A HEALTH PROFESSIONAL	R-6
AQ25V2	EVER COMPLETED AN ACES ASSESSMENT FOR CHILD WITH A HEALTH PROFESSIONAL	R-7
AQ28	EVER HEARD THE TERM ADVERSE CHILDHOOD EXPERIENCES OR ACES	R-7
AQ29	HEALTH PRO DISCUSSED STRENGTHS/RESILIENCE/POSITIVE EXPERIENCES BA	R-8
AQ30	AMOUNT OF CHILDHOOD HAD ADULT IN HH WHO MADE FEEL SAFE/PROTECTED	R-8
AQ31	AMOUNT OF CHILDHOOD HAD ADULT IN HH WHO TRIED TO MAKE SURE BASIC	R-9
ACE_A	ADVERSE CHILDHOOD EXPERIENCES SCALE	R-9
ACE8	ADVERSE CHILDHOOD EXPERIENCES SCALE (8 PT SCALE)	R-10

SECTION Q: SCREENING INFORMATION

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: PUF1Y_ID

LABEL: PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES

VALUE:		FREQ	%
.	0 - HIGH	21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AADATE_MM

LABEL: DATE ADULT SECTION A DONE (YYYYMM)

VALUE:		FREQ	%
202301	JANUARY 2023	132	0.61
202302	FEBRUARY 2023	297	1.37
202303	MARCH 2023	1788	8.25
202304	APRIL 2023	3366	15.53
202305	MAY 2023	4215	19.45
202306	JUNE 2023	3303	15.24
202307	JULY 2023	3480	16.06
202308	AUGUST 2023	3270	15.09
202309	SEPTEMBER 2023	1294	5.97
202310	OCTOBER 2023	303	1.40
202311	NOVEMBER 2023	223	1.03

UNIVERSE: ALL ADULTS

INPUT VAR: AADATE

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: HHSIZE_P1

LABEL: HOUSEHOLD SIZE (PUF 1 YR RECODE)

MEAN STATISTICS

N	21671
MIN	1
MAX	10
MEAN	2.51

UNIVERSE: ALL ADULTS

INPUT VAR: ADLTCNT KIDCNT

NOTES: ADLTCNT + KIDCNT; TOPCODE = 10

VARNAME: INTVLNGC_P1

LABEL: LANGUAGE OF INTERVIEW (PUF 1 YR RECODE)

VALUE:		FREQ	%
1	ENGLISH	20024	92.40
2	SPANISH	1075	4.96
3	OTHER LANGUAGE	572	2.64

UNIVERSE: ALL ADULTS

INPUT VAR: INTVLANG

NOTES: INTVLANG Categories Collapsed

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: PROXY

LABEL: A PROXY INTERVIEW

VALUE:			FREQ	%
1	YES		16	0.07
2	NO		21655	99.93

UNIVERSE: ALL ADULTS

INPUT VAR: APRX1

NOTES:

VARNAME: SRTENR

LABEL: SELF-REPORTED HOUSEHOLD TENURE (HH)

VALUE:			FREQ	%
1	OWN		13790	63.63
2	RENT/SOME OTHER ARRANGEMENT		7881	36.37

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

SECTION A: DEMOGRAPHIC INFORMATION, PART I

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SRAGE_P1

LABEL: SELF-REPORTED AGE (PUF 1 YR RECODE)

VALUE:			FREQ	%
18	18-25 YEARS		1114	5.14
26	26-29 YEARS		749	3.46
30	30-34 YEARS		1365	6.30
35	35-39 YEARS		1535	7.08
40	40-44 YEARS		1712	7.90
45	45-49 YEARS		1712	7.90
50	50-54 YEARS		1990	9.18
55	55-59 YEARS		2124	9.80
60	60-64 YEARS		2465	11.37
65	65-69 YEARS		2259	10.42
70	70-74 YEARS		1980	9.14
75	75-79 YEARS		1373	6.34
80	80-84 YEARS		754	3.48
85	85+ YEARS		539	2.49

UNIVERSE: ALL ADULTS

INPUT VAR: SRAGE

NOTES: SRAGE Categories Collapsed. Main Adult PUF age variable.

VARNAME: SRSEX

LABEL: SELF-REPORTED GENDER

VALUE:			FREQ	%
1	MALE		9279	42.82
2	FEMALE		12392	57.18

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD65DV2_P1

LABEL: SEX ASSIGNED ON ORIGINAL BIRTH CERTIFICATE (PUF 1 YR RECODE)

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
1	MALE		9175	42.34
2	FEMALE		12292	56.72
3	DON'T KNOW OR PREFER NOT TO ANSWER		188	0.87

UNIVERSE: ALL ADULTS

INPUT VAR: AD65DV2

NOTES: PUF RECODE CREATED IN CHIS 2023. PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: TRANSGEND2

LABEL: CURRENT SELF REPORTED GENDER AND SEX AT BIRTH: 2-LEVELS

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
1	CISGENDER I.E., NOT TRANSGENDER OR GENDE		21476	99.10
2	TRANSGENDER AND GENDER EXPANSIVE		179	0.83

UNIVERSE: ALL ADULTS

INPUT VAR: AD65DV2 AD66BV2

NOTES: MINOR CHANGE IN CATEGORY LABELS IN 2023.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: LATIN2TP

LABEL: LATIN/HISPANIC SUBTYPES (2 LVLS)

VALUE:			FREQ	%
-1	NON-LATINO		15667	72.29
1	MEXICAN		3596	16.59
2	OTHER		2408	11.11

UNIVERSE: ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR: LATIN9TP

NOTES: SHIFTS IN LATIN2TP MAY BE SEEN STARTING IN 2021 DUE TO
IMPLEMENTATION OF WHITE/BLACK ORIGIN VARIABLES THAT MAY IMPACT THE
COMPLETE RACE/ETHNICITY PROFILE OF A RESPONDENT. USE CAUTION WHEN
TRENDING WITH PRE-2021 YEARS.

VARNAME: BLACKCRB

LABEL: BLACK: CARIBBEAN

VALUE:			FREQ	%
-8	DON'T KNOW		133	0.61
1	CARIBBEAN BLACK ORIGIN		92	0.42
2	NOT CARIBBEAN BLACK ORIGIN		21446	98.96

UNIVERSE: ALL ADULTS

INPUT VAR: AA5I_A - AA5I_F

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: BLACKSSA

LABEL: BLACK: SUB-SAHARAN AFRICAN

VALUE:			FREQ	%
-8	DON'T KNOW		133	0.61
1	SUB-SAHARAN AFRICAN BLACK ORIGIN		172	0.79
2	NOT SUB-SAHARAN AFRICAN BLACK ORIGIN		21366	98.59

UNIVERSE: ALL ADULTS

INPUT VAR: AA5I_A - AA5I_F

NOTES:

VARNAME: MENA

LABEL: MIDDLE EAST AND NORTH AFRICA ORIGIN

VALUE:			FREQ	%
1	RESPONDENT REPORTED MIDDLE EAST AND NORT	266		1.23
2	RESPONDENT DID NOT REPORT MIDDLE EAST AN	21405		98.77

UNIVERSE: ALL ADULTS

INPUT VAR: AA5H_A - AA5H_F

NOTES: PLEASE REFER TO THE CHIS CONSTRUCTED VARIABLE DICTIONARY FOR
DETAILS ON THE CONSTRUCTION OF THE MENA VARIABLE

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: OMBSRR_P1

LABEL: OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE)

VALUE:			FREQ	%
1	HISPANIC		6000	27.69
2	WHITE, NON-HISPANIC (NH)		10491	48.41
3	AFRICAN AMERICAN ONLY, NOT HISPANIC		971	4.48
4	AMERICAN INDIAN/ALASKAN NATIVE ONLY, NH		86	0.40
5	ASIAN ONLY, NH		3346	15.44
6	OTHER/TWO OR MORE RACES		777	3.59

UNIVERSE: ALL ADULTS

INPUT VAR: OMBSRREO

NOTES: OMBSRREO Categories Collapsed

VARNAME: RACECN_P1

LABEL: RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE)

VALUE:			FREQ	%
1	OTHER SINGLE RACE		1615	7.45
2	AMERICAN INDIAN/ALASKAN NATIVE		529	2.44
3	ASIAN		3407	15.72
4	AFRICAN AMERICAN		1064	4.91
5	WHITE		13977	64.50
7	MORE THAN ONE RACE		1079	4.98

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO

NOTES: BASED ON CENSUS SF1 DEFINITION. FOR CURRENT RACEDOF, SEE OMBSRREO.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RACEDF_P1

LABEL: FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE)

VALUE:		FREQ	%
1	LATINO	6000	27.69
2	NON-LATINO OTHER, ONE RACE	120	0.55
3	NON-LATINO AMERICAN INDIAN/ALASKAN NATIV	85	0.39
4	NON-LATINO ASIAN	3334	15.38
5	NON-LATINO AFR. AMER.	959	4.43
6	NON-LATINO WHITE	10429	48.12
8	NON-LATINO, TWO+ RACES	744	3.43

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO SRH

NOTES: BASED ON '01 DEPT OF FINANCE DEFIN. CURRENT RACEDOF SEE OMBSRREQ.

VARNAME: RACEHP2_P1

LABEL: RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE)

VALUE:		FREQ	%
1	LATINO	3333	15.38
2	OTHER SINGLE/MULTIPLE RACE	3070	14.17
3	AMERICAN INDIAN/ALASKA NATIVE	162	0.75
4	ASIAN	3364	15.52
5	AFRICAN AMERICAN	1023	4.72
6	WHITE	10719	49.46

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO SRH AA5G AA5F ISRH ISRW AA5AOS AA5C

NOTES: NOT FOR DIRECT COMPARISON TO RACEHPR OF PREVIOUS CYCLES

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: CATRIBE

LABEL: CALIFORNIA TRIBE

VALUE:			FREQ	%
-9	UNKNOWN TRIBAL HERITAGE		354	1.63
-1	INAPPLICABLE		20537	94.77
1	CALIFORNIA TRIBAL HERITAGE		79	0.36
2	NON-CALIFORNIA TRIBAL HERITAGE		701	3.23

UNIVERSE: ALL ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR: SRAI AA5B_1 AA5B_2 AA5B_3 AA5B_4 AA5B_5 AA5B_6 AA5B_7 AA5B_8

NOTES:

VARNAME: AA5C

LABEL: ENROLLED MEMBER IN RECOGNIZED TRIBE

VALUE:			FREQ	%
-9	NOT ASCERTAINED		291	1.34
-8	DON'T KNOW		2	0.01
-1	INAPPLICABLE		20625	95.17
1	YES		96	0.44
2	NO		657	3.03

UNIVERSE: ALL ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AA5G

LABEL: IDENTIFY WITH ONE RACE IN PARTICULAR

VALUE:		FREQ	%
-9	NOT ASCERTAINED	661	3.05
-8	DON'T KNOW	16	0.07
-7	REFUSED	9	0.04
-1	INAPPLICABLE	15526	71.64
1	YES	2712	12.51
2	NO	2747	12.68

UNIVERSE: MULTI-RACIAL ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: LNGHM_P1

LABEL: LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE)

VALUE:		FREQ	%
1	ENGLISH	14136	65.23
2	SPANISH	908	4.19
3	CHINESE	460	2.12
4	VIETNAMESE	152	0.70
5	KOREAN	173	0.80
6	OTHER ONE LANGUAGE ONLY	268	1.24
8	ENGLISH & SPANISH	3302	15.24
9	ENGLISH & CHINESE	367	1.69
10	ENGLISH & EUROPEAN LANGUAGE	332	1.53
11	ENGLISH & ANOTHER ASIAN LANGUAGE	856	3.95
12	ENGLISH & ONE OTHER LANGUAGE	169	0.78
13	OTHER LANGUAGES (2+)	548	2.53

UNIVERSE: ALL ADULTS

INPUT VAR: AH36_1 AH36_2 AH36_3 AH36_4 AH36_5 AH36_6 AH36_7 AH36_8 AH36_9

NOTES: LNGHM Categories Collapsed

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH37

LABEL: LEVEL OF ENGLISH PROFICIENCY: GENERAL

VALUE:			FREQ	%
-1	INAPPLICABLE		14136	65.23
1	VERY WELL		4515	20.83
2	WELL		1860	8.58
3	NOT WELL		969	4.47
4	NOT AT ALL		191	0.88

UNIVERSE: ALL ADULTS WHO SPEAK LANGUAGE OTHER THAN ENGLISH AT HOME AND/OR
WERE INTERVIEWED IN LANGUAGE OTHER THAN ENGLISH

INPUT VAR:

NOTES:

VARNAME: SPK_ENG

LABEL: ENGLISH USE AND PROFICIENCY

VALUE:			FREQ	%
1	SPEAK ONLY ENGLISH		14136	65.23
2	VERY WELL/WELL		6375	29.42
3	NOT WELL/NOT AT ALL		1160	5.35

UNIVERSE: ALL ADULTS

INPUT VAR: AH36_1 AH36_2 AH36_3 AH36_4 AH36_5 AH36_6 AH36_7 AH36_8 AH36_9

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH44

LABEL: SPOUSE LIVING IN SAME HOUSEHOLD

VALUE:			FREQ	%
-1	INAPPLICABLE		9466	43.68
1	YES		11928	55.04
2	NO		277	1.28

UNIVERSE: ADULTS WHO ARE MARRIED OR LIVING WITH A PARTNER

INPUT VAR:

NOTES:

VARNAME: MARIT

LABEL: MARITAL STATUS- 3 CATEGORIES

VALUE:			FREQ	%
1	MARRIED		10674	49.25
2	OTHER/SEP/DIV/LIVING W/PARTNER		6642	30.65
3	NEVER MARRIED		4355	20.10

UNIVERSE: ALL ADULTS

INPUT VAR: AH43

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: MARIT_45

LABEL: MARITAL STATUS - AGE 45 AND OLDER

VALUE:			FREQ	%
-1	INAPPLICABLE		6475	29.88
1	MARRIED		7992	36.88
2	LIVING WITH PARTNER		735	3.39
3	WIDOWED		1570	7.24
4	DIVORCED/SEPARATED		3110	14.35
5	NEVER MARRIED		1789	8.26

UNIVERSE: ALL ADULTS AGE 45 AND OLDER

INPUT VAR: AH43 SRAGE

NOTES:

VARNAME: MARIT2

LABEL: MARITAL STATUS- 4 CATEGORIES

VALUE:			FREQ	%
1	MARRIED		10674	49.25
2	LIVING W/ PARTNER		1531	7.06
3	WID/SEP/DIV		5111	23.58
4	NEVER MARRIED		4355	20.10

UNIVERSE: ALL ADULTS

INPUT VAR: AH43

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: INTV_MODE2

LABEL: INTERVIEW MODE (PHONE OR WEB)

VALUE:			FREQ	%
1	PHONE INTERVIEW		2511	11.59
2	WEB INTERVIEW		19160	88.41

UNIVERSE: ALL ADULTS

INPUT VAR: ADULTENDCHANNEL

NOTES:

SECTION B: GENERAL HEALTH CONDITION

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AB1

LABEL: GENERAL HEALTH CONDITION

VALUE:			FREQ	%
1	EXCELLENT		3609	16.65
2	VERY GOOD		7764	35.83
3	GOOD		6699	30.91
4	FAIR		2974	13.72
5	POOR		625	2.88

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AB17

LABEL: DOCTOR EVER TOLD HAVE ASTHMA

VALUE:			FREQ	%
1	YES		3891	17.95
2	NO		17780	82.05

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: QX VARNAME = AB17B

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AB40

LABEL: STILL HAS ASTHMA

VALUE:			FREQ	%
-1	INAPPLICABLE		17780	82.05
1	YES		2256	10.41
2	NO		1635	7.54

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: AB41

LABEL: ASTHMA EPISODE/ATTACK IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		17780	82.05
1	YES		1270	5.86
2	NO		2621	12.09

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB42V2_P1

LABEL: WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		17780	82.05
0	0 DAYS		3650	16.84
1	1-2 DAYS		73	0.34
2	3-4 DAYS		55	0.25
3	5+ DAYS		113	0.52

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR: AB42V2

NOTES: CHIS 2021 PUF RECODE

VARNAME: ASTCUR

LABEL: CURRENT ASTHMA STATUS

VALUE:			FREQ	%
1	CURRENT ASTHMA		2330	10.75
2	NO CURRENT ASTHMA		19341	89.25

UNIVERSE: ALL ADULTS

INPUT VAR: AB17 AB40 AB41

NOTES: -----

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AB18

LABEL: TAKING DAILY MEDICATION TO CONTROL ASTHMA

VALUE:			FREQ	%
-1	INAPPLICABLE		17780	82.05
1	YES		1191	5.50
2	NO		2700	12.46

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: AB43

LABEL: HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		17780	82.05
1	YES		2008	9.27
2	NO		1883	8.69

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AB98

LABEL: HAVE WRITTEN COPY OF ASTHMA CARE PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		19663	90.73
1	YES		398	1.84
2	NO		1610	7.43

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND CARE PROVIDERS DEVELOP
ASTHMA CARE PLAN

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2018).

VARNAME: AB22V2

LABEL: DOCTOR EVER TOLD HAVE DIABETES

VALUE:			FREQ	%
1	YES		2809	12.96
2	NO		18862	87.04

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: RECOMMEND USERS TO USE DIABETES CONSTRUCTED VARIABLE DUE TO AB22
MODE DIFFERENCES IN 2019; PREVIOUS VERSION: AB22

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DIABETES

LABEL: DOCTOR EVER TOLD HAVE DIABETES (NON-GESTATIONAL)

VALUE:			FREQ	%
1	YES		2809	12.96
2	NO		18862	87.04

UNIVERSE: ALL ADULTS

INPUT VAR: AB22

NOTES: ADULTS WITH AB22 IN (2,3) ARE CLASSIFIED AS NON-DIABETICS

VARNAME: DIAMED

LABEL: TAKING INSULIN OR PILLS

VALUE:			FREQ	%
-1	INAPPLICABLE		18862	87.04
1	TAKING INSULIN & PILLS		441	2.03
2	TAKING INSULIN ONLY		218	1.01
3	TAKING PILLS ONLY		1478	6.82
4	NOT TAKING INSULIN NOR PILLS		672	3.10

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB24 AB25

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AB24

LABEL: CURRENTLY TAKING INSULIN

VALUE:			FREQ	%
-1	INAPPLICABLE		18862	87.04
1	YES		659	3.04
2	NO		2150	9.92

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB25

LABEL: CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR

VALUE:			FREQ	%
-1	INAPPLICABLE		18862	87.04
1	YES		1919	8.86
2	NO		890	4.11

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB63

LABEL: LAST EYE EXAM DILATED PUPILS

VALUE:		FREQ	%
-1	INAPPLICABLE	18862	87.04
1	WITHIN THE PAST MONTH	343	1.58
2	1 TO 12 MOS AGO	1459	6.73
3	1 TO 2 YRS AGO	481	2.22
4	2 OR MORE YRS AGO	406	1.87
5	NEVER	120	0.55

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB112

LABEL: MEDICAL PROVIDERS DEVELOP DIABETES CARE PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	18862	87.04
1	YES	2376	10.96
2	NO	433	2.00

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AB29V2

LABEL: DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE

VALUE:			FREQ	%
1	YES		6883	31.76
2	NO		12918	59.61
3	BORDERLINE HYPERTENSION		1870	8.63

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PREVIOUS VERSION: AB29

VARNAME: AB30V2

LABEL: CURRENTLY TAKING MEDICATIONS FOR HIGH BLOOD PRESSURE

VALUE:			FREQ	%
-1	INAPPLICABLE		14788	68.24
1	YES		5724	26.41
2	NO		1159	5.35

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE HIGH BLOOD PRESSURE

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2017). PREVIOUS VERSION: AB30.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AB152

LABEL: HBP UNDER CONTROL LAST TIME CHECKED BY DOCTOR IN PAST YEAR (< 140

VALUE:			FREQ	%
-1	INAPPLICABLE		14788	68.24
1	YES		5889	27.17
2	NO		715	3.30
3	DON'T KNOW		279	1.29

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE HIGH BLOOD PRESSURE

INPUT VAR:

NOTES: ADDITION OF DISPLAYED RESPONSE CATEGORY FOR "DON'T KNOW" IN 2023,
WHICH DIFFERS FROM -8 VALUE USED ACROSS ALL VARIABLES FOR
NON-VALID RESPONSE.

VARNAME: AB153

LABEL: REDUCED SALT IN DIET TO HELP CONTROL HBP IN PAST YEAR

VALUE:			FREQ	%
-1	INAPPLICABLE		14788	68.24
1	YES		4122	19.02
2	NO		2761	12.74

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE HIGH BLOOD PRESSURE

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: HBPCONTROL

LABEL: HIGH BLOOD PRESSURE UNDER CONTROL IN PAST YEAR DUE TO STEPS TAKEN

		FREQ	%
VALUE:	1	HBP UNDER CONTROL IN PAST YEAR DUE TO ME 5435	25.08
	2	HBP UNDER CONTROL IN PAST YEAR WITH NO M 454	2.09
	3	HBP NOT UNDER CONTROL IN PAST YEAR, ALTH 640	2.95
	4	HBP NOT UNDER CONTROL IN PAST YEAR WITH 75	0.35
	5	HAS NEVER BEEN TOLD HAVE HIGH BLOOD PRES 14788	68.24
	6	DON'T KNOW IF HIGH BLOOD PRESSURE WAS UN 279	1.29

UNIVERSE: ALL ADULTS

INPUT VAR: AB29V2 AB30V2 AB152 AB153

NOTES: CV CREATED IN CHIS 2023.

VARNAME: AB154

LABEL: DOCTOR TOLD HAVE HIGH CHOLESTEROL IN PAST YEAR (> 240)

		FREQ	%
VALUE:	1	YES 4785	22.08
	2	NO 16083	74.21
	3	DON'T KNOW 803	3.71

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: ADDITION OF DISPLAYED RESPONSE CATEGORY FOR "DON'T KNOW" IN 2023,
WHICH DIFFERS FROM -8 VALUE USED ACROSS ALL VARIABLES FOR
NON-VALID RESPONSE.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AB155

LABEL: CHOLESTEROL WAS < 200 LAST TIME CHECKED BY DR

VALUE:			FREQ	%
-1	INAPPLICABLE		16886	77.92
1	YES		2879	13.29
2	NO		1906	8.80

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE HIGH CHOLESTEROL IN PAST YEAR

INPUT VAR:

NOTES:

VARNAME: RISK_CONTROL

LABEL: ALL DIAGNOSED CHRONIC RISK FACTORS UNDER CONTROL IN PAST YEAR (AS

VALUE:			FREQ	%
1	YES		7364	33.98
2	NO		2796	12.90
3	NO DIAGNOSED CHRONIC RISK FACTORS		11511	53.12

UNIVERSE: ALL ADULTS

INPUT VAR: AB22V2 AB17 AB29V2 AB150 AB41 AB152

NOTES: CV CREATED IN CHIS 2023.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RISK2

LABEL: EVER DIAGNOSED WITH ANY CHRONIC RISK FACTOR (ASTHMA, DIABETES, HB

VALUE:			FREQ	%
1	YES		12305	56.78
2	NO		9366	43.22

UNIVERSE: ALL ADULTS

INPUT VAR: AB22V2 AB17 AB29V2 AB154 AB34 AC6V2

NOTES: CV CREATED IN CHIS 2023.

VARNAME: AB34

LABEL: DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE

VALUE:			FREQ	%
1	YES		2010	9.28
2	NO		19661	90.72

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC6V2

LABEL: DOCTOR EVER TOLD HAD A STROKE

VALUE:			FREQ	%
1	YES		638	2.94
2	NO		21033	97.06

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2012). PREVIOUS VERSION: AC6.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB27_P1

LABEL: # OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR (PUF 1 YR RECOD

VALUE:		FREQ	%
-1	INAPPLICABLE	18862	87.04
0	0 TIMES	189	0.87
1	1 TIMES	530	2.45
2	2 TIMES	941	4.34
3	3 TIMES	501	2.31
4	4 TIMES	510	2.35
5	5+ TIMES	138	0.64

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB27

NOTES: AB27 Categories Collapsed

VARNAME: AB150

LABEL: DOCTOR TOLD HEMOGLOBIN A1C LEVEL <9% IN PAST YEAR

VALUE:		FREQ	%
-1	INAPPLICABLE	18862	87.04
1	YES	2025	9.34
2	NO	517	2.39
3	DON'T KNOW	267	1.23

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES: ADDITION OF DISPLAYED RESPONSE CATEGORY FOR "DON'T KNOW" IN 2023,
WHICH DIFFERS FROM -8 VALUE USED ACROSS ALL VARIABLES FOR
NON-VALID RESPONSE.

SECTION C: HEALTH BEHAVIORS

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AC212

LABEL: DID MODERATE PHYSICAL ACTIVITY FOR 2.5 HOURS IN PAST WEEK

			FREQ	%
VALUE:	1	YES	14318	66.07
	2	NO	7353	33.93

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC46V2

LABEL: # OF TIMES DRANK SWEET FRUIT DRINKS PAST MO

MEAN STATISTICS	
N	3712
MIN	0
MAX	480
MEAN	11.62

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME <=185% FPL

INPUT VAR:

NOTES: PREVIOUS VERSION: AC46. NEW VERSION IN 2023 DUE TO NEW UNIVERSE.
QX VARNAME = AC46B.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE2V2

LABEL: # TIMES ATE FRUIT IN PAST MO

MEAN STATISTICS

N	3712
MIN	0
MAX	600
MEAN	33.77

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME <=185% FPL

INPUT VAR: AE_FRUIT

NOTES: PREVIOUS VERSION: AE2. NEW VERSION IN 2023 DUE TO NEW UNIVERSE. QX
VARNAME = AE2B.

VARNAME: AE_FRUITV2

LABEL: # OF TIMES EATING FRUIT PER WEEK

MEAN STATISTICS

N	3712
MIN	0
MAX	139
MEAN	7.83

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME <=185% FPL

INPUT VAR: AE2V2

NOTES: PREVIOUS VERSION: AE_FRUIT. NEW VERSION IN 2023 DUE TO NEW VERSION
OF INPUT VARIABLE AE2.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE7V2

LABEL: # OF TIMES ATE VEGETABLES IN PAST MO

MEAN STATISTICS

N	3712
MIN	0
MAX	600
MEAN	34.23

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME <=185% FPL

INPUT VAR: AE_VEGI

NOTES: PREVIOUS VERSION: AE7. NEW VERSION IN 2023 DUE TO NEW UNIVERSE. QX
VARNAME = AE7B.

VARNAME: AE_VEGIV2

LABEL: # OF TIMES EATING VEGETABLES PER WEEK

MEAN STATISTICS

N	3712
MIN	0
MAX	139
MEAN	7.95

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME <=185% FPL

INPUT VAR: AE7V2

NOTES: PREVIOUS VERSION: AE_VEGI. NEW VERSION IN 2023 DUE TO NEW VERSION
OF INPUT VARIABLE AE7.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AE15

LABEL: SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME

			FREQ	%
VALUE:	1	YES	6100	28.15
	2	NO	15571	71.85

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AE15A

LABEL: SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL

			FREQ	%
VALUE:	-1	INAPPLICABLE	15571	71.85
	1	EVERY DAY	701	3.23
	2	SOME DAYS	471	2.17
	3	NOT AT ALL	4928	22.74

UNIVERSE: ALL ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC174

LABEL: # OF DAYS SMOKED CIGARETTES IN PAST 30 DAYS

MEAN STATISTICS

N	16860
MIN	0
MAX	30
MEAN	1.60

UNIVERSE: ADULTS WHO SMOKED LESS THAN 100 CIGS. IN LIFETIME OR SMOKE EVERY
DAY/SOME DAYS OR LAST SMOKED WITHIN PAST MONTH

INPUT VAR:

NOTES:

VARNAME: SMKCUR30

LABEL: CURRENT SMOKER (PAST 30 DAYS)

VALUE:		FREQ	%
1	CURRENT SMOKER	1306	6.03
2	NOT A CURRENT SMOKER	20365	93.97

UNIVERSE: ALL ADULTS

INPUT VAR: AC174

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: TOBCUR

LABEL: CURRENT (PAST 30 DAYS) USE OF ANY TOBACCO PRODUCTS

VALUE:			FREQ	%
1	YES		2261	10.43
2	NO		19410	89.57

UNIVERSE: ALL ADULTS

INPUT VAR: AC135 AC137 AC139 AC141 AC82C AC174

NOTES: CV CREATED IN CHIS 2023.

VARNAME: AC173

LABEL: HOW LONG SINCE LAST SMOKED A CIGARETTE

MEAN STATISTICS	
N	4928
MIN	0
MAX	29200
MEAN	7804.53

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME AND DO NOT
SMOKE CURRENTLY

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD32_P1

LABEL: # OF CIGARETTES PER DAY (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	20970	96.77
0	0 CIGARETTES	11	0.05
1	1-5 CIGARETTES	145	0.67
6	6-10 CIGARETTES	273	1.26
11	11-15 CIGARETTES	112	0.52
16	16+ CIGARETTES	160	0.74

UNIVERSE: ALL ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME AND NOW
SMOKE EVERY DAY

INPUT VAR: AD32

NOTES: AD32 CATEGORIES COLLAPSED. ADDITIONAL IMPUTATION DONE IN 2023 DUE
TO MINOR DATA COLLECTION ERROR. TAKE INTO CONSIDERATION WHEN
TRENDING WITH PRIOR YEARS.

VARNAME: AE16V2_P1

LABEL: # OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	20982	96.82
0	0 CIGARETTES	71	0.33
1	1 CIGARETTE	208	0.96
2	2 CIGARETTES	109	0.50
3	3 CIGARETTES	76	0.35
4	4 CIGARETTES	54	0.25
5	5 CIGARETTES	74	0.34
6	6-10 CIGARETTES	57	0.26
11	11+ CIGARETTES	40	0.18

UNIVERSE: ADULTS WHO ARE LIFETIME SMOKERS AND CURRENTLY SMOKE SOME DAYS, OR
ADULTS WHO CURRENTLY DO NOT SMOKE BUT HAVE SMOKED AT LEAST ONCE IN
PAST 30 DAYS

INPUT VAR: AE16V2

NOTES: AE16 CATEGORIZED. PREVIOUS VERSION: AE16_P1. NEW VERSION CREATED
IN 2021 DUE TO CHANGE IN UNIVERSE.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC54B

LABEL: HOW SOON SMOKE FIRST CIGARETTE AFTER WAKING

MEAN STATISTICS

N	1345
MIN	0
MAX	1440
MEAN	185.63

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGS. IN LIFETIME AND SMOKE EVERY DAY/SOME DAYS, OR SMOKED AT LEAST ONE DAY IN PAST 30 DAYS

INPUT VAR:

NOTES: EXCLUDED VALUE "9999" FOR DID NOT SMOKE CIGARETTE IN CALCULATING THE MEAN (44 CASES IN 2023)

VARNAME: AC175

LABEL: SMOKED MENTHOL CIGARETTES

VALUE:		FREQ	%
-1	INAPPLICABLE	20499	94.59
1	YES	316	1.46
2	NO	856	3.95

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGS. IN LIFETIME AND SMOKE EVERY DAY/SOME DAYS (CURRENT SMOKERS)

INPUT VAR:

NOTES: ONLY LOOKS AT MENTHOL BEGINNING IN 2023. USE CAUTION WHEN TRENDING WITH PREVIOUS YEARS THAT ALSO INCLUDED REFERENCE TO MINT.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC176

LABEL: AGE FIRST SMOKED WHOLE CIGARETTE

MEAN STATISTICS	
N	1172
MIN	5
MAX	87
MEAN	17.53

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGS. IN LIFETIME AND SMOKE EVERY
DAY/SOME DAYS (CURRENT SMOKERS)

INPUT VAR:

NOTES:

VARNAME: AC177

LABEL: WERE SMOKING CIGARETTES THIS TIME LAST YEAR

VALUE:		FREQ	%
-1	INAPPLICABLE	19841	91.56
1	YES	1304	6.02
2	NO	526	2.43

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGS. IN LIFETIME AND SMOKE EVERY
DAY/SOME DAYS, OR SMOKED A CIGARETTE IN PAST YEAR

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SMKCUR

LABEL: CURRENT SMOKER

VALUE:			FREQ	%
1	CURRENT SMOKER		1172	5.41
2	NOT CURRENT SMOKER		20499	94.59

UNIVERSE: ALL ADULTS

INPUT VAR: AE15 AE15A

NOTES: IF RESPONDENT INDICATED NOT SMOKING >=100 CIGARETTES IN LIFETIME,
THEN CONSIDERED TO NOT BE A CURRENT SMOKER

VARNAME: SMOKING

LABEL: CURRENT SMOKING HABITS

VALUE:			FREQ	%
1	CURRENTLY SMOKES		1172	5.41
2	QUIT SMOKING		4928	22.74
3	NEVER SMOKED REGULARLY		15571	71.85

UNIVERSE: ALL ADULTS

INPUT VAR: AE15 AE15A

NOTES: IF RESPONDENT INDICATED NOT SMOKING >=100 CIGARETTES IN LIFETIME,
THEN CATEGORIZED AS SMOKING NO CIGARETTES PER DAY

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: NUMCIG

LABEL: # OF CIGARETTES PER DAY

VALUE:		FREQ	%
1	NONE	20499	94.59
2	<=1 CIGARETTES	177	0.82
3	2-5 CIGARETTES	370	1.71
4	6-10 CIGARETTES	321	1.48
5	11-19 CIGARETTES	142	0.66
6	20 OR MORE	162	0.75

UNIVERSE: ALL ADULTS

INPUT VAR: AE15A AD32 AE16 AE15

NOTES:

VARNAME: AC49

LABEL: STOP SMOKING ONE DAY OR LONGER TO QUIT PAST YR

VALUE:		FREQ	%
-1	INAPPLICABLE	20499	94.59
1	YES	640	2.95
2	NO	532	2.45

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIG. IN LIFETIME AND SMOKE
DAILY/SOME DAYS PER WEEK (CURRENT SMOKERS)

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC178

LABEL: HOW LONG LAST ATTEMPT TO QUIT SMOKING LASTED

MEAN STATISTICS

N	640
MIN	0
MAX	3650
MEAN	147.46

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGS. IN LIFETIME AND SMOKE EVERY DAY/SOME DAYS, AND STOPPED SMOKING AT LEAST 1 DAY IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AC77

LABEL: DOCTOR ADVISED TO QUIT SMOKING IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	20499	94.59
1	YES	646	2.98
2	NO	526	2.43

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGS. IN LIFETIME AND SMOKE EVERY DAY/SOME DAYS (CURRENT SMOKERS)

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC50

LABEL: THINK ABOUT QUIT SMOKING IN NEXT 6 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		20499	94.59
1	YES		754	3.48
2	NO		418	1.93

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIG. IN LIFETIME AND SMOKE
DAILY/SOME DAYS PER WEEK (CURRENT SMOKERS)

INPUT VAR:

NOTES:

VARNAME: AC81C

LABEL: EVER SMOKED ELECTRONIC CIGARETTES

VALUE:			FREQ	%
1	YES		3006	13.87
2	NO		18665	86.13

UNIVERSE: ALL ADULTS (18+)

INPUT VAR:

NOTES: NOT TRENDABLE WITH 2014 AND 2015. LIMIT TO ADULTS 18-65 FOR
TRENDING WITH 2016

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: ESMKCUR

LABEL: CURRENT E-CIGARETTE SMOKER

VALUE:			FREQ	%
1	CURRENT E-CIGARETTE SMOKER		804	3.71
2	NOT A CURRENT E-CIGARETTE SMOKER		20867	96.29

UNIVERSE: ALL ADULTS

INPUT VAR: AC81C AC82C

NOTES:

VARNAME: AC82C_P1

LABEL: DAYS USED E-CIGS PAST 30 DAYS (PUF 1 YEAR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		18665	86.13
1	NONE		2202	10.16
2	1 TO 2 DAYS		202	0.93
3	3 TO 5 DAYS		140	0.65
4	6 TO 29 DAYS		176	0.81
5	EVERY DAY		286	1.32

UNIVERSE: ADULTS 18+ WHO EVER SMOKED E-CIGARETTES

INPUT VAR: AC82C

NOTES: NOT TRENDABLE WITH 2014 AND 2015. LIMIT TO ADULTS 18-65 FOR
TRENDING WITH 2016

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AC134V2

LABEL: USED E-CIG FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE

VALUE:			FREQ	%
-1	INAPPLICABLE		18665	86.13
1	YES		1826	8.43
2	NO		1180	5.45

UNIVERSE: ADULTS WHO HAVE EVER USED E-CIGS

INPUT VAR:

NOTES: Previous version: AC134

VARNAME: AC179

LABEL: USED E-CIG FLAVOR - FRUIT

VALUE:			FREQ	%
-1	INAPPLICABLE		19845	91.57
1	YES		1463	6.75
2	NO		363	1.68

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: EFLAV_FRUIT

LABEL: USED E-CIG FLAVOR - FRUIT (UPCODED)

VALUE:			FREQ	%
-1	INAPPLICABLE		19845	91.57
1	YES		1482	6.84
2	NO		344	1.59

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR: AC179, AC184

NOTES: RESPONDENTS WHO ANSWERED FRUIT IN AC184 HAVE THEIR RESPONSES
REFLECTED IN THIS VARIABLE

VARNAME: AC180

LABEL: USED E-CIG FLAVOR - CANDY/SWEET

VALUE:			FREQ	%
-1	INAPPLICABLE		19845	91.57
1	YES		672	3.10
2	NO		1154	5.33

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: EFLAV_SWEET

LABEL: USED E-CIG FLAVOR - CANDY/SWEET (UPCODED)

VALUE:			FREQ	%
-1	INAPPLICABLE		19845	91.57
1	YES		686	3.17
2	NO		1140	5.26

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR: AC180, AC184

NOTES: RESPONDENTS WHO ANSWERED CANDY/SWEET IN AC184 HAVE THEIR RESPONSES
REFLECTED IN THIS VARIABLE

VARNAME: AC181

LABEL: USED E-CIG FLAVOR - ALCOHOL/LIQUOR

VALUE:			FREQ	%
-1	INAPPLICABLE		19845	91.57
1	YES		80	0.37
2	NO		1746	8.06

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: EFLAV_ALC

LABEL: USED E-CIG FLAVOR - ALCOHOL/LIQUOR (UPCODED)

VALUE:			FREQ	%
-1	INAPPLICABLE		19845	91.57
1	YES		81	0.37
2	NO		1745	8.05

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR: AC181, AC184

NOTES: RESPONDENTS WHO ANSWERED ALCOHOL/LIQUOR IN AC184 HAVE THEIR
RESPONSES REFLECTED IN THIS VARIABLE

VARNAME: AC182A

LABEL: USED E-CIG FLAVOR - MINT

VALUE:			FREQ	%
-1	INAPPLICABLE		19845	91.57
1	YES		712	3.29
2	NO		1114	5.14

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC182B

LABEL: USED E-CIG FLAVOR - MENTHOL

VALUE:			FREQ	%
-1	INAPPLICABLE		19845	91.57
1	YES		480	2.21
2	NO		1346	6.21

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR:

NOTES:

VARNAME: EFLAV_MINTV2

LABEL: USED E-CIG FLAVOR - MINT (UPCODED)

VALUE:			FREQ	%
-1	INAPPLICABLE		19845	91.57
1	YES		715	3.30
2	NO		1111	5.13

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR: AC182A, AC184

NOTES: PREVIOUS VERSION: EFLAV_MINT. NEW VERSION IN 2023 DUE TO CHANGE IN
ASKING QUESTIONS SPECIFICALLY ABOUT MINT (SEPARATE FROM MENTHOL).
RESPONDENTS WHO ANSWERED MINT IN AC184 HAVE THEIR RESPONSES
REFLECTED IN THIS VARIABLE. USE CAUTION TRENDING WITH PRIOR YE

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: EFLAV_MENTHOL

LABEL: USED E-CIG FLAVOR - MENTHOL (UPCODED)

VALUE:			FREQ	%
-1	INAPPLICABLE		19845	91.57
1	YES		480	2.21
2	NO		1346	6.21

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR: AC182B, AC184

NOTES: RESPONDENTS WHO ANSWERED MENTHOL IN AC184 HAVE THEIR RESPONSES
REFLECTED IN THIS VARIABLE

VARNAME: AC183

LABEL: USED E-CIG FLAVOR - TOBACCO

VALUE:			FREQ	%
-1	INAPPLICABLE		19845	91.57
1	YES		280	1.29
2	NO		1546	7.13

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: EFLAV_TOB

LABEL: USED E-CIG FLAVOR - TOBACCO (UPCODED)

VALUE:			FREQ	%
-1	INAPPLICABLE		19845	91.57
1	YES		282	1.30
2	NO		1544	7.12

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR: AC183, AC184

NOTES: RESPONDENTS WHO ANSWERED TOBACCO IN AC184 HAVE THEIR RESPONSES
REFLECTED IN THIS VARIABLE

VARNAME: AC214

LABEL: STOPPED USING E-CIGS FOR 1+ DAYS IN PAST 30 DAYS BECAUSE TRYING T

VALUE:			FREQ	%
-1	INAPPLICABLE		20867	96.29
1	YES		218	1.01
2	NO		427	1.97
3	NOT APPLICABLE		159	0.73

UNIVERSE: ADULTS WHO HAVE USED E-CIGS IN PAST 30 DAYS

INPUT VAR:

NOTES: ADDITION OF DISPLAYED RESPONSE CATEGORY FOR "NOT APPLICABLE" IN
2023, WHICH DIFFERS FROM -1 VALUE USED ACROSS ALL VARIABLES FOR
EXCLUSION FROM UNIVERSE.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC185

LABEL: PLAN TO QUIT USING E-CIGS

VALUE:			FREQ	%
-1	INAPPLICABLE		20867	96.29
1	IN THE NEXT 30 DAYS		202	0.93
2	IN THE NEXT 3 MONTHS		80	0.37
3	IN THE NEXT 6 MONTHS		44	0.20
4	IN THE NEXT YEAR		118	0.54
5	DO NOT HAVE A PLAN TO QUIT		360	1.66

UNIVERSE: ADULTS WHO HAVE USED E-CIGS IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC135_P1

LABEL: FREQUENCY OF SMOKELESS TOBACCO PRODUCT USE IN PAST 30 DAYS (PUF 1

VALUE:			FREQ	%
1	0 DAYS		21516	99.28
2	1-29 DAYS		75	0.35
3	30 DAYS OR MORE		80	0.37

UNIVERSE: ALL ADULTS

INPUT VAR: AC135

NOTES: AC135 categories collapsed

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AC136

LABEL: USED CHEWING TOBACCO FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE

VALUE:			FREQ	%
-1	INAPPLICABLE		21516	99.28
1	YES		47	0.22
2	NO		108	0.50

UNIVERSE: ADULTS WHO USED CHEWING TOBACCO AT LEAST ONE TIME IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC137_P1

LABEL: FREQUENCY OF SMOKE CIGARILLO/LITTLE CIGAR USE IN PAST 30 DAYS (PU

VALUE:			FREQ	%
1	0 DAYS		21428	98.88
2	1-29 DAYS		202	0.93
3	30 DAYS OR MORE		41	0.19

UNIVERSE: ALL ADULTS

INPUT VAR: AC137

NOTES: AC137 categories collapsed

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AC138

LABEL: USED CIGARILLO FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE

VALUE:			FREQ	%
-1	INAPPLICABLE		21428	98.88
1	YES		52	0.24
2	NO		191	0.88

UNIVERSE: ADULTS WHO USED CIGARILLO AT LEAST ONE TIME IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC139_P1

LABEL: FREQUENCY OF BIG CIGAR USE IN PAST 30 DAYS (PUF 1 YR RECODE)

VALUE:			FREQ	%
1	0 DAYS		21415	98.82
2	1-29 DAYS		235	1.08
3	30 DAYS OR MORE		21	0.10

UNIVERSE: ALL ADULTS

INPUT VAR: AC139

NOTES: AC139 CATEGORIES COLLAPSED

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AC140

LABEL: USED BIG CIGAR FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE

VALUE:			FREQ	%
-1	INAPPLICABLE		21415	98.82
1	YES		28	0.13
2	NO		228	1.05

UNIVERSE: ADULTS WHO USED BIG CIGARS AT LEAST ONE TIME IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC141_P1

LABEL: FREQUENCY OF HOOKAH WATER PIPE USE IN PAST 30 DAYS (PUF 1 YR RECO

VALUE:			FREQ	%
1	0 DAYS		21561	99.49
2	1-29 DAYS		95	0.44
3	30 DAYS OR MORE		15	0.07

UNIVERSE: ALL ADULTS

INPUT VAR: AC141

NOTES: AC141 CATEGORIES COLLAPSED

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AC142

LABEL: USED HOOKAH FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE

VALUE:			FREQ	%
-1	INAPPLICABLE		21561	99.49
1	YES		59	0.27
2	NO		51	0.24

UNIVERSE: ADULTS WHO USED HOOKAH AT LEAST ONE TIME IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC186

LABEL: BEGAN WITH FLAVORED TOBACCO PRODUCT WHEN FIRST STARTED USING

VALUE:			FREQ	%
-1	INAPPLICABLE		19347	89.28
1	YES		539	2.49
2	NO		1785	8.24

UNIVERSE: ADULTS WHO HAVE USED A TOBACCO PRODUCT IN PAST 30 DAYS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC187

LABEL: WHEN EXPOSED TO SECONDHAND TOBACCO SMOKE OR E-CIG VAPOR IN CA IN

		FREQ	%
VALUE:	1 IN THE PAST WEEK	3862	17.82
	2 IN THE PAST TWO WEEKS	985	4.55
	3 IN THE PAST MONTH	1491	6.88
	4 LONGER THAN A MONTH AGO, BUT WITHIN THE	3250	15.00
	5 NO ONE HAS SMOKED TOBACCO OR VAPED AROUND	12083	55.76

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC188

LABEL: SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - SIDEWALKS

		FREQ	%
VALUE:	-1 INAPPLICABLE	16824	77.63
	1 YES	3282	15.14
	2 NO	1565	7.22

UNIVERSE: ADULTS WHO HAD SECONDHAND TOBACCO SMOKE/VAPOR EXPOSURE IN PAST TWO WEEKS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC189

LABEL: SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - INSIDE HOME

VALUE:			FREQ	%
-1	INAPPLICABLE		16824	77.63
1	YES		828	3.82
2	NO		4019	18.55

UNIVERSE: ADULTS WHO HAD SECONDHAND TOBACCO SMOKE/VAPOR EXPOSURE IN PAST TWO WEEKS

INPUT VAR:

NOTES:

VARNAME: AC190V2

LABEL: SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - WORKPLACE

VALUE:			FREQ	%
-1	INAPPLICABLE		16824	77.63
1	YES		569	2.63
2	NO		3670	16.94
3	DID NOT WORK IN PAST TWO WEEKS		608	2.81

UNIVERSE: ADULTS WHO HAD SECONDHAND TOBACCO SMOKE/VAPOR EXPOSURE IN PAST TWO WEEKS

INPUT VAR:

NOTES: PREVIOUS VERSION: AC190. NEW VERSION IN 2023 DUE TO ADDITION OF "DID NOT WORK IN PAST TWO WEEKS" CATEGORY. CAN CONTINUE TO TREND WITH PREVIOUS VERSION BY COMBINING CATEGORIES 2 & 3.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC191

LABEL: SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - PUBLIC PARK/BEA

VALUE:			FREQ	%
-1	INAPPLICABLE		16824	77.63
1	YES		2079	9.59
2	NO		2768	12.77

UNIVERSE: ADULTS WHO HAD SECONDHAND TOBACCO SMOKE/VAPOR EXPOSURE IN PAST TWO WEEKS

INPUT VAR:

NOTES:

VARNAME: SCND_SMK

LABEL: LOCATION OF SECONDHAND SMOKE EXPOSURE

VALUE:			FREQ	%
1	AT HOME ONLY		278	1.28
2	OUTSIDE THE HOME ONLY		4019	18.55
3	BOTH AT HOME AND OUTSIDE THE HOME		550	2.54
4	NO EXPOSURE		16824	77.63

UNIVERSE: ALL ADULTS

INPUT VAR: AC188 AC189 AC190V2 AC191

NOTES: LOCATIONS OUTSIDE HOME ACCOUNTED FOR ARE: SIDEWALK, WORKPLACE, AND PUBLIC PARK/BEACH. "AT HOME ONLY" CONSIDERS ONLY THESE. MAY BE OTHER LOCATIONS OF EXPOSURE NOT FACTORED IN. IF HAD EXPOSURE BUT NOT AT HOME, THEN CATEGORIZED AS "OUTSIDE THE HOME ONLY".

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: FLAVTOB

LABEL: CURRENT (PAST 30 DAYS) USE OF FLAVORED TOBACCO PRODUCTS

VALUE:			FREQ	%
1	YES		916	4.23
2	NO		20755	95.77

UNIVERSE: ALL ADULTS

INPUT VAR: AC134V2 AC136 AC138 AC140 AC142 AC175

NOTES: RECLAIMED IN CHIS 2021

VARNAME: FLAVTOB2

LABEL: CURRENT (PAST 30 DAYS) USE OF NON-TOBACCO FLAVORED CIGS/E-CIGS/CI

VALUE:			FREQ	%
1	YES		863	3.98
2	NO		20808	96.02

UNIVERSE: ALL ADULTS

INPUT VAR: AC82C AC134V2 EFLAV_FRUIT EFLAV_MINT EFLAV_SWEET EFLAV_ALC AC136

NOTES: CV CREATED IN CHIS 2022. SIMILAR TO FLAVTOB BUT ONLY FOR ITEMS NOT
IMPACTED BY NEW LAW SURROUNDING FLAVORED TOBACCO SALES.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: NONFLAVTOB

LABEL: CURRENT (PAST 30 DAYS) USE OF TOBACCO FLAVORED E-CIGS OR FLAVORED

			FREQ	%
VALUE:	1	YES	161	0.74
	2	NO	21510	99.26

UNIVERSE: ALL ADULTS

INPUT VAR: AC82C AC134V2 EFLAV_TOB AC140 AC142

NOTES: CV CREATED IN CHIS 2022. SIMILAR TO FLAVTOB BUT ONLY FOR ITEMS
IMPACTED BY NEW LAW SURROUNDING FLAVORED TOBACCO SALES.

VARNAME: NONCIGPRO

LABEL: CURRENT (PAST 30 DAYS) USE OF NON-CIGARETTE TOBACCO PRODUCTS

			FREQ	%
VALUE:	1	YES	1334	6.16
	2	NO	20337	93.84

UNIVERSE: ALL ADULTS

INPUT VAR: AC135 AC137 AC139 AC141 AC82C

NOTES: INPUT AC82C CONTAINS DIFFERENT WORDING FROM OTHER INPUT VARIABLES

VARNAME: AC115

LABEL: EVER TRIED MARIJUANA OR HASHISH

			FREQ	%
VALUE:	1	YES	11471	52.93
	2	NO	10200	47.07

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC116_P1

LABEL: HOW LONG SINCE LAST MARIJUANA/HASHISH USE (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	10200	47.07
1	WITHIN THE PAST MONTH	3450	15.92
2	MORE THAN 1 MONTH TO A YEAR AGO	1817	8.38
3	MORE THAN 1 YR TO 5 YRS AGO	1643	7.58
4	MORE THAN 5 YRS TO 10 YRS AGO	735	3.39
5	MORE THAN 10 YRS TO 15 YRS AGO	373	1.72
6	MORE THAN 15 YRS AGO	3453	15.93

UNIVERSE: ALL ADULTS WHO HAVE EVER TRIED MARIJUANA OR HASHISH

INPUT VAR: AC116

NOTES: AC116 Categories Collapsed

VARNAME: AC117V2

LABEL: FREQUENCY OF MARIJUANA/HASHISH/THC PRODUCT USE IN PAST 30 DAYS

VALUE:		FREQ	%
-1	INAPPLICABLE	18221	84.08
1	0 DAYS	311	1.44
2	1-2 DAYS	779	3.59
3	3-5 DAYS	453	2.09
4	6-9 DAYS	294	1.36
5	10-19 DAYS	414	1.91
6	20-29 DAYS	453	2.09
7	30 DAYS OR MORE	746	3.44

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH IN PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC117

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC118V2

LABEL: HOW OFTEN USE TOBACCO WITH MARIJUANA

VALUE:			FREQ	%
-1	INAPPLICABLE		18532	85.52
1	USUALLY		224	1.03
2	SOMETIMES		497	2.29
3	NEVER		2418	11.16

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN
PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC118

VARNAME: AC119V2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - JOINT/BONG/PIPE

VALUE:			FREQ	%
-1	INAPPLICABLE		18532	85.52
1	YES		1842	8.50
2	NO		1297	5.98

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN
PAST 30 DAYS

INPUT VAR:

NOTES: PREVIOUS VERSION: AC119. RECOMMEND USING MAR_SMKV2 DUE TO
INCLUSION OF DATA FROM AC125V2 RESPONSES.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC120V2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - BLUNT

VALUE:			FREQ	%
-1	INAPPLICABLE		18532	85.52
1	YES		356	1.64
2	NO		2783	12.84

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN
PAST 30 DAYS

INPUT VAR:

NOTES: PREVIOUS VERSION: AC120. RECOMMEND USING MAR_BLUNTV2 DUE TO
INCLUSION OF DATA FROM AC125V2 RESPONSES.

VARNAME: AC121V2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - EAT

VALUE:			FREQ	%
-1	INAPPLICABLE		18532	85.52
1	YES		1682	7.76
2	NO		1457	6.72

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN
PAST 30 DAYS

INPUT VAR:

NOTES: PREVIOUS VERSION: AC121. RECOMMEND USING MAR_EATV2 DUE TO
INCLUSION OF DATA FROM AC125V2 RESPONSES.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AC122V2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - DRINK

VALUE:			FREQ	%
-1	INAPPLICABLE		18532	85.52
1	YES		252	1.16
2	NO		2887	13.32

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN
PAST 30 DAYS

INPUT VAR:

NOTES: PREVIOUS VERSION: AC122. RECOMMEND USING MAR_DRINKV2 DUE TO
INCLUSION OF DATA FROM AC125V2 RESPONSES.

VARNAME: AC123V2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - VAPORIZE

VALUE:			FREQ	%
-1	INAPPLICABLE		18532	85.52
1	YES		1051	4.85
2	NO		2088	9.63

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN
PAST 30 DAYS

INPUT VAR:

NOTES: PREVIOUS VERSION: AC123. RECOMMEND USING MAR_VAPV2 DUE TO
INCLUSION OF DATA FROM AC125V2 RESPONSES.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC124V2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - DAB

VALUE:			FREQ	%
-1	INAPPLICABLE		18532	85.52
1	YES		270	1.25
2	NO		2869	13.24

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN
PAST 30 DAYS

INPUT VAR:

NOTES: PREVIOUS VERSION: AC124. RECOMMEND USING MAR_DABV2 DUE TO
INCLUSION OF DATA FROM AC125V2 RESPONSES.

VARNAME: MAR_SMKV2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - JOINT/BONG/PIPE (UPCODE

VALUE:			FREQ	%
-1	INAPPLICABLE		18532	85.52
1	YES		1847	8.52
2	NO		1292	5.96

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN
PAST 30 DAYS

INPUT VAR: AC119V2 AC125V2

NOTES: Previous version: MAR_SMK; RESPONDENTS WHO ANSWERED
JOINT/BONG/PIPE IN AC125 HAVE THEIR RESPONSES REFLECTED IN THIS
VARIABLE

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: MAR_BLUNTV2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - BLUNT (UPCODED)

VALUE:			FREQ	%
-1	INAPPLICABLE		18532	85.52
1	YES		360	1.66
2	NO		2779	12.82

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN PAST 30 DAYS

INPUT VAR: AC120V2 AC125V2

NOTES: Previous version: MAR_BLUNT; RESPONDENTS WHO ANSWERED BLUNT IN AC125 HAVE THEIR RESPONSES REFLECTED IN THIS VARIABLE

VARNAME: MAR_EATV2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - EAT (UPCODED)

VALUE:			FREQ	%
-1	INAPPLICABLE		18532	85.52
1	YES		1727	7.97
2	NO		1412	6.52

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN PAST 30 DAYS

INPUT VAR: AC121V2 AC125V2

NOTES: Previous version: MAR_EAT; RESPONDENTS WHO ANSWERED EAT IN AC125 HAVE THEIR RESPONSES REFLECTED IN THIS VARIABLE

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: MAR_DRINKV2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - DRINK (UPCODED)

VALUE:			FREQ	%
-1	INAPPLICABLE		18532	85.52
1	YES		267	1.23
2	NO		2872	13.25

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN PAST 30 DAYS

INPUT VAR: AC122V2 AC125V2

NOTES: Previous version: MAR_DRINK; RESPONDENTS WHO ANSWERED DRINK IN AC125 HAVE THEIR RESPONSES REFLECTED IN THIS VARIABLE

VARNAME: MAR_VAPV2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - VAPORIZE (UPCODED)

VALUE:			FREQ	%
-1	INAPPLICABLE		18532	85.52
1	YES		1062	4.90
2	NO		2077	9.58

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN PAST 30 DAYS

INPUT VAR: AC123V2 AC125V2

NOTES: Previous version: MAR_VAP; RESPONDENTS WHO ANSWERED VAPORIZE IN AC125 HAVE THEIR RESPONSES REFLECTED IN THIS VARIABLE

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: MAR_DABV2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - DAB (UPCODED)

VALUE:			FREQ	%
-1	INAPPLICABLE		18532	85.52
1	YES		271	1.25
2	NO		2868	13.23

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN PAST 30 DAYS

INPUT VAR: AC124V2 AC125V2

NOTES: Previous version: MAR_DAB; RESPONDENTS WHO ANSWERED DAB IN AC125 HAVE THEIR RESPONSES REFLECTED IN THIS VARIABLE

VARNAME: AC126V2

LABEL: ANY MARIJUANA USE RECOMMENDED BY DOCTOR OR HEALTH CARE PROVIDER

VALUE:			FREQ	%
-1	INAPPLICABLE		18532	85.52
1	YES		388	1.79
2	NO		2751	12.69

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC126

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: MARTYPEV2

LABEL: METHOD OF TAKING MARIJUANA

VALUE:		FREQ	%
-1	INAPPLICABLE	18550	85.60
1	ONE TYPE	1569	7.24
2	MORE THAN ONE TYPE	1552	7.16

UNIVERSE: ALL ADULTS WHO USED MARIJUANA, HASHISH, OR OTHER THC PRODUCT AT
LEAST ONE TIME IN PAST 30 DAYS

INPUT VAR: SRAGE AC116 AC117V2 AC119V2 AC120V2 AC121V2 AC122V2 AC123V2
AC124V2 AC125V2

NOTES: Previous version: MARTYPE

VARNAME: AC127V2

LABEL: ALL MARIJUANA USE RECOMMENDED BY DOCTOR OR HEALTH CARE PROVIDER

VALUE:		FREQ	%
-1	INAPPLICABLE	21283	98.21
1	YES	268	1.24
2	NO	120	0.55

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN
PAST 30 DAYS AND HAD ANY MARIJUANA USE RECOMMENDED BY A DR/HEALTH
PRO

INPUT VAR:

NOTES: Previous version: AC127

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC193_P1

LABEL: MOST COMMON METHOD OF MARIJUANA USE IN PAST 30 DAYS (PUF 1 YR REC

VALUE:		FREQ	%
-1	INAPPLICABLE	19881	91.74
1	SMOKING METHOD (METHODS OF CONSUMPTION W	918	4.24
2	ORAL CONSUMPTION METHOD	460	2.12
3	INHALING VAPORS METHOD	386	1.78
4	OTHER METHOD	26	0.12

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS VIA MORE THAN ONE
METHOD

INPUT VAR: AC193

NOTES: CHIS 2021 PUF RECODE

VARNAME: AC194_1

LABEL: WHERE GOT MARIJUANA USED - DISPENSARY

VALUE:		FREQ	%
-1	INAPPLICABLE	18532	85.52
1	YES	2371	10.94
2	NO	768	3.54

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AC194_2

LABEL: WHERE GOT MARIJUANA USED - VAPE/SMOKE SHOP

VALUE:			FREQ	%
-1	INAPPLICABLE		18532	85.52
1	YES		61	0.28
2	NO		3078	14.20

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC194_3

LABEL: WHERE GOT MARIJUANA USED - OTHER SHOP

VALUE:			FREQ	%
-1	INAPPLICABLE		18532	85.52
1	YES		20	0.09
2	NO		3119	14.39

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AC194_4

LABEL: WHERE GOT MARIJUANA USED - DELIVERY SERVICE

VALUE:			FREQ	%
-1	INAPPLICABLE		18532	85.52
1	YES		285	1.32
2	NO		2854	13.17

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC194_5

LABEL: WHERE GOT MARIJUANA USED - WEBSITE

VALUE:			FREQ	%
-1	INAPPLICABLE		18532	85.52
1	YES		64	0.30
2	NO		3075	14.19

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AC194_6

LABEL: WHERE GOT MARIJUANA USED - POP-UP SHOP

VALUE:			FREQ	%
-1	INAPPLICABLE		18532	85.52
1	YES		28	0.13
2	NO		3111	14.36

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC194_7

LABEL: WHERE GOT MARIJUANA USED - FAMILY/FRIEND

VALUE:			FREQ	%
-1	INAPPLICABLE		18532	85.52
1	YES		737	3.40
2	NO		2402	11.08

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AC194_8

LABEL: WHERE GOT MARIJUANA USED - OTHER PERSON

VALUE:			FREQ	%
-1	INAPPLICABLE		18532	85.52
1	YES		132	0.61
2	NO		3007	13.88

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC194_9

LABEL: WHERE GOT MARIJUANA USED - GROW IT MYSELF

VALUE:			FREQ	%
-1	INAPPLICABLE		18532	85.52
1	YES		243	1.12
2	NO		2896	13.36

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC194_91

LABEL: WHERE GOT MARIJUANA USED - OTHER

VALUE:			FREQ	%
-1	INAPPLICABLE		18532	85.52
1	YES		8	0.04
2	NO		3131	14.45

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: MARCUR

LABEL: CURRENT MARIJUANA USER

VALUE:			FREQ	%
1	CURRENT USER		3139	14.48
2	NOT CURRENT USER		18532	85.52

UNIVERSE: ALL ADULTS

INPUT VAR: AC115 AC116 AC117V2

NOTES: CURRENT USE IS DEFINED AS AT LEAST 1 TIME IN PAST 30 DAYS

VARNAME: MAREXPOSE

LABEL: EXPOSED TO MARIJUANA SMOKE IN PAST YEAR

VALUE:			FREQ	%
1	YES		8165	37.68
2	NO		13506	62.32

UNIVERSE: ALL ADULTS

INPUT VAR: AC192

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: MJMETHOD_P1

LABEL: MOST USED METHOD OF MARIJUANA USE (PUF 1 YR RECODE)

VALUE:		FREQ	%
-9	NOT ASCERTAINED	17	0.08
-7	REFUSED	1	0.00
-1	INAPPLICABLE	18532	85.52
1	SMOKING METHOD (METHODS OF CONSUMPTION W	1412	6.52
2	ORAL CONSUMPTION METHOD	1075	4.96
3	INHALING VAPORS METHOD	579	2.67
4	OTHER METHOD	55	0.25

UNIVERSE: ADULTS WHO HAVE EVER USED MARIJUANA IN PAST 30 DAYS

INPUT VAR: MJMETHOD

NOTES: CHIS 2021 PUF RECODE

VARNAME: AC192

LABEL: WHEN EXPOSED TO SECONDHAND MARIJUANA SMOKE IN THE PAST YEAR

VALUE:		FREQ	%
1	IN THE PAST WEEK	3090	14.26
2	IN THE PAST TWO WEEKS	814	3.76
3	IN THE PAST MONTH	1357	6.26
4	LONGER THAN A MONTH AGO, BUT WITHIN THE	2904	13.40
5	NO ONE HAS SMOKED MARIJUANA AROUND ME WI	13506	62.32

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: SMKEXPOSE

LABEL: SECONDHAND EXPOSURE TO TOBACCO OR MARIJUANA SMOKE IN PAST MONTH

			FREQ	%
VALUE:	1	YES	8226	37.96
	2	NO	13445	62.04

UNIVERSE: ALL ADULTS

INPUT VAR: AC187 AC192

NOTES:

VARNAME: AC195

LABEL: EVER USED CBD IN ANY FORM

			FREQ	%
VALUE:	1	YES	7802	36.00
	2	NO	13869	64.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC196

LABEL: HOW LONG SINCE LAST CBD USE

MEAN STATISTICS	
N	7802
MIN	0
MAX	23725
MEAN	535.69

UNIVERSE: ADULTS WHO HAVE EVER USED CBD IN ANY FORM

INPUT VAR:

NOTES:

VARNAME: AC197

LABEL: # OF DAYS USED CBD IN THE PAST LESS THAN 30 DAYS

VALUE:		FREQ	%
-1	INAPPLICABLE	19288	89.00
1	0 DAYS	304	1.40
2	1-2 DAYS	775	3.58
3	3-5 DAYS	437	2.02
4	6-9 DAYS	199	0.92
5	10-19 DAYS	258	1.19
6	20-29 DAYS	184	0.85
7	30 DAYS OR MORE	226	1.04

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC198

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - TAKE ORALLY

VALUE:			FREQ	%
-1	INAPPLICABLE		19592	90.41
1	YES		795	3.67
2	NO		1284	5.92

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: CBD_ORAL

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - TAKE ORALLY (UPCODED)

VALUE:			FREQ	%
-1	INAPPLICABLE		19592	90.41
1	YES		796	3.67
2	NO		1283	5.92

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR: AC198 AC205

NOTES: RESPONDENTS WHO ANSWERED ORALLY IN AC205 HAVE THEIR RESPONSES
REFLECTED IN THIS VARIABLE

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC199

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - EAT

VALUE:			FREQ	%
-1	INAPPLICABLE		19592	90.41
1	YES		913	4.21
2	NO		1166	5.38

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: CBD_EAT

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - EAT (UPCODED)

VALUE:			FREQ	%
-1	INAPPLICABLE		19592	90.41
1	YES		920	4.25
2	NO		1159	5.35

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR: AC199 AC205

NOTES: RESPONDENTS WHO ANSWERED EAT IN AC205 HAVE THEIR RESPONSES
REFLECTED IN THIS VARIABLE

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC200

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - DRINK

VALUE:			FREQ	%
-1	INAPPLICABLE		19592	90.41
1	YES		251	1.16
2	NO		1828	8.44

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: CBD_DRINK

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - DRINK (UPCODED)

VALUE:			FREQ	%
-1	INAPPLICABLE		19592	90.41
1	YES		251	1.16
2	NO		1828	8.44

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR: AC200 AC205

NOTES: RESPONDENTS WHO ANSWERED DRINK IN AC205 HAVE THEIR RESPONSES
REFLECTED IN THIS VARIABLE

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AC201

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - APPLY TO SKIN

VALUE:			FREQ	%
-1	INAPPLICABLE		19592	90.41
1	YES		1202	5.55
2	NO		877	4.05

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: CBD_SKIN

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - APPLY TO SKIN (UPCODED)

VALUE:			FREQ	%
-1	INAPPLICABLE		19592	90.41
1	YES		1228	5.67
2	NO		851	3.93

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR: AC201 AC205

NOTES: RESPONDENTS WHO ANSWERED APPLY TO SKIN IN AC205 HAVE THEIR
RESPONSES REFLECTED IN THIS VARIABLE

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC202

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - SMOKE

VALUE:			FREQ	%
-1	INAPPLICABLE		19592	90.41
1	YES		233	1.08
2	NO		1846	8.52

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: CBD_SMK

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - SMOKE (UPCODED)

VALUE:			FREQ	%
-1	INAPPLICABLE		19592	90.41
1	YES		234	1.08
2	NO		1845	8.51

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR: AC202 AC205

NOTES: RESPONDENTS WHO ANSWERED SMOKE IN AC205 HAVE THEIR RESPONSES
REFLECTED IN THIS VARIABLE

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AC203

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - VAPORIZE

VALUE:			FREQ	%
-1	INAPPLICABLE		19592	90.41
1	YES		173	0.80
2	NO		1906	8.80

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: CBD_VAP

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - VAPORIZE (UPCODED)

VALUE:			FREQ	%
-1	INAPPLICABLE		19592	90.41
1	YES		175	0.81
2	NO		1904	8.79

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR: AC203 AC205

NOTES: RESPONDENTS WHO ANSWERED VAPORIZE IN AC205 HAVE THEIR RESPONSES
REFLECTED IN THIS VARIABLE

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AC204

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - DAB

VALUE:			FREQ	%
-1	INAPPLICABLE		19592	90.41
1	YES		55	0.25
2	NO		2024	9.34

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: CBD_DAB

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - DAB (UPCODED)

VALUE:			FREQ	%
-1	INAPPLICABLE		19592	90.41
1	YES		55	0.25
2	NO		2024	9.34

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR: AC204 AC205

NOTES: RESPONDENTS WHO ANSWERED DAB IN AC205 HAVE THEIR RESPONSES
REFLECTED IN THIS VARIABLE

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC206

LABEL: MOST COMMON METHOD OF CBD USE IN PAST 30 DAYS

VALUE:			FREQ	%
-1	INAPPLICABLE		20661	95.34
1	ORALLY		262	1.21
2	EAT IT		307	1.42
3	DRINK IT		32	0.15
4	APPLY IT ON SKIN		309	1.43
5	SMOKE IT		43	0.20
6	VAPORIZE IT		42	0.19
7	DAB IT		11	0.05
8	NONE OF THESE		4	0.02

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS VIA MORE THAN ONE METHOD

INPUT VAR:

NOTES:

VARNAME: CBDCUR

LABEL: CURRENT CBD USER

VALUE:			FREQ	%
1	CURRENT CBD USER		2079	9.59
2	NOT A CURRENT CBD USER		19592	90.41

UNIVERSE: ALL ADULTS

INPUT VAR: AC197

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: CBDMETHOD

LABEL: MOST USED METHOD OF CBD USE

VALUE:			FREQ	%
-1	INAPPLICABLE		19598	90.43
1	ORALLY		431	1.99
2	EAT IT		554	2.56
3	DRINK IT		61	0.28
4	APPLY IT ON SKIN		857	3.95
5	SMOKE IT		80	0.37
6	VAPORIZE IT		67	0.31
7	DAB IT		19	0.09
8	SOME OTHER WAY		4	0.02

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR: AC198 - AC204 AC206

NOTES:

VARNAME: AC133V2_1

LABEL: CONDITION TAKING MEDICINE FOR - DENTAL WORK/DENTAL PAIN

VALUE:			FREQ	%
-1	INAPPLICABLE		21509	99.25
1	YES		41	0.19
2	NO		121	0.56

UNIVERSE: ALL ADULTS WHO HAVE MISUSED PRESCRIPTION PAIN MEDICATION IN PAST
12 MOS

INPUT VAR:

NOTES: PREVIOUS VERSION: AC133_1. NEW VERSION IN 2023 DUE TO CHANGES TO
THE UNIVERSE OF VARIABLE AC129, WHICH LEADS INTO AC133.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC133V2_2

LABEL: CONDITION TAKING MEDICINE FOR - SURGERY, NOT ACCIDENT-RELATED

VALUE:			FREQ	%
-1	INAPPLICABLE		21509	99.25
1	YES		44	0.20
2	NO		118	0.54

UNIVERSE: ALL ADULTS WHO HAVE MISUSED PRESCRIPTION PAIN MEDICATION IN PAST
12 MOS

INPUT VAR:

NOTES: PREVIOUS VERSION: AC133_2. NEW VERSION IN 2023 DUE TO CHANGES TO
THE UNIVERSE OF VARIABLE AC129, WHICH LEADS INTO AC133.

VARNAME: AC133V2_3

LABEL: CONDITION TAKING MEDICINE FOR - RECENT INJURY

VALUE:			FREQ	%
-1	INAPPLICABLE		21509	99.25
1	YES		29	0.13
2	NO		133	0.61

UNIVERSE: ALL ADULTS WHO HAVE MISUSED PRESCRIPTION PAIN MEDICATION IN PAST
12 MOS

INPUT VAR:

NOTES: PREVIOUS VERSION: AC133_3. NEW VERSION IN 2023 DUE TO CHANGES TO
THE UNIVERSE OF VARIABLE AC129, WHICH LEADS INTO AC133.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AC133V2_4

LABEL: CONDITION TAKING MEDICINE FOR - CHRONIC PAIN, REGARDLESS OF CAUSE

VALUE:			FREQ	%
-1	INAPPLICABLE		21509	99.25
1	YES		90	0.42
2	NO		72	0.33

UNIVERSE: ALL ADULTS WHO HAVE MISUSED PRESCRIPTION PAIN MEDICATION IN PAST
12 MOS

INPUT VAR:

NOTES: PREVIOUS VERSION: AC133_4. NEW VERSION IN 2023 DUE TO CHANGES TO
THE UNIVERSE OF VARIABLE AC129, WHICH LEADS INTO AC133.

VARNAME: AC215

LABEL: USED PRESCRIPTION PAINKILLERS IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		2866	13.23
2	NO		18805	86.77

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AC222_1

LABEL: REASON TOOK PRESCRIPTION PAINKILLER: DENTAL WORK/PAIN

VALUE:			FREQ	%
-1	INAPPLICABLE		18805	86.77
1	YES		442	2.04
2	NO		2424	11.19

UNIVERSE: ADULTS WHO HAVE USED PRESCRIPTION PAINKILLERS IN PAST YEAR

INPUT VAR:

NOTES:

VARNAME: AC222_2

LABEL: REASON TOOK PRESCRIPTION PAINKILLER: SURGERY PAIN

VALUE:			FREQ	%
-1	INAPPLICABLE		18805	86.77
1	YES		1098	5.07
2	NO		1768	8.16

UNIVERSE: ADULTS WHO HAVE USED PRESCRIPTION PAINKILLERS IN PAST YEAR

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AC222_3

LABEL: REASON TOOK PRESCRIPTION PAINKILLER: ACCIDENT/INJURY PAIN

VALUE:			FREQ	%
-1	INAPPLICABLE		18805	86.77
1	YES		564	2.60
2	NO		2302	10.62

UNIVERSE: ADULTS WHO HAVE USED PRESCRIPTION PAINKILLERS IN PAST YEAR

INPUT VAR:

NOTES:

VARNAME: AC222_4

LABEL: REASON TOOK PRESCRIPTION PAINKILLER: CHRONIC PAIN

VALUE:			FREQ	%
-1	INAPPLICABLE		18805	86.77
1	YES		1193	5.51
2	NO		1673	7.72

UNIVERSE: ADULTS WHO HAVE USED PRESCRIPTION PAINKILLERS IN PAST YEAR

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AC207

LABEL: EVER HAD AN ALCOHOLIC BEVERAGE

VALUE:			FREQ	%
1	YES		18186	83.92
2	NO		3485	16.08

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC208

LABEL: HOW LONG SINCE LAST DRANK AN ALCOHOLIC BEVERAGE

VALUE:			FREQ	%
-1	INAPPLICABLE		3485	16.08
1	WITHIN THE PAST 30 DAYS		12351	56.99
2	MORE THAN 30 DAYS AGO, BUT WITHIN THE PA		2988	13.79
3	MORE THAN 12 MONTHS AGO		2847	13.14

UNIVERSE: ADULTS WHO HAVE EVER HAD AN ALCOHOLIC BEVERAGE

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AC209

LABEL: # OF DAYS DRANK AT LEAST ONE ALCOHOLIC BEVERAGE IN PAST 30 DAYS

MEAN STATISTICS

N	12351
MIN	1
MAX	30
MEAN	9.38

UNIVERSE: ADULTS WHO HAVE HAD AN ALCOHOLIC BEVERAGE IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC210

LABEL: # OF DRINKS USUALLY HAD EACH DAY ON DAYS THAT DRANK IN PAST 30 DA

MEAN STATISTICS

N	12351
MIN	0
MAX	60
MEAN	2.14

UNIVERSE: ADULTS WHO HAVE HAD AN ALCOHOLIC BEVERAGE IN PAST 30 DAYS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: BINGE30

LABEL: BINGE DRINKING IN PAST 30 DAYS

VALUE:			FREQ	%
1	YES		3561	16.43
2	NO		18110	83.57

UNIVERSE: ALL ADULTS

INPUT VAR: AC211

NOTES:

VARNAME: AC211_P1

LABEL: # OF DAYS BINGE DRINKING IN PAST 30 DAYS (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		9320	43.01
0	0 DAYS		8790	40.56
1	1 DAY		1270	5.86
2	2 DAYS		723	3.34
3	3 DAYS		330	1.52
4	4 DAYS		268	1.24
5	5 DAYS		280	1.29
6	6 DAYS		99	0.46
7	7 DAYS		54	0.25
8	8-14 DAYS		256	1.18
9	15-21 DAYS		124	0.57
10	22-29 DAYS		52	0.24
11	30 DAYS		105	0.48

UNIVERSE: ADULTS WHO HAVE HAD AN ALCOHOLIC BEVERAGE IN PAST 30 DAYS

INPUT VAR: AC211

NOTES: CHIS 2021 PUF RECODE. BINGE DRINKING = 5+ DRINKS FOR SEX ASSIGNED MALE AT BIRTH; BINGE DRINKING = 4+ DRINKS FOR SEX ASSIGNED FEMALE AT BIRTH.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: ILLIDRUGV2

LABEL: USED HEROIN, METHAMPHETAMINE, OR PRESCRIPTION DRUG AS NOT DIRECTE

VALUE:			FREQ	%
1	YES		353	1.63
2	NO		21318	98.37

UNIVERSE: ALL ADULTS

INPUT VAR: AC128 AC129V2 AC166

NOTES: PREVIOUS VERSION: ILLIDRUG. NEW VERSION IN 2023 DUE TO CHANGES IN
INPUTS (NEW VERSION OF AC129 AND REMOVAL OF AC167).

VARNAME: AC218

LABEL: GAMBLED IN PAST 12 MONTHS

VALUE:			FREQ	%
1	YES		5762	26.59
2	NO		15909	73.41

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AC219

LABEL: BECAME RESTLESS/IRRITABLE/ANXIOUS WHEN TRYING TO STOP/CUT DOWN GA

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		15896	73.35
1	YES		224	1.03
2	NO		5535	25.54

UNIVERSE: ADULTS WHO HAVE GAMBLED IN PAST YEAR

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AC220

LABEL: TRIED TO KEEP FAMILY/FRIENDS FROM KNOWING EXTENT OF GAMBLING IN P

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		15896	73.35
1	YES		171	0.79
2	NO		5588	25.79

UNIVERSE: ADULTS WHO HAVE GAMBLED IN PAST YEAR

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC221

LABEL: HAD TO GET HELP WITH LIVING EXPENSES DUE TO FINANCIAL TROUBLE FRO

VALUE:			FREQ	%
-1	INAPPLICABLE		15909	73.41
1	YES		72	0.33
2	NO		5690	26.26

UNIVERSE: ADULTS WHO HAVE GAMBLED IN PAST YEAR

INPUT VAR:

NOTES:

VARNAME: GAMBPROB

LABEL: HAS A GAMBLING PROBLEM

VALUE:			FREQ	%
1	GAMBLES AND HAS A PROBLEM SYMPTOM		327	1.51
2	GAMBLES BUT DOES NOT HAVE ANY PROBLEM SY		5432	25.07
3	DOES NOT GAMBLE		15909	73.41
4	NO PROBLEMS REPORTED, BUT DID NOT ANSWER 3			0.01

UNIVERSE: ALL ADULTS

INPUT VAR: AC219 AC220 AC221

NOTES: CV CREATED IN CHIS 2023.

SECTION D: GENERAL HEALTH, DISABILITY & SEXUAL HEALTH

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: HGHTI_P

LABEL: HEIGHT: INCHES (PUF RECODE)

MEAN STATISTICS

N	21671
MIN	42
MAX	77
MEAN	66.37

UNIVERSE: ALL ADULTS

INPUT VAR: HGHTI

NOTES: TOPCODE=77; BOTTOMCODE=42

VARNAME: HGHTM_P

LABEL: HEIGHT: METERS (PUF RECODE)

MEAN STATISTICS

N	21671
MIN	1
MAX	2
MEAN	1.69

UNIVERSE: ALL ADULTS

INPUT VAR: HGHTM

NOTES: TOPCODE=2; BOTTOMCODE=1

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: HEIGHTM_P

LABEL: HEIGHT: METERS - UCLA (PUF RECODE)

MEAN STATISTICS

N	21671
MIN	1
MAX	2
MEAN	1.69

UNIVERSE: ALL ADULTS

INPUT VAR: HEIGHTM

NOTES: TOPCODE=2; BOTTOMCODE=1

VARNAME: WEIGHK_P

LABEL: WEIGHT: KG - UCLA (PUF RECODE)

MEAN STATISTICS

N	21671
MIN	41
MAX	150
MEAN	78.94

UNIVERSE: ALL ADULTS

INPUT VAR: WEIGHK

NOTES: TOPCODE=150; BOTTOMCODE=41

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: WGHTK_P

LABEL: WEIGHT: KG (PUF RECODE)

MEAN STATISTICS	
N	21671
MIN	41
MAX	150
MEAN	78.94

UNIVERSE: ALL ADULTS

INPUT VAR: WGHTK

NOTES: TOPCODE=150; BOTTOMCODE=41

VARNAME: WGHTP_P

LABEL: WEIGHT: LBS (PUF RECODE)

MEAN STATISTICS	
N	21671
MIN	90
MAX	330
MEAN	174.02

UNIVERSE: ALL ADULTS

INPUT VAR: WGHTP

NOTES: TOPCODE=330; BOTTOMCODE=90

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: BMI_P

LABEL: BODY MASS INDEX (PUF RECODE)

MEAN STATISTICS

N	21671
MIN	14
MAX	65
MEAN	27.69

UNIVERSE: ALL ADULTS

INPUT VAR: WEIGHK_P HEIGHM_P

NOTES: SEE WEIGHK_P AND HEIGHM_P FOR BOTTOM AND TOP CODES

VARNAME: RBMI

LABEL: BMI DESCRIPTIVE

VALUE:		FREQ	%
1	UNDERWEIGHT 0-18.49	385	1.78
2	NORMAL 18.5-24.99	7843	36.19
3	OVERWEIGHT 25.0-29.99	7173	33.10
4	OBESE 30.0+	6270	28.93

UNIVERSE: ALL ADULTS

INPUT VAR: BMI

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: WHOBMI

LABEL: BODY MASS INDEX: WHO DEFINITION

VALUE:			FREQ	%
1	0 - 18.49 (UNDERWEIGHT)		385	1.78
2	18.5 - 22.99 (NORMAL RANGE)		4422	20.41
3	23.0 - 27.49 (OVERWEIGHT OR OBESE, WITH		7632	35.22
4	27.5 OR HIGHER (OVERWEIGHT OR OBESE, WIT		9232	42.60

UNIVERSE: ALL ADULTS

INPUT VAR: BMI

NOTES: WORLD HEALTH ORGANIZATION (WHO) BMI CUT-POINTS CORRESPOND TO
INCREASING RISKS FOR CONDITIONS SUCH AS DIABETES AND HEART DISEASE
IN ASIAN POPULATIONS.

VARNAME: OVRWT

LABEL: OVERWEIGHT OR OBESE

VALUE:			FREQ	%
1	YES		13443	62.03
2	NO		8228	37.97

UNIVERSE: ALL ADULTS

INPUT VAR: RBMI

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AD50

LABEL: BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM

VALUE:			FREQ	%
1	YES		1494	6.89
2	NO		20177	93.11

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AL10

LABEL: HAVE DIFFICULTY CONCENTRATING

VALUE:			FREQ	%
1	YES		2115	9.76
2	NO		19556	90.24

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

VARNAME: AL11

LABEL: HAVE DIFFICULTY DRESSING/BATHING

VALUE:			FREQ	%
1	YES		653	3.01
2	NO		21018	96.99

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AL12

LABEL: HAVE DIFFICULTY DOING ERRANDS

VALUE:			FREQ	%
1	YES		1283	5.92
2	NO		20388	94.08

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

VARNAME: DISABILITY

LABEL: DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION

VALUE:			FREQ	%
1	DISABLED		3935	18.16
2	NOT DISABLED		17736	81.84

UNIVERSE: ALL ADULTS

INPUT VAR: AD50 AL10 AL11 AL12

NOTES: CV CREATED IN CHIS 2023.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD46CV2

LABEL: SEXUAL ORIENTATION

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
1	STRAIGHT, THAT IS, NOT LESBIAN OR GAY	18891	87.17
2	LESBIAN OR GAY	788	3.64
6	BISEXUAL OR PANSEXUAL	886	4.09
7	I USE A DIFFERENT TERM	157	0.72
8	DON'T KNOW	253	1.17
9	PREFER NOT TO ANSWER	680	3.14

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION. PREVIOUS
VERSIONS: AD46B & AD46C. NEW VERSIONS DUE TO CHANGES IN RESPONSE
OPTION CATEGORIES IN 2021 & 2023. ADDITION OF DISPLAYED RESPONSE
CATEGORY FOR "DON'T KNOW" IN 2023, WHICH DIFFERS FROM -8 VALUE USED

VARNAME: AJ169V3

LABEL: RESPONDENT'S PREGNANCY PLANS

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	18763	86.58
1	NO PLAN TO GET PREGNANT	2118	9.77
2	NOT SEXUALLY ACTIVE	104	0.48
3	PLAN TO GET GET PREGNANT	361	1.67
4	CURRENTLY PREGNANT	5	0.02
5	NOT ABLE TO BECOME PREGNANT	304	1.40

UNIVERSE: ADULTS 18-44 BORN FEMALE AT BIRTH, WITH MALE OR MALE/FEMALE SEXUAL
PARTNERS

INPUT VAR:

NOTES: Previous versions: AJ169 & AJ169V2. NEW VERSION IN 2023 DUE TO NEW
UNIVERSE.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ235

LABEL: BECAME PREGNANT WITH UNINTENDED PREGNANCY IN PAST 12 MOS

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	18977	87.57
1	YES	97	0.45
2	NO	2581	11.91

UNIVERSE: ADULTS 18-44 BORN FEMALE AT BIRTH WITH MALE OR MALE & FEMALE
PARTNERS IN PAST 12 MOS WHO ARE ABLE TO GET PREGNANT

INPUT VAR:

NOTES:

VARNAME: AJ236

LABEL: TALKED TO DR/PROVIDER/COUNSELOR ABOUT BIRTH CONTROL IN PAST 12 MO

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	18977	87.57
1	YES	1251	5.77
2	NO	1427	6.58

UNIVERSE: ADULTS 18-44 BORN FEMALE AT BIRTH WITH MALE OR MALE & FEMALE
PARTNERS IN PAST 12 MOS WHO ARE ABLE TO GET PREGNANT

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF40BV3

LABEL: USES OR MALE SEX PARTNER USES BIRTH CONTROL

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	19176	88.49
1	YES	1708	7.88
2	NO	756	3.49
3	NO MALE SEXUAL PARTNER	15	0.07

UNIVERSE: ADULTS 18-44 BORN FEMALE AT BIRTH, NOT CURRENTLY PREGNANT BUT ABLE TO GET PREGNANT, AND SEXUALLY ACTIVE WITH MALE PARTNERS

INPUT VAR:

NOTES: PREVIOUS VERSIONS: AF40B & AF40BV2. NEW VERSION IN 2023 DUE TO NEW UNIVERSE. QX VARNAME = AF40C. PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AJ237_P1

LABEL: MAIN BIRTH CONTROL METHOD USED IN PAST 12 MONTHS (PUF 1 YR RECODE)

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	19947	92.04
1	PERMANENT METHOD (TUBAL LIGATION, VASECT	254	1.17
2	IUD	429	1.98
3	HORMONAL METHOD (I.E. IMPLANT)	157	0.72
4	BIRTH CONTROL PILLS	421	1.94
5	CONDOMS (MALE OR FEMALE)	426	1.97
6	OTHER (INCL. PHEXXI)	21	0.10

UNIVERSE: ADULTS 18-44 BORN FEMALE AT BIRTH WHO ARE SEXUALLY ACTIVE WITH MALE PARTNER, ABLE TO GET PREGNANT, NOT CURRENTLY PREGNANT, AND USED BIRTH CONTROL IN PAST 12 MOS

INPUT VAR: AJ237

NOTES: PUF RECODE CREATED IN CHIS 2023. PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ238

LABEL: GOT TUBAL LIGATION/VASECTOMY/IUD/IMPLANT METHOD USED WITHIN PAST

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	20884	96.37
1	YES	181	0.84
2	NO	590	2.72

UNIVERSE: ADULTS 18-44 BORN FEMALE AT BIRTH WHO ARE SEXUALLY ACTIVE WITH MALE PARTNER, ABLE TO GET PREGNANT, NOT CURRENTLY PREGNANT, AND WHO HAVE USED TUBAL LIGATION/VASECTOMY/IUD/IMPLANT AS MAIN BIRTH CONTROL IN PAST 12 MOS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AJ239_P1

LABEL: WHERE REC'D MAIN BIRTH CONTROL METHOD IN PAST 12 MOS (PUF 1 YR RE

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	20537	94.77
1	PRIVATE DOCTOR'S OFFICE	277	1.28
2	HMO FACILITY	203	0.94
3	PLANNED PARENTHOOD	62	0.29
4	ANY CLINIC OR HEALTH DEPARTMENT	107	0.49
5	PHARMACY	354	1.63
6	ONLINE	47	0.22
7	GENERAL OR CONVENIENCE STORE	68	0.31

UNIVERSE: ADULTS 18-44 BORN FEMALE AT BIRTH WHO ARE SEXUALLY ACTIVE WITH MALE PARTNER, ABLE TO GET PREGNANT, NOT CURRENTLY PREGNANT, AND USED BIRTH CONTROL IN PAST 12 MOS BUT DID NOT HAVE TUBAL LIGATION/VASECTOMY/IUD/IMPLANT > 12 MOS AGO

INPUT VAR: AJ239

NOTES: PUF RECODE CREATED IN CHIS 2023. PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ240

LABEL: REC'D MAIN BIRTH CONTROL METHOD VIA VIDEO/PHONE VISIT IN PAST 12

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	20537	94.77
1	YES, OVER A VIDEO VISIT	30	0.14
2	YES, OVER A TELEPHONE VISIT	54	0.25
3	NO	1034	4.77

UNIVERSE: ADULTS 18-44 BORN FEMALE AT BIRTH WHO ARE SEXUALLY ACTIVE WITH MALE PARTNER, ABLE TO GET PREGNANT, NOT CURRENTLY PREGNANT, AND USED BIRTH CONTROL IN PAST 12 MOS BUT DID NOT HAVE TUBAL LIGATION/VASECTOMY/IUD/IMPLANT > 12 MOS AGO

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AJ170V3_P1

LABEL: MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	20899	96.44
1	TRYING TO GET PREGNANT/WANT A BABY	197	0.91
2	OTHER	158	0.73
3	DON'T BELIEVE IN BIRTH CONTROL	47	0.22
4	WORRIED ABOUT SIDE EFFECTS AND/OR HEALTH	187	0.86
5	NO NEED/DON'T WANT	76	0.35
6	INABILITY TO GET PREGNANT OR NO SEXUAL P	91	0.42

UNIVERSE: FEMALES 18-44 WHO HAVE MALE PARTNERS, ARE SEXUALLY ACTIVE, ARE NOT CURRENTLY PREGNANT, AND NOT USING BIRTH CONTROL

INPUT VAR: AJ170V3

NOTES: PUF RECODE CREATED IN CHIS 2023. PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ241

LABEL: TALKED TO DR/PROVIDER/COUNSELOR ABOUT BIRTH CONTROL IN PAST 12 MO

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	18882	87.13
1	YES	171	0.79
2	NO	2602	12.01

UNIVERSE: ADULTS 18-54 BORN MALE AT BIRTH WITH FEMALE PARTNERS IN PAST 12 MOS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AJ242

LABEL: USED OR FEMALE PARTNER USED BIRTH CONTROL METHOD IN PAST 12 MOS

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	18882	87.13
1	YES	1415	6.53
2	NO	1294	5.97
3	NO FEMALE PARTNER	64	0.30

UNIVERSE: ADULTS 18-54 BORN MALE AT BIRTH WITH FEMALE PARTNERS IN PAST 12 MOS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ243_P1

LABEL: MAIN BIRTH CONTROL METHOD USED IN PAST 12 MONTHS (PUF 1 YR RECODE)

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	20240	93.40
1	PERMANENT METHOD (TUBAL LIGATION, VASECT	321	1.48
2	IUD	263	1.21
3	HORMONAL METHOD (I.E. IMPLANT)	75	0.35
4	BIRTH CONTROL PILLS	289	1.33
5	CONDOMS (MALE OR FEMALE)	442	2.04
6	OTHER (INCL. PHEXXI)	25	0.12

UNIVERSE: ADULTS 18-54 BORN MALE AT BIRTH WITH FEMALE PARTNERS AND WHO USED
BIRTH CONTROL IN PAST 12 MOS

INPUT VAR: AJ243

NOTES: PUF RECODE CREATED IN CHIS 2023. PROXY RESPONDENTS NOT INCLUDED IN
THIS QUESTION.

VARNAME: AJ244

LABEL: GOT TUBAL LIGATION/VASECTOMY/IUD/IMPLANT METHOD USED WITHIN PAST

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	21036	97.07
1	YES	120	0.55
2	NO	499	2.30

UNIVERSE: ADULTS 18-54 BORN MALE AT BIRTH WITH FEMALE PARTNERS AND WHO HAVE
USED TUBAL LIGATION/VASECTOMY/IUD/IMPLANT AS MAIN BIRTH CONTROL IN
PAST 12 MOS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ245_P1

LABEL: WHERE REC'D MAIN BIRTH CONTROL METHOD IN PAST 12 MOS (PUF 1 YR RE

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	20738	95.69
1	PRIVATE DOCTOR'S OFFICE	191	0.88
2	HMO FACILITY	119	0.55
3	PLANNED PARENTHOOD	36	0.17
4	ANY CLINIC OR HEALTH DEPARTMENT	86	0.40
5	PHARMACY	370	1.71
6	ONLINE	43	0.20
7	GENERAL OR CONVENIENCE STORE	72	0.33

UNIVERSE: ADULTS 18-54 BORN MALE AT BIRTH WITH FEMALE PARTNERS AND WHO USED
BIRTH CONTROL IN PAST 12 MOS BUT DID NOT HAVE TUBAL
LIGATION/VASECTOMY/IUD/IMPLANT > 12 MOS AGO

INPUT VAR: AJ245

NOTES: PUF RECODE CREATED IN CHIS 2023. PROXY RESPONDENTS NOT INCLUDED IN
THIS QUESTION.

VARNAME: AJ246

LABEL: REC'D MAIN BIRTH CONTROL METHOD VIA VIDEO/PHONE VISIT IN PAST 12

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	20738	95.69
1	YES, OVER A VIDEO VISIT	13	0.06
2	YES, OVER A TELEPHONE VISIT	29	0.13
3	NO	875	4.04

UNIVERSE: ADULTS 18-54 BORN MALE AT BIRTH WITH FEMALE PARTNERS AND WHO USED
BIRTH CONTROL IN PAST 12 MOS BUT DID NOT HAVE TUBAL
LIGATION/VASECTOMY/IUD/IMPLANT > 12 MOS AGO

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ175V3_P1

LABEL: MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	20361	93.96
1	TRYING TO GET PREGNANT/WANT A BABY	290	1.34
2	OTHER	215	0.99
3	DON'T BELIEVE IN BIRTH CONTROL	66	0.30
4	WORRIED ABOUT SIDE EFFECTS AND/OR HEALTH	132	0.61
5	NO NEED/DON'T WANT	192	0.89
6	INABILITY TO GET PREGNANT OR NO SEXUAL P	399	1.84

UNIVERSE: ADULTS 18-54 BORN MALE AT BIRTH WITH FEMALE PARTNERS, AND WHO DID NOT USE BIRTH CONTROL IN PAST 12 MOS AND DID NOT HAVE TUBAL LIGATION/VASECTOMY/IUD/IMPLANT > 12 MOS AGO

INPUT VAR: AJ175V3

NOTES: PUF RECODE CREATED IN CHIS 2023. PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AD82

LABEL: EVER HEARD OF PREP/TRUVADA

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	21138	97.54
1	YES	411	1.90
2	NO	106	0.49

UNIVERSE: ALL GAY/BISEXUAL MALES, MALES WHO HAVE HAD MALE SEXUAL PARTNERS, AND TRANSGENDER ADULTS WHO HAVE NOT EVER TAKEN PREP/TRUVADA

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD83

LABEL: EVER BEEN TESTED FOR HIV

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
1	YES		8466	39.07
2	NO		13189	60.86

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AD84

LABEL: OFFERED OR ASKED FOR HIV TEST

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		13189	60.86
1	I WAS OFFERED THE TEST		2560	11.81
2	I ASKED FOR THE TEST		3214	14.83
3	I DON'T REMEMBER		1031	4.76
4	SOME OTHER REASON		8	0.04
5	I WAS REQUIRED TO TAKE THE TEST		1653	7.63

UNIVERSE: ALL ADULTS WHO HAVE EVER BEEN TESTED FOR HIV

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

SECTION E: WOMEN’S HEALTH

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AD13V2

LABEL: CURRENTLY PREGNANT

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		17538	80.93
1	YES		97	0.45
2	NO		3913	18.06
3	NOT APPLICABLE		107	0.49

UNIVERSE: FEMALES AGES 18-45 YEARS

INPUT VAR:

NOTES: PREVIOUS VERSION: AD13. NEW VERSION DUE TO NEW CATEGORY OF "NOT APPLICABLE" IN 2023. CAN COLLAPSE CATEGORIES 2 & 3 FOR TRENDING WITH PRIOR YEARS. PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION. ADDITION OF DISPLAYED RESPONSE CATEGORY FOR "NOT APPLICABLE"

SECTION F: MENTAL HEALTH

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ29

LABEL: FEEL NERVOUS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
1	ALL OF THE TIME		356	1.64
2	MOST OF THE TIME		1180	5.45
3	SOME OF THE TIME		4721	21.78
4	A LITTLE OF THE TIME		7258	33.49
5	NOT AT ALL		8140	37.56

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AJ30

LABEL: FEEL HOPELESS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
1	ALL OF THE TIME		196	0.90
2	MOST OF THE TIME		652	3.01
3	SOME OF THE TIME		2124	9.80
4	A LITTLE OF THE TIME		3858	17.80
5	NOT AT ALL		14825	68.41

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ31

LABEL: FEEL RESTLESS PAST 30 DAYS

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
1	ALL OF THE TIME	403	1.86
2	MOST OF THE TIME	1142	5.27
3	SOME OF THE TIME	4016	18.53
4	A LITTLE OF THE TIME	6204	28.63
5	NOT AT ALL	9890	45.64

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AJ32

LABEL: FEEL DEPRESSED PAST 30 DAYS

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
1	ALL OF THE TIME	138	0.64
2	MOST OF THE TIME	526	2.43
3	SOME OF THE TIME	1751	8.08
4	A LITTLE OF THE TIME	3287	15.17
5	NOT AT ALL	15953	73.61

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ33

LABEL: FEEL EVERYTHING AN EFFORT PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
1	ALL OF THE TIME		562	2.59
2	MOST OF THE TIME		1283	5.92
3	SOME OF THE TIME		2925	13.50
4	A LITTLE OF THE TIME		5277	24.35
5	NOT AT ALL		11608	53.56

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AJ34

LABEL: FEEL WORTHLESS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
1	ALL OF THE TIME		261	1.20
2	MOST OF THE TIME		495	2.28
3	SOME OF THE TIME		1447	6.68
4	A LITTLE OF THE TIME		2632	12.15
5	NOT AT ALL		16820	77.62

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DSTRS30

LABEL: LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
1	YES		1238	5.71
2	NO		20417	94.21

UNIVERSE: ALL ADULTS

INPUT VAR: DISTRESS

NOTES: BASED ON DISTRESS>=13

VARNAME: DISTRESS

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS

MEAN STATISTICS	
N	21655
MIN	0
MAX	24
MEAN	3.97

UNIVERSE: ALL ADULTS

INPUT VAR: AJ29 AJ30 AJ31 AJ32 AJ33 AJ34

NOTES: BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED DATA

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DSTRS_P1

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE)

MEAN STATISTICS

N	21655
MIN	0
MAX	21
MEAN	3.96

UNIVERSE: ALL ADULTS

INPUT VAR: AJ29 AJ30 AJ31 AJ32 AJ33 AJ34

NOTES: BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED
DATA; TOPCODE = 21

VARNAME: AF62

LABEL: ANY MONTH PAST 12 MONTHS FELT WORSE

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
1	YES	4960	22.89
2	NO	16695	77.04

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF63

LABEL: FEEL NERVOUS WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	16695	77.04
1	ALL OF THE TIME	681	3.14
2	MOST OF THE TIME	1402	6.47
3	SOME OF THE TIME	1634	7.54
4	A LITTLE OF THE TIME	895	4.13
5	NOT AT ALL	348	1.61

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AF64

LABEL: FEEL HOPELESS WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	16695	77.04
1	ALL OF THE TIME	567	2.62
2	MOST OF THE TIME	1160	5.35
3	SOME OF THE TIME	1339	6.18
4	A LITTLE OF THE TIME	922	4.25
5	NOT AT ALL	972	4.49

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF65

LABEL: FEEL RESTLESS WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	16695	77.04
1	ALL OF THE TIME	567	2.62
2	MOST OF THE TIME	1105	5.10
3	SOME OF THE TIME	1547	7.14
4	A LITTLE OF THE TIME	1053	4.86
5	NOT AT ALL	688	3.17

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AF66

LABEL: FEEL DEPRESSED WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	16695	77.04
1	ALL OF THE TIME	545	2.51
2	MOST OF THE TIME	1064	4.91
3	SOME OF THE TIME	1197	5.52
4	A LITTLE OF THE TIME	1021	4.71
5	NOT AT ALL	1133	5.23

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF67

LABEL: FEEL EVERYTHING AN EFFORT WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	16695	77.04
1	ALL OF THE TIME	897	4.14
2	MOST OF THE TIME	1300	6.00
3	SOME OF THE TIME	1245	5.75
4	A LITTLE OF THE TIME	875	4.04
5	NOT AT ALL	643	2.97

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AF68

LABEL: FEEL WORTHLESS WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	16695	77.04
1	ALL OF THE TIME	558	2.57
2	MOST OF THE TIME	761	3.51
3	SOME OF THE TIME	960	4.43
4	A LITTLE OF THE TIME	915	4.22
5	NOT AT ALL	1766	8.15

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF69B

LABEL: EMOTIONS INTERFERE W/WORK WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	17448	80.51
1	A LOT	1202	5.55
2	SOME	1895	8.74
3	NOT AT ALL	505	2.33
4	DOES NOT WORK	605	2.79

UNIVERSE: ADULT 70 OR YOUNGER WHO EXPERIENCED MODERATE PSYCHOLOGICAL
DISTRESS IN THE PAST 12 MONTHS

INPUT VAR: WORK2

NOTES: CANNOT BE TRENDED WITH AF69 (2009). PROXY RESPONDENTS NOT INCLUDED
IN THIS QUESTION.

VARNAME: AF70B

LABEL: EMOTIONS INTERFERE W/CHORES WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	17096	78.89
1	A LOT	1933	8.92
2	SOME	2056	9.49
3	NOT AT ALL	570	2.63

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST
12 MONTHS

INPUT VAR: CHORES2

NOTES: CANNOT BE TRENDED WITH AF70 (2009). PROXY RESPONDENTS NOT INCLUDED
IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF71B

LABEL: EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	17096	78.89
1	A LOT	2178	10.05
2	SOME	1959	9.04
3	NOT AT ALL	422	1.95

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST
12 MONTHS

INPUT VAR: SOCIAL2

NOTES: CANNOT BE TRENDED WITH AF71 (2009). PROXY RESPONDENTS NOT INCLUDED
IN THIS QUESTION.

VARNAME: AF72B

LABEL: EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	17096	78.89
1	A LOT	1704	7.86
2	SOME	2387	11.01
3	NOT AT ALL	468	2.16

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST
12 MONTHS

INPUT VAR: FAMILY2

NOTES: CANNOT BE TRENDED WITH AF72 (2009). PROXY RESPONDENTS NOT INCLUDED
IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DSTRS12

LABEL: LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
1	YES		2541	11.73
2	NO		19114	88.20

UNIVERSE: ALL ADULTS

INPUT VAR: DSTRSYR

NOTES: BASED ON DSTRSYR>=13

VARNAME: DSTRSYR

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)

MEAN STATISTICS	
N	21655
MIN	0
MAX	24
MEAN	4.88

UNIVERSE: ALL ADULTS

INPUT VAR: DISTRESS AF63 AF64 AF65 AF66 AF67 AF68

NOTES: BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED DATA

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: CHORES2

LABEL: CHORE IMPAIRMENT PAST 12 MONTHS

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		17096	78.89
0	NONE		570	2.63
1	MODERATE		2056	9.49
2	SEVERE		1933	8.92

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS
(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF70B

NOTES: CANNOT BE TRENDED WITH CHORES (2009)

VARNAME: SOCIAL2

LABEL: SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		17096	78.89
0	NONE		422	1.95
1	MODERATE		1959	9.04
2	SEVERE		2178	10.05

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS
(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF71B

NOTES: CANNOT BE TRENDED WITH SOCIAL (2009)

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: WORK2

LABEL: WORK IMPAIRMENT PAST 12 MONTHS

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18053	83.30
0	NONE		505	2.33
1	MODERATE		1895	8.74
2	SEVERE		1202	5.55

UNIVERSE: ADULTS 70 OR YOUNGER WHO WORK AND EXPERIENCED MODERATE TO SEVERE
 PSYCHOLOGICAL DISTRESS (K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF69B

NOTES: CANNOT BE TRENDED WITH WORK (2009)

VARNAME: FAMILY2

LABEL: FAMILY LIFE IMPAIRMENT PAST 12 MONTHS

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		17096	78.89
0	NONE		468	2.16
1	MODERATE		2387	11.01
2	SEVERE		1704	7.86

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS
 (K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF72B

NOTES: CANNOT BE TRENDED WITH FAMILY (2009)

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF81

LABEL: NEEDED HELP FOR EMOT/MNTL OR ALCOH/DRUG PRBLM IN PAST YR

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
1	YES		5208	24.03
2	NO		16447	75.89

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AJ1

LABEL: INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		16447	75.89
1	YES		4330	19.98
2	NO		726	3.35
3	NO INSURANCE		152	0.70

UNIVERSE: ALL ADULTS WHO HAVE FELT NEED FOR HELP FOR EMOTIONAL/MENTAL
PROBLEMS OR HAVE SEEN SOMEONE FOR EMOTIONAL/MENTAL HEALTH PROBLEMS
WITHIN PAST YEAR AND HAVE HEALTH INSURANCE

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AF110B

LABEL: EXPERIENCED EXTREME HEAT WAVE IN PAST 2 YRS

			FREQ	%
VALUE:	1	YES	11511	53.12
	2	NO	10160	46.88

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AF110C

LABEL: EXPERIENCED WILDFIRE IN PAST 2 YRS

			FREQ	%
VALUE:	1	YES	3321	15.32
	2	NO	18350	84.68

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AF110D

LABEL: EXPERIENCED SMOKE FROM WILDFIRE IN PAST 2 YRS

			FREQ	%
VALUE:	1	YES	10358	47.80
	2	NO	11313	52.20

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AF110E

LABEL: EXPERIENCED FLOOD/RISING SEA/MUDSLIDE IN PAST 2 YRS

			FREQ	%
VALUE:	1	YES	1634	7.54
	2	NO	20037	92.46

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: EXTRMWEATHER

LABEL: HAS EXPERIENCED AN EXTREME WEATHER EVENT IN PAST 2 YEARS

			FREQ	%
VALUE:	1	HAS EXPERIENCED EXTREME WEATHER EVENT IN	14319	66.07
	2	HAS NOT EXPERIENCED EXTREME WEATHER EVEN	7352	33.93

UNIVERSE: ALL ADULTS

INPUT VAR: AF110B AF110C AF110D AF110E

NOTES: CV CREATED IN CHIS 2023.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AF111B_1

LABEL: PHYSICAL HEALTH HARMED BY EVENT: EXTREME HEAT WAVE

VALUE:			FREQ	%
-1	INAPPLICABLE		7352	33.93
1	YES		1890	8.72
2	NO		12429	57.35

UNIVERSE: ADULTS WHO EXPERIENCED AT LEAST 1 DANGEROUS WEATHER-RELATED EVENT
IN PAST 2 YRS

INPUT VAR:

NOTES:

VARNAME: AF111B_3

LABEL: PHYSICAL HEALTH HARMED BY EVENT: WILDFIRE

VALUE:			FREQ	%
-1	INAPPLICABLE		7352	33.93
1	YES		361	1.67
2	NO		13958	64.41

UNIVERSE: ADULTS WHO EXPERIENCED AT LEAST 1 DANGEROUS WEATHER-RELATED EVENT
IN PAST 2 YRS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AF111B_4

LABEL: PHYSICAL HEALTH HARMED BY EVENT: SMOKE FROM WILDFIRE

VALUE:			FREQ	%
-1	INAPPLICABLE		7352	33.93
1	YES		3397	15.68
2	NO		10922	50.40

UNIVERSE: ADULTS WHO EXPERIENCED AT LEAST 1 DANGEROUS WEATHER-RELATED EVENT
IN PAST 2 YRS

INPUT VAR:

NOTES:

VARNAME: AF111B_5

LABEL: PHYSICAL HEALTH HARMED BY EVENT: NOT HARMED

VALUE:			FREQ	%
-1	INAPPLICABLE		7352	33.93
1	YES		9888	45.63
2	NO		4431	20.45

UNIVERSE: ADULTS WHO EXPERIENCED AT LEAST 1 DANGEROUS WEATHER-RELATED EVENT
IN PAST 2 YRS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AF112B_1

LABEL: MENTAL HEALTH HARMED BY EVENT: EXTREME HEAT WAVE

VALUE:			FREQ	%
-1	INAPPLICABLE		7352	33.93
1	YES		2059	9.50
2	NO		12260	56.57

UNIVERSE: ADULTS WHO EXPERIENCED AT LEAST 1 DANGEROUS WEATHER-RELATED EVENT
IN PAST 2 YRS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AF112B_3

LABEL: MENTAL HEALTH HARMED BY EVENT: WILDFIRE

VALUE:			FREQ	%
-1	INAPPLICABLE		7352	33.93
1	YES		1001	4.62
2	NO		13318	61.46

UNIVERSE: ADULTS WHO EXPERIENCED AT LEAST 1 DANGEROUS WEATHER-RELATED EVENT
IN PAST 2 YRS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AF112B_4

LABEL: MENTAL HEALTH HARMED BY EVENT: SMOKE FROM WILDFIRE

VALUE:			FREQ	%
-1	INAPPLICABLE		7352	33.93
1	YES		2339	10.79
2	NO		11980	55.28

UNIVERSE: ADULTS WHO EXPERIENCED AT LEAST 1 DANGEROUS WEATHER-RELATED EVENT
IN PAST 2 YRS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AF112B_5

LABEL: MENTAL HEALTH HARMED BY EVENT: NOT HARMED

VALUE:			FREQ	%
-1	INAPPLICABLE		7352	33.93
1	YES		10453	48.23
2	NO		3866	17.84

UNIVERSE: ADULTS WHO EXPERIENCED AT LEAST 1 DANGEROUS WEATHER-RELATED EVENT
IN PAST 2 YRS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: HEALTHHARM

LABEL: PHYSICAL OR MENTAL HEALTH HARMED BY EXTREME WEATHER IN PAST 2 YRS

		FREQ	%
VALUE:	1	PHYSICAL OR MENTAL HEALTH HARMED BY EXTR 5570	25.70
	2	PHYSICAL AND MENTAL HEALTH NOT HARMED BY 8749	40.37
	3	DID NOT EXPERIENCE AN EXTREME WEATHER EV 7352	33.93

UNIVERSE: ALL ADULTS

INPUT VAR: AF110B AF110C AF110D AF110E AF111B_1 AF111B_2 AF111B_3 AF111B_4

NOTES: CV CREATED IN CHIS 2023.

VARNAME: MENTALHEALTH

LABEL: MENTAL HEALTH HARMED BY EXTREME WEATHER IN PAST 2 YRS

		FREQ	%
VALUE:	1	MENTAL HEALTH HARMED BY EXTREME WEATHER 3658	16.88
	2	MENTAL HEALTH NOT HARMED BY EXTREME WEAT 10661	49.19
	3	DID NOT EXPERIENCE AN EXTREME WEATHER EV 7352	33.93

UNIVERSE: ALL ADULTS

INPUT VAR: AF110B AF110C AF110D AF110E AF112B_1 AF112B_2 AF112B_3 AF112B_4

NOTES: CV CREATED IN CHIS 2023.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: PHYSHEALTH

LABEL: PHYSICAL HEALTH HARMED BY EXTREME WEATHER IN PAST 2 YRS

		FREQ	%
VALUE:	1 PHYSICAL HEALTH HARMED BY EXTREME WEATHE	4297	19.83
	2 PHYSICAL HEALTH NOT HARMED BY EXTREME WE	10022	46.25
	3 DID NOT EXPERIENCE AN EXTREME WEATHER EV	7352	33.93

UNIVERSE: ALL ADULTS

INPUT VAR: AF110B AF110C AF110D AF110E AF111B_1 AF111B_2 AF111B_3 AF111B_4

NOTES: CV CREATED IN CHIS 2023.

VARNAME: AF118_1

LABEL: SPACE WITH FILTERED AIR ACCESSED DURING WILDFIRE SMOKE EVENT: MY

		FREQ	%
VALUE:	-1 INAPPLICABLE	11313	52.20
	1 YES	6876	31.73
	2 NO	3482	16.07

UNIVERSE: ADULTS WHO EXPERIENCED SMOKE FROM WILDFIRE IN PAST 2 YRS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AF118_2

LABEL: SPACE WITH FILTERED AIR ACCESSED DURING WILDFIRE SMOKE EVENT: FRI

VALUE:			FREQ	%
-1	INAPPLICABLE		11313	52.20
1	YES		276	1.27
2	NO		10082	46.52

UNIVERSE: ADULTS WHO EXPERIENCED SMOKE FROM WILDFIRE IN PAST 2 YRS

INPUT VAR:

NOTES:

VARNAME: AF118_3

LABEL: SPACE WITH FILTERED AIR ACCESSED DURING WILDFIRE SMOKE EVENT: COM

VALUE:			FREQ	%
-1	INAPPLICABLE		11313	52.20
1	YES		87	0.40
2	NO		10271	47.40

UNIVERSE: ADULTS WHO EXPERIENCED SMOKE FROM WILDFIRE IN PAST 2 YRS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AF118_4

LABEL: SPACE WITH FILTERED AIR ACCESSED DURING WILDFIRE SMOKE EVENT: COM

VALUE:			FREQ	%
-1	INAPPLICABLE		11313	52.20
1	YES		652	3.01
2	NO		9706	44.79

UNIVERSE: ADULTS WHO EXPERIENCED SMOKE FROM WILDFIRE IN PAST 2 YRS

INPUT VAR:

NOTES:

VARNAME: AF118_5

LABEL: SPACE WITH FILTERED AIR ACCESSED DURING WILDFIRE SMOKE EVENT: DID

VALUE:			FREQ	%
-1	INAPPLICABLE		11313	52.20
1	YES		2783	12.84
2	NO		7575	34.95

UNIVERSE: ADULTS WHO EXPERIENCED SMOKE FROM WILDFIRE IN PAST 2 YRS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF118_6

LABEL: SPACE WITH FILTERED AIR ACCESSED DURING WILDFIRE SMOKE EVENT: NOT

VALUE:			FREQ	%
-1	INAPPLICABLE		11313	52.20
1	YES		347	1.60
2	NO		10011	46.20

UNIVERSE: ADULTS WHO EXPERIENCED SMOKE FROM WILDFIRE IN PAST 2 YRS

INPUT VAR:

NOTES:

VARNAME: WLDFRE

LABEL: ACCESSED FILTERED AIR DURING WILDFIRE SMOKE EVENT IN PAST 2 YRS

VALUE:			FREQ	%
1	ACCESSED FILTERED AIR DURING WILDFIRE SM	7228	33.35	
2	DID NOT ACCESS FILTERED AIR DURING WILDF	3130	14.44	
3	DID NOT EXPERIENCE WILDFIRE SMOKE EVENT	11313	52.20	

UNIVERSE: ALL ADULTS

INPUT VAR: AF110D AF118_1 AF118_2 AF118_3 AF118_4

NOTES: CV CREATED IN CHIS 2023.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: WEATHERV2

LABEL: EFFECTS OF WEATHER-RELATED EVENTS

VALUE:			FREQ	%
1	PHYSICAL		1862	8.59
2	MENTAL		1297	5.98
3	BOTH		2569	11.85
4	NEITHER		15943	73.57

UNIVERSE: ALL ADULTS

INPUT VAR: AF110B AF110C AF110D AF110E AF111B AF112B

NOTES: PREVIOUS VERSION: WEATHER. NEW VERSION IN CHIS 2023 DUE TO
MODIFICATIONS TO HOW INPUT VARIABLES ARE ASKED. USE CAUTION WHEN
COMPARING TO 2022 AND PRIOR YEARS.

SECTION G: DEMOGRAPHIC INFORMATION, PART II & CHILD CARE

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AH33NEW

LABEL: BORN IN U.S.

VALUE:			FREQ	%
1	BORN IN U.S.		15929	73.50
2	BORN OUTSIDE U.S.		5742	26.50

UNIVERSE: ALL ADULTS

INPUT VAR: AH33

NOTES:

VARNAME: AH34NEW

LABEL: MOTHER BORN IN U.S.

VALUE:			FREQ	%
-1	INAPPLICABLE		5797	26.75
1	BORN IN U.S.		12889	59.48
2	BORN OUTSIDE U.S.		2985	13.77

UNIVERSE: ALL ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR: AH34

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH35NEW

LABEL: FATHER BORN IN U.S.

VALUE:			FREQ	%
-1	INAPPLICABLE		5797	26.75
1	BORN IN U.S.		12697	58.59
2	BORN OUTSIDE U.S.		3177	14.66

UNIVERSE: ALL ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR: AH35

NOTES:

VARNAME: CITIZEN2

LABEL: CITIZENSHIP STATUS (3 LVLS)

VALUE:			FREQ	%
1	US-BORN CITIZEN		15929	73.50
2	NATURALIZED CITIZEN		4115	18.99
3	NON-CITIZEN		1627	7.51

UNIVERSE: ALL ADULTS

INPUT VAR: AH39 AH33 AH40

NOTES: RESPONDENTS BORN IN AMERICAN SAMOA ARE INCLUDED IN THE "US-BORN
CITIZEN" CATEGORY. THESE RESPONDENTS MAY BE US NATIONALS BY BIRTH
OR NATURALIZED US CITIZENS.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: YRUS6P

LABEL: YEARS LIVED IN THE US: 6+

VALUE:			FREQ	%
-1	INAPPLICABLE		15929	73.50
1	5 YEARS OR LESS		362	1.67
2	6+ YEARS		5380	24.83

UNIVERSE: ADULTS WHO WERE BORN OUTSIDE OF US OR US TERRITORY

INPUT VAR: AH41

NOTES:

VARNAME: YRUS_P1

LABEL: YEARS LIVED IN THE U.S. (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		15929	73.50
1	<5 YEARS		277	1.28
3	5-9 YEARS		410	1.89
4	10-14 YEARS		365	1.68
5	15+ YEARS		4690	21.64

UNIVERSE: ADULTS BORN IN A COUNTRY OTHER THAN US SAMOA GUAM PUERTO RICO OR
VIRGIN ISLANDS

INPUT VAR: AADATE AH41FMT AH41YR AH41

NOTES: YRUS Categories Collapsed

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: PCTLF_P

LABEL: PERCENT LIFE IN US (PUF RECODE)

VALUE:			FREQ	%
1	0-20		572	2.64
2	21-40		975	4.50
3	41-60		1498	6.91
4	61-80		1568	7.24
5	81+		17058	78.71

UNIVERSE: ALL ADULTS

INPUT VAR: PCTLF

NOTES: PCTLF Categories Collapsed

VARNAME: AH43A

LABEL: LIVING WITH A PARENT

VALUE:			FREQ	%
-1	INAPPLICABLE		20434	94.29
1	YES		908	4.19
2	NO		329	1.52

UNIVERSE: ADULTS UNDER 30 WHO ARE [(MARRIED AND LIVING W/ SPOUSE) OR (LIVING W/ PARTNER AND AT LEAST 3 ALL ADULTS) OR (NOT MARRIED AND LIVING W/ AT LEAST 2 ALL ADULTS)]

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AH44A

LABEL: USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH

VALUE:			FREQ	%
-1	INAPPLICABLE		18456	85.16
1	YES		950	4.38
2	NO		2265	10.45

UNIVERSE: ADULTS LIVING WITH CHILDREN UNDER AGE 14

INPUT VAR:

NOTES:

VARNAME: AH44B

LABEL: AMOUNT PAID FOR ALL CHILD CARE ARRANGEMENTS LAST MONTH

MEAN STATISTICS	
N	950
MIN	0
MAX	8170
MEAN	1272.12

UNIVERSE: ADULTS LIVING WITH CHILDREN UNDER AGE 14 WHO PAID FOR CHILD CARE

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AHCHLDC

LABEL: AMOUNT SPENT ON CHILD CARE PER WEEK

VALUE:		FREQ	%
-1	INAPPLICABLE	20721	95.62
1	\$0-9/WEEK	11	0.05
2	\$10-24/WEEK	28	0.13
3	\$25-49/WEEK	62	0.29
4	\$50-99/WEEK	125	0.58
5	\$100-199/WEEK	224	1.03
6	\$200+/WEEK	500	2.31

UNIVERSE: ADULTS WHO HAVE CHILDREN UNDER AGE 14 AND PAID FOR CHILDCARE IN THE PAST MONTH.

INPUT VAR: AH44B

NOTES:

VARNAME: ACHLDC_P1

LABEL: AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	20721	95.62
1	\$0-24/WEEK	39	0.18
3	\$25-49/WEEK	62	0.29
4	\$50-99/WEEK	125	0.58
5	\$100-199/WEEK	224	1.03
6	\$200+/WEEK	500	2.31

UNIVERSE: ADULTS WHO HAVE CHILDREN UNDER AGE 14 AND PAID FOR CHILDCARE IN THE PAST MONTH.

INPUT VAR: AH44B AH44BUNT

NOTES: ACHLDC Categories Collapsed

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AHEDC_P1

LABEL: EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE)

VALUE:		FREQ	%
1	NO FORMAL EDUCATION OR GRADE 1-8	488	2.25
2	GRADE 9-11	479	2.21
3	GRADE 12/H.S. DIPLOMA	2677	12.35
4	SOME COLLEGE	3056	14.10
5	VOCATIONAL SCHOOL	1298	5.99
6	AA OR AS DEGREE	1551	7.16
7	BA OR BS DEGREE/SOME GRAD SCHOOL	6857	31.64
8	MA OR MS DEGREE	3676	16.96
9	PH.D. OR EQUIVALENT	1589	7.33

UNIVERSE: ALL ADULTS

INPUT VAR: AH47

NOTES: AHEDUC Categories Collapsed

VARNAME: AG8

LABEL: WORK STATUS OF SPOUSE LAST WEEK

VALUE:		FREQ	%
-1	INAPPLICABLE	10906	50.33
1	WORKING AT A JOB OR BUSINESS	6012	27.74
2	WITH A JOB/BUSINESS, BUT NOT AT WORK	291	1.34
3	LOOKING FOR WORK	201	0.93
4	NOT WORKING AT A JOB OR BUSINESS	4261	19.66

UNIVERSE: ALL ADULTS WHO ARE MARRIED OR HAVE A LEGAL PARTNER

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG9_P1

LABEL: TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		14871	68.62
1	PRIVATE COMPANY/NON-PROFIT ORG		4226	19.50
2	GOVERNMENT		1294	5.97
3	SELF-EMPLOYED/FAMILY BUSINESS/FARM		1280	5.91

UNIVERSE: ALL ADULTS WITH SPOUSE/ PARTNER THAT HAS JOB OR USUALLY WORKS

INPUT VAR: AG9

NOTES: AG9 Categories Collapsed

VARNAME: AG10

LABEL: RESPONDENT USUALLY WORKS

VALUE:			FREQ	%
-1	INAPPLICABLE		18292	84.41
1	YES		1430	6.60
2	NO		1247	5.75
3	LOOKING FOR WORK		702	3.24

UNIVERSE: ALL ADULTS (W/ A JOB OR BUSINESS BUT NOT AT WORK) OR (NOT WORKING
AT A JOB OR BUSINESS) OR LOOKING FOR WORK (NOT INCL ALL ADULTS WHO
ARE RETIRED OR DISABLED)

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG11

LABEL: SPOUSE USUALLY WORKS

VALUE:		FREQ	%
-1	INAPPLICABLE	17209	79.41
1	YES	497	2.29
2	NO	3808	17.57
3	LOOKING FOR WORK	157	0.72

UNIVERSE: MARRIED OR HAVE LEGAL PARTNER ALL ADULTS WITH SPOUSE/ PARTNER WHO
IS LOOKING FOR WORK, NOT WORKING, OR REFUSED/DIDN'T KNOW ANSWER TO
QUESTION

INPUT VAR:

NOTES:

VARNAME: WRKST_P1

LABEL: WORKING STATUS (PUF 1 YR RECODE)

VALUE:		FREQ	%
1	FULL-TIME EMPLOYMENT (21+ HRS/WEEK)	10969	50.62
2	PART-TIME EMPLOYMENT (0-20 HRS/WEEK)	1692	7.81
3	OTHER EMPLOYED	213	0.98
4	UNEMPLOYED, LOOKING FOR WORK	895	4.13
5	UNEMPLOYED, NOT LOOKING FOR WORK	7902	36.46

UNIVERSE: ALL ADULTS

INPUT VAR: AK3 AK1 AK2 AG10

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AG22

LABEL: EVER SERVE IN U.S. ARMED FORCES

VALUE:			FREQ	%
1	YES		1653	7.63
2	NO		20018	92.37

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AG31

LABEL: HAVE VA SERVICE-CONNECTED DISABILITY RATING

VALUE:			FREQ	%
-1	INAPPLICABLE		20018	92.37
1	YES		545	2.51
2	NO		1108	5.11

UNIVERSE: ADULTS WHO SERVED IN US ARMED FORCES

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SERVED

LABEL: LENGTH OF TIME SERVED IN ACTIVE DUTY

VALUE:		FREQ	%
-1	INAPPLICABLE	20018	92.37
1	<6 MONS	20	0.09
2	6 MONS - 2 YRS	313	1.44
3	>2 YRS - 4 YRS	543	2.51
4	>4 YRS - <20 YRS	534	2.46
5	20+ YRS	243	1.12

UNIVERSE: ALL ADULTS WHO HAVE SERVED IN ACTIVE DUTY

INPUT VAR: AG22 AG24NUM AG23BEG AG23END

NOTES:

VARNAME: SREDUC

LABEL: SELF-REPORTED EDUC LEVEL OF RESP (ADLTS)

VALUE:		FREQ	%
1	< HIGH SCHOOL EDUCATION	967	4.46
2	HIGH SCHOOL EDUCATION	2677	12.35
3	SOME COLLEGE	5905	27.25
4	COLLEGE DEGREE OR ABOVE	12122	55.94

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FAMTYP_P

LABEL: FAMILY TYPE (PUF RECODE)

VALUE:			FREQ	%
1	SINGLE ADULT, 21+		9302	42.92
2	SINGLE YOUNG ADULT, 19-20		197	0.91
3	MARRIED, NO KIDS		7082	32.68
4	MARRIED WITH KIDS		3446	15.90
5	SINGLE WITH KIDS		1542	7.12
6	SINGLE 18 YEARS OLD		102	0.47

UNIVERSE: ALL ADULTS

INPUT VAR: FAM_TYPE

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED OR NOT LIVING WITH SPOUSE.

VARNAME: FAMSIZE2_P1

LABEL: FAMILY SIZE: INCL. ALL SUPT'D BY HH INCOME (PUF 1 YR RECODE)

MEAN STATISTICS	
N	21671
MIN	1
MAX	8
MEAN	2.06

UNIVERSE: ALL ADULTS

INPUT VAR: FAM_SIZE2

NOTES: MAY INCLUDE INDIVIDUALS NOT IN HOUSEHOLD BUT ARE SUPPORTED BY
HOUSEHOLD INCOME; TOPCODE = 8

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: FAMT4

LABEL: FAMILY TYPE - 4 LVLS

VALUE:			FREQ	%
1	SINGLE, NO KIDS		9601	44.30
2	MARRIED, NO KIDS		7082	32.68
3	MARRIED WITH KIDS		3446	15.90
4	SINGLE WITH KIDS		1542	7.12

UNIVERSE: ALL ADULTS

INPUT VAR: FAM_TYPE

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED OR NOT LIVING WITH SPOUSE.

SECTION H: HEALTH INSURANCE

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AI1

LABEL: COVERED BY MEDICARE

VALUE:			FREQ	%
1	YES		7247	33.44
2	NO		14424	66.56

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AI4

LABEL: COVERED BY MEDICARE SUPPL POLICY

VALUE:			FREQ	%
-1	INAPPLICABLE		18637	86.00
1	YES		1735	8.01
2	NO		1299	5.99

UNIVERSE: ALL ADULTS WITH MEDICARE NOT PROVIDED THROUGH HMO

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AH53

LABEL: PAYS ANY PART OF MEDICARE HMO/SUPP PREMIUM

VALUE:			FREQ	%
-1	INAPPLICABLE		15669	72.30
1	YES		4192	19.34
2	NO		1810	8.35

UNIVERSE: ALL ADULTS WITH MEDICARE PROVIDED THROUGH HMO OR MEDIGAP/MEDICARE
SUPPLEMENT

INPUT VAR:

NOTES:

VARNAME: AH54

LABEL: SOMEONE ELSE PAYS ANY PART MEDICARE HMO/SUPP PREMIUM

VALUE:			FREQ	%
-1	INAPPLICABLE		15669	72.30
1	YES		1601	7.39
2	NO		4401	20.31

UNIVERSE: ALL ADULTS WITH MEDICARE PROVIDED THROUGH HMO OR MEDIGAP/MEDICARE
SUPPLEMENT

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AI6

LABEL: COVERED BY MEDI-CAL

			FREQ	%
VALUE:	1	YES	3847	17.75
	2	NO	17824	82.25

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH100

LABEL: ANYONE HELP FIND HEALTH PLAN

			FREQ	%
VALUE:	-1	INAPPLICABLE	21348	98.51
	1	YES	141	0.65
	2	NO	182	0.84

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO
BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR:

NOTES: QX VARNAME = AH100H. PROXY RESPONDENTS NOT INCLUDED IN THIS
QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH103

LABEL: BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO

VALUE:			FREQ	%
-1	INAPPLICABLE		18702	86.30
1	YES		1002	4.62
2	NO		1967	9.08

UNIVERSE: ALL ADULTS WITH HEALTH COVERAGE IN PAST 12 MONTHS (CURRENT AND PAST COVERAGE) PURCHASED DIRECTLY OR THROUGH COVCA, OR UNINSURED ADULTS (CURRENT/PAST 12 MONTHS)

INPUT VAR:

NOTES: QX VARNAME = AH103H. PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AH104

LABEL: PURCHASE INS DIRECT OR THRU COVERED CA

VALUE:			FREQ	%
-1	INAPPLICABLE		20699	95.51
1	INSURANCE COMPANY OR HMO		270	1.25
2	COVERED CALIFORNIA		694	3.20
91	OTHER		8	0.04

UNIVERSE: ADULTS WITH HEALTH COVERAGE OBTAINED DIRECTLY FROM INS. COMPANY/HMO/COVERED CALIFORNIA

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH105

LABEL: GET INS THRU EMPLOYER, UNION, SHOP PROGRAM

VALUE:			FREQ	%
-1	INAPPLICABLE		19044	87.88
1	EMPLOYER		2203	10.17
2	UNION		128	0.59
3	SHOP/COVERED CALIFORNIA		205	0.95
91	OTHER		91	0.42

UNIVERSE: ADULTS WITH EMPLOYER BASED COVERAGE AND AT FIRM <= 100 EMPLOYEES

INPUT VAR:

NOTES:

VARNAME: AH107

LABEL: GET SUBSIDY/DISCOUNT ON PLAN PREMIUM

VALUE:			FREQ	%
-1	INAPPLICABLE		20977	96.80
1	YES		554	2.56
2	NO		140	0.65

UNIVERSE: ADULTS WITH COVERED CALIFORNIA COVERAGE NOT OBTAINED THROUGH SHOP

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH110

LABEL: SOURCE OF COVERAGE PURCHASED DIRECTLY

VALUE:		FREQ	%
-1	INAPPLICABLE	20669	95.38
1	DIRECTLY FROM AN INSURANCE COMPANY OR HM	192	0.89
2	THROUGH COVERED CALIFORNIA	679	3.13
3	BOTH DIRECT AND COVERED CALIFORNIA	131	0.60

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12 MOS, AND WHO TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED CA

INPUT VAR:

NOTES: QX VARNAME = AH110H. PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AH111

LABEL: FIND PLAN WITH NEEDED COVERAGE-COVERED CA

VALUE:		FREQ	%
-1	INAPPLICABLE	20861	96.26
1	VERY DIFFICULT	136	0.63
2	SOMEWHAT DIFFICULT	186	0.86
3	NOT TOO DIFFICULT	311	1.44
4	NOT AT ALL DIFFICULT	177	0.82

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12 MOS AND TRIED TO BUY INS DIRECTLY FROM COVERED CALIFORNIA

INPUT VAR:

NOTES: QX VARNAME = AH111H. PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH112

LABEL: FIND PLAN COULD AFFORD-COVERED CA

VALUE:		FREQ	%
-1	INAPPLICABLE	20861	96.26
1	VERY DIFFICULT	226	1.04
2	SOMEWHAT DIFFICULT	229	1.06
3	NOT TOO DIFFICULT	226	1.04
4	NOT AT ALL DIFFICULT	129	0.60

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12
MOS AND TRIED TO BUY INS DIRECTLY FROM COVERED CALIFORNIA

INPUT VAR:

NOTES: QX VARNAME = AH112H. PROXY RESPONDENTS NOT INCLUDED IN THIS
QUESTION.

VARNAME: AH113

LABEL: ANYONE HELP R FIND HEALTH PLAN-COVERED CA

VALUE:		FREQ	%
-1	INAPPLICABLE	20861	96.26
1	YES	278	1.28
2	NO	532	2.45

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12
MOS AND TRIED TO BUY INS DIRECTLY FROM COVERED CALIFORNIA

INPUT VAR:

NOTES: QX VARNAME = AH113H. PROXY RESPONDENTS NOT INCLUDED IN THIS
QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH114

LABEL: WHO HELPED R FIND HEALTH PLAN-COVERED CA

VALUE:			FREQ	%
-1	INAPPLICABLE		21393	98.72
1	BROKER		108	0.50
2	FAMILY MEMBER/FRIEND		41	0.19
3	INTERNET		9	0.04
4	CERTIFIED ENROLLMENT COUNSELOR		115	0.53
91	OTHER		5	0.02

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12
MOS AND TRIED TO BUY INS DIRECTLY FROM COVERED CALIFORNIA AND
RECEIVED HELP TO FIND A PLAN

INPUT VAR:

NOTES: QX VARNAME = AH114H. PROXY RESPONDENTS NOT INCLUDED IN THIS
QUESTION.

VARNAME: AH115

LABEL: HAD NEEDED INFO TO PICK HEALTH PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		20669	95.38
1	YES		728	3.36
2	NO		274	1.26

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12
MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED
CALIFORNIA

INPUT VAR:

NOTES: QX VARNAME = AH115H. PROXY RESPONDENTS NOT INCLUDED IN THIS
QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH117

LABEL: COST OF SELECTED PLAN IMPORTANT

VALUE:			FREQ	%
-1	INAPPLICABLE		20669	95.38
1	VERY IMPORTANT		787	3.63
2	SOMEWHAT IMPORTANT		198	0.91
3	NOT IMPORTANT		17	0.08

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12
MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED
CALIFORNIA

INPUT VAR:

NOTES: QX VARNAME = AH117H. PROXY RESPONDENTS NOT INCLUDED IN THIS
QUESTION.

VARNAME: AH118

LABEL: CARE FROM SPECIFIC DOCTOR THRU PLAN IMPORTANT

VALUE:			FREQ	%
-1	INAPPLICABLE		20669	95.38
1	VERY IMPORTANT		485	2.24
2	SOMEWHAT IMPORTANT		308	1.42
3	NOT IMPORTANT		209	0.96

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12
MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED
CALIFORNIA

INPUT VAR:

NOTES: QX VARNAME = AH118H. PROXY RESPONDENTS NOT INCLUDED IN THIS
QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH119

LABEL: CARE FROM SPECIFIC HOSPITAL THRU PLAN IMPORTANT

VALUE:			FREQ	%
-1	INAPPLICABLE		20669	95.38
1	VERY IMPORTANT		363	1.68
2	SOMEWHAT IMPORTANT		358	1.65
3	NOT IMPORTANT		281	1.30

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12
MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED
CALIFORNIA

INPUT VAR:

NOTES: QX VARNAME = AH119H. PROXY RESPONDENTS NOT INCLUDED IN THIS
QUESTION.

VARNAME: AH120

LABEL: CHOICE OF DOCTORS THRU PLAN IMPORTANT

VALUE:			FREQ	%
-1	INAPPLICABLE		20669	95.38
1	VERY IMPORTANT		485	2.24
2	SOMEWHAT IMPORTANT		328	1.51
3	NOT IMPORTANT		189	0.87

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12
MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED
CALIFORNIA

INPUT VAR:

NOTES: QX VARNAME = AH120H. PROXY RESPONDENTS NOT INCLUDED IN THIS
QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI15

LABEL: MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	20190	93.17
1	COVERED BY ANOTHER PLAN	998	4.61
2	TOO EXPENSIVE	292	1.35
3	DIDNT LIKE PLAN OFFERED	83	0.38
4	DONT NEED OR BELIEVE IN HEALTH INSURANCE	26	0.12
5	IN PROCESS	29	0.13
6	DIDNT TAKE UP - OTHER	16	0.07
7	RECEIVE EXTRA PAY/BENEFITS NOT TO ENROLL	1	0.00
91	OTHER	36	0.17

UNIVERSE: ALL ADULTS WHO WORKED IN PAST WK OR USUALLY WORK, ARE NOT
SELF-EMPLOYED, AND DO NOT HAVE EMPLOYER-BASED COVERAGE THOUGH
ELIGIBLE

INPUT VAR:

NOTES:

VARNAME: AI15A

LABEL: MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	20912	96.50
1	HAVENT WORKED HERE LONG ENOUGH	72	0.33
2	CONTRACT OR TEMP EMPLOYEE	136	0.63
3	DONT WORK ENOUGH HOURS PER WEEK	416	1.92
4	DOES NOT MEET AGE REQUIREMENTS	5	0.02
6	NOT ELIGIBLE - OTHER	23	0.11
7	HAS LEFT POSITION/RETIRED/LAID OFF	49	0.23
91	OTHER	58	0.27

UNIVERSE: ALL ADULTS WHO WORKED IN PAST WEEK OR USUALLY WORK, ARE NOT
SELF-EMPLOYED, AND ARE NOT ELIGIBLE FOR EMPLOYER-BASED HEALTH PLAN

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AI37

LABEL: SPOUSE COVERED BY MEDICARE

VALUE:			FREQ	%
-1	INAPPLICABLE		18699	86.29
1	YES		2659	12.27
2	NO		313	1.44

UNIVERSE: ALL ADULTS WITH SPOUSE/ PARTNER 65 OR OLDER

INPUT VAR:

NOTES:

VARNAME: AI37A

LABEL: SPOUSE COVERED BY MEDICARE SUPPL POLICY

VALUE:			FREQ	%
-1	INAPPLICABLE		20641	95.25
1	YES		741	3.42
2	NO		289	1.33

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE AGE 65 OR OVER WITH MEDICARE NOT
COVERED BY HMO

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI38

LABEL: SPOUSE COVERED BY MEDI-CAL

VALUE:			FREQ	%
-1	INAPPLICABLE		20699	95.51
1	YES		757	3.49
2	NO		215	0.99

UNIVERSE: ALL ADULTS COVERED BY MEDI-CAL AND LIVING WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: AI45_P1

LABEL: MAIN REASON SPOUSE NOT IN EMP HEALTH PLAN (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		20474	94.48
1	COVERED BY ANOTHER PLAN		779	3.59
2	TOO EXPENSIVE		283	1.31
3	DIDNT LIKE PLAN OFFERED		98	0.45
4	OTHER REASON		37	0.17

UNIVERSE: ALL ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WITH NO
EMPLOYER-BASED HEALTH INSURANCE IN OWN NAME EVEN THOUGH OFFERED
AND ELIGIBLE

INPUT VAR: AI45

NOTES: AI45 Categories Collapsed

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI45A_P1

LABEL: MAIN REASON SPOUSE INELIGIBLE EMP HEALTH PLAN (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	21441	98.94
1	HAVENT WORKED HERE LONG ENOUGH	26	0.12
2	CONTRACT OR TEMP EMPLOYEE	50	0.23
3	DONT WORK ENOUGH HOURS PER WEEK	123	0.57
4	OTHER REASON	31	0.14

UNIVERSE: ALL ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WHOSE
EMPLOYER OFFERS HLTH INSURANCE IN OWN NAME BUT IS NOT ELIGIBLE

INPUT VAR: AI45A

NOTES: AI45A Categories Collapsed

VARNAME: AI22C

LABEL: MAIN HEALTH PLAN IS HMO

VALUE:		FREQ	%
-1	INAPPLICABLE	5046	23.28
1	YES	9538	44.01
2	NO	7087	32.70

UNIVERSE: ALL ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE
HMO

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AI25NEW

LABEL: RX COVERAGE EDITED FOR MEDI-CAL

VALUE:			FREQ	%
-1	INAPPLICABLE		598	2.76
1	YES		20223	93.32
2	NO		850	3.92

UNIVERSE: ALL ADULTS WHO HAVE ANY HEALTH INSURANCE COVERAGE

INPUT VAR: INSMD AI25

NOTES: ADJUSTED FOR RX COVERAGE UNDER MEDI-CAL

VARNAME: AI25

LABEL: COVERED FOR PRESCRIPTION DRUGS

VALUE:			FREQ	%
-1	INAPPLICABLE		620	2.86
1	YES		19771	91.23
2	NO		1280	5.91

UNIVERSE: ALL ADULTS WHO HAVE ANY HEALTH INSURANCE COVERAGE

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI22A_P

LABEL: NAME OF HEALTH PLAN (PUF RECODE)

VALUE:			FREQ	%
-8	DON'T KNOW		264	1.22
-7	REFUSED		34	0.16
-1	INAPPLICABLE		5047	23.29
1	KAISER		4221	19.48
2	BLUE CROSS		3104	14.32
3	UNITED HEALTHCARE (FORMER PACIFICARE)		1070	4.94
4	BLUE SHIELD		1852	8.55
5	HEALTH NET		571	2.63
6	AETNA		763	3.52
7	CIGNA HEALTH CARE		529	2.44
8	OTHER		4216	19.45

UNIVERSE: ALL ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE
HMO

INPUT VAR: AI22A

NOTES: AI22A CATEGORIES COLLAPSED. BEGINNING IN CHIS 2022, CATEGORY 108
MILITARY HEALTH CARE (TRICARE, VA, CHAMP-VA) WAS ADDED AS A
RESPONSE OPTION. CONSIDER COMBINING CATEGORIES 87, 89, AND 93 FROM
PREVIOUS YEARS FOR COMPARISON TO CHIS 2022 CATEGORY 108.

VARNAME: HMO

LABEL: HMO STATUS

VALUE:			FREQ	%
1	HMO		10375	47.88
2	NON-HMO		10616	48.99
3	UNINSURED		680	3.14

UNIVERSE: ALL ADULTS

INPUT VAR: INSTYPE AH49 AI22C AI22A AH50

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH71_P1

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		8620	39.78
1	YES		5240	24.18
2	NO		7811	36.04

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH
INS

INPUT VAR: AH71

NOTES: AH71 Categories Collapsed

VARNAME: AH72_P1

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		8620	39.78
1	YES		4340	20.03
2	NO		8711	40.20

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH
INS

INPUT VAR: AH72

NOTES: AH72 Categories Collapsed

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AI31

LABEL: HAD CURRENT INS FOR ALL 12 OF PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		620	2.86
1	YES		18616	85.90
2	NO		2435	11.24

UNIVERSE: ALL ADULTS WHO ARE INSURED

INPUT VAR:

NOTES:

VARNAME: AI32

LABEL: HAD OTHER HEALTH INS WHEN NOT COVERED BY CURRENT INS

VALUE:			FREQ	%
-1	INAPPLICABLE		18847	86.97
1	YES		2073	9.57
2	NO		751	3.47

UNIVERSE: ALL ADULTS WHO HAVE NOT HAD CURRENT HEALTH INSURANCE IN PAST 12
CONSECUTIVE MONTHS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AH73B

LABEL: SPECIAL FUND TO PAY MEDICAL EXPENSES

VALUE:			FREQ	%
-1	INAPPLICABLE		8620	39.78
1	YES		3709	17.12
2	NO		9342	43.11

UNIVERSE: ADULTS WITH EMPLOYER-BASED COVERAGE OR COVERAGE PURCHASED FROM INS
COMPANY/HMO/COVERED CALIFORNIA

INPUT VAR:

NOTES:

VARNAME: AI34

LABEL: ANY TIME IN PAST 12 MOS HAD NO HEALTH INS AT ALL

VALUE:			FREQ	%
-1	INAPPLICABLE		19058	87.94
1	YES		451	2.08
2	NO		2162	9.98

UNIVERSE: ALL ADULTS WHO ARE CURRENTLY INSURED AND HAD OTHER INS WHEN NOT
COVERED BY CURRENT INS IN THE LAST 12 MOS OR REFUSED/DON'T KNOW IF
HAD OTHER COVERAGE

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH140

LABEL: REASON FOR NOT HAVING HEALTH INSURANCE IN PAST YEAR RELATED TO EM

VALUE:		FREQ	%
-1	INAPPLICABLE	21503	99.22
1	LOST JOB	74	0.34
2	REDUCTION IN HOURS	12	0.06
3	CHANGE IN EMPLOYER	75	0.35
91	SOMETHING ELSE	7	0.03

UNIVERSE: ADULTS WHO WERE UNINSURED AT ANY TIME IN PAST YEAR DUE TO
EMPLOYMENT-RELATED REASON

INPUT VAR:

NOTES:

VARNAME: AH141

LABEL: REASON FOR NOT CURRENTLY HAVING HEALTH INSURANCE RELATED TO EMPLO

VALUE:		FREQ	%
-1	INAPPLICABLE	21585	99.60
1	LOST JOB	41	0.19
2	REDUCTION IN HOURS	10	0.05
3	CHANGE IN EMPLOYER	24	0.11
91	SOMETHING ELSE	11	0.05

UNIVERSE: ADULTS WHO ARE CURRENTLY UNINSURED DUE TO EMPLOYMENT-RELATED REASON

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AH74

LABEL: TRIED TO FIND HEALTH INSURANCE ON OWN

VALUE:			FREQ	%
-1	INAPPLICABLE		21103	97.38
1	YES		260	1.20
2	NO		308	1.42

UNIVERSE: ALL ADULTS WHO WERE UNINSURED AT SOME POINT IN THE LAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AH75

LABEL: TRIED TO FIND HEALTH INSURANCE ON OWN

VALUE:			FREQ	%
-1	INAPPLICABLE		21051	97.14
1	YES		257	1.19
2	NO		363	1.68

UNIVERSE: ALL ADULTS WHO WERE UNINSURED IN THE LAST 12 MOS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI27

LABEL: COVERED BY HEALTH INS AT ANY TIME IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	21051	97.14
1	YES	226	1.04
2	NO	394	1.82

UNIVERSE: ALL ADULTS WHO HAVE NO HEALTH INSURANCE COVERAGE AT ALL

INPUT VAR:

NOTES:

VARNAME: AI28

LABEL: HOW LONG SINCE LAST HAD HEALTH INS

VALUE:		FREQ	%
-1	INAPPLICABLE	21277	98.18
1	1 TO 3 YRS AGO	112	0.52
2	MORE THAN 3 YRS AGO	165	0.76
3	NEVER HAD HEALTH INSURANCE COVERAGE	117	0.54

UNIVERSE: ALL ADULTS WHO WERE NOT COVERED BY HEALTH INSURANCE AT ANY TIME
DURING THE PAST 12 MONTHS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AH14

LABEL: PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS

VALUE:			FREQ	%
1	YES		1861	8.59
2	NO		19810	91.41

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH101_P

LABEL: PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		21530	99.35
1	BROKER		106	0.49
2	FAMILY MEMBER/FRIEND		21	0.10
3	INTERNET		7	0.03
4	OTHER/MULTIPLE REASONS		7	0.03

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO
BUY INS DIRECTLY FROM INS COMPANY AND WAS HELPED BY SOMEONE

INPUT VAR: AH101

NOTES: AH101 CATEGORIES COLLAPSED. QX VARNAME=AH101H.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH98_P1

LABEL: DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		21348	98.51
1	VERY DIFFICULT		79	0.36
2	SOMEWHAT DIFFICULT		82	0.38
3	NOT TOO DIFFICULT/NOT AT ALL DIFFICULT		162	0.75

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO
BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR: AH98

NOTES: AH98 Categories Collapsed. Qx varname=AH98H

VARNAME: AH99_P1

LABEL: DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		21348	98.51
1	VERY DIFFICULT		115	0.53
2	SOMEWHAT DIFFICULT		90	0.42
3	NOT TOO DIFFICULT/NOT AT ALL DIFFICULT		118	0.54

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO
BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR: AH99

NOTES: AH99 Categories Collapsed. Qx varname=AH99H

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH126_P1

LABEL: SIGN UP DIRECTLY OR THROUGH EMPLOYER (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		15669	72.30
1	DIRECTLY		3030	13.98
2	CURRENT EMPLOYER		121	0.56
3	FORMER EMPLOYER		1206	5.57
4	UNION		77	0.36
5	OTHER		705	3.25
6	AARP		535	2.47
7	SPOUSE'S EMPLOYER/UNION		328	1.51

UNIVERSE: ADULTS WITH STANDARD MEDICARE AND MEDICARE SUPPLEMENT/MEDI-GAP

INPUT VAR: AH126

NOTES: AH126 Categories Collapsed

VARNAME: INS

LABEL: CURRENTLY INSURED

VALUE:			FREQ	%
1	YES		20991	96.86
2	NO		680	3.14

UNIVERSE: ALL ADULTS

INPUT VAR: INSMC INSMD INSHF INSEM INSPR INSML INSOG INSOT

NOTES: -----

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: INS_S

LABEL: SPOUSE CURRENTLY INSURED

VALUE:			FREQ	%
-1	INAPPLICABLE		11157	51.48
1	YES		10175	46.95
2	NO		339	1.56

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR: INSMC INSMD INSHF INSEM INSPR INSML INSOG INSOT

NOTES:

VARNAME: INS12M

LABEL: MOS COVERED BY HEALTH PLANS LAST 12 MOS

MEAN STATISTICS	
N	21671
MIN	0
MAX	12
MEAN	11.62

UNIVERSE: ALL ADULTS

INPUT VAR: AI27 AI29 AI31 AI34 AI35

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: UNINSANY

LABEL: UNINSURED IN PAST 12 MOS

VALUE:			FREQ	%
-1	SKIPPED - AGES>=65		6905	31.86
1	UNINSURED ALL YEAR		445	2.05
2	UNINSURED PART YEAR		624	2.88
3	INSURED ALL YEAR		13697	63.20

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR: INSLT12R

NOTES:

VARNAME: INS64

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65

VALUE:			FREQ	%
-1	SKIPPED - AGE >= 65		6905	31.86
1	UNINSURED		664	3.06
2	MEDI-CAL (MEDICAID)		3108	14.34
4	MEDICARE		118	0.54
5	EMPLOYMENT-BASED		9742	44.95
6	PRIVATELY PURCHASED		974	4.49
7	OTHER PUBLIC		160	0.74

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR: INSMC INSMD INSHF INSEM INSPR INSML INSOG INSOT SRAGE

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INS64_P

LABEL: CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		6905	31.86
1	UNINSURED		664	3.06
2	MEDI-CAL (MEDICAID)		3108	14.34
3	MEDICARE		118	0.54
4	EMPLOYMENT-BASED		9742	44.95
5	PRIVATELY PURCHASED		974	4.49
6	CHIP/OTHER PUBLIC PRGM		160	0.74

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR: INS64

NOTES:

VARNAME: INS64_S

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR SPOUSE - UNDER 65

VALUE:			FREQ	%
-1	NO SPOUSE IN HH OR AGE >= 65		14129	65.20
1	UNINSURED		327	1.51
2	MEDI-CAL (MEDICAID)		658	3.04
4	MEDICARE		93	0.43
5	EMPLOYMENT-BASED		5813	26.82
6	PRIVATELY PURCHASED		586	2.70
7	OTHER PUBLIC		65	0.30

UNIVERSE: ALL ADULTS WITH SPOUSE UNDER 65

INPUT VAR: INSMC INSMO INSHF INSEM INSPR INSML INSOG INSOT SRAGE

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INS64S_P

LABEL: SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		14129	65.20
1	UNINSURED		327	1.51
2	MEDI-CAL (MEDICAID)		658	3.04
3	MEDICARE		93	0.43
4	EMPLOYMENT-BASED		5813	26.82
5	PRIVATELY PURCHASED		586	2.70
6	CHIP/OTHER PUBLIC PRGM		65	0.30

UNIVERSE: ALL ADULTS WITH SPOUSE UNDER 65

INPUT VAR: INS64_S

NOTES:

VARNAME: INSANY

LABEL: ANY INS IN LAST 12 MOS

VALUE:			FREQ	%
1	CURRENTLY UNINSURED		680	3.14
2	UNINS. ANY PAST 12 MO		434	2.00
3	INSURED ALL PAST 12 MO		20557	94.86

UNIVERSE: ALL ADULTS

INPUT VAR: INS64 INS65 INS12M

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INST_12

LABEL: HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS

VALUE:		FREQ	%
-1	INAPPLICABLE-AGE>=65	6905	31.86
1	MEDI-CAL (MEDICAID) ONLY	2863	13.21
2	EMPLOYER-BASED COVERAGE ONLY (EBI)	9263	42.74
3	PRIVATE COVERAGE ONLY	862	3.98
4	OTHER COVERAGE ONLY	265	1.22
5	ANY 2 OR MORE TYPES (NEVER UNINSURED)	444	2.05
6	UNINSURED ONLY	445	2.05
7	UNINSURED + EMPLOYER-BASED ONLY	215	0.99
8	ANY 1 OR MORE TYPES + UNINSURED	409	1.89

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR: INSLT12

NOTES:

VARNAME: INS65

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+

VALUE:		FREQ	%
-1	SKIPPED - AGE < 65	14766	68.14
1	MEDICARE + MEDI-CAL (MEDICAID)	980	4.52
2	MEDICARE + OTHER	5156	23.79
3	MEDICARE ONLY	342	1.58
4	OTHER ONLY	411	1.90
5	UNINSURED	16	0.07

UNIVERSE: ALL ADULTS 65 YEARS AND OVER

INPUT VAR: INSMC INSMD INSHF INSEM INSPR INSMML INSOG INSOT SRAGE

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INS65_S

LABEL: TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+

VALUE:			FREQ	%
-1	NO SPOUSE IN HH OR AGE < 65		18699	86.29
1	MEDICARE + MEDICAID		160	0.74
2	MEDICARE + OTHER		803	3.71
3	MEDICARE ONLY		1704	7.86
4	OTHER ONLY		293	1.35
5	UNINSURED		12	0.06

UNIVERSE: ALL ADULTS WITH SPOUSE 65 YEARS AND OVER

INPUT VAR: INSMC INSMD INSHF INSEM INSPR INSML INSOG INSOT SRAGE

NOTES:

VARNAME: INSTYPE

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES

VALUE:			FREQ	%
1	UNINSURED		680	3.14
2	MEDICARE & MEDICAID		1220	5.63
3	MEDICARE & OTHERS		5081	23.45
4	MEDICARE ONLY		535	2.47
5	MEDICAID		2911	13.43
7	EMPLOYMENT-BASED		10072	46.48
8	PRIVATELY PURCHASED		992	4.58
9	OTHER PUBLIC		180	0.83

UNIVERSE: ALL ADULTS

INPUT VAR: INS INSMD INSMC INSEM INSHF INSPR INSML INSOT INSOG INSHK SRAGE

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INS9TP

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (9 LVLS)

VALUE:			FREQ	%
1	UNINSURED		680	3.14
2	MEDICARE + EMPLOYER-BASED		1563	7.21
3	MEDICARE AND OTHERS (NO EMPLOYER-BASED)		5273	24.33
4	MEDICAID + EMPLOYER-BASED		452	2.09
5	MEDICAID (NO EMPLOYER-BASED)		2459	11.35
7	EMPLOYER BASED (NO MEDICARE OR MEDICAID)		10072	46.48
8	PRIVATE PURCHASE		992	4.58
9	OTHER PUBLIC		180	0.83

UNIVERSE: ALL ADULTS

INPUT VAR: SRAGE INS INSMD INSMC INSEM INSHF INSPR INSML INSOT INSOG INSHK

NOTES:

VARNAME: IHS

LABEL: COVERED BY INDIAN HEALTH SERVICES

VALUE:			FREQ	%
1	YES		108	0.50
2	NO		21563	99.50

UNIVERSE: ALL ADULTS

INPUT VAR: AI19_8 AI20

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSEM

LABEL: COVERED BY EMPLOYER-BASED PLANS

VALUE:			FREQ	%
1	YES		12087	55.77
2	NO		9584	44.23

UNIVERSE: ALL ADULTS

INPUT VAR: AI8 AH56 AI19

NOTES:

VARNAME: INSEM_S

LABEL: SPOUSE COVERED BY EMPLOYER-BASED PLANS

VALUE:			FREQ	%
-1	INAPPLICABLE		11157	51.48
1	YES		6835	31.54
2	NO		3679	16.98

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR: AI40 AI40A AI47_1 AI47_2 AI49_1 AI49_2

NOTES:

VARNAME: INSMC

LABEL: COVERED BY MEDICARE

VALUE:			FREQ	%
1	YES		6836	31.54
2	NO		14835	68.46

UNIVERSE: ALL ADULTS

INPUT VAR: AI1 AI2 AH56_9 AI19_4

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: MC_TYPE

LABEL: TYPE OF MEDICARE COVERAGE

VALUE:			FREQ	%
-1	NOT ENROLLED IN MEDICARE		14835	68.46
1	MEDICARE ADVANTAGE		4079	18.82
2	MEDICARE + MEDICARE SUPPLEMENTAL PLAN		1686	7.78
3	OTHER MEDICARE		1071	4.94

UNIVERSE: ADULTS WITH MEDICARE COVERAGE

INPUT VAR: INSMC AI4 AH123

NOTES:

VARNAME: INSMC_S

LABEL: SPOUSE COVERED BY MEDICARE

VALUE:			FREQ	%
-1	INAPPLICABLE		11157	51.48
1	YES		2789	12.87
2	NO		7725	35.65

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR: AI37 AI47_4 AI49_4

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: INSMD

LABEL: COVERED BY MEDI-CAL

			FREQ	%
VALUE:	1	YES	4131	19.06
	2	NO	17540	80.94

UNIVERSE: ALL ADULTS

INPUT VAR: AI6 AH55_7 AH56_7 AI19_5

NOTES:

VARNAME: INSMD_S

LABEL: SPOUSE COVERED BY MEDI-CAL

			FREQ	%
VALUE:	-1	INAPPLICABLE	11157	51.48
	1	YES	849	3.92
	2	NO	9665	44.60

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR: AI38 AI47_5 AI49_5

NOTES:

VARNAME: INSOG

LABEL: COVERED BY OTHER GOVT PLANS

			FREQ	%
VALUE:	1	YES	44	0.20
	2	NO	21627	99.80

UNIVERSE: ALL ADULTS

INPUT VAR: AI17 AI19_9

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSOG_S

LABEL: SPOUSE COVERED BY OTHER GOVT PLANS

VALUE:			FREQ	%
-1	INAPPLICABLE		11157	51.48
1	YES		82	0.38
2	NO		10432	48.14

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR: AI42A AI47_9 AI49_9

NOTES:

VARNAME: INSLT_P

LABEL: HEALTH INS COVG LAST 12 MOS, W/ CURRENT STATUS (PUF RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		6905	31.86
1	MEDI-CAL (MEDICAID) ONLY		2863	13.21
2	EMPLOYER-BASED OR MILITARY ONLY		9381	43.29
3	UNINSURED ONLY		445	2.05
4	PRIVATEDLY PURCHASED ONLY		862	3.98
5	PARTIALLY INSURED WITH MC/HF		128	0.59
6	PARTIALLY INSURED WITH NO MC/HF		496	2.29
7	INSURE ALL YEAR WITH SOME MC/HF		150	0.69
8	HEALTHY FAM ONLY/OTHER INSURED ALL YEAR		441	2.03

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR: INSLT12R

NOTES: INSLT12 Categories Collapsed

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSPR

LABEL: COVERED BY PLANS PURCHASED ON OWN

VALUE:			FREQ	%
1	YES		1053	4.86
2	NO		20618	95.14

UNIVERSE: ALL ADULTS

INPUT VAR: AI11 AI19_3

NOTES:

VARNAME: INSPR_S

LABEL: SPOUSE COVERED BY PLANS PURCHASED ON OWN

VALUE:			FREQ	%
-1	INAPPLICABLE		11157	51.48
1	YES		753	3.47
2	NO		9761	45.04

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR: AI41 AI47_3 AI49_3

NOTES:

VARNAME: COVRDCA

LABEL: PRIVATE/EMP BASED COVERAGE FROM COVERED CALIFORNIA

VALUE:			FREQ	%
1	YES		935	4.31
2	NO		20736	95.69

UNIVERSE: ALL ADULTS

INPUT VAR: AH104 AH105 AH9_12 AH19_13

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: COVRDCA_S

LABEL: SPOUSE WITH PRIVATE/EMPLOYER-BASED COVERAGE FROM COVERED CALIFORNIA

VALUE:			FREQ	%
-1	INAPPLICABLE		11157	51.48
1	YES		456	2.10
2	NO		10058	46.41

UNIVERSE: ALL ADULT RESPONDENTS WITH SPOUSE/PARTNER

INPUT VAR: AH104 AI19A, AH108, AH109, AI47_12, AI47_13, AI49_12 AI49_13

NOTES:

VARNAME: INSPS

LABEL: PRIMARY OR SECONDARY COVERAGE

VALUE:			FREQ	%
-1	INAPPLICABLE		8719	40.23
1	PRIMARY		10580	48.82
2	SECONDARY		2372	10.95

UNIVERSE: ALL ADULTS COVERED BY EMPLOYMENT-BASED OR DIRECTLY PURCHASED
INSURANCE PLANS

INPUT VAR: AI8 AI9 AH56 AH59 AI19_1 AI19_2

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSPS_S

LABEL: SPOUSE PRIMARY OR SECONDARY COVERAGE

VALUE:			FREQ	%
-1	INAPPLICABLE		14845	68.50
1	PRIMARY		4048	18.68
2	SECONDARY		2775	12.81
3	NOT SPECIFIED AS PRIMARY OR SECONDARY		3	0.01

UNIVERSE: ALL ADULTS WITH SPOUSE COVERED BY HIS/HER OWN EMPLOYMENT-BASED OR
DIRECTLY PURCHASED INSURANCE PLANS

INPUT VAR: AI40 AI40A AI9 AI9A AH55_4 AH55_5 AH56_4 AH56_5 AH60 AH62

NOTES:

VARNAME: OFFTK

LABEL: OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS

VALUE:			FREQ	%
-1	UNEMPLOYED OR SELF-EMPLOYED		8278	38.20
1	ACCEPTED EBI		9843	45.42
2	NOT ACCEPT EBI, OFFERED AND ELIGIBLE		1438	6.64
3	WAS OFFERED EBI, NOT ELIGIBLE		756	3.49
4	WAS NOT OFFERED EBI		1356	6.26

UNIVERSE: ALL ADULTS WHO ARE WORKING FOR WAGES

INPUT VAR: INSEM INSPS AK1 AG10 AK4 AI13 AI14

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: OFFTK_S

LABEL: OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE

VALUE:			FREQ	%
-1	UNEMPLOYED OR SELF-EMPLOYED		15480	71.43
1	ACCEPTED EBI		4098	18.91
2	NOT ACCEPT EBI, OFFERED AND ELIGIBLE		1047	4.83
3	WAS OFFERED EBI, NOT ELIGIBLE		222	1.02
4	WAS NOT OFFERED EBI		824	3.80

UNIVERSE: ALL ADULTS WHO ARE WORKING FOR WAGES

INPUT VAR: INSEM_S INSPS_S AG8 AG11 AG9 AI43 AI44

NOTES:

VARNAME: AH79B

LABEL: REACHED LIMIT OF INS CMPY CONTRIBUTIONS TO CURRENT HEALTH PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		4491	20.72
1	YES		681	3.14
2	NO		16499	76.13

UNIVERSE: CURRENTLY INSURED ADULTS (EXCLUDES ADULTS WITH MEDI-CAL)

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH80B

LABEL: REACHED LIMIT OF INS CMPY CONTRIBUTIONS IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		20990	96.86
1	YES		394	1.82
2	NO		287	1.32

UNIVERSE: CURRENTLY INSURED ADULTS (EXCLUDES MEDI-CAL) WHO REPORTED REACHING
LIMIT OF INSURANCE COMPANY

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

VARNAME: AH81B

LABEL: EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S MEDICAL B

VALUE:			FREQ	%
1	YES		2183	10.07
2	NO		19488	89.93

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH83B

LABEL: AMOUNT OF MEDICAL BILLS HAVING TROUBLE PAYING

VALUE:		FREQ	%
-1	INAPPLICABLE	19488	89.93
1	LESS THAN \$1,000	465	2.15
2	\$1,000 TO LESS THAN \$2,000	385	1.78
3	\$2,000 TO LESS THAN \$4,000	498	2.30
4	\$4,000 TO LESS THAN \$8,000	428	1.97
5	\$8,000 OR MORE	380	1.75
6	NONE	27	0.12

UNIVERSE: ADULTS WHO EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S
MEDICAL BILLS IN PAST 12 MOS

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

VARNAME: AH84B

LABEL: UNINSURED AT TIME MEDICAL CARE WAS PROVIDED

VALUE:		FREQ	%
-1	INAPPLICABLE	19488	89.93
1	YES	386	1.78
2	NO	1724	7.96
3	MORE THAN ONE PERSON WITH MEDICAL BILL P 73		0.34

UNIVERSE: ADULTS WHO EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S
MEDICAL BILLS IN PAST 12 MOS

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AH85B

LABEL: UNABLE TO PAY FOR BASIC NECESSITIES DUE TO MEDICAL BILLS

VALUE:			FREQ	%
-1	INAPPLICABLE		19488	89.93
1	YES		736	3.40
2	NO		1447	6.68

UNIVERSE: ADULTS WHO EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S
MEDICAL BILLS IN PAST 12 MOS

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

VARNAME: AH86B

LABEL: TOOK ON CREDIT CARD DEBT B/C OF MEDICAL BILLS

VALUE:			FREQ	%
-1	INAPPLICABLE		19488	89.93
1	YES		1270	5.86
2	NO		913	4.21

UNIVERSE: ADULTS WHO EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S
MEDICAL BILLS IN PAST 12 MOS

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSLMT12M

LABEL: REACHED HEALTH INSURANCE PAYMENT LIMIT IN PAST 12 MONTHS

VALUE:			FREQ	%
-1	INAPPLICABLE		4491	20.72
1	YES		394	1.82
2	NO		16786	77.46

UNIVERSE: CURRENTLY INSURED ADULTS (EXCLUDES ADULTS WITH MEDI-CAL)

INPUT VAR: AH79B AH80B

NOTES:

VARNAME: AH128

LABEL: AMOUNT RESPONDENT OR FAMILY PAYS EACH MONTH FOR HEALTH INSURANCE

MEAN STATISTICS	
N	9254
MIN	0
MAX	9000
MEAN	433.00

UNIVERSE: ADULTS COVERED BY EMPLOYER-BASED OR PRIVATELY-PURCHASED INSURANCE
WHO PAY ANY OR ALL OF PREMIUM/COST

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AH129

LABEL: AMOUNT EMPLOYER/UNION/PROF ORG CONTRIBUTES TO HEALTH PLAN EACH MO

MEAN STATISTICS

N	10048
MIN	0
MAX	9996
MEAN	597.46

UNIVERSE: ADULTS WHO RECEIVE CONTRIBUTIONS FROM EMPLOYER, UNION, ETC. TO PAY
FOR INSURANCE

INPUT VAR:

NOTES:

VARNAME: AH130

LABEL: HAS MONEY IN HSA ACCOUNT

VALUE:		FREQ	%
-1	INAPPLICABLE	18228	84.11
1	YES	2991	13.80
2	NO	452	2.09

UNIVERSE: ADULTS WHO HAVE MEDICAL EXPENSE ACCOUNTS (HSA)

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH131V2_P

LABEL: AMOUNT OF MONEY IN HSA ACCOUNT (PUF RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	18680	86.20
1	\$0	10	0.05
2	\$1 - \$999	1008	4.65
3	\$1000 - \$1999	554	2.56
4	\$2000 - \$2999	401	1.85
5	\$3000 - \$3999	202	0.93
6	\$4000 - \$4999	66	0.30
7	\$5,000+	750	3.46

UNIVERSE: ADULTS WHO HAVE MEDICAL EXPENSE ACCOUNTS (HSA)

INPUT VAR: AH131V2

NOTES: PREVIOUS VERSION: AH131_P. NEW VERSION CREATED IN 2021 DUE TO
CHANGE IN ALLOWABLE RANGE LIMIT. AH131 Categories Collapsed.

VARNAME: HSAAMTV2_P1

LABEL: AMOUNT IN HEALTH SAVINGS ACCOUNTS (PUF RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	18228	84.11
1	\$0	462	2.13
2	\$1 - \$999	1008	4.65
3	\$1000 - \$1999	554	2.56
4	\$2000 - \$2999	401	1.85
5	\$3000 - \$3999	202	0.93
6	\$4000 - \$4999	66	0.30
7	\$5000+	750	3.46

UNIVERSE: ADULTS WITH EMPLOYER-BASED COVERAGE OR COVERAGE PURCHASED FROM INS
COMPANY/HMO/COVERED CALIFORNIA WITH HEALTH SAVINGS ACCOUNTS

INPUT VAR: HSAAMTV2

NOTES: PREVIOUS VERSION: HSAAMT_P1. NEW VERSION CREATED IN 2021 DUE TO
CHANGE IN ALLOWABLE RANGE LIMIT FOR AH131. HSAAMT Categories
Collapsed.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AH132

LABEL: LENGTH OF TIME RESPONDENT HAS HAD CURRENT HEALTH INSURANCE PLAN

MEAN STATISTICS

N	18616
MIN	1
MAX	731
MEAN	131.83

UNIVERSE: ADULTS WHO HAD THE SAME HEALTH INSURANCE FOR ALL OF THE PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AH133

LABEL: # OF MONTHS HAD CURRENT HEALTH INSURANCE PLAN

MEAN STATISTICS

N	2824
MIN	0
MAX	12
MEAN	5.54

UNIVERSE: ADULTS WITH A DIFFERENT HEALTH PLAN FROM CURRENT PLAN IN THE PAST
12 MOS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: TCURPLAN

LABEL: TIME ADULT HAS BEEN ENROLLED IN CURRENT PLAN: MONTHS

MEAN STATISTICS

N	21051
MIN	0
MAX	731
MEAN	117.22

UNIVERSE: CURRENTLY INSURED ADULTS

INPUT VAR: AI31 AH132 AH133

NOTES:

VARNAME: AH134

LABEL: HEALTH INSURANCE BEFORE CURRENT PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	21624	99.78
1	MEDI-CAL	11	0.05
3	THROUGH CURRENT OR FORMER EMPLOYER/UNION	12	0.06
5	PURCHASED DIRECTLY	5	0.02
6	COVERED CALIFORNIA	10	0.05
91	OTHER HEALTH PLAN	9	0.04

UNIVERSE: ADULTS WHO HAD 2 OR MORE DIFFERENT TYPES OF HEALTH PLAN IN THE
PAST 12 MOS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH135

LABEL: OTHER HEALTH INSURANCE BEFORE CURRENT PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	2515	11.61
1	MEDI-CAL	1733	8.00
3	THROUGH CURRENT OR FORMER EMPLOYER/UNION	8002	36.92
5	PURCHASED DIRECTLY	1012	4.67
6	COVERED CALIFORNIA	1006	4.64
91	OTHER HEALTH PLAN	1880	8.68
95	NO OTHER HEALTH PLAN	5523	25.49

UNIVERSE: ADULTS WITH CURRENT HEALTH PLAN IN ALL OF THE PAST 12 MOS OR
UNINSURED DURING PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: PINSTYPE

LABEL: TYPE OF HEALTH INSURANCE BEFORE CURRENT PLAN

VALUE:		FREQ	%
-1	INAPP, NOT INSURED	620	2.86
1	MEDI-CAL	1951	9.00
3	ESI	9009	41.57
5	PRIVATE PURCHASE	1162	5.36
6	COVERED CA	1199	5.53
91	OTHER PLAN	2207	10.18
95	NO PREVIOUS PLAN	5523	25.49

UNIVERSE: CURRENTLY INSURED ADULTS WHO HAD DIFFERENT HEALTH INSURANCE BEFORE
CURRENT PLAN

INPUT VAR: AI31 AI32 AH134 AH135 AI33_B AI33_A

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AH136

LABEL: LENGTH OF TIME RESPONDENT HAS HAD OTHER HEALTH INSURANCE PLAN

MEAN STATISTICS

N	13677
MIN	1
MAX	731
MEAN	144.63

UNIVERSE: ADULTS WHO HAD A DIFFERENT HEALTH PLAN FROM CURRENT PLAN OR DID
NOT HAVE A PRIOR HEALTH PLAN

INPUT VAR:

NOTES:

VARNAME: AH137

LABEL: EVER CHANGED HEALTH INSURANCE PLAN IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	620	2.86
1	YES	3011	13.89
2	NO	18040	83.24

UNIVERSE: ALL INSURED ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AH139

LABEL: SELF-REPORTED SATISFACTION WITH CURRENT HEALTH PLAN

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		620	2.86
1	VERY SATISFIED		10729	49.51
2	SOMEWHAT SATISFIED		8072	37.25
3	SOMEWHAT DISSATISFIED		1572	7.25
4	VERY DISSATISFIED		662	3.05

UNIVERSE: ADULTS WHO HAVE HEALTH INSURANCE

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

SECTION J: HEALTH CARE UTILIZATION/ACCESS & DENTAL HEALTH

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH1V2

LABEL: HAVE USUAL SOURCE OF HEALTH CARE

			FREQ	%
VALUE:	1	YES	17766	81.98
	2	NO	3905	18.02

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: USE CAUTION WHEN TRENDING WITH AH1V2 FROM PRIOR YEARS. REMOVAL OF
TRANSITION STATEMENT TO INCREASE DATA COMPLETENESS HAD AN
UNINTENDED CONSEQUENCE OF A NOTABLE DECREASE IN "YES" RESPONSES TO
AH1V2 (SEE CHIS 2022 EXPERIMENT).

VARNAME: AJ80

LABEL: HAS SOMEONE AT DOCTOR'S OFFICE/CLINIC WHO HELPS COORDINATE MEDICA

			FREQ	%
VALUE:	-1	INAPPLICABLE	16620	76.69
	1	YES	3815	17.60
	2	NO	1236	5.70

UNIVERSE: ALL ADULTS WHO HAVE USUAL SOURCE OF CARE AND HAS PERSONAL DR AND
HAVE ASTHMA OR DIABETES OR HEART DISEASE

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ220

LABEL: USUAL MEDICAL PROVIDER OFFERED PHONE/VIDEO APPTS IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		12667	58.45
2	NO		6051	27.92
3	DON'T KNOW		2953	13.63

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: ADDITION OF DISPLAYED RESPONSE CATEGORY FOR "DON'T KNOW" IN 2023,
WHICH DIFFERS FROM -8 VALUE USED ACROSS ALL VARIABLES FOR
NON-VALID RESPONSE.

VARNAME: AJ221_1

LABEL: OPTIONS OFFERED BY MEDICAL PROVIDER: IN-PERSON APPTS

VALUE:			FREQ	%
-1	INAPPLICABLE		9004	41.55
1	YES		11169	51.54
2	NO		1498	6.91

UNIVERSE: ADULTS WHOSE USUAL MEDICAL PROVIDER OFFERED PHONE/VIDEO APPTS IN
PAST 12 MOS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ221_2

LABEL: OPTIONS OFFERED BY MEDICAL PROVIDER: TELEPHONE APPTS

VALUE:			FREQ	%
-1	INAPPLICABLE		9004	41.55
1	YES		9460	43.65
2	NO		3207	14.80

UNIVERSE: ADULTS WHOSE USUAL MEDICAL PROVIDER OFFERED PHONE/VIDEO APPTS IN
PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ221_3

LABEL: OPTIONS OFFERED BY MEDICAL PROVIDER: VIDEO APPTS

VALUE:			FREQ	%
-1	INAPPLICABLE		9004	41.55
1	YES		8701	40.15
2	NO		3966	18.30

UNIVERSE: ADULTS WHOSE USUAL MEDICAL PROVIDER OFFERED PHONE/VIDEO APPTS IN
PAST 12 MOS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INPERSON_NO

LABEL: USUAL MEDICAL PROVIDER DOES NOT OFFER IN-PERSON APPOINTMENTS IN P

VALUE:			FREQ	%
1	USUAL MEDICAL PROVIDER DID NOT OFFER IN-	1498	6.91	
2	USUAL MEDICAL PROVIDER DID OFFER IN-PERS	17220	79.46	
3	DON'T KNOW IF USUAL MEDICAL PROVIDER OFF	2953	13.63	

UNIVERSE: ALL ADULTS

INPUT VAR: AJ220 AJ221

NOTES: CV CREATED IN CHIS 2023.

VARNAME: AJ222

LABEL: SATISFACTION WITH AVAILABILITY OF PHONE/VIDEO CARE FROM PROVIDER

VALUE:			FREQ	%
-2	PROXY SKIPPED	16	0.07	
-1	INAPPLICABLE	8997	41.52	
1	VERY SATISFIED	6556	30.25	
2	SOMEWHAT SATISFIED	3631	16.76	
3	NEITHER SATISFIED NOR DISSATISFIED	1724	7.96	
4	SOMEWHAT DISSATISFIED	495	2.28	
5	VERY DISSATISFIED	252	1.16	

UNIVERSE: ADULTS WHOSE USUAL MEDICAL PROVIDER OFFERED PHONE/VIDEO APPTS IN
PAST 12 MOS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ202

LABEL: RECEIVED CARE FROM A DOCTOR VIA VIDEO/TELEPHONE CONVERSATION INST

VALUE:			FREQ	%
1	YES		9518	43.92
2	NO		12153	56.08

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ203V2_1

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: PRIMARY CARE

VALUE:			FREQ	%
-1	INAPPLICABLE		12153	56.08
1	YES		6992	32.26
2	NO		2526	11.66

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES: PREVIOUS VERSION AJ203_1 CAPTURED "SKIN"

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ203V2_2

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: DENTAL CARE

VALUE:			FREQ	%
-1	INAPPLICABLE		12153	56.08
1	YES		246	1.14
2	NO		9272	42.79

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES: PREVIOUS VERSION AJ203_2 CAPTURED "EYE"

VARNAME: AJ203V2_3

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: MENTAL HEALTH

VALUE:			FREQ	%
-1	INAPPLICABLE		12153	56.08
1	YES		1560	7.20
2	NO		7958	36.72

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ203_3. ALSO CAPTURED MENTAL OR EMOTIONAL
HEALTH PROBLEM.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ203V2_4

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: FAMILY PLANNING

VALUE:			FREQ	%
-1	INAPPLICABLE		12153	56.08
1	YES		167	0.77
2	NO		9351	43.15

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES: PREVIOUS VERSION AJ203_4 CAPTURED "OTHER"

VARNAME: AJ203V2_5

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: OTHER SPECIALTY CARE

VALUE:			FREQ	%
-1	INAPPLICABLE		12153	56.08
1	YES		2417	11.15
2	NO		7101	32.77

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES: PREVIOUS VERSION AJ203_5 CAPTURED "DISEASE CARE/MGMT"

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ203V2_91

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: OTHER

VALUE:			FREQ	%
-1	INAPPLICABLE		12153	56.08
1	YES		40	0.18
2	NO		9478	43.74

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES: "OTHER" RESPONSES CAPTURED UNDER AJ203_4 OF PREVIOUS VERSION.

VARNAME: AJ223_1

LABEL: REC'D FAMILY PLANNING CARE FROM: DOCTOR'S OFFICE

VALUE:			FREQ	%
-1	INAPPLICABLE		21504	99.23
1	YES		68	0.31
2	NO		99	0.46

UNIVERSE: ADULTS WHO REC'D FAMILY PLANNING CARE VIA VIDEO/PHONE IN PAST 12
MOS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ223_2

LABEL: REC'D FAMILY PLANNING CARE FROM: HMO

VALUE:			FREQ	%
-1	INAPPLICABLE		21504	99.23
1	YES		61	0.28
2	NO		106	0.49

UNIVERSE: ADULTS WHO REC'D FAMILY PLANNING CARE VIA VIDEO/PHONE IN PAST 12
MOS

INPUT VAR:

NOTES:

VARNAME: AJ223_3

LABEL: REC'D FAMILY PLANNING CARE FROM: HOSPITAL/CLINIC

VALUE:			FREQ	%
-1	INAPPLICABLE		21504	99.23
1	YES		24	0.11
2	NO		143	0.66

UNIVERSE: ADULTS WHO REC'D FAMILY PLANNING CARE VIA VIDEO/PHONE IN PAST 12
MOS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ223_4

LABEL: REC'D FAMILY PLANNING CARE FROM: PLANNED PARENTHOOD

VALUE:			FREQ	%
-1	INAPPLICABLE		21504	99.23
1	YES		5	0.02
2	NO		162	0.75

UNIVERSE: ADULTS WHO REC'D FAMILY PLANNING CARE VIA VIDEO/PHONE IN PAST 12
MOS

INPUT VAR:

NOTES:

VARNAME: AJ223_5

LABEL: REC'D FAMILY PLANNING CARE FROM: COUNTY HEALTH DEPT

VALUE:			FREQ	%
-1	INAPPLICABLE		21504	99.23
1	YES		1	0.00
2	NO		166	0.77

UNIVERSE: ADULTS WHO REC'D FAMILY PLANNING CARE VIA VIDEO/PHONE IN PAST 12
MOS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ223_6

LABEL: REC'D FAMILY PLANNING CARE FROM: FAMILY PLANNING CLINIC

VALUE:			FREQ	%
-1	INAPPLICABLE		21504	99.23
1	YES		11	0.05
2	NO		156	0.72

UNIVERSE: ADULTS WHO REC'D FAMILY PLANNING CARE VIA VIDEO/PHONE IN PAST 12
MOS

INPUT VAR:

NOTES:

VARNAME: AJ223_7

LABEL: REC'D FAMILY PLANNING CARE FROM: COMMUNITY CLINIC

VALUE:			FREQ	%
-1	INAPPLICABLE		21504	99.23
1	YES		9	0.04
2	NO		158	0.73

UNIVERSE: ADULTS WHO REC'D FAMILY PLANNING CARE VIA VIDEO/PHONE IN PAST 12
MOS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ223_8

LABEL: REC'D FAMILY PLANNING CARE FROM: SCHOOL/SCHOOL CLINIC

VALUE:			FREQ	%
-1	INAPPLICABLE		21504	99.23
1	YES		1	0.00
2	NO		166	0.77

UNIVERSE: ADULTS WHO REC'D FAMILY PLANNING CARE VIA VIDEO/PHONE IN PAST 12
MOS

INPUT VAR:

NOTES:

VARNAME: AJ223_10

LABEL: REC'D FAMILY PLANNING CARE FROM: PHARMACY

VALUE:			FREQ	%
-1	INAPPLICABLE		21504	99.23
1	YES		4	0.02
2	NO		163	0.75

UNIVERSE: ADULTS WHO REC'D FAMILY PLANNING CARE VIA VIDEO/PHONE IN PAST 12
MOS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ223_91

LABEL: REC'D FAMILY PLANNING CARE FROM: SOME OTHER PLACE

VALUE:			FREQ	%
-1	INAPPLICABLE		21504	99.23
2	NO		167	0.77

UNIVERSE: ADULTS WHO REC'D FAMILY PLANNING CARE VIA VIDEO/PHONE IN PAST 12
MOS

INPUT VAR:

NOTES:

VARNAME: AJ224

LABEL: TYPE OF FAMILY PLANNING CARE APPT

VALUE:			FREQ	%
-1	INAPPLICABLE		21504	99.23
1	YES, A TELEPHONE VISIT		70	0.32
2	YES, A VIDEO VISIT		54	0.25
3	BOTH		33	0.15
4	NO		10	0.05

UNIVERSE: ADULTS WHO REC'D FAMILY PLANNING CARE VIA VIDEO/PHONE IN PAST 12
MOS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ225

LABEL: SATISFACTION THAT PROVIDER ADDRESSED HEALTH CONCERNS VIA PHONE/VI

VALUE:			FREQ	%
-1	INAPPLICABLE		12159	56.11
1	VERY SATISFIED		5030	23.21
2	SATISFIED		3335	15.39
3	SLIGHTLY SATISFIED		911	4.20
4	NOT SATISFIED AT ALL		236	1.09

UNIVERSE: ADULTS WHO REC'D HEALTH CARE VIA VIDEO/PHONE IN PAST 12 MOS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AJ226

LABEL: WOULD HAVE PREFERRED IN-PERSON VISIT TO MOST RECENT PHONE/VIDEO E

VALUE:			FREQ	%
-1	INAPPLICABLE		12159	56.11
1	YES		3589	16.56
2	NO		5923	27.33

UNIVERSE: ADULTS WHO REC'D HEALTH CARE VIA VIDEO/PHONE IN PAST 12 MOS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ227

LABEL: RATING OF MOST RECENT DENTAL CARE VIDEO VISIT COMPARED TO IN-PERS

VALUE:			FREQ	%
-1	INAPPLICABLE		21425	98.86
1	MUCH WORSE		13	0.06
2	SOMEWHAT WORSE		22	0.10
3	ABOUT THE SAME		71	0.33
4	SOMEWHAT BETTER		11	0.05
5	MUCH BETTER		20	0.09
6	DID NOT HAVE A VIDEO VISIT		109	0.50

UNIVERSE: ADULTS WHO REC'D DENTAL CARE VIA VIDEO/PHONE IN PAST 12 MOS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AJ228

LABEL: RATING OF MOST RECENT MENTAL HEALTH CARE VIDEO VISIT COMPARED TO

VALUE:			FREQ	%
-1	INAPPLICABLE		20111	92.80
1	MUCH WORSE		37	0.17
2	SOMEWHAT WORSE		255	1.18
3	ABOUT THE SAME		750	3.46
4	SOMEWHAT BETTER		182	0.84
5	MUCH BETTER		238	1.10
6	DID NOT HAVE A VIDEO VISIT		98	0.45

UNIVERSE: ADULTS WHO REC'D MENTAL HEALTH CARE VIA VIDEO/PHONE IN PAST 12 MOS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ229

LABEL: RATING OF MOST RECENT PRIMARY CARE VIDEO VISIT COMPARED TO IN-PER

VALUE:		FREQ	%
-1	INAPPLICABLE	14684	67.76
1	MUCH WORSE	140	0.65
2	SOMEWHAT WORSE	1121	5.17
3	ABOUT THE SAME	3380	15.60
4	SOMEWHAT BETTER	526	2.43
5	MUCH BETTER	554	2.56
6	DID NOT HAVE A VIDEO VISIT	1266	5.84

UNIVERSE: ADULTS WHO REC'D PRIMARY CARE VIA VIDEO/PHONE IN PAST 12 MOS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AJ230

LABEL: RATING OF MOST RECENT DENTAL CARE PHONE VISIT COMPARED TO IN-PERS

VALUE:		FREQ	%
-1	INAPPLICABLE	21425	98.86
1	MUCH WORSE	10	0.05
2	SOMEWHAT WORSE	19	0.09
3	ABOUT THE SAME	78	0.36
4	SOMEWHAT BETTER	14	0.06
5	MUCH BETTER	20	0.09
6	DID NOT HAVE A TELEPHONE VISIT	105	0.48

UNIVERSE: ADULTS WHO REC'D DENTAL CARE VIA VIDEO/PHONE IN PAST 12 MOS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ231

LABEL: RATING OF MOST RECENT MENTAL HEALTH CARE PHONE VISIT COMPARED TO

VALUE:		FREQ	%
-1	INAPPLICABLE	20111	92.80
1	MUCH WORSE	61	0.28
2	SOMEWHAT WORSE	232	1.07
3	ABOUT THE SAME	642	2.96
4	SOMEWHAT BETTER	176	0.81
5	MUCH BETTER	184	0.85
6	DID NOT HAVE A TELEPHONE VISIT	265	1.22

UNIVERSE: ADULTS WHO REC'D MENTAL HEALTH CARE VIA VIDEO/PHONE IN PAST 12 MOS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AJ232

LABEL: RATING OF MOST RECENT PRIMARY CARE PHONE VISIT COMPARED TO IN-PER

VALUE:		FREQ	%
-1	INAPPLICABLE	14684	67.76
1	MUCH WORSE	172	0.79
2	SOMEWHAT WORSE	1189	5.49
3	ABOUT THE SAME	3644	16.82
4	SOMEWHAT BETTER	581	2.68
5	MUCH BETTER	543	2.51
6	DID NOT HAVE A TELEPHONE VISIT	858	3.96

UNIVERSE: ADULTS WHO REC'D PRIMARY CARE VIA VIDEO/PHONE IN PAST 12 MOS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ233

LABEL: HAD ANY PROBLEMS WITH PHONE/VIDEO APPT

VALUE:			FREQ	%
-1	INAPPLICABLE		12153	56.08
1	YES		981	4.53
2	NO		8537	39.39

UNIVERSE: ADULTS WHO REC'D HEALTH CARE VIA VIDEO/PHONE IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ234_1

LABEL: PHONE/VIDEO APPT PROBLEM EXPERIENCED: BAD INTERNET/NETWORK CONNEC

VALUE:			FREQ	%
-1	INAPPLICABLE		20690	95.47
1	YES		431	1.99
2	NO		550	2.54

UNIVERSE: ADULTS WHO REC'D HEALTH CARE VIA VIDEO/PHONE IN PAST 12 MOS AND
HAD PROBLEM WITH APPT

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ234_2

LABEL: PHONE/VIDEO APPT PROBLEM EXPERIENCED: COULDN'T DOWNLOAD TELEHEALT

VALUE:			FREQ	%
-1	INAPPLICABLE		20690	95.47
1	YES		104	0.48
2	NO		877	4.05

UNIVERSE: ADULTS WHO REC'D HEALTH CARE VIA VIDEO/PHONE IN PAST 12 MOS AND
HAD PROBLEM WITH APPT

INPUT VAR:

NOTES:

VARNAME: AJ234_3

LABEL: PHONE/VIDEO APPT PROBLEM EXPERIENCED: AUDIO/VIDEO NOT WORKING

VALUE:			FREQ	%
-1	INAPPLICABLE		20690	95.47
1	YES		374	1.73
2	NO		607	2.80

UNIVERSE: ADULTS WHO REC'D HEALTH CARE VIA VIDEO/PHONE IN PAST 12 MOS AND
HAD PROBLEM WITH APPT

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ234_4

LABEL: PHONE/VIDEO APPT PROBLEM EXPERIENCED: NO PRIVACY DURING APPT

VALUE:			FREQ	%
-1	INAPPLICABLE		20690	95.47
1	YES		93	0.43
2	NO		888	4.10

UNIVERSE: ADULTS WHO REC'D HEALTH CARE VIA VIDEO/PHONE IN PAST 12 MOS AND
HAD PROBLEM WITH APPT

INPUT VAR:

NOTES:

VARNAME: AJ234_5

LABEL: PHONE/VIDEO APPT PROBLEM EXPERIENCED: DR DID NOT SPEAK/UNDERSTAND

VALUE:			FREQ	%
-1	INAPPLICABLE		20690	95.47
1	YES		47	0.22
2	NO		934	4.31

UNIVERSE: ADULTS WHO REC'D HEALTH CARE VIA VIDEO/PHONE IN PAST 12 MOS AND
HAD PROBLEM WITH APPT

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ234_6

LABEL: PHONE/VIDEO APPT PROBLEM EXPERIENCED: DIFFICULTY HEARING OR COMMU

VALUE:			FREQ	%
-1	INAPPLICABLE		20690	95.47
1	YES		67	0.31
2	NO		914	4.22

UNIVERSE: ADULTS WHO REC'D HEALTH CARE VIA VIDEO/PHONE IN PAST 12 MOS AND
HAD PROBLEM WITH APPT

INPUT VAR:

NOTES:

VARNAME: AJ234_7

LABEL: PHONE/VIDEO APPT PROBLEM EXPERIENCED: PROVIDER WAS LATE/DID NOT S

VALUE:			FREQ	%
-1	INAPPLICABLE		20690	95.47
1	YES		61	0.28
2	NO		920	4.25

UNIVERSE: ADULTS WHO REC'D HEALTH CARE VIA VIDEO/PHONE IN PAST 12 MOS AND
HAD PROBLEM WITH APPT

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ234_8

LABEL: PHONE/VIDEO APPT PROBLEM EXPERIENCED: OTHER TECHNICAL DIFFICULTY

VALUE:			FREQ	%
-1	INAPPLICABLE		20690	95.47
1	YES		45	0.21
2	NO		936	4.32

UNIVERSE: ADULTS WHO REC'D HEALTH CARE VIA VIDEO/PHONE IN PAST 12 MOS AND
HAD PROBLEM WITH APPT

INPUT VAR:

NOTES:

VARNAME: AJ234_9

LABEL: PHONE/VIDEO APPT PROBLEM EXPERIENCED: TOO IMPERSONAL/UNABLE TO HE

VALUE:			FREQ	%
-1	INAPPLICABLE		20690	95.47
1	YES		88	0.41
2	NO		893	4.12

UNIVERSE: ADULTS WHO REC'D HEALTH CARE VIA VIDEO/PHONE IN PAST 12 MOS AND
HAD PROBLEM WITH APPT

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ234_91

LABEL: PHONE/VIDEO APPT PROBLEM EXPERIENCED: OTHER

VALUE:			FREQ	%
-1	INAPPLICABLE		20690	95.47
1	YES		28	0.13
2	NO		953	4.40

UNIVERSE: ADULTS WHO REC'D HEALTH CARE VIA VIDEO/PHONE IN PAST 12 MOS AND
HAD PROBLEM WITH APPT

INPUT VAR:

NOTES:

VARNAME: TECHDIFF

LABEL: EXPERIENCED ANY TECHNICAL DIFFICULTY WITH TELEHEALTH APPOINTMENT

VALUE:			FREQ	%
-1	INAPPLICABLE		12153	56.08
1	YES		699	3.23
2	NO		8819	40.69

UNIVERSE: ADULTS WHO HAD A TELEHEALTH APPOINTMENT IN PAST YEAR

INPUT VAR: AJ234_1 AJ234_2 AJ234_3 AJ234_8 AJ233

NOTES: CV CREATED IN CHIS 2023.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: TELEPREFER

LABEL: SATISFACTION AND PREFERENCE WITH TELEHEALTH APPOINTMENT

		FREQ	%
VALUE:	1	SATISFIED WITH TELEHEALTH APPOINTMENT BU 2724	12.57
	2	SATISFIED WITH TELEHEALTH APPOINTMENT AN 5641	26.03
	3	NOT SATISFIED WITH TELEHEALTH APPOINTMEN 865	3.99
	4	NOT SATISFIED WITH TELEHEALTH APPOINTMEN 282	1.30
	5	DID NOT HAVE A TELEHEALTH APPOINTMENT IN 12159	56.11

UNIVERSE: ALL ADULTS

INPUT VAR: AJ225 AJ226

NOTES: CV CREATED IN CHIS 2023.

VARNAME: AH3_P1

LABEL: KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE)

		FREQ	%
VALUE:	-1	INAPPLICABLE 3905	18.02
	1	DOCTOR'S OFFICE/KAISER/HMO 13926	64.26
	2	CLINIC/HEALTH CENTER/HOSPITAL CLINIC 3258	15.03
	3	EMERGENCY ROOM 177	0.82
	4	OTHER/NO ONE PLACE 405	1.87

UNIVERSE: ALL ADULTS WHO HAVE USUAL SOURCE OF HEALTH INSURANCE/ CARE

INPUT VAR: AH3

NOTES: AH3 Categories Collapsed

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: USOC

LABEL: USUAL SOURCE OF CARE OTHER THAN ER

			FREQ	%
VALUE:	1	YES	17589	81.16
	2	NO	4082	18.84

UNIVERSE: ALL ADULTS

INPUT VAR: USUAL_TP AH1V2

NOTES: USE CAUTION WHEN TRENDING WITH USOC FROM PRIOR YEARS. THIS
CONDUCTED A 2022 EXPERIMENT TO TEST REMOVAL OF TRANSITION
STATEMENTS TO INCREASE DATA COMPLETENESS. AN UNINTENDED
CONSEQUENCE OF THIS WAS AN OBSERVED DECREASE IN "YES" RESPONSES TO AH1V2.

VARNAME: USUAL

LABEL: HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE

			FREQ	%
VALUE:	1	YES	17766	81.98
	2	NO	3905	18.02

UNIVERSE: ALL ADULTS

INPUT VAR: AH1V2

NOTES: USE CAUTION WHEN TRENDING WITH PRIOR YEARS. REMOVAL OF TRANSITION
STATEMENT TO INCREASE DATA COMPLETENESS HAD AN UNINTENDED
CONSEQUENCE OF A NOTABLE DECREASE IN "YES" RESPONSES TO AH1V2 (SEE
THIS 2022 EXPERIMENT).

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: USUAL_TP

LABEL: USUAL SOURCE OF CARE (7 LVLS)

VALUE:			FREQ	%
1	DOC OFFICE/HMO/KAISER		13926	64.26
2	COMMUN/GOV CLIN, COMMUN HOSP		3258	15.03
3	EMERGENCY ROOM		177	0.82
5	SOME OTHER PLACE		205	0.95
6	NO ONE PARTICULAR PLACE		200	0.92
7	NO USUAL SOURCE OF CARE		3905	18.02

UNIVERSE: ALL ADULTS

INPUT VAR: AH1V2 AH3

NOTES: USE CAUTION WHEN TRENDING WITH PRIOR YEARS. REMOVAL OF TRANSITION STATEMENT TO INCREASE DATA COMPLETENESS HAD AN UNINTENDED CONSEQUENCE OF A NOTABLE DECREASE IN "YES" RESPONSES TO AH1V2 (SEE CHIS 2022 EXPERIMENT).

VARNAME: USUAL5TP

LABEL: USUAL SOURCE OF CARE (5 LVLS)

VALUE:			FREQ	%
1	DOC OFFICE/HMO/KAISER		13926	64.26
2	COMMUN/GOV CLIN, COMMUN HOSP		3258	15.03
3	EMERGENCY ROOM/URGENT CARE		177	0.82
4	OTHER PLACE/NO ONE PLACE		405	1.87
5	NO USUAL SOURCE OF CARE		3905	18.02

UNIVERSE: ALL ADULTS

INPUT VAR: USUAL_TP AH1V2

NOTES: USE CAUTION WHEN TRENDING WITH PRIOR YEARS. REMOVAL OF TRANSITION STATEMENT TO INCREASE DATA COMPLETENESS HAD AN UNINTENDED CONSEQUENCE OF A NOTABLE DECREASE IN "YES" RESPONSES TO AH1V2 (SEE CHIS 2022 EXPERIMENT).

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH5

LABEL: # OF TIMES SAW MD IN PAST 12 MOS

MEAN STATISTICS

N	21671
MIN	0
MAX	365
MEAN	4.46

UNIVERSE: ALL ADULT

INPUT VAR: DOCT_YR

NOTES:

VARNAME: AH6

LABEL: HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH

VALUE:		FREQ	%
-1	INAPPLICABLE	18613	85.89
0	WITHIN THE PAST YR	624	2.88
1	1 TO 2 YRS AGO	1139	5.26
2	2 TO 5 YRS AGO	786	3.63
3	MORE THAN 5 YRS AGO	413	1.91
4	NEVER	96	0.44

UNIVERSE: ADULT RESPONDENT WHO HAVE NOT SEEN A DOC IN LAST 12 MOS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: ACMDNUM

LABEL: # OF DOCTOR VISITS PAST YEAR

VALUE:			FREQ	%
0	0 TIME		3058	14.11
1	1 TIMES		3647	16.83
2	2 TIMES		3788	17.48
3	3 TIMES		2700	12.46
4	4 TIMES		2194	10.12
5	5 TIMES		1401	6.46
6	6 TIMES		1276	5.89
7	7-8 TIMES		952	4.39
8	9-12 TIMES		1415	6.53
9	13-24 TIMES		852	3.93
10	25+ TIMES		388	1.79

UNIVERSE: ALL ADULTS

INPUT VAR: AH5

NOTES:

VARNAME: DOCT_YR

LABEL: VISITED DOCTOR IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		18613	85.89
2	NO		3058	14.11

UNIVERSE: ALL ADULTS

INPUT VAR: AH5

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ77

LABEL: HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER

VALUE:			FREQ	%
-1	INAPPLICABLE		3905	18.02
1	YES		16481	76.05
2	NO		1285	5.93

UNIVERSE: ADULT WHO USUALLY HAVE A PLACE TO GO WHEN SICK OR NEED ADVICE
ABOUT HEALTH

INPUT VAR:

NOTES: Not trendable with CHIS 2009 AJ77

VARNAME: AJ8V3

LABEL: HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18637	86.00
1	YES		200	0.92
2	NO		2818	13.00

UNIVERSE: ALL ADULTS WHO HAVE EVER SEEN A DOCTOR

INPUT VAR:

NOTES: Previous versions: AJ8, AJ8B. Qx varname = AJ8B. PROXY RESPONDENTS
NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ50V2_P

LABEL: LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18837	86.92
1	ENGLISH		1511	6.97
2	SPANISH		736	3.40
3	VIETNAMESE		109	0.50
4	KOREAN		120	0.55
5	CANTONESE		49	0.23
6	MANDARIN		225	1.04
7	OTHER		68	0.31

UNIVERSE: ALL ADULTS WHO EVER SAW A DR AND DID NOT HAVE HARD TIME
UNDERSTANDING MD AT LAST APPT AND SPEAK LANG OTHER THAN ENGLISH AT
HOME

INPUT VAR: AJ50V2

NOTES: Previous version: AJ50_P. AJ50V2 categories collapsed.

VARNAME: AJ9V2

LABEL: MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		21455	99.00
1	YES		150	0.69
2	NO		50	0.23

UNIVERSE: ALL ADULTS WHO HAVE EVER SEEN A DOCTOR AND HAD A HARD TIME
UNDERSTANDING DOCTOR

INPUT VAR:

NOTES: Previous version: AJ9. PROXY RESPONDENTS NOT INCLUDED IN THIS
QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ10V2

LABEL: NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	19944	92.03
1	YES	340	1.57
2	NO	1371	6.33

UNIVERSE: ALL ADULTS WHO HAVE EVER SEEN A DOCTOR AND DIDN'T HAVE HARD TIME
UNDERSTANDING DOCTOR SPEAKING TO THEM IN ENGLISH

INPUT VAR:

NOTES: Previous version: AJ10. PROXY RESPONDENTS NOT INCLUDED IN THIS
QUESTION.

VARNAME: AJ11V2

LABEL: WHO HELPED YOU UNDERSTAND DOCTOR

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	21315	98.36
1	MINOR CHILD (UNDER AGE 18)	5	0.02
2	AN ADULT FAMILY MEMBER OF FRIEND OF MINE	92	0.42
3	NON-MEDICAL OFFICE STAFF	20	0.09
4	MEDICAL STAFF INCLUDING NURSES / DOCTORS	93	0.43
5	PROFESSIONAL INTERPRETER (BOTH IN PERSON	99	0.46
6	OTHER (PATIENTS, SOMEONE ELSE)	7	0.03
7	DID NOT HAVE SOMEONE TO HELP	24	0.11

UNIVERSE: ALL ADULTS WHO HAVE EVER SEEN A DOCTOR AND HAD A HARD TIME
UNDERSTANDING THE DOCTOR ON LAST VISIT AND NEEDED SOMEONE ELSE'S
HELP TO UNDERSTAND

INPUT VAR:

NOTES: Previous version: AJ11. PROXY RESPONDENTS NOT INCLUDED IN THIS
QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AH16

LABEL: DELAY/NOT GET PRESCRIPTION IN PAST 12 MO

VALUE:			FREQ	%
1	YES		2597	11.98
2	NO		19074	88.02

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ251

LABEL: EVENTUALLY REC'D PRESCRIBED MEDICINE THAT WAS DELAYED

VALUE:			FREQ	%
-1	INAPPLICABLE		19074	88.02
1	YES		1722	7.95
2	NO		875	4.04

UNIVERSE: ADULTS WHO DELAYED OR DID NOT GET MEDICINE THAT DR PRESCRIBED IN
PAST YEAR

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ252_1

LABEL: REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: MED NOT IN STOCK

VALUE:			FREQ	%
-1	INAPPLICABLE		19074	88.02
1	YES		568	2.62
2	NO		2029	9.36

UNIVERSE: ADULTS WHO DELAYED OR DID NOT GET MEDICINE THAT DR PRESCRIBED IN
PAST YEAR

INPUT VAR:

NOTES:

VARNAME: AJ252_2

LABEL: REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: INS APPROVAL ISSUE

VALUE:			FREQ	%
-1	INAPPLICABLE		19074	88.02
1	YES		622	2.87
2	NO		1975	9.11

UNIVERSE: ADULTS WHO DELAYED OR DID NOT GET MEDICINE THAT DR PRESCRIBED IN
PAST YEAR

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ252_3

LABEL: REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: COMMUNICATION DELA

VALUE:			FREQ	%
-1	INAPPLICABLE		19074	88.02
1	YES		602	2.78
2	NO		1995	9.21

UNIVERSE: ADULTS WHO DELAYED OR DID NOT GET MEDICINE THAT DR PRESCRIBED IN
PAST YEAR

INPUT VAR:

NOTES:

VARNAME: AJ252_4

LABEL: REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: SIDE EFFECTS CONCE

VALUE:			FREQ	%
-1	INAPPLICABLE		19074	88.02
1	YES		423	1.95
2	NO		2174	10.03

UNIVERSE: ADULTS WHO DELAYED OR DID NOT GET MEDICINE THAT DR PRESCRIBED IN
PAST YEAR

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ252_5

LABEL: REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: DIDN'T WANT/NEED

VALUE:			FREQ	%
-1	INAPPLICABLE		19074	88.02
1	YES		518	2.39
2	NO		2079	9.59

UNIVERSE: ADULTS WHO DELAYED OR DID NOT GET MEDICINE THAT DR PRESCRIBED IN
PAST YEAR

INPUT VAR:

NOTES:

VARNAME: AJ252_6

LABEL: REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: TOO HARD TO TRACK

VALUE:			FREQ	%
-1	INAPPLICABLE		19074	88.02
1	YES		45	0.21
2	NO		2552	11.78

UNIVERSE: ADULTS WHO DELAYED OR DID NOT GET MEDICINE THAT DR PRESCRIBED IN
PAST YEAR

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ252_7

LABEL: REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: FORGOT/LOST PRESCR

VALUE:			FREQ	%
-1	INAPPLICABLE		19074	88.02
1	YES		102	0.47
2	NO		2495	11.51

UNIVERSE: ADULTS WHO DELAYED OR DID NOT GET MEDICINE THAT DR PRESCRIBED IN
PAST YEAR

INPUT VAR:

NOTES:

VARNAME: AJ252_8

LABEL: REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: DIDN'T HAVE TIME

VALUE:			FREQ	%
-1	INAPPLICABLE		19074	88.02
1	YES		259	1.20
2	NO		2338	10.79

UNIVERSE: ADULTS WHO DELAYED OR DID NOT GET MEDICINE THAT DR PRESCRIBED IN
PAST YEAR

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ252_9

LABEL: REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: NO INSURANCE

VALUE:			FREQ	%
-1	INAPPLICABLE		19074	88.02
1	YES		54	0.25
2	NO		2543	11.73

UNIVERSE: ADULTS WHO DELAYED OR DID NOT GET MEDICINE THAT DR PRESCRIBED IN
PAST YEAR

INPUT VAR:

NOTES:

VARNAME: AJ252_10

LABEL: REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: TOO EXPENSIVE

VALUE:			FREQ	%
-1	INAPPLICABLE		19074	88.02
1	YES		527	2.43
2	NO		2070	9.55

UNIVERSE: ADULTS WHO DELAYED OR DID NOT GET MEDICINE THAT DR PRESCRIBED IN
PAST YEAR

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ252_11

LABEL: REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: NEED TO SEE DOCTOR

VALUE:			FREQ	%
-1	INAPPLICABLE		19074	88.02
1	YES		40	0.18
2	NO		2557	11.80

UNIVERSE: ADULTS WHO DELAYED OR DID NOT GET MEDICINE THAT DR PRESCRIBED IN
PAST YEAR

INPUT VAR:

NOTES:

VARNAME: AJ252_12

LABEL: REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: TRANSPORTATION ISS

VALUE:			FREQ	%
-1	INAPPLICABLE		19074	88.02
1	YES		37	0.17
2	NO		2560	11.81

UNIVERSE: ADULTS WHO DELAYED OR DID NOT GET MEDICINE THAT DR PRESCRIBED IN
PAST YEAR

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ252_91

LABEL: REASON DELAYED/DIDN'T GET PRESCRIBED MEDICINE: OTHER REASON

VALUE:		FREQ	%
-1	INAPPLICABLE	19074	88.02
1	YES	67	0.31
2	NO	2530	11.67

UNIVERSE: ADULTS WHO DELAYED OR DID NOT GET MEDICINE THAT DR PRESCRIBED IN PAST YEAR

INPUT VAR:

NOTES:

VARNAME: MAIN_DELAYMED

LABEL: MAIN REASON DELAYED OR DID NOT GET MEDICINE PRESCRIBED BY DOCTOR

VALUE:		FREQ	%
-1	INAPPLICABLE	19074	88.02
1	MEDICATION NOT IN STOCK	370	1.71
2	INSURANCE APPROVAL ISSUE	379	1.75
3	DELAYS IN COMMUNICATION WITH PROVIDER OR	374	1.73
4	CONCERNS WITH SIDE EFFECTS OR INTERACTIO	308	1.42
5	DIDN'T WANT OR THOUGHT I DIDN'T NEED PRE	372	1.72
6	TOO HARD TO TRACK ALL MY MEDICATIONS	14	0.06
7	I FORGOT OR LOST PRESCRIPTION	59	0.27
8	I DIDN'T HAVE TIME	175	0.81
9	I HAVE NO INSURANCE	39	0.18
10	TOO EXPENSIVE	379	1.75
11	NEED TO SEE DOCTOR AGAIN/DELAYS WITH DOC	37	0.17
12	TRANSPORTATION ISSUES/BARRIERS TO GETTIN	33	0.15
91	OTHER	58	0.27

UNIVERSE: ADULTS THAT DELAYED/DID NOT GET PRESCRIBED MEDICATION IN PAST 12 MONTHS

INPUT VAR: AJ252_A AJ252_B AJ253

NOTES: CV CREATED IN CHIS 2023.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AH22

LABEL: DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		4153	19.16
2	NO		17518	80.84

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ102

LABEL: SOUGHT APPNT W/DOC IN 2 DAYS PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		360	1.66
1	YES		7280	33.59
2	NO		14031	64.75

UNIVERSE: ALL ADULTS WHO ARE INSURED/ HAVE USUAL SOURCE OF CARE

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ103

LABEL: HOW OFTEN GET APPNT IN 2 DAYS

VALUE:			FREQ	%
-1	INAPPLICABLE		14391	66.41
1	NEVER		1581	7.30
2	SOMETIMES		2040	9.41
3	USUALLY		2038	9.40
4	ALWAYS		1621	7.48

UNIVERSE: ALL ADULTS WHO ARE INSURED/ HAVE USUAL SOURCE OF CARE AND WHO
TRIED TO GET A DOC APPT. WITH/IN TWO DAYS

INPUT VAR:

NOTES:

VARNAME: TIMAPPT

LABEL: ABLE TO GET AN APPOINTMENT IN A TIMELY WAY

VALUE:			FREQ	%
-1	INAPPLICABLE		14391	66.41
1	YES		5699	26.30
2	NO		1581	7.30

UNIVERSE: INSURED ADULTS/ADULTS WITH USUAL SOURCE OF CARE WHO NEEDED DR.
APPT. WITHIN 2 DAYS IN PAST YEAR

INPUT VAR: AJ102 AJ103

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ105

LABEL: KNOW RIGHTS TO INTERPRETER DURING MED VISIT

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		20496	94.58
1	YES		857	3.95
2	NO		302	1.39

UNIVERSE: ALL ADULTS WHO SPEAK ENGLISH NOT WELL OR NOT AT ALL

INPUT VAR:

NOTES:

VARNAME: AJ114

LABEL: TIME SINCE LAST DOC VISIT FOR ROUTINE CHECK-UP

VALUE:			FREQ	%
-1	INAPPLICABLE		96	0.44
0	ONE YEAR AGO OR LESS		16032	73.98
1	MORE THAN 1 UP TO 2 YEARS AGO		2769	12.78
2	MORE THAN 2 UP TO 5 YEARS AGO		1580	7.29
3	MORE THAN 5 YEARS AGO		914	4.22
4	NEVER		280	1.29

UNIVERSE: ADULTS EVER SEEN DOCTOR FOR OWN HEALTH

INPUT VAR: CARE_PV

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ218

LABEL: HOW OFTEN EASY TO GET CARE/TESTS/TREATMENT NEEDED IN PAST 6 MOS

VALUE:			FREQ	%
1	NEVER		1027	4.74
2	SOMETIMES		2881	13.29
3	USUALLY		6095	28.13
4	ALWAYS		9519	43.93
5	NOT APPLICABLE		2149	9.92

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: ADDITION OF DISPLAYED RESPONSE CATEGORY FOR "NOT APPLICABLE" IN
2023, WHICH DIFFERS FROM -1 VALUE USED ACROSS ALL VARIABLES FOR
EXCLUSION FROM UNIVERSE.

VARNAME: AJ219

LABEL: HOW OFTEN EASY TO GET CARE/TESTS/TREATMENT TEEN NEEDED IN PAST 6

VALUE:			FREQ	%
-1	INAPPLICABLE		19198	88.59
1	NEVER		76	0.35
2	SOMETIMES		276	1.27
3	USUALLY		679	3.13
4	ALWAYS		1288	5.94
5	NOT APPLICABLE		154	0.71

UNIVERSE: ADULTS WITH TEEN IN HOUSEHOLD

INPUT VAR:

NOTES: ADDITION OF DISPLAYED RESPONSE CATEGORY FOR "NOT APPLICABLE" IN
2023, WHICH DIFFERS FROM -1 VALUE USED ACROSS ALL VARIABLES FOR
EXCLUSION FROM UNIVERSE.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ115_P1

LABEL: # OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY (PUF 1

VALUE:		FREQ	%
0	0 DAYS	14647	67.59
1	1 DAYS	750	3.46
2	2 DAYS	1069	4.93
3	3 DAYS	923	4.26
4	4-5 DAYS	1503	6.94
5	6-10 DAYS	1311	6.05
6	11-15 DAYS	525	2.42
7	16-20 DAYS	192	0.89
8	21-25 DAYS	89	0.41
9	26-30 DAYS	172	0.79
10	31-35 DAYS	12	0.06
11	36-40 DAYS	36	0.17
12	41-45 DAYS	29	0.13
13	46-50 DAYS	19	0.09
14	51-55 DAYS	2	0.01
15	56-60 DAYS	64	0.30
16	61-65 DAYS	6	0.03
17	66-70 DAYS	4	0.02
18	71-75 DAYS	4	0.02
19	76-80 DAYS	6	0.03
20	81-85 DAYS	1	0.00
21	86-90 DAYS	75	0.35
22	91-95 DAYS	3	0.01
23	96-100 DAYS	26	0.12
24	101-105 DAYS	2	0.01
25	106-110 DAYS	4	0.02
27	116-120 DAYS	38	0.18
28	121-125 DAYS	3	0.01
29	126-130 DAYS	7	0.03
30	131-364 DAYS	104	0.48
31	365 DAYS	45	0.21

UNIVERSE: ALL ADULTS

INPUT VAR: AJ115

NOTES: AJ115 CATEGORIZED. RESPONDENTS SELECTING DID NOT HAVE JOB IN PAST
12 MONTHS ARE GIVEN A VALUE OF "0" DAYS FOR AJ115.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: WORKSICK_P1

LABEL: # OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY (PUF 1

VALUE:		FREQ	%
0	0 DAYS	7779	35.90
1	1 DAY	750	3.46
2	2 DAYS	1069	4.93
3	3 DAYS	923	4.26
4	4-5 DAYS	1503	6.94
5	6-10 DAYS	1311	6.05
6	11-15 DAYS	525	2.42
7	16-20 DAYS	192	0.89
8	21-25 DAYS	89	0.41
9	26-30 DAYS	172	0.79
10	31-35 DAYS	12	0.06
11	36-40 DAYS	36	0.17
12	41-45 DAYS	29	0.13
13	46-50 DAYS	19	0.09
14	51-55 DAYS	2	0.01
15	56-60 DAYS	64	0.30
16	61-65 DAYS	6	0.03
17	66-70 DAYS	4	0.02
18	71-75 DAYS	4	0.02
19	76-80 DAYS	6	0.03
20	81-85 DAYS	1	0.00
21	86-90 DAYS	75	0.35
22	91-95 DAYS	3	0.01
23	96-100 DAYS	26	0.12
24	101-105 DAYS	2	0.01
25	106-110 DAYS	4	0.02
27	116-120 DAYS	38	0.18
28	121-125 DAYS	3	0.01
29	126-130 DAYS	7	0.03
30	131-364 DAYS	104	0.48
31	365 DAYS	45	0.21
32	DID NOT HAVE JOB IN PAST 12 MONTHS	6868	31.69

UNIVERSE: ALL ADULTS

INPUT VAR: AJ115 WORKSICK

NOTES: CHIS 2021 PUF RECODE. CATEGORICAL RECODE OF WORKSICK. INPUT
VARIABLE AJ115.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ129

LABEL: EVENTUALLY RECEIVED MED CARE THAT WAS DELAYED

VALUE:			FREQ	%
-1	INAPPLICABLE		17518	80.84
1	YES		1996	9.21
2	NO		2157	9.95

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

VARNAME: AJ254_1

LABEL: REASON DELAYED/DIDN'T GET NEEDED CARE: COULDN'T GET APPT

VALUE:			FREQ	%
-1	INAPPLICABLE		17518	80.84
1	YES		1752	8.08
2	NO		2401	11.08

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ254_2

LABEL: REASON DELAYED/DIDN'T GET NEEDED CARE: INSURANCE NOT ACCEPTED

VALUE:			FREQ	%
-1	INAPPLICABLE		17518	80.84
1	YES		319	1.47
2	NO		3834	17.69

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

VARNAME: AJ254_3

LABEL: REASON DELAYED/DIDN'T GET NEEDED CARE: INSURANCE DIDN'T COVER

VALUE:			FREQ	%
-1	INAPPLICABLE		17518	80.84
1	YES		452	2.09
2	NO		3701	17.08

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ254_4

LABEL: REASON DELAYED/DIDN'T GET NEEDED CARE: LANGUAGE PROBLEM

VALUE:			FREQ	%
-1	INAPPLICABLE		17518	80.84
1	YES		29	0.13
2	NO		4124	19.03

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

VARNAME: AJ254_5

LABEL: REASON DELAYED/DIDN'T GET NEEDED CARE: TRANSPORTATION PROBLEM

VALUE:			FREQ	%
-1	INAPPLICABLE		17518	80.84
1	YES		266	1.23
2	NO		3887	17.94

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ254_6

LABEL: REASON DELAYED/DIDN'T GET NEEDED CARE: HOURS NOT CONVENIENT

VALUE:			FREQ	%
-1	INAPPLICABLE		17518	80.84
1	YES		580	2.68
2	NO		3573	16.49

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

VARNAME: AJ254_7

LABEL: REASON DELAYED/DIDN'T GET NEEDED CARE: NO CHILD CARE

VALUE:			FREQ	%
-1	INAPPLICABLE		17518	80.84
1	YES		74	0.34
2	NO		4079	18.82

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ254_8

LABEL: REASON DELAYED/DIDN'T GET NEEDED CARE: FORGOT/LOST REFERRAL

VALUE:			FREQ	%
-1	INAPPLICABLE		17518	80.84
1	YES		215	0.99
2	NO		3938	18.17

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

VARNAME: AJ254_9

LABEL: REASON DELAYED/DIDN'T GET NEEDED CARE: DIDN'T HAVE TIME

VALUE:			FREQ	%
-1	INAPPLICABLE		17518	80.84
1	YES		1016	4.69
2	NO		3137	14.48

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ254_10

LABEL: REASON DELAYED/DIDN'T GET NEEDED CARE: TOO EXPENSIVE

VALUE:			FREQ	%
-1	INAPPLICABLE		17518	80.84
1	YES		668	3.08
2	NO		3485	16.08

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

VARNAME: AJ254_11

LABEL: REASON DELAYED/DIDN'T GET NEEDED CARE: NO INSURANCE

VALUE:			FREQ	%
-1	INAPPLICABLE		17518	80.84
1	YES		154	0.71
2	NO		3999	18.45

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ254_12

LABEL: REASON DELAYED/DIDN'T GET NEEDED CARE: DID NOT THINK SERIOUS ENOU

VALUE:			FREQ	%
-1	INAPPLICABLE		17518	80.84
1	YES		96	0.44
2	NO		4057	18.72

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

VARNAME: AJ254_13

LABEL: REASON DELAYED/DIDN'T GET NEEDED CARE: NOT SATISFIED WITH HEALTH

VALUE:			FREQ	%
-1	INAPPLICABLE		17518	80.84
1	YES		93	0.43
2	NO		4060	18.73

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ254_14

LABEL: REASON DELAYED/DIDN'T GET NEEDED CARE: PROCRASTINATION OR LACK OF

VALUE:			FREQ	%
-1	INAPPLICABLE		17518	80.84
1	YES		144	0.66
2	NO		4009	18.50

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

VARNAME: AJ254_15

LABEL: REASON DELAYED/DIDN'T GET NEEDED CARE: ANXIETY, FEAR, OR AVOIDANC

VALUE:			FREQ	%
-1	INAPPLICABLE		17518	80.84
1	YES		126	0.58
2	NO		4027	18.58

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ254_16

LABEL: REASON DELAYED/DIDN'T GET NEEDED CARE: COVID-RELATED REASON

VALUE:			FREQ	%
-1	INAPPLICABLE		17518	80.84
1	YES		34	0.16
2	NO		4119	19.01

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

VARNAME: AJ254_17

LABEL: REASON DELAYED/DIDN'T GET NEEDED CARE: OTHER INSURANCE COMPLICATI

VALUE:			FREQ	%
-1	INAPPLICABLE		17518	80.84
1	YES		42	0.19
2	NO		4111	18.97

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ254_18

LABEL: REASON DELAYED/DIDN'T GET NEEDED CARE: NEEDED REFERRAL OR PRESCRI

VALUE:			FREQ	%
-1	INAPPLICABLE		17518	80.84
1	YES		68	0.31
2	NO		4085	18.85

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

VARNAME: AJ254_19

LABEL: REASON DELAYED/DIDN'T GET NEEDED CARE: NEED A NEW DOCTOR OR TO FI

VALUE:			FREQ	%
-1	INAPPLICABLE		17518	80.84
1	YES		70	0.32
2	NO		4083	18.84

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ254_20

LABEL: REASON DELAYED/DIDN'T GET NEEDED CARE: ILLNESS/DISABILITY/AGE MAK

VALUE:			FREQ	%
-1	INAPPLICABLE		17518	80.84
1	YES		40	0.18
2	NO		4113	18.98

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

VARNAME: AJ254_91

LABEL: REASON DELAYED/DIDN'T GET NEEDED CARE: OTHER REASON

VALUE:			FREQ	%
-1	INAPPLICABLE		17518	80.84
1	YES		59	0.27
2	NO		4094	18.89

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: MAIN_DELAYCARE

LABEL: MAIN REASON DELAYED OR DID NOT GET MEDICAL CARE

VALUE:		FREQ	%
-1	INAPPLICABLE	17518	80.84
1	COULDN'T GET APPOINTMENT	1398	6.45
2	MY INSURANCE WAS NOT ACCEPTED	152	0.70
3	MY INSURANCE DID NOT COVER	220	1.02
4	LANGUAGE UNDERSTANDING PROBLEMS	14	0.06
5	TRANSPORTATION PROBLEMS	133	0.61
6	HOURS WERE NOT CONVENIENT	176	0.81
7	THERE WAS NO CHILD CARE FOR CHILDREN AT	30	0.14
8	I FORGOT OR LOST REFERRAL	115	0.53
9	I DIDN'T HAVE TIME TO GO	662	3.05
10	TOO EXPENSIVE	414	1.91
11	I HAVE NO INSURANCE	113	0.52
12	DID NOT THINK SERIOUS ENOUGH/NEEDED	94	0.43
13	NOT SATISFIED WITH HEALTH CARE RECEIVED	86	0.40
14	PROCRASTINATION OR LACK OF MOTIVATION	141	0.65
15	ANXIETY, FEAR, OR AVOIDANCE OF MEDICAL C	119	0.55
16	COVID-RELATED REASON	30	0.14
17	OTHER INSURANCE COMPLICATION/ISSUE	37	0.17
18	NEEDED REFERRAL OR PRESCRIPTION/PROVIDER	65	0.30
19	NEED A NEW DOCTOR OR TO FIND A SPECIALIS	65	0.30
20	ILLNESS/DISABILITY/AGE MAKE IT HARD TO G	36	0.17
91	OTHER	53	0.24

UNIVERSE: ADULTS THAT DELAYED/DID NOT GET NEEDED CARE IN PAST 12 MONTHS

INPUT VAR: AJ254_A AJ254_B AJ131V2

NOTES: CV CREATED IN CHIS 2023.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: CARE_PV

LABEL: HAD A PREVENTIVE CARE VISIT IN PAST YEAR

VALUE:			FREQ	%
1	YES		16032	73.98
2	NO		5639	26.02

UNIVERSE: ALL ADULTS

INPUT VAR: AJ114

NOTES:

VARNAME: RN_FORGOV2

LABEL: REASONS FORGONE NECESSARY CARE

VALUE:			FREQ	%
-1	INAPPLICABLE		17518	80.84
1	COST		527	2.43
2	COULDN'T GET APPOINTMENT		1398	6.45
3	DIDN'T HAVE TIME		838	3.87
4	OTHERS		1390	6.41

UNIVERSE: ADULTS WHO DELAYED NEEDED MEDICAL CARE

INPUT VAR: AJ254 AJ131V2

NOTES: PREVIOUS VERSION: RN_FORGO. MODIFICATION TO CONSTRUCTION BEGINNING
IN 2023 DUE TO CHANGES TO INPUT VARIABLES ASKED. USE CAUTION WHEN
COMPARING WITH PRIOR YEARS.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FORGO

LABEL: HAD TO FORGO NECESSARY CARE

VALUE:			FREQ	%
1	YES		2157	9.95
2	NO		19514	90.05

UNIVERSE: ALL ADULTS

INPUT VAR: AH22 AJ129

NOTES:

VARNAME: AG1

LABEL: TIME SINCE LAST VISIT TO DENTIST/SPECIALIST

VALUE:			FREQ	%
0	HAVE NEVER VISITED		271	1.25
1	6 MONTHS AGO OR LESS		13441	62.02
2	MORE THAN 6 MONTHS UP TO 1 YEAR AGO		2674	12.34
3	MORE THAN 1 YEAR UP TO 2 YEARS AGO		2044	9.43
4	MORE THAN 2 YEARS UP TO 5 YEARS AGO		1881	8.68
5	MORE THAN 5 YEARS AGO		1360	6.28

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ167

LABEL: ROUTINE CHECKUP/CLEANING OR SPECIFIC PROBLEM

VALUE:		FREQ	%
-1	INAPPLICABLE	271	1.25
1	ROUTINE CHECKUP OR CLEANING	14834	68.45
2	SPECIFIC PROBLEM	3034	14.00
3	BOTH	3532	16.30

UNIVERSE: ADULTS WHO HAVE EVER BEEN TO THE DENTIST

INPUT VAR:

NOTES:

VARNAME: AJ247

LABEL: # TIMES REC'D DENTAL SERVICE IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	5556	25.64
1	NONE	465	2.15
2	ONCE	3605	16.64
3	TWICE	7525	34.72
4	THREE TIMES	2554	11.79
5	FOUR TIMES	1146	5.29
6	FIVE TIMES OR MORE	820	3.78

UNIVERSE: ADULTS WHO HAVE EVER VISITED A DENTIST

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ248B_1

LABEL: WHERE REC'D DENTAL SERVICE IN PAST 12 MOS: FREE HEALTH/DENTAL EVE

VALUE:			FREQ	%
-1	INAPPLICABLE		6021	27.78
1	YES		160	0.74
2	NO		15490	71.48

UNIVERSE: ADULTS WHO HAVE REC'D A DENTAL SERVICE IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ248B_2

LABEL: WHERE REC'D DENTAL SERVICE IN PAST 12 MOS: DENTIST OFFICE

VALUE:			FREQ	%
-1	INAPPLICABLE		6021	27.78
1	YES		15367	70.91
2	NO		283	1.31

UNIVERSE: ADULTS WHO HAVE REC'D A DENTAL SERVICE IN PAST 12 MOS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ248B_3

LABEL: WHERE REC'D DENTAL SERVICE IN PAST 12 MOS: HOSPITAL

VALUE:			FREQ	%
-1	INAPPLICABLE		6021	27.78
1	YES		72	0.33
2	NO		15578	71.88

UNIVERSE: ADULTS WHO HAVE REC'D A DENTAL SERVICE IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ248B_4

LABEL: WHERE REC'D DENTAL SERVICE IN PAST 12 MOS: OTHER LOCATION

VALUE:			FREQ	%
-1	INAPPLICABLE		6021	27.78
1	YES		173	0.80
2	NO		15477	71.42

UNIVERSE: ADULTS WHO HAVE REC'D A DENTAL SERVICE IN PAST 12 MOS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG3

LABEL: HAVE ANY KIND OF DENTAL INSURANCE

			FREQ	%
VALUE:	1	YES	15860	73.19
	2	NO	5811	26.81

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ250

LABEL: MAIN REASON NOT VISITED DENTIST IN PAST 12 MOS

			FREQ	%
VALUE:	-1	INAPPLICABLE	15650	72.22
	1	NOT APPLICABLE	520	2.40
	2	NO REASON TO GO/NO PROBLEM	2549	11.76
	3	COULD NOT FIND A DENTIST	472	2.18
	4	COULD NOT AFFORD/NO INSURANCE	1586	7.32
	5	FEAR/ANXIETY/DISLIKE	240	1.11
	6	COVID-19 RELATED	157	0.72
	91	OTHER	497	2.29

UNIVERSE: ADULTS WHO HAVE NOT VISITED A DENTIST IN THE PAST 12 MONTHS

INPUT VAR:

NOTES: CATEGORIES 5 AND 6 ADDED DURING WRITE-IN RESPONSE UPCODING IN 2023. ADDITION OF DISPLAYED RESPONSE CATEGORY FOR "NOT APPLICABLE" IN 2023, WHICH DIFFERS FROM -1 VALUE USED ACROSS ALL VARIABLES FOR EXCLUSION FROM UNIVERSE.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ136

LABEL: NEEDED TO SEE MED SPECIALIST PAST YR

VALUE:			FREQ	%
1	YES		10844	50.04
2	NO		10827	49.96

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ137

LABEL: HAD TROUBLE FINDING SPECIALTY DR PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		10827	49.96
1	YES		1847	8.52
2	NO		8997	41.52

UNIVERSE: ADULTS NEEDING SPECIALTY CARE

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ138

LABEL: NOT ACCEPTED AS NEW PATIENT BY SPECIALIST PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		10827	49.96
1	YES		1241	5.73
2	NO		9603	44.31

UNIVERSE: ADULTS NEEDING SPECIALTY CARE

INPUT VAR: SC_NEWP

NOTES:

VARNAME: AJ139

LABEL: INSURANCE NOT ACCEPTED BY SPECIALIST PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		10968	50.61
1	YES		1239	5.72
2	NO		9464	43.67

UNIVERSE: INSURED ADULTS NEEDING SPECIALTY CARE

INPUT VAR: SC_INS

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ133

LABEL: HAD TROUBLE FINDING GENERAL DOC PAST 12 MOS

VALUE:			FREQ	%
1	YES		1939	8.95
2	NO		19732	91.05

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ134

LABEL: NOT ACCEPTED AS NEW PATIENT BY DOC PAST YR

VALUE:			FREQ	%
1	YES		1782	8.22
2	NO		19889	91.78

UNIVERSE: ALL ADULTS

INPUT VAR: PC_NEWP

NOTES:

VARNAME: AJ135

LABEL: INSURANCE NOT ACCEPTED BY DOC PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		620	2.86
1	YES		1437	6.63
2	NO		19614	90.51

UNIVERSE: CURRENTLY INSURED ADULTS

INPUT VAR: PC_INS

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: PC_INS

LABEL: PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS INS

VALUE:			FREQ	%
-1	INAPPLICABLE		620	2.86
1	YES		1437	6.63
2	NO		19614	90.51

UNIVERSE: CURRENTLY INSURED ADULTS

INPUT VAR: AJ135

NOTES:

VARNAME: PC_NEWP

LABEL: PRIMARY CARE: DIFFICULTY FINDING A PROVIDER ACCEPTING NEW PATIENT

VALUE:			FREQ	%
1	YES		1782	8.22
2	NO		19889	91.78

UNIVERSE: ALL ADULTS

INPUT VAR: AJ134

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: SC_INS

LABEL: SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS I

VALUE:			FREQ	%
-1	INAPPLICABLE		10968	50.61
1	YES		1239	5.72
2	NO		9464	43.67

UNIVERSE: INSURED ADULTS NEEDING SPECIALTY CARE

INPUT VAR: AJ139

NOTES:

VARNAME: SC_NEWP

LABEL: SPECIALTY CARE: DIFFICULTY FINDING PROVIDER ACCEPTING NEW PATIENT

VALUE:			FREQ	%
-1	INAPPLICABLE		10827	49.96
1	YES		1241	5.73
2	NO		9603	44.31

UNIVERSE: ADULTS NEEDING SPECIALTY CARE

INPUT VAR: AJ138

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH12V2

LABEL: VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		4069	18.78
2	NO		17602	81.22

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: Previous version: AH12

VARNAME: AH95_P1

LABEL: # TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		17602	81.22
0	0 TIMES		35	0.16
1	1 TIMES		2561	11.82
2	2 TIMES		897	4.14
3	3 TIMES		298	1.38
4	4 TIMES		121	0.56
5	5+ TIMES		157	0.72

UNIVERSE: ALL ADULTS WHO VISITED ER FOR OWN HEALTH IN PAST 12 MOS

INPUT VAR: AH95

NOTES: AH95 Categories Collapsed

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: ER

LABEL: ER VISIT WITHIN THE PAST YEAR

VALUE:			FREQ	%
1	YES		4069	18.78
2	NO		17602	81.22

UNIVERSE: ALL ADULTS

INPUT VAR: AH12 AH13A AB67 AB109 AB115

NOTES:

VARNAME: AJ176

LABEL: DELAYED/DIDN'T GET A MEDICINE WHILE INSURED BY CURRENT PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		19145	88.34
1	YES		2008	9.27
2	NO		518	2.39

UNIVERSE: ADULTS WITH INSURANCE WHO DELAYED/DID NOT GET PRESCRIBED MEDICINE
IN PAST 12 MOS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ177

LABEL: DELAYED/DIDN'T GET OTHER MEDICAL CARE WHILE INSURED BY CURRENT PL

VALUE:			FREQ	%
-1	INAPPLICABLE		17661	81.50
1	YES		2879	13.29
2	NO		1131	5.22

UNIVERSE: ADULTS WITH INSURANCE WHO DELAYED/DID NOT GET NEEDED MEDICAL CARE
IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ87

LABEL: PROVIDE CARE TO FAM/FRND W/ILLNESS/DISABILITY PAST YR

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
1	YES		6003	27.70
2	NO		15652	72.23

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ101V2

LABEL: CURRENTLY PROVIDE CARE

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	15652	72.23
1	YES	3123	14.41
2	NO	2880	13.29

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC ILLNESS OR DISABILITY

INPUT VAR:

NOTES: Previous version: AJ101. Qx varname = AJ101B.

VARNAME: AJ201_P1

LABEL: AGE OF CARE RECIPIENT (PUF 1 YR RECODE)

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	15652	72.23
1	0-17	155	0.72
2	18-44	637	2.94
3	45-64	992	4.58
4	65-84	2701	12.46
5	85+	1518	7.00

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC ILLNESS OR DISABILITY

INPUT VAR: AJ201

NOTES: RECLAIMED IN 2023 (FROM 2020). CATEGORICAL PUF RECODE OF CONTINUOUS VARIABLE AJ201.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ90

LABEL: RELATIONSHIP WITH PERSON YOU PROVIDE MOST HELP TO

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	15652	72.23
1	HUSBAND	371	1.71
2	WIFE	289	1.33
3	SPOUSE/PARTNER	136	0.63
4	FATHER/FATHER-IN-LAW	783	3.61
5	MOTHER/MOTHER-IN-LAW	1824	8.42
6	BROTHER/BROTHER-IN-LAW	215	0.99
7	SISTER/SISTER-IN-LAW	278	1.28
8	GRANDFATHER	61	0.28
9	GRANDMOTHER	164	0.76
10	SON/SON-IN-LAW	227	1.05
11	DAUGHTER/DAUGHTER-IN-LAW	205	0.95
12	OTHER RELATIVE	340	1.57
13	FRIEND/NEIGHBOR	938	4.33
14	OTHER NON-RELATIVE	172	0.79

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNES OR DISABLED FAMILY
MEMBER OR FRIEND

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ193

LABEL: FINANCIAL STRESS DUE TO CAREGIVING

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		15652	72.23
1	EXTREMELY STRESSFUL		463	2.14
2	SOMEWHAT STRESSFUL		932	4.30
3	A LITTLE STRESSFUL		1594	7.36
4	NOT AT ALL STRESSFUL		3014	13.91

UNIVERSE: ADULTS WHO PROVIDED CAREGIVING TO A FAMILY MEMBER OR FRIEND

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

VARNAME: AJ91B_1

LABEL: DURING PAST 12 MOS CARE RECIPIENT LIVED: ALONE

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		15652	72.23
1	YES		1752	8.08
2	NO		4251	19.62

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC ILLNESS OR DISABILITY

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ91B_2

LABEL: DURING PAST 12 MOS CARE RECIPIENT LIVED: WITH YOU

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	15652	72.23
1	YES	2024	9.34
2	NO	3979	18.36

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

VARNAME: AJ91B_3

LABEL: DURING PAST 12 MOS CARE RECIPIENT LIVED: WITH SOME OTHER FAMILY M

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	15652	72.23
1	YES	1782	8.22
2	NO	4221	19.48

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ91B_4

LABEL: DURING PAST 12 MOS CARE RECIPIENT LIVED: IN A NURSING HOME

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	15652	72.23
1	YES	187	0.86
2	NO	5816	26.84

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

VARNAME: AJ91B_5

LABEL: DURING PAST 12 MOS CARE RECIPIENT LIVED: IN AN ASSISTED-LIVING FA

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	15652	72.23
1	YES	373	1.72
2	NO	5630	25.98

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ91B_6

LABEL: DURING PAST 12 MOS CARE RECIPIENT LIVED: IN SOME OTHER LIVING SIT

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	15652	72.23
1	YES	483	2.23
2	NO	5520	25.47

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC ILLNESS OR DISABILITY

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

VARNAME: AJ194_1

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: ALZHEIMER'S, CONFUSION,

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	15652	72.23
1	YES	1276	5.89
2	NO	4727	21.81

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC ILLNESS OR DISABILITY

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ194_2

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: ARTHRITIS

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	15652	72.23
1	YES	961	4.43
2	NO	5042	23.27

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC ILLNESS OR DISABILITY

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

VARNAME: AJ194_3

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: BACK PROBLEMS

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	15652	72.23
1	YES	1013	4.67
2	NO	4990	23.03

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC ILLNESS OR DISABILITY

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ194_4

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: BROKEN BONES

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	15652	72.23
1	YES	344	1.59
2	NO	5659	26.11

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

VARNAME: AJ194_5

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: CANCER

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	15652	72.23
1	YES	683	3.15
2	NO	5320	24.55

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ194_6

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: DIABETES

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	15652	72.23
1	YES	855	3.95
2	NO	5148	23.76

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

VARNAME: AJ194_7

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: FEEBLE, UNSTEADY, FALLIN

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	15652	72.23
1	YES	1423	6.57
2	NO	4580	21.13

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ194_8

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: LUNG DISEASE, EMPHYSEMA,

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	15652	72.23
1	YES	377	1.74
2	NO	5626	25.96

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC ILLNESS OR DISABILITY

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

VARNAME: AJ194_9

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: MENTAL ILLNESS, EMOTIONA

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	15652	72.23
1	YES	1022	4.72
2	NO	4981	22.98

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC ILLNESS OR DISABILITY

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ194_10

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: MOBILITY PROBLEM

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	15652	72.23
1	YES	1961	9.05
2	NO	4042	18.65

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC ILLNESS OR DISABILITY

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

VARNAME: AJ194_11

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: OLD AGE, AGING

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	15652	72.23
1	YES	2274	10.49
2	NO	3729	17.21

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC ILLNESS OR DISABILITY

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ194_12

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: STROKE

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	15652	72.23
1	YES	441	2.03
2	NO	5562	25.67

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC ILLNESS OR DISABILITY

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

VARNAME: AJ194_13

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: SURGERY, WOUNDS

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	15652	72.23
1	YES	847	3.91
2	NO	5156	23.79

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC ILLNESS OR DISABILITY

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ194_14

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: OTHER

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	15652	72.23
1	YES	235	1.08
2	NO	5768	26.62

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

VARNAME: AJ194_15

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: NEUROLOGICAL, AUTOIMMUNE

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	15652	72.23
1	YES	386	1.78
2	NO	5617	25.92

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ194_16

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: VISION, HEARING PROBLEM

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	15652	72.23
1	YES	133	0.61
2	NO	5870	27.09

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC ILLNESS OR DISABILITY

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

VARNAME: AJ194_17

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: BLOOD, ORGAN, MUSCULAR,

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	15652	72.23
1	YES	368	1.70
2	NO	5635	26.00

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC ILLNESS OR DISABILITY

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ194_18

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: COVID-RELATED ISSUE

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		15652	72.23
1	YES		70	0.32
2	NO		5933	27.38

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

VARNAME: AJ197V2

LABEL: HAVE SUPPORT/SERVICES NEEDED TO CARE FOR CARE RECIPIENT

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18532	85.52
1	YES		2083	9.61
2	NO		1040	4.80

UNIVERSE: ADULTS WHO CURRENTLY PROVIDE CARE TO FAMILY MEMBER/FRIEND

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020). PREVIOUS VERSION: AJ197. NEW
VERSION DUE TO NEW UNIVERSE IN 2023.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ199A

LABEL: EXPERIENCED PHYSICAL HEALTH PROBLEM IN PAST 12 MONTHS DUE TO PROV

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18532	85.52
1	YES		563	2.60
2	NO		2560	11.81

UNIVERSE: ADULTS WHO CURRENTLY PROVIDE CARE TO FAMILY MEMBER/FRIEND

INPUT VAR:

NOTES:

VARNAME: AJ199B

LABEL: EXPERIENCED MENTAL HEALTH PROBLEM IN PAST 12 MONTHS DUE TO PROVID

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18532	85.52
1	YES		901	4.16
2	NO		2222	10.25

UNIVERSE: ADULTS WHO CURRENTLY PROVIDE CARE TO FAMILY MEMBER/FRIEND

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ200V2_1

LABEL: CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: NO CHANGE

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18532	85.52
1	YES		1684	7.77
2	NO		1439	6.64

UNIVERSE: ADULTS WHO CURRENTLY PROVIDE CARE TO FAMILY MEMBER/FRIEND

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020). PREVIOUS VERSION: AJ200. NEW
VERSION DUE TO NEW UNIVERSE IN 2023.

VARNAME: AJ200V2_2

LABEL: CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: CHANGED JOB

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18532	85.52
1	YES		67	0.31
2	NO		3056	14.10

UNIVERSE: ADULTS WHO CURRENTLY PROVIDE CARE TO FAMILY MEMBER/FRIEND

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020). PREVIOUS VERSION: AJ200. NEW
VERSION DUE TO NEW UNIVERSE IN 2023.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ200V2_3

LABEL: CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: TOOK 2ND JOB/INCREASE

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18532	85.52
1	YES		33	0.15
2	NO		3090	14.26

UNIVERSE: ADULTS WHO CURRENTLY PROVIDE CARE TO FAMILY MEMBER/FRIEND

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020). PREVIOUS VERSION: AJ200. NEW
VERSION DUE TO NEW UNIVERSE IN 2023.

VARNAME: AJ200V2_4

LABEL: CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: REDUCED WORK HOURS/UN

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18532	85.52
1	YES		295	1.36
2	NO		2828	13.05

UNIVERSE: ADULTS WHO CURRENTLY PROVIDE CARE TO FAMILY MEMBER/FRIEND

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020). PREVIOUS VERSION: AJ200. NEW
VERSION DUE TO NEW UNIVERSE IN 2023.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ200V2_5

LABEL: CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: TEMPORARY LEAVE/SICK/

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18532	85.52
1	YES		93	0.43
2	NO		3030	13.98

UNIVERSE: ADULTS WHO CURRENTLY PROVIDE CARE TO FAMILY MEMBER/FRIEND

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020). PREVIOUS VERSION: AJ200. NEW
VERSION DUE TO NEW UNIVERSE IN 2023.

VARNAME: AJ200V2_6

LABEL: CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: QUIT JOB/LAID OFF

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18532	85.52
1	YES		87	0.40
2	NO		3036	14.01

UNIVERSE: ADULTS WHO CURRENTLY PROVIDE CARE TO FAMILY MEMBER/FRIEND

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020). PREVIOUS VERSION: AJ200. NEW
VERSION DUE TO NEW UNIVERSE IN 2023.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ200V2_7

LABEL: CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: RETIRED/RETIRED EARLY

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18532	85.52
1	YES		325	1.50
2	NO		2798	12.91

UNIVERSE: ADULTS WHO CURRENTLY PROVIDE CARE TO FAMILY MEMBER/FRIEND

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020). PREVIOUS VERSION: AJ200. NEW
VERSION DUE TO NEW UNIVERSE IN 2023.

VARNAME: AJ200V2_8

LABEL: CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: PAID FAMILY LEAVE

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18532	85.52
1	YES		46	0.21
2	NO		3077	14.20

UNIVERSE: ADULTS WHO CURRENTLY PROVIDE CARE TO FAMILY MEMBER/FRIEND

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020). PREVIOUS VERSION: AJ200. NEW
VERSION DUE TO NEW UNIVERSE IN 2023.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ200V2_9

LABEL: CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: DOES NOT WORK

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18532	85.52
1	YES		684	3.16
2	NO		2439	11.25

UNIVERSE: ADULTS WHO CURRENTLY PROVIDE CARE TO FAMILY MEMBER/FRIEND

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020). PREVIOUS VERSION: AJ200. NEW
VERSION DUE TO NEW UNIVERSE IN 2023.

VARNAME: CAREGIVEPROB

LABEL: EXPERIENCED HEALTH PROBLEM DUE TO PROVIDING CARE

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
1	YES		1110	5.12
2	NO		2013	9.29
3	DOES NOT CURRENTLY PROVIDE CARE		18532	85.52

UNIVERSE: ALL ADULTS

INPUT VAR: AJ199A AJ199B

NOTES: CV CREATED IN CHIS 2023.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ93

LABEL: # HRS SPENT HELPING CARE RECIPIENT IN TYPICAL WEEK

MEAN STATISTICS

N	6003
MIN	0
MAX	125
MEAN	13.93

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY MEMBER OR FRIEND

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

VARNAME: AJ191

LABEL: PAID FOR ANY HOURS HELPED CARE RECIPIENT

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	15652	72.23
1	YES	465	2.15
2	NO	5538	25.55

UNIVERSE: ADULTS WHO DO OR HAVE EVER PROVIDED CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY MEMBER OR FRIEND

INPUT VAR:

NOTES: RECLAIMED IN 2023 (FROM 2020).

SECTION K: EMPLOYMENT, INCOME, POVERTY STATUS & FOOD SECURITY

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK1

LABEL: WORK STATUS LAST WEEK

VALUE:		FREQ	%
1	WORKING AT A JOB/BUSINESS	11620	53.62
2	WITH A JOB/BUSINESS BUT NOT AT WORK	495	2.28
3	LOOKING FOR WORK	893	4.12
4	NOT WORKING JOB/BUSINESS (UNEMP)	8663	39.98

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOTE ADDED TO QUESTIONNAIRE TO CLARIFY HOW TO RESPOND FOR WORKED
REMOVED FROM HOME

VARNAME: AK2_P1

LABEL: MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	11620	53.62
1	TAKING CARE OF HOUSE OR FAMILY	904	4.17
2	ON PLANNED VACATION	335	1.55
3	COULDN'T FIND A JOB	465	2.15
4	GOING TO SCHOOL/STUDENT	345	1.59
5	RETIRED	5803	26.78
6	PHYSICAL DISABILITY	869	4.01
7	UNABLE TO WORK TEMPORARILY	214	0.99
8	ON LAYOFF OR STRIKE	143	0.66
10	OFF SEASON	148	0.68
11	SICK	126	0.58
91	OTHER	699	3.23

UNIVERSE: ALL ADULTS WITH A JOB BUT NOT AT WORK LAST WEEK, LOOKING FOR WORK,
OR NOT WORKING AT A JOB LAST WEEK

INPUT VAR: AK2

NOTES: AK2 Categories Collapsed

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK3_P1V2

LABEL: # OF USUAL HRS WORKED PER WEEK (PUF 1 YR RECODE VERSION 2)

VALUE:		FREQ	%
-1	INAPPLICABLE	8510	39.27
1	<= 0	500	2.31
2	1 - 9	455	2.10
3	10 - 19	680	3.14
4	20 - 29	1104	5.09
5	30 - 39	1466	6.76
6	40 - 49	6624	30.57
7	50 - 59	1496	6.90
8	60 - 69	591	2.73
9	70 - 79	110	0.51
10	80+	135	0.62

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR: AK3

NOTES: AK3 Categories Collapsed

VARNAME: AK4

LABEL: TYPE OF EMPLOYER AT MAIN JOB

VALUE:		FREQ	%
-1	INAPPLICABLE	8552	39.46
1	PRIVATE COMPANY, NON-PROFIT ORG	8097	37.36
2	GOVERNMENT	2729	12.59
3	SELF-EMPLOYED	1992	9.19
4	FAMILY BUSINESS OR FARM	301	1.39

UNIVERSE: ALL ADULTS WITH A JOB OR WHO USUALLY WORK (EXCLUDING THOSE WHO ARE LESS THAN 65 AND DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INDMAIN2

LABEL: MAIN INDUSTRY - RECODE (CENSUS 2017 IND. CLASSIFICATION SCHEME)

VALUE:		FREQ	%
-9	NOT ASCERTAINED	20	0.09
-8	DON'T KNOW	5	0.02
-7	REFUSED	7	0.03
-1	INAPPLICABLE	9128	42.12
1	AGRICULTURE, FORESTRY, FISHING, HUNTING,	196	0.90
2	CONSTRUCTION	438	2.02
3	MANUFACTURING	913	4.21
4	WHOLESALE TRADE	168	0.78
5	RETAIL TRADE	789	3.64
6	TRANSPORTATION, WAREHOUSING, AND UTILITI	520	2.40
7	INFORMATION	306	1.41
8	FINANCE AND INSURANCE, REAL ESTATE, RENT	791	3.65
9	PROFESSIONAL, SCIENTIFIC, MANAGEMENT, AD	2162	9.98
10	EDUCATIONAL SERVICES, HEALTH CARE AND SO	3810	17.58
11	ARTS, ENTERTAINMENT, RECREATION, ACCOMMO	669	3.09
12	OTHER SERVICES, EXCEPT PUBLIC ADMINISTRA	550	2.54
13	PUBLIC ADMINISTRATION	1013	4.67
14	MILITARY	45	0.21
15	INDUSTRY CODED AS NOT IN LABOR FORCE	23	0.11
99	COULD NOT BE CODED	118	0.54

UNIVERSE: ADULTS WITH JOB/USUALLY WORKING (EXCLUDES ADULTS < 65 AND
DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES: MAJORITY OF CASES WERE AUTOCODED USING NIOSH INDUSTRY AND
OCCUPATION COMPUTERIZED CODING SYSTEM (NIOCCS). RECORDS THAT DID
NOT MATCH BOTH I&O RESPONSES ON NIOCCS WERE CODED BY THE US CENSUS
NATIONAL PROCESSING CENTER. FOR MORE INFO SEE: WWW.CSAMS.COM

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: IND_FLAG3

LABEL: CENSUS INDUSTRY CODE - CODING METHOD

VALUE:		FREQ	%
-9	NOT ASCERTAINED	32	0.15
-1	INAPPLICABLE	9128	42.12
1	MANUALLY CODED BY U.S. CENSUS BUREAU	1987	9.17
2	AUTO-CODE BY NIOCSS	10524	48.56

UNIVERSE: ADULTS WITH JOB/USUALLY WORKING (EXCLUDES ADULTS < 65 AND
DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES: BEGINNING IN 2021, NIOCSS REQUIRED A SECURE ACCESS MANAGEMENT
SERVICE ACCOUNT WHICH UTILIZES A HIGH EFFICIENCY MACHINE LEARNING
TECHNOLOGY. AS SUCH, INCREASES IN I/O CODING VIA AUTOCODING MAY BE
SEEN STARTING IN CHIS 2021.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: OCCMAIN2

LABEL: MAIN OCCUPATION - RECODE (CENSUS 2018 OCC. CLASSIFICATION SCHEME)

VALUE:		FREQ	%
-9	NOT ASCERTAINED	20	0.09
-8	DON'T KNOW	3	0.01
-7	REFUSED	5	0.02
-1	INAPPLICABLE	9044	41.73
1	MANAGEMENT, BUSINESS, AND FINANCIAL OCCU	2306	10.64
2	COMPUTER, ENGINEERING, AND SCIENCE OCCUP	1626	7.50
3	EDUCATION, LEGAL, COMMUNITY SERVICE, ART	2232	10.30
4	HEALTHCARE PRACTITIONERS AND TECHNICAL O	896	4.13
5	SERVICE OCCUPATIONS	1538	7.10
6	SALES AND RELATED OCCUPATIONS	795	3.67
7	OFFICE AND ADMINISTRATIVE SUPPORT OCCUPA	1523	7.03
8	FARMING, FISHING, AND FORESTRY OCCUPATIO	78	0.36
9	CONSTRUCTION AND EXTRACTION OCCUPATIONS	289	1.33
10	INSTALLATION, MAINTENANCE, AND REPAIR OC	176	0.81
11	PRODUCTION OCCUPATIONS	360	1.66
12	TRANSPORTATION AND MATERIAL MOVING OCCUP	453	2.09
13	MILITARY SPECIFIC OCCUPATIONS	40	0.18
14	OCCUPATION CODED AS NOT IN LABOR FORCE	56	0.26
99	COULD NOT BE CODED	231	1.07

UNIVERSE: ADULTS WITH JOB/USUALLY WORKING (EXCLUDES ADULTS < 65 AND
DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES: MAJORITY OF CASES WERE AUTOCODED USING NIOSH INDUSTRY AND
OCCUPATION COMPUTERIZED CODING SYSTEM (NIOCCS). RECORDS THAT DID
NOT MATCH BOTH I&O RESPONSES ON NIOCCS WERE CODED BY THE US CENSUS
NATIONAL PROCESSING CENTER. FOR MORE INFO SEE: WWW.CSAMS.COM

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: OCC_FLAG3

LABEL: CENSUS OCCUPATION CODE - CODING METHOD

VALUE:		FREQ	%
-9	NOT ASCERTAINED	28	0.13
-1	INAPPLICABLE	9044	41.73
1	MANUALLY CODED BY U.S. CENSUS BUREAU	1999	9.22
2	AUTO-CODE BY NIOCSS	10600	48.91

UNIVERSE: ADULTS WITH JOB/USUALLY WORKING (EXCLUDES ADULTS < 65 AND
DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES: BEGINNING IN 2021, NIOCCS REQUIRED A SECURE ACCESS MANAGEMENT
SERVICE ACCOUNT WHICH UTILIZES A HIGH EFFICIENCY MACHINE LEARNING
TECHNOLOGY. AS SUCH, INCREASES IN I/O CODING VIA AUTOCODING MAY BE
SEEN STARTING IN CHIS 2021.

VARNAME: AK7_P1V2

LABEL: LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE VERSION 2)

VALUE:		FREQ	%
-1	INAPPLICABLE	8510	39.27
1	< 12 MONTHS	1362	6.28
2	12 - 23 MONTHS	1403	6.47
3	24 - 59 MONTHS	2689	12.41
4	60 - 119 MONTHS	2625	12.11
5	120 - 239 MONTHS	2624	12.11
6	240+ MONTHS	2458	11.34

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR: AK7

NOTES: AK7 Categories Collapsed

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AKWKLNG

LABEL: TIME AT MAIN JOB

VALUE:		FREQ	%
-1	INAPPLICABLE	8510	39.27
0	<1 YEAR	703	3.24
1	1 YEAR	1609	7.42
2	2 YEARS	1318	6.08
3	3 YEARS	906	4.18
4	4 YEARS	752	3.47
5	5 YEARS	803	3.71
6	6-9 YEARS	1931	8.91
7	10-14 YEARS	1499	6.92
8	15-19 YEARS	1158	5.34
9	20-29 YEARS	1594	7.36
10	30+ YEARS	888	4.10

UNIVERSE: ALL ADULTS EXCEPT FOR (THOSE WHO ARE LOOKING FOR WORK OR NOT
WORKING LAST WEEK) OR (THOSE WHO USUALLY WORK ZERO HOURS)

INPUT VAR: AK7 AK7UNT

NOTES:

VARNAME: AK8

LABEL: # PEOPLE WORKING FOR EMPLOYER/YOU

VALUE:		FREQ	%
-1	INAPPLICABLE	8552	39.46
1	1 OR 2	1866	8.61
2	3 - 9	1036	4.78
3	10 - 24	973	4.49
4	25 - 50	809	3.73
5	51 - 100	676	3.12
6	101 - 200	641	2.96
7	201 - 999	1216	5.61
8	1,000 OR MORE	5902	27.23

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK AND ARE NOT GOV. EMPLOYEE

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK10_P

LABEL: RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)

MEAN STATISTICS

N	13161
MIN	0
MAX	30000
MEAN	8204.87

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR: AK10

NOTES: TOPCODE=30,000

VARNAME: AK20_P1

LABEL: # OF HRS PER WEEK SPOUSE USUALLY WORKS (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	14871	68.62
0	0 HOURS	206	0.95
1	1-9 HOURS	202	0.93
2	10-19 HOURS	259	1.20
3	20-29 HOURS	461	2.13
4	30-40 HOURS	3934	18.15
5	41-49 HOURS	436	2.01
6	50-59 HOURS	820	3.78
7	60-69 HOURS	337	1.56
8	70-79 HOURS	63	0.29
9	80+ HOURS	82	0.38

UNIVERSE: ALL ADULTS WHOSE SPOUSE IS CURRENTLY WORKING/USUALLY WORKING OR
HAS JOB/BUSINESS BUT NOT AT WORK

INPUT VAR: AK20

NOTES: AK20 Categories Collapsed

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK22_P1

LABEL: HH TOTAL ANN. INC BEFORE TAXES IN PREVIOUS YEAR (PUF 1 YR RECODE)

VALUE:		FREQ	%
1	LESS THAN 10000	1053	4.86
2	10,000-19,999	1434	6.62
3	20,000-29,999	1462	6.75
4	30,000-39,999	1419	6.55
5	40,000-49,999	1195	5.51
6	50,000-59,999	1194	5.51
7	60,000-69,999	1175	5.42
8	70,000-79,999	1273	5.87
9	80,000-89,999	1040	4.80
10	90,000-99,999	888	4.10
11	100,000-109,999	1271	5.86
12	110,000-119,999	558	2.57
13	120,000-129,000	987	4.55
14	130,000-139,000	474	2.19
15	140,000-149,999	455	2.10
16	150,000-159,999	769	3.55
17	160,000-169,999	431	1.99
18	170,000-179,000	361	1.67
19	OVER 180,000	4232	19.53

UNIVERSE: ALL ADULTS

INPUT VAR: AK22

NOTES: AK22 Categories Collapsed

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK10A_P

LABEL: SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)

MEAN STATISTICS

N	6594
MIN	0
MAX	30000
MEAN	8523.39

UNIVERSE: ALL ADULTS WHOSE SPOUSE WORKS MORE THAN 0 HOURS PER WEEK

INPUT VAR: AK10A

NOTES: TOPCODE=30,000

VARNAME: AK32V2

LABEL: HH INCOME SUPPORTS SOMEONE LIVING IN U.S. BUT NOT LIVING IN HH (I

VALUE:			FREQ	%
1	YES		2045	9.44
2	NO		19626	90.56

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: Previous version: AK32

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AK33V2_P1

LABEL: # OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (INCLUDES SINGLE PE

VALUE:			FREQ	%
-1	INAPPLICABLE		19626	90.56
1	1 PERSON		1264	5.83
2	2 PEOPLE		523	2.41
3	3+ PEOPLE		258	1.19

UNIVERSE: ALL ADULTS WHOSE HH INCOME SUPPORTS SOMEONE IN U.S. BUT NOT IN
HOUSEHOLD

INPUT VAR: AK33V2

NOTES: TOPCODE = 3; PREVIOUS VERSION: AK33_P1

VARNAME: AK136

LABEL: SEEN OR HEARD ABOUT NEW 2020 CA PAID FAMILY/MEDICAL LEAVE LAW

VALUE:			FREQ	%
1	YES		6515	30.06
2	NO		15156	69.94

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AK137

LABEL: TOOK PAID LEAVE LONGER THAN 2 WEEKS FROM WORK DUE TO OWN/FAMILY M

VALUE:			FREQ	%
1	YES		2350	10.84
2	NO		19321	89.16

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AK138_1

LABEL: REASON FOR PAID LEAVE: OWN HEALTH

VALUE:			FREQ	%
-1	INAPPLICABLE		19321	89.16
1	YES		1110	5.12
2	NO		1240	5.72

UNIVERSE: ADULTS WHO TOOK >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN PAST 5
YEARS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AK138_2

LABEL: REASON FOR PAID LEAVE: FAMILY MEMBER'S HEALTH

VALUE:			FREQ	%
-1	INAPPLICABLE		19321	89.16
1	YES		586	2.70
2	NO		1764	8.14

UNIVERSE: ADULTS WHO TOOK >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN PAST 5
YEARS

INPUT VAR:

NOTES:

VARNAME: AK138_3

LABEL: REASON FOR PAID LEAVE: ARRIVAL OR NEWBORN, NEWLY ADOPTED CHILD, 0

VALUE:			FREQ	%
-1	INAPPLICABLE		19321	89.16
1	YES		816	3.77
2	NO		1534	7.08

UNIVERSE: ADULTS WHO TOOK >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN PAST 5
YEARS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AK138_91

LABEL: REASON FOR PAID LEAVE: OTHER

VALUE:			FREQ	%
-1	INAPPLICABLE		19321	89.16
1	YES		41	0.19
2	NO		2309	10.65

UNIVERSE: ADULTS WHO TOOK >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN PAST 5
YEARS

INPUT VAR:

NOTES:

VARNAME: AK139_1

LABEL: REASON DID NOT TAKE LEAVE: FEAR OF LOSING JOB

VALUE:			FREQ	%
-1	INAPPLICABLE		2350	10.84
1	YES		858	3.96
2	NO		18463	85.20

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN
PAST 5 YEARS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AK139_2

LABEL: REASON DID NOT TAKE LEAVE: FEAR OF HURTING CHANGES OF JOB ADVANCE

VALUE:			FREQ	%
-1	INAPPLICABLE		2350	10.84
1	YES		363	1.68
2	NO		18958	87.48

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN
PAST 5 YEARS

INPUT VAR:

NOTES:

VARNAME: AK139_3

LABEL: REASON DID NOT TAKE LEAVE: COULD NOT AFFORD TO GO ON LEAVE

VALUE:			FREQ	%
-1	INAPPLICABLE		2350	10.84
1	YES		1179	5.44
2	NO		18142	83.72

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN
PAST 5 YEARS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AK139_4

LABEL: REASON DID NOT TAKE LEAVE: EMPLOYER DENIED REQUEST FOR LEAVE

VALUE:			FREQ	%
-1	INAPPLICABLE		2350	10.84
1	YES		149	0.69
2	NO		19172	88.47

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN
PAST 5 YEARS

INPUT VAR:

NOTES:

VARNAME: AK139_5

LABEL: REASON DID NOT TAKE LEAVE: NOT ELIGIBLE

VALUE:			FREQ	%
-1	INAPPLICABLE		2350	10.84
1	YES		1482	6.84
2	NO		17839	82.32

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN
PAST 5 YEARS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AK139_6

LABEL: REASON DID NOT TAKE LEAVE: DIDN'T KNOW ABOUT LEAVE PROGRAM

VALUE:			FREQ	%
-1	INAPPLICABLE		2350	10.84
1	YES		1244	5.74
2	NO		18077	83.42

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN
PAST 5 YEARS

INPUT VAR:

NOTES:

VARNAME: AK139_7

LABEL: REASON DID NOT TAKE LEAVE: PROCESS TO APPLY FOR LEAVE TOO COMPLIC

VALUE:			FREQ	%
-1	INAPPLICABLE		2350	10.84
1	YES		270	1.25
2	NO		19051	87.91

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN
PAST 5 YEARS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AK139_8

LABEL: REASON DID NOT TAKE LEAVE: USED OTHER AVAILABLE LEAVE OPTIONS (E.

VALUE:			FREQ	%
-1	INAPPLICABLE		2350	10.84
1	YES		1096	5.06
2	NO		18225	84.10

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN
PAST 5 YEARS

INPUT VAR:

NOTES:

VARNAME: AK139_9

LABEL: REASON DID NOT TAKE LEAVE: DID NOT NEED TO TAKE LEAVE

VALUE:			FREQ	%
-1	INAPPLICABLE		2350	10.84
1	YES		15586	71.92
2	NO		3735	17.24

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN
PAST 5 YEARS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM1

LABEL: HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS

VALUE:		FREQ	%
-2	PROXY SKIPPED	6	0.03
-1	INAPPLICABLE	16139	74.47
1	OFTEN TRUE	715	3.30
2	SOMETIMES TRUE	1694	7.82
3	NEVER TRUE	3117	14.38

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS

INPUT VAR:

NOTES:

VARNAME: AM2

LABEL: HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS

VALUE:		FREQ	%
-2	PROXY SKIPPED	6	0.03
-1	INAPPLICABLE	16139	74.47
1	OFTEN TRUE	802	3.70
2	SOMETIMES TRUE	1696	7.83
3	NEVER TRUE	3028	13.97

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM3

LABEL: ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY

VALUE:			FREQ	%
-2	PROXY SKIPPED		6	0.03
-1	INAPPLICABLE		16139	74.47
1	YES		1396	6.44
2	NO		4130	19.06

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS

INPUT VAR:

NOTES:

VARNAME: AM3A

LABEL: HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY

VALUE:			FREQ	%
-2	PROXY SKIPPED		6	0.03
-1	INAPPLICABLE		20272	93.54
1	ALMOST EVERY MONTH		614	2.83
2	SOME MONTHS BUT NOT EVERY MONTH		532	2.45
3	ONLY IN 1 OR 2 MONTHS		247	1.14

UNIVERSE: ALL ADULTS W/ TOTAL ANNUAL HOUSEHOLD INCOME 200% FPL OR LESS AND
SKIPPED MEALS IN PAST 12 MOS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM4

LABEL: ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS

VALUE:			FREQ	%
-2	PROXY SKIPPED		6	0.03
-1	INAPPLICABLE		16139	74.47
1	YES		1495	6.90
2	NO		4031	18.60

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL

INPUT VAR:

NOTES:

VARNAME: AM5

LABEL: HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS

VALUE:			FREQ	%
-2	PROXY SKIPPED		6	0.03
-1	INAPPLICABLE		16139	74.47
1	YES		1008	4.65
2	NO		4518	20.85

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FSLEV

LABEL: FOOD SECURITY STATUS LEVEL

VALUE:			FREQ	%
-1	INAPPLICABLE -	>=200% FPL	16155	74.55
1	FOOD SECURITY		3161	14.59
2	FOOD INSECURITY W/O HUNGER		1409	6.50
3	FOOD INSECURITY W/ HUNGER		946	4.37

UNIVERSE: ALL ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (EXCL. PROXIES)

INPUT VAR: POVLL AM1 AM2 AM3 AM3A AM4 AM5 PROXY

NOTES:

VARNAME: FSLEVCB

LABEL: FOOD SECURITY STATUS (2 LVLS)

VALUE:			FREQ	%
-1	INAPPLICABLE -	>=200% FPL	16155	74.55
1	FOOD SECURITY		3161	14.59
2	FOOD INSECURITY WITH/ WITHOUT HUNGER		2355	10.87

UNIVERSE: ALL ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (EXCL. PROXIES)

INPUT VAR: FSLEV

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: POVGWD_P1

LABEL: FAMILY POVERTY THRESHOLD LEVEL (PUF 1 YR RECODE)

MEAN STATISTICS

N	21671
MIN	0
MAX	6
MEAN	3.77

UNIVERSE: ALL ADULTS

INPUT VAR: POVGWD

NOTES:

VARNAME: POVLL2_P1V2

LABEL: POVERTY LEVEL AS TIMES OF 100% FPL (PUF RECODE V2)

MEAN STATISTICS

N	21671
MIN	0
MAX	6
MEAN	3.85

UNIVERSE: ALL ADULTS

INPUT VAR: POVLL2

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: POVLL

LABEL: POVERTY LEVEL

VALUE:			FREQ	%
1	0-99% FPL		2507	11.57
2	100-199% FPL		3015	13.91
3	200-299% FPL		2592	11.96
4	300% FPL AND ABOVE		13557	62.56

UNIVERSE: ALL ADULTS

INPUT VAR: AK18A AK18B AK18C

NOTES:

VARNAME: ELGMAGI3

LABEL: MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (2 LVLS)

VALUE:			FREQ	%
-5	INSURED		14102	65.07
-1	INAPPLICABLE-AGES>=65		6905	31.86
1	MEDI-CAL (MEDICAID) ELIG.		112	0.52
3	NOT ELIG.		552	2.55

UNIVERSE: UNINSURED ADULTS UNDER AGE 65

INPUT VAR:

NOTES: CONSTRUCTED FROM REVISED MEDI-CAL ELIGIBILITY CRITERIA BASED ON
MODIFIED ADJUSTED GROSS INCOME, EFFECTIVE JAN.2014; CAUTION
TRENDING W/ 2013 AND PRIOR MEDI-CAL ELIGIBILITY

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: ELGMAGI4

LABEL: MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (3 LVLS)

VALUE:		FREQ	%
-5	INSURED	14102	65.07
-1	INAPPLICABLE - AGES >=65	6905	31.86
1	MEDI-CAL (MEDICAID) ELIG.	112	0.52
3	NOT ELIG.-CIT./PR	418	1.93
4	NOT ELIG.-OTHER	134	0.62

UNIVERSE: UNINSURED ADULTS UNDER AGE 65

INPUT VAR:

NOTES: CONSTRUCTED FROM REVISED MEDI-CAL ELIGIBILITY CRITERIA BASED ON
MODIFIED ADJUSTED GROSS INCOME, EFFECTIVE JAN.2014; CAUTION
TRENDING W/ 2013 AND PRIOR MEDI-CAL ELIGIBILITY

VARNAME: ELGMAGI5

LABEL: MEDI-CAL ELIG FOR INDIVIDUALS <65 YRS:ACA MAGI(3 LVLS)

VALUE:		FREQ	%
-1	SKIPPED - AGES >=65	6905	31.86
1	MEDI-CAL ELIG.	3305	15.25
3	NOT ELIG.-CIT./PR	11025	50.87
4	NOT ELIG.-OTHER	436	2.01

UNIVERSE: ALL ADULTS UNDER AGE 65

INPUT VAR:

NOTES: CONSTRUCTED FROM REVISED MEDI-CAL ELIGIBILITY CRITERIA BASED ON
MODIFIED ADJUSTED GROSS INCOME, EFFECTIVE JAN.2014; CAUTION
TRENDING W/ 2013 AND PRIOR MEDI-CAL ELIGIBILITY

SECTION L: PUBLIC PROGRAM PARTICIPATION

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AL2V2

LABEL: RECEIVING TANF OR CALWORKS

VALUE:			FREQ	%
-1	INAPPLICABLE		16139	74.47
1	YES		473	2.18
2	NO		5059	23.34

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS
THAN 200% FPL

INPUT VAR:

NOTES: Previous version: AL2

VARNAME: AL5V2

LABEL: RECEIVING FOOD STAMP BENEFITS

VALUE:			FREQ	%
-1	INAPPLICABLE		16139	74.47
1	YES		1842	8.50
2	NO		3690	17.03

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS
THAN 200% FPL

INPUT VAR:

NOTES: Previous version: AL5

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AL6V2

LABEL: RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)

VALUE:			FREQ	%
-1	INAPPLICABLE		16139	74.47
1	YES		757	3.49
2	NO		4775	22.03

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS
THAN 200% FPL

INPUT VAR:

NOTES: Previous version: AL6

VARNAME: AL22

LABEL: RECEIVING SOCIAL SECURITY DISABILITY INS

VALUE:			FREQ	%
-1	INAPPLICABLE		19057	87.94
1	YES		592	2.73
2	NO		2022	9.33

UNIVERSE: ALL ADULTS UNDER 65 WHO ARE RETIRED, DISABLED, OR DO NOT USUALLY
WORK

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AL32V2

LABEL: RECD ANY WORKERS COMPENSATION LAST MO

VALUE:			FREQ	%
-1	INAPPLICABLE		16139	74.47
1	YES		55	0.25
2	NO		5477	25.27

UNIVERSE: ADULTS WITH ANNUAL HOUSEHOLD INCOME EQUAL TO OR LESS THAN 200% FPL
AND MEDI-CAL OR UNINSURED

INPUT VAR:

NOTES: PREVIOUS VERSION: AL32

VARNAME: AL18AV2

LABEL: RECVD SOCIAL SECURITY OR PENSION LAST MONTH

VALUE:			FREQ	%
-1	INAPPLICABLE		19371	89.39
1	YES		1707	7.88
2	NO		593	2.74

UNIVERSE: ALL ADULTS 65 OR OLDER WHO ARE NOT MARRIED/LIVING WITH PARTNER OR
OVER 50 WHO ARE MARRIED/LIVING WITH SPOUSE, AND TOTAL ANNUAL
HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

INPUT VAR:

NOTES: PREVIOUS VERSION: AL18A. QX VARNAME = AL18A.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL19V2_P1V2

LABEL: MAIN REASON NOT ENROLLED IN MEDI-CAL (PUF 1 YR RECODE V2)

VALUE:		FREQ	%
-1	INAPPLICABLE	21375	98.63
1	PAPERWORK TOO DIFFICULT	11	0.05
2	DIDN'T KNOW IT EXISTED, IF ELIGIBLE, OR	98	0.45
3	NOT ELIGIBLE (DUE TO INCOME, CITIZENSHIP	128	0.59
4	ALREADY HAVE OR IN PROCESS OF GETTING IN	14	0.06
5	OTHER REASON	45	0.21

UNIVERSE: ALL ADULTS WHO ARE UNINSURED WITH ANNUAL HH EQUAL TO OR LESS THAN 200% FPL

INPUT VAR: AL19V2_P1

NOTES: PUF RECODE CREATED IN CHIS 2023.

VARNAME: AL40V2_P1

LABEL: LENGTH OF TIME HAD MEDI-CAL (PUF 1YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	18510	85.41
1	< 12 MONTHS	201	0.93
2	12 - 23 MONTHS	219	1.01
3	24 - 35 MONTHS	256	1.18
4	36 - 47 MONTHS	237	1.09
5	48 - 59 MONTHS	171	0.79
6	60 - 71 MONTHS	328	1.51
7	72 - 83 MONTHS	139	0.64
8	84 - 95 MONTHS	120	0.55
9	96 - 107 MONTHS	140	0.65
10	108 - 119 MONTHS	78	0.36
11	120+ MONTHS	1272	5.87

UNIVERSE: ADULTS WHO CURRENTLY HAVE OR USED TO HAVE MEDI-CAL AND WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

INPUT VAR: AL40V2

NOTES: Previous version: AL40_P1

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL86

LABEL: WAIT TIME WITH COUNTY OFFICE ABOUT MEDICAL BENEFITS IN PAST 12 MO

VALUE:		FREQ	%
-1	INAPPLICABLE	18510	85.41
1	5 MINUTES OR LESS	314	1.45
2	MORE THAN 5, UP TO 15 MINUTES	430	1.98
3	MORE THAN 15, UP TO 30 MINUTES	384	1.77
4	MORE THAN 30 MINUTES	712	3.29
5	NEVER CONTACTED THE COUNTY OFFICE	1321	6.10

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL87

LABEL: METHOD OF CONTACTING COUNTY OFFICE

VALUE:		FREQ	%
-1	INAPPLICABLE	19831	91.51
1	VISITED OFFICE IN PERSON	414	1.91
2	CALLED OFFICE	1084	5.00
3	DIRECTLY CONTACTED ELIGIBILITY WORKER	146	0.67
4	ONLINE	115	0.53
5	MAIL	69	0.32
6	ASSISTANCE FROM FAMILY, FRIEND, COMMUNIT 5		0.02
91	OTHER	7	0.03

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL AND THEN RECENTLY CONTACTED THE
COUNTY OFFICE REGARDING MEDI-CAL BENEFITS IN PAST 12 MOS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL88

LABEL: LENGTH OF TIME COUNTY REP TO TAKE CARE OF R'S PROBLEM

VALUE:		FREQ	%
-1	INAPPLICABLE	19831	91.51
1	A WEEK OR LESS	1128	5.21
2	MORE THAN 1 WEEK UP TO 2 WEEKS	364	1.68
3	MORE THAN 2 WEEKS UP TO A MONTH	175	0.81
4	MORE THAN A MONTH	173	0.80

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL AND THEN RECENTLY CONTACTED THE
COUNTY OFFICE REGARDING MEDI-CAL BENEFITS IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AL89

LABEL: COUNTY REP ANSWER ALL OF R'S QUESTIONS

VALUE:		FREQ	%
-1	INAPPLICABLE	19831	91.51
1	STRONGLY AGREE	624	2.88
2	AGREE	829	3.83
3	NEITHER AGREE NOR DISAGREE	234	1.08
4	DISAGREE	89	0.41
5	STRONGLY DISAGREE	64	0.30

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL AND THEN RECENTLY CONTACTED THE
COUNTY OFFICE REGARDING MEDI-CAL BENEFITS IN PAST 12 MOS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL90

LABEL: COUNTY REP TREATED R WITH RESPECT

VALUE:			FREQ	%
-1	INAPPLICABLE		19831	91.51
1	STRONGLY AGREE		700	3.23
2	AGREE		857	3.95
3	NEITHER AGREE NOR DISAGREE		192	0.89
4	DISAGREE		58	0.27
5	STRONGLY DISAGREE		33	0.15

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL AND THEN RECENTLY CONTACTED THE
COUNTY OFFICE REGARDING MEDI-CAL BENEFITS IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AL91_1

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: REDUCE WAIT TIMES

VALUE:			FREQ	%
-1	INAPPLICABLE		18510	85.41
1	YES		1586	7.32
2	NO		1575	7.27

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AL91_2

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: SPEND MORE TIME WITH R

VALUE:			FREQ	%
-1	INAPPLICABLE		18510	85.41
1	YES		354	1.63
2	NO		2807	12.95

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL91_3

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: EXPLAIN THINGS BETTER

VALUE:			FREQ	%
-1	INAPPLICABLE		18510	85.41
1	YES		788	3.64
2	NO		2373	10.95

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AL91_4

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: TELL R THE NEXT STEPS

VALUE:			FREQ	%
-1	INAPPLICABLE		18510	85.41
1	YES		870	4.01
2	NO		2291	10.57

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL91_5

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: NO IMPROVEMENTS

VALUE:			FREQ	%
-1	INAPPLICABLE		18510	85.41
1	YES		929	4.29
2	NO		2232	10.30

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AL91_6

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: ADD MORE LOCATIONS/STAFF

VALUE:			FREQ	%
-1	INAPPLICABLE		18510	85.41
1	YES		19	0.09
2	NO		3142	14.50

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL91_7

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: ADD MORE WAYS TO REACH STAFF

VALUE:			FREQ	%
-1	INAPPLICABLE		18510	85.41
1	YES		7	0.03
2	NO		3154	14.55

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL91_8

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: BETTER ATTITUDE

VALUE:			FREQ	%
-1	INAPPLICABLE		18510	85.41
1	YES		38	0.18
2	NO		3123	14.41

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL91_9

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: SIMPLIFIED/UP-TO-DATE SYSTEM/ONL

VALUE:			FREQ	%
-1	INAPPLICABLE		18510	85.41
1	YES		19	0.09
2	NO		3142	14.50

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AL91_10

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: IMPROVE KNOWLEDGE/SKILLS OF STAF

VALUE:			FREQ	%
-1	INAPPLICABLE		18510	85.41
1	YES		24	0.11
2	NO		3137	14.48

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL91_11

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: EXPAND MEDICAL COVERAGE/SERVICES

VALUE:			FREQ	%
-1	INAPPLICABLE		18510	85.41
1	YES		23	0.11
2	NO		3138	14.48

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AL91_12

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: OTHERS

VALUE:			FREQ	%
-1	INAPPLICABLE		18510	85.41
1	YES		52	0.24
2	NO		3109	14.35

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL91_13

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: IMPROVE COMMUNICATION

VALUE:			FREQ	%
-1	INAPPLICABLE		18510	85.41
1	YES		40	0.18
2	NO		3121	14.40

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL92

LABEL: SATISFACTION RATING OF COUNTY OFFICE

VALUE:		FREQ	%
-1	INAPPLICABLE	18510	85.41
1	VERY SATISFIED	816	3.77
2	SOMEWHAT SATISFIED	932	4.30
3	NEITHER SATISFIED OR DISSATISFIED	620	2.86
4	SOMEWHAT DISSATISFIED	247	1.14
5	VERY DISSATISFIED	148	0.68
6	NOT APPLICABLE	398	1.84

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES: INCLUDES DISPLAYED RESPONSE CATEGORY FOR "NOT APPLICABLE", WHICH
DIFFERS FROM -1 VALUE USED ACROSS ALL VARIABLES FOR EXCLUSION FROM
UNIVERSE.

VARNAME: AL93

LABEL: RENEWED MEDI-CAL IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	18510	85.41
1	YES	1942	8.96
2	NO	1219	5.63

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL94

LABEL: HAVE ISSUES RENEWING MEDI-CAL

VALUE:			FREQ	%
-1	INAPPLICABLE		19731	91.05
1	YES		176	0.81
2	NO		1764	8.14

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL AND THEN RENEWED MEDI-CAL IN PAST
12 MOS

INPUT VAR:

NOTES:

VARNAME: AL105_1

LABEL: NOTICE OF ACTIONS: EASY TO READ OR UNDERSTAND

VALUE:			FREQ	%
-1	INAPPLICABLE		18510	85.41
1	YES		1931	8.91
2	NO		1230	5.68

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AL105_2

LABEL: NOTICE OF ACTIONS: DIFFICULT TO READ OR UNDERSTAND

VALUE:			FREQ	%
-1	INAPPLICABLE		18510	85.41
1	YES		494	2.28
2	NO		2667	12.31

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL105_3

LABEL: NOTICE OF ACTIONS: CONTAIN HELPFUL INFORMATION

VALUE:			FREQ	%
-1	INAPPLICABLE		18510	85.41
1	YES		821	3.79
2	NO		2340	10.80

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AL105_4

LABEL: NOTICE OF ACTIONS: DOES NOT CONTAIN HELPFUL INFORMATION

VALUE:			FREQ	%
-1	INAPPLICABLE		18510	85.41
1	YES		174	0.80
2	NO		2987	13.78

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL105_5

LABEL: NOTICE OF ACTIONS: NEVER GOT A NOTICE OF ACTIONS

VALUE:			FREQ	%
-1	INAPPLICABLE		18510	85.41
1	YES		415	1.92
2	NO		2746	12.67

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AL106_1

LABEL: HOW TO IMPROVE NOTICE OF ACTIONS: REDUCE TEXT

VALUE:			FREQ	%
-1	INAPPLICABLE		18999	87.67
1	YES		416	1.92
2	NO		2256	10.41

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND REC'D A
NOTICE OF ACTIONS

INPUT VAR:

NOTES:

VARNAME: AL106_2

LABEL: HOW TO IMPROVE NOTICE OF ACTIONS: SIMPLIFY LANGUAGE/READING LEVEL

VALUE:			FREQ	%
-1	INAPPLICABLE		18999	87.67
1	YES		616	2.84
2	NO		2056	9.49

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND REC'D A
NOTICE OF ACTIONS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AL106_3

LABEL: HOW TO IMPROVE NOTICE OF ACTIONS: SHORTER PARAGRAPHS/SENTENCES

VALUE:			FREQ	%
-1	INAPPLICABLE		18999	87.67
1	YES		396	1.83
2	NO		2276	10.50

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND REC'D A
NOTICE OF ACTIONS

INPUT VAR:

NOTES:

VARNAME: AL106_4

LABEL: HOW TO IMPROVE NOTICE OF ACTIONS: SEND FEWER NOTICES

VALUE:			FREQ	%
-1	INAPPLICABLE		18999	87.67
1	YES		338	1.56
2	NO		2334	10.77

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND REC'D A
NOTICE OF ACTIONS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AL106_5

LABEL: HOW TO IMPROVE NOTICE OF ACTIONS: GIVE CLEAR STEPS OF WHAT TO DO

VALUE:			FREQ	%
-1	INAPPLICABLE		18999	87.67
1	YES		1104	5.09
2	NO		1568	7.24

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND REC'D A
NOTICE OF ACTIONS

INPUT VAR:

NOTES:

VARNAME: AL106_6

LABEL: HOW TO IMPROVE NOTICE OF ACTIONS: NO IMPROVEMENTS NEEDED

VALUE:			FREQ	%
-1	INAPPLICABLE		18999	87.67
1	YES		946	4.37
2	NO		1726	7.96

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND REC'D A
NOTICE OF ACTIONS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL107

LABEL: ABLE TO UPDATE CONTACT INFORMATION

VALUE:			FREQ	%
-1	INAPPLICABLE		18510	85.41
1	YES		1552	7.16
2	NO		163	0.75
3	DID NOT NEED TO UPDATE		1446	6.67

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL108V2

LABEL: WHY NOT ABLE TO UPDATE CONTACT INFO

VALUE:			FREQ	%
-1	INAPPLICABLE		21508	99.25
1	HARDLY EVER		23	0.11
2	SOME OF THE TIME		82	0.38
3	OFTEN		58	0.27

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE NOT ABLE
TO UPDATE CONTACT INFO

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL109

LABEL: EASY TO UPDATE CONTACT INFO

VALUE:			FREQ	%
-1	INAPPLICABLE		20121	92.85
1	STRONGLY AGREE		577	2.66
2	AGREE		717	3.31
3	NEITHER AGREE NOR DISAGREE		215	0.99
4	DISAGREE		28	0.13
5	STRONGLY DISAGREE		13	0.06

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO
UPDATE CONTACT INFO

INPUT VAR:

NOTES:

VARNAME: AL110_1

LABEL: HOW UPDATED CONTACT INFO: VISITED OFFICE IN PERSON

VALUE:			FREQ	%
-1	INAPPLICABLE		20121	92.85
1	YES		326	1.50
2	NO		1224	5.65

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO
UPDATE CONTACT INFO

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AL110_2

LABEL: HOW UPDATED CONTACT INFO: CALLED COUNTY OFFICE

VALUE:			FREQ	%
-1	INAPPLICABLE		20121	92.85
1	YES		418	1.93
2	NO		1132	5.22

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO
UPDATE CONTACT INFO

INPUT VAR:

NOTES:

VARNAME: AL110_3

LABEL: HOW UPDATED CONTACT INFO: CALLED HEALTH PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		20121	92.85
1	YES		100	0.46
2	NO		1450	6.69

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO
UPDATE CONTACT INFO

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AL110_4

LABEL: HOW UPDATED CONTACT INFO: DIRECTLY CONTACTED ELIGIBILITY WORKER

VALUE:			FREQ	%
-1	INAPPLICABLE		20121	92.85
1	YES		164	0.76
2	NO		1386	6.40

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO
UPDATE CONTACT INFO

INPUT VAR:

NOTES:

VARNAME: AL110_5

LABEL: HOW UPDATED CONTACT INFO: ONLINE

VALUE:			FREQ	%
-1	INAPPLICABLE		20121	92.85
1	YES		466	2.15
2	NO		1084	5.00

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO
UPDATE CONTACT INFO

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AL110_6

LABEL: HOW UPDATED CONTACT INFO: MAIL

VALUE:			FREQ	%
-1	INAPPLICABLE		20121	92.85
1	YES		313	1.44
2	NO		1237	5.71

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO
UPDATE CONTACT INFO

INPUT VAR:

NOTES:

VARNAME: AL110_7

LABEL: HOW UPDATED CONTACT INFO: PORTAL

VALUE:			FREQ	%
-1	INAPPLICABLE		20121	92.85
1	YES		63	0.29
2	NO		1487	6.86

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO
UPDATE CONTACT INFO

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AL110_91

LABEL: HOW UPDATED CONTACT INFO: OTHER

VALUE:			FREQ	%
-1	INAPPLICABLE		20121	92.85
1	YES		14	0.06
2	NO		1536	7.09

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO
UPDATE CONTACT INFO

INPUT VAR:

NOTES:

VARNAME: SSNCIT_YN

LABEL: ASKED FOR SSN OR CITIZENSHIP TO GET MEDICAL SERVICES/SCHOOL ENROL

VALUE:			FREQ	%
-1	INAPPLICABLE		15929	73.50
1	YES		703	3.24
2	NO		5039	23.25

UNIVERSE: ADULTS NOT BORN IN US OR TERRITORIES

INPUT VAR: AH33 AL100 AL101 AL102 AL103

NOTES:

SECTION M: HOUSING & COMMUNITY INVOLVEMENT

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK23

LABEL: LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME

VALUE:			FREQ	%
1	HOUSE		14686	67.77
2	DUPLEX		1015	4.68
3	BUILDING WITH 3 OR MORE UNITS		5202	24.00
4	MOBILE HOME		768	3.54

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AK25

LABEL: OWN OR RENT HOME

VALUE:			FREQ	%
-9	NOT ASCERTAINED		526	2.43
-8	DON'T KNOW		3	0.01
-7	REFUSED		16	0.07
1	OWN		13457	62.10
2	RENT		6740	31.10
3	OTHER ARRANGEMENT		929	4.29

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AM204

LABEL: LIVED IN CURRENT HOUSE/APT ONE YEAR AGO

VALUE:			FREQ	%
1	YES		19616	90.52
2	NO		2055	9.48

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: HOUSETYPE

LABEL: HOUSING STATUS

VALUE:			FREQ	%
1	RENTING IN MULTI-UNIT BUILDING		4580	21.13
2	RENTING IN SINGLE-UNIT BUILDING		2372	10.95
3	HOMEOWNER IN MULTI-UNIT BUILDING		1479	6.82
4	HOMEOWNER IN SINGLE-UNIT BUILDING		12311	56.81
5	LIVING WITH OTHER ARRANGEMENTS		929	4.29

UNIVERSE: ALL ADULTS

INPUT VAR: AK23 AK25

NOTES: CV CREATED IN CHIS 2022.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM183

LABEL: HOW FEEL ABOUT CURRENT HOUSING SITUATION

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
1	VERY STABLE		13715	63.29
2	FAIRLY STABLE		4727	21.81
3	SOMEWHAT STABLE		2293	10.58
4	FAIRLY UNSTABLE		557	2.57
5	VERY UNSTABLE		363	1.68

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: STABLEHOUSE

LABEL: HAS STABLE HOUSING

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
1	HAS STABLE HOUSING		20735	95.68
2	HAS UNSTABLE HOUSING		920	4.25

UNIVERSE: ALL ADULTS

INPUT VAR: AM183

NOTES: CV CREATED IN CHIS 2022.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: STABLEHOUSE2

LABEL: HAS STABLE HOUSING (ALTERNATE DEFINITION)

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
1	HAS STABLE HOUSING		18442	85.10
2	HAS UNSTABLE HOUSING		3213	14.83

UNIVERSE: ALL ADULTS

INPUT VAR: AM183

NOTES: CV CREATED IN CHIS 2023.

VARNAME: AM184

LABEL: HOW OFTEN WORRY ABOUT STRUGGLING TO KEEP UP WITH MORTGAGE/RENT PA

VALUE:			FREQ	%
1	VERY OFTEN		1542	7.12
2	SOMEWHAT OFTEN		1951	9.00
3	FROM TIME TO TIME		4410	20.35
4	ALMOST NEVER		13768	63.53

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AM185_1

LABEL: STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: TAKE ON ADDITIO

			FREQ	%
VALUE:	1	YES	2468	11.39
	2	NO	19203	88.61

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM185_2

LABEL: STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: STOP SAVING FOR

			FREQ	%
VALUE:	1	YES	2937	13.55
	2	NO	18734	86.45

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM185_3

LABEL: STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: ACCUMULATE CRED

			FREQ	%
VALUE:	1	YES	3231	14.91
	2	NO	18440	85.09

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AM185_4

LABEL: STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: CUT BACK ON HEA

			FREQ	%
VALUE:	1	YES	1063	4.91
	2	NO	20608	95.09

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM185_5

LABEL: STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: CUT BACK ON HEA

			FREQ	%
VALUE:	1	YES	2330	10.75
	2	NO	19341	89.25

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM185_6

LABEL: STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: MOVE TO NEIGHBO

			FREQ	%
VALUE:	1	YES	539	2.49
	2	NO	21132	97.51

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AM185_7

LABEL: STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: MOVE TO PLACE W

			FREQ	%
VALUE:	1	YES	284	1.31
	2	NO	21387	98.69

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM185_8

LABEL: STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: NONE OF THESE/N

			FREQ	%
VALUE:	1	YES	15251	70.38
	2	NO	6420	29.62

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ178

LABEL: DOCTOR'S OFFICE CONNECTS FAMILY WITH COMMUNITY-BASED SERVICES

VALUE:			FREQ	%
-1	INAPPLICABLE		13437	62.00
1	YES		1548	7.14
2	NO		6686	30.85

UNIVERSE: ADULTS WHO HAVE USUAL SOURCE OF CARE AND HOUSEHOLD INCOME <= 400
FPL

INPUT VAR:

NOTES:

VARNAME: PLCSTOP

LABEL: STOPPED BY POLICE IN PAST 3 YEARS

VALUE:			FREQ	%
1	YES		3463	15.98
2	NO		18208	84.02

UNIVERSE: ALL ADULTS

INPUT VAR: AM186

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM186_P1

LABEL: # OF TIMES STOPPED BY POLICE IN PAST 3 YEARS (PUF 1 YR RECODE)

VALUE:			FREQ	%
0	0 TIMES		18208	84.02
1	1 TIME		2350	10.84
2	2 TIMES		676	3.12
3	3 TIMES		235	1.08
4	4+ TIMES		202	0.93

UNIVERSE: ALL ADULTS

INPUT VAR: AM186

NOTES: CHIS 2021 PUF RECODE

VARNAME: AM19

LABEL: PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
1	STRONGLY AGREE		5667	26.15
2	AGREE		12844	59.27
3	DISAGREE		2560	11.81
4	STRONGLY DISAGREE		584	2.69

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM20

LABEL: PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
1	STRONGLY AGREE		377	1.74
2	AGREE		1970	9.09
3	DISAGREE		13188	60.86
4	STRONGLY DISAGREE		6120	28.24

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AM21

LABEL: PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
1	STRONGLY AGREE		3634	16.77
2	AGREE		14357	66.25
3	DISAGREE		3054	14.09
4	STRONGLY DISAGREE		610	2.81

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK28

LABEL: HOW OFTEN FEEL SAFE IN NEIGHBORHOOD

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
1	ALL OF THE TIME		7942	36.65
2	MOST OF THE TIME		11530	53.20
3	SOME OF THE TIME		1913	8.83
4	NONE OF THE TIME		270	1.25

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AM39

LABEL: VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR

VALUE:			FREQ	%
1	YES		2896	13.36
2	NO		18775	86.64

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: Reclaimed from CHIS 2016

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AM45

LABEL: CAN CONTACT ELECTED OFFICIAL IN COMMUNITY

VALUE:			FREQ	%
1	DEFINITELY COULD NOT		1700	7.84
2	PROBABLY COULD NOT		2863	13.21
3	MAYBE COULD		5310	24.50
4	PROBABLY COULD		6478	29.89
5	DEFINITELY COULD		5320	24.55

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM48

LABEL: ACTIVE MEMBER IN COMMUNITY POLITICAL GROUP (NOT POLITICAL PARTY)

VALUE:			FREQ	%
1	YES		2062	9.52
2	NO		19609	90.48

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DMC8

LABEL: WOULD HAVE GOTTEN BETTER MEDICAL CARE IF DIFF RACE/ETHNICITY

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
1	YES		1558	7.19
2	NO		20097	92.74

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: DMC9

LABEL: HOW LONG AGO TREATED UNFAIRLY W/ MEDICAL CARE DUE TO RACE/ETHNICITY

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		20097	92.74
1	A YEAR AGO OR LESS		499	2.30
2	MORE THAN 1 UP TO 2 YEARS AGO		301	1.39
3	MORE THAN 2 UP TO 3 YEARS AGO		174	0.80
4	MORE THAN 3 UP TO 5 YEARS AGO		175	0.81
5	MORE THAN 5 UP TO 10 YEARS AGO		182	0.84
6	MORE THAN 10 UP TO 20 YEARS AGO		136	0.63
7	MORE THAN 20 YEARS AGO		91	0.42

UNIVERSE: ADULTS REPORTING WOULD HAVE GOTTEN BETTER MEDICAL CARE IF DIFF RACE/ETHNICITY

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: DISCRIM

LABEL: DISCRIMINATION IN HEALTHCARE

VALUE:			FREQ	%
1	YES		800	3.69
2	NO		20871	96.31

UNIVERSE: ALL ADULTS

INPUT VAR: DMC8 DMC9

NOTES:

VARNAME: AM189

LABEL: EXPERIENCED DISCRIMINATION/HARASSMENT RELATED TO HOUSING IN PAST

VALUE:			FREQ	%
1	YES		882	4.07
2	NO		20789	95.93

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM192

LABEL: RECEIVED OR USED HOUSING CHOICE SECTION 8 VOUCHER IN PAST 2 YRS

VALUE:			FREQ	%
1	YES		511	2.36
2	NO		21160	97.64

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AM193_1

LABEL: ACTIONS RELATED TO HOUSING VOUCHER: UNABLE TO USE VOUCHER

VALUE:			FREQ	%
-1	INAPPLICABLE		21160	97.64
1	YES		35	0.16
2	NO		476	2.20

UNIVERSE: ADULTS WHO RECEIVED OR USED HOUSING CHOICE SECTION 8 VOUCHER IN
PAST 2 YRS

INPUT VAR:

NOTES:

VARNAME: AM193_2

LABEL: ACTIONS RELATED TO HOUSING VOUCHER: DENIED HOUSING BECAUSE OF VOU

VALUE:			FREQ	%
-1	INAPPLICABLE		21160	97.64
1	YES		25	0.12
2	NO		486	2.24

UNIVERSE: ADULTS WHO RECEIVED OR USED HOUSING CHOICE SECTION 8 VOUCHER IN
PAST 2 YRS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AM193_3

LABEL: ACTIONS RELATED TO HOUSING VOUCHER: TOLD BY LANDLORD VOUCHER NOT

VALUE:			FREQ	%
-1	INAPPLICABLE		21160	97.64
1	YES		61	0.28
2	NO		450	2.08

UNIVERSE: ADULTS WHO RECEIVED OR USED HOUSING CHOICE SECTION 8 VOUCHER IN
PAST 2 YRS

INPUT VAR:

NOTES:

VARNAME: AM193_4

LABEL: ACTIONS RELATED TO HOUSING VOUCHER: NONE OF THESE

VALUE:			FREQ	%
-1	INAPPLICABLE		21160	97.64
1	YES		427	1.97
2	NO		84	0.39

UNIVERSE: ADULTS WHO RECEIVED OR USED HOUSING CHOICE SECTION 8 VOUCHER IN
PAST 2 YRS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: NOVOUCHER

LABEL: UNABLE TO USE HOUSING VOUCHER FOR SOME REASON IN PAST 2 YRS

VALUE:			FREQ	%
1	YES		84	0.39
2	NO		427	1.97
3	DID NOT RECEIVE A HOUSING CHOICE SECTION	21160		97.64

UNIVERSE: ALL ADULTS

INPUT VAR: AM193_1 AM193_2 AM193_3 AM193_4 AM192

NOTES: CV CREATED IN CHIS 2023.

VARNAME: AM194

LABEL: EXPERIENCED A HATE INCIDENT IN PAST 12 MONTHS

VALUE:			FREQ	%
1	YES		1527	7.05
2	NO		20144	92.95

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM199

LABEL: WITNESSED A HATE INCIDENT IN PAST 12 MONTHS

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
1	YES		2812	12.98
2	NO		18843	86.95

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AM200_1

LABEL: TYPE OF HATE INCIDENT WITNESSED: PHYSICAL ABUSE/ATTACK

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18843	86.95
1	YES		528	2.44
2	NO		2284	10.54

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM200_2

LABEL: TYPE OF HATE INCIDENT WITNESSED: VERBAL ABUSE/INSULTS

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	18843	86.95
1	YES	2506	11.56
2	NO	306	1.41

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AM200_3

LABEL: TYPE OF HATE INCIDENT WITNESSED: CYBERBULLYING

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	18843	86.95
1	YES	755	3.48
2	NO	2057	9.49

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM200_4

LABEL: TYPE OF HATE INCIDENT WITNESSED: PROPERTY DAMAGE

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18843	86.95
1	YES		379	1.75
2	NO		2433	11.23

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AM200_5

LABEL: TYPE OF HATE INCIDENT WITNESSED: WORSE SERVICE/TREATMENT OR RULES

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18843	86.95
1	YES		43	0.20
2	NO		2769	12.78

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM200_6

LABEL: TYPE OF HATE INCIDENT WITNESSED: EMOTIONAL OR PSYCHOLOGICAL ABUSE

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	18843	86.95
1	YES	14	0.06
2	NO	2798	12.91

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AM200_7

LABEL: TYPE OF HATE INCIDENT WITNESSED: THREATS AND INTIMIDATION, OTHER

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	18843	86.95
1	YES	7	0.03
2	NO	2805	12.94

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM200_8

LABEL: TYPE OF HATE INCIDENT WITNESSED: EXPERIENCED OR WITNESSED A CLIMA

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18843	86.95
1	YES		13	0.06
2	NO		2799	12.92

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AM200_91

LABEL: TYPE OF HATE INCIDENT WITNESSED: SOME OTHER TYPE

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18843	86.95
1	YES		28	0.13
2	NO		2784	12.85

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AM201_1

LABEL: LOCATION OF WITNESSED HATE INCIDENT: HOME

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18843	86.95
1	YES		245	1.13
2	NO		2567	11.85

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AM201_2

LABEL: LOCATION OF WITNESSED HATE INCIDENT: SCHOOL

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18843	86.95
1	YES		191	0.88
2	NO		2621	12.09

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM201_3

LABEL: LOCATION OF WITNESSED HATE INCIDENT: WORK

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18843	86.95
1	YES		489	2.26
2	NO		2323	10.72

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AM201_4

LABEL: LOCATION OF WITNESSED HATE INCIDENT: A BUSINESS (STORE, THEATER,

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18843	86.95
1	YES		1296	5.98
2	NO		1516	7.00

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM201_5

LABEL: LOCATION OF WITNESSED HATE INCIDENT: ON STREET OR SIDEWALK

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18843	86.95
1	YES		1482	6.84
2	NO		1330	6.14

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AM201_6

LABEL: LOCATION OF WITNESSED HATE INCIDENT: ONLINE

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18843	86.95
1	YES		768	3.54
2	NO		2044	9.43

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM201_8

LABEL: LOCATION OF WITNESSED HATE INCIDENT: PUBLIC GATHERING PLACE (PARK

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	18843	86.95
1	YES	39	0.18
2	NO	2773	12.80

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AM201_9

LABEL: LOCATION OF WITNESSED HATE INCIDENT: EXPERIENCED OR WITNESSED A C

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	18843	86.95
1	YES	25	0.12
2	NO	2787	12.86

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM201_91

LABEL: LOCATION OF WITNESSED HATE INCIDENT: SOMEWHERE ELSE

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18843	86.95
1	YES		19	0.09
2	NO		2793	12.89

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AM202_1

LABEL: REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: RACE/SKIN COL

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18843	86.95
1	YES		2009	9.27
2	NO		803	3.71

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM202_2

LABEL: REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: SEXUAL ORIENT

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18843	86.95
1	YES		843	3.89
2	NO		1969	9.09

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AM202_3

LABEL: REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: GENDER/SEX/GE

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18843	86.95
1	YES		814	3.76
2	NO		1998	9.22

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM202_4

LABEL: REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: RELIGION

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	18843	86.95
1	YES	470	2.17
2	NO	2342	10.81

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AM202_5

LABEL: REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: ANCESTRY/ORIG

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	18843	86.95
1	YES	816	3.77
2	NO	1996	9.21

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM202_6

LABEL: REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: DISABILITY

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18843	86.95
1	YES		355	1.64
2	NO		2457	11.34

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AM202_7

LABEL: REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: IMMIGRATION S

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18843	86.95
1	YES		491	2.27
2	NO		2321	10.71

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM202_8

LABEL: REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: AGE

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18843	86.95
1	YES		331	1.53
2	NO		2481	11.45

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AM202_9

LABEL: REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: BECAUSE OF PO

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18843	86.95
1	YES		57	0.26
2	NO		2755	12.71

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM202_10

LABEL: REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: BECAUSE OF EC

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18843	86.95
1	YES		60	0.28
2	NO		2752	12.70

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AM202_91

LABEL: REASON PERSON TARGETED FOR HATE INCIDENT WITNESSED: OTHER REASON

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		18843	86.95
1	YES		131	0.60
2	NO		2681	12.37

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
IN PAST 12 MONTHS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: MAIN_HATEWIT

LABEL: MAIN REASON WITNESSED PERSON TARGETED FOR A HATE INCIDENT

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	18843	86.95
1	BECAUSE OF THEIR RACE OR SKIN COLOR	1493	6.89
2	BECAUSE OF THEIR SEXUAL ORIENTATION	194	0.90
3	BECAUSE OF YOUR GENDER OR SEX, INCLUDING	289	1.33
4	BECAUSE OF YOUR RELIGION	106	0.49
5	BECAUSE OF YOUR ANCESTRY, NATIONAL ORIGI	298	1.38
6	BECAUSE OF YOUR DISABILITY	75	0.35
7	BECAUSE OF YOUR IMMIGRATION STATUS	70	0.32
8	BECAUSE OF YOUR AGE	69	0.32
9	BECAUSE OF POLITICAL BELIEFS	51	0.24
10	BECAUSE OF ECONOMIC STATUS, EDUCATION, E	49	0.23
91	BECAUSE OF SOME OTHER REASON	118	0.54

UNIVERSE: ADULTS WHO WITNESSED ANOTHER PERSON EXPERIENCING A HATE INCIDENT
 IN PAST 12 MONTHS

INPUT VAR: AM202_A AM202_B AM203

NOTES: CV CREATED IN CHIS 2023.

**SECTION N: DEMOGRAPHIC INFO. PART III,
GEOGRAPHIC INFO.**

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: UR_CLRT2

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)

VALUE:			FREQ	%
1	URBAN		17983	82.98
2	RURAL		3688	17.02

UNIVERSE: ALL ADULTS

INPUT VAR: UR_CLRT

NOTES:

VARNAME: UR_IHS

LABEL: RURAL AND URBAN - IHS

VALUE:			FREQ	%
1	URBAN		13309	61.41
2	RURAL		8362	38.59

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY BESTZIP

NOTES:

VARNAME: UR_OMB

LABEL: RURAL AND URBAN - OMB

VALUE:			FREQ	%
1	METROPOLITAN		19925	91.94
2	NON-METROPOLITAN		1746	8.06

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: UR_RHP

LABEL: RURAL AND URBAN - RHP

VALUE:			FREQ	%
1	URBAN		19171	88.46
2	RURAL		2500	11.54

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY CBLK

NOTES:

VARNAME: UR_BG4

LABEL: RURAL AND URBAN - CLARITAS (BY BLOCK GROUP) (4 LVLS)

VALUE:			FREQ	%
1	URBAN		8189	37.79
2	MIXED		2261	10.43
3	SUBURBAN		7133	32.91
4	RURAL		4088	18.86

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOT COMPARABLE TO UR_BG FROM 2016 AND PRIOR YEARS DUE TO CHANGES
IN CLARITAS METHODOLOGY

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: UR_CLRT4

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)

VALUE:			FREQ	%
1	URBAN		8987	41.47
2	MIXED		2028	9.36
3	SUBURBAN		6968	32.15
4	RURAL		3688	17.02

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOT COMPARABLE TO UR_CLRT FROM 2016 AND PRIOR YEARS DUE TO CHANGES
IN CLARITAS METHODOLOGY

VARNAME: UR_TRACT4

LABEL: RURAL AND URBAN - CLARITAS (BY CENSUS TRACT) (4 LVLS)

VALUE:			FREQ	%
1	URBAN		8354	38.55
2	MIXED		2182	10.07
3	SUBURBAN		7010	32.35
4	RURAL		4125	19.03

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOT COMPARABLE TO UR_TRACT FROM 2016 AND PRIOR YEARS DUE TO
CHANGES IN CLARITAS METHODOLOGY

SECTION O: FULL DESIGN & REPLICATE WEIGHT SERIES 0-80

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW0

LABEL: CHIS2023 RAKED WEIGHT - FULL SAMPLE

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW1

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 1

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW2

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 2

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW3

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 3

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW4

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 4

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW5

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 5

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW6

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 6

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW7

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 7

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW8

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 8

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW9

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 9

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW10

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 10

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW11

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 11

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW12

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 12

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW13

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 13

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW14

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 14

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW15

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 15

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW16

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 16

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW17

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 17

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW18

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 18

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW19

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 19

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW20

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 20

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW21

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 21

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW22

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 22

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW23

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 23

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW24

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 24

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW25

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 25

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW26

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 26

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW27

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 27

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW28

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 28

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW29

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 29

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW30

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 30

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW31

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 31

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW32

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 32

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW33

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 33

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW34

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 34

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW35

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 35

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW36

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 36

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW37

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 37

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW38

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 38

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW39

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 39

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW40

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 40

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW41

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 41

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW42

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 42

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW43

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 43

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW44

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 44

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW45

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 45

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW46

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 46

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW47

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 47

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW48

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 48

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW49

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 49

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW50

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 50

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW51

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 51

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW52

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 52

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW53

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 53

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW54

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 54

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW55

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 55

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW56

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 56

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW57

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 57

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW58

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 58

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW59

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 59

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW60

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 60

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW61

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 61

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW62

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 62

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW63

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 63

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW64

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 64

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW65

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 65

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW66

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 66

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW67

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 67

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW68

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 68

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW69

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 69

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW70

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 70

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW71

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 71

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW72

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 72

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW73

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 73

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW74

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 74

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW75

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 75

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW76

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 76

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW77

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 77

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW78

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 78

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW79

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 79

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW80

LABEL: CHIS2023 RAKED WEIGHT - REPLICATE 80

VALUE:	.	0 - HIGH	FREQ	%
			21671	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

SECTION P: VOTER ENGAGEMENT

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AP73V2

LABEL: FREQUENCY OF VOTING IN PRESIDENTIAL ELECTIONS

VALUE:			FREQ	%
-1	INAPPLICABLE		1627	7.51
1	ALWAYS		16407	75.71
2	SOMETIMES		2256	10.41
3	NEVER		1381	6.37

UNIVERSE: ADULTS WITH US CITIZENSHIP

INPUT VAR:

NOTES: PREVIOUS VERSION: AP73

VARNAME: AP74V2

LABEL: FREQUENCY OF VOTING IN STATE ELECTIONS

VALUE:			FREQ	%
-1	INAPPLICABLE		1627	7.51
1	ALWAYS		14978	69.12
2	SOMETIMES		3406	15.72
3	NEVER		1660	7.66

UNIVERSE: ADULTS WITH US CITIZENSHIP

INPUT VAR:

NOTES: PREVIOUS VERSION: AP74

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AP75V2

LABEL: FREQUENCY OF VOTING IN LOCAL ELECTIONS

		FREQ	%
VALUE:	1 ALWAYS	12766	58.91
	2 SOMETIMES	4898	22.60
	3 NEVER	4007	18.49

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PREVIOUS VERSION: AP75

VARNAME: VOTE_ENG2

LABEL: VOTER ENGAGEMENT

		FREQ	%
VALUE:	-1 INAPPLICABLE	1627	7.51
	1 ALWAYS ENGAGED	12323	56.86
	2 FREQUENTLY ENGAGED	2650	12.23
	3 SOMETIMES ENGAGED	3904	18.01
	4 NEVER ENGAGED	1167	5.39

UNIVERSE: ADULTS WITH US CITIZENSHIP

INPUT VAR: AP73V2 AP74V2 AP75V2 CITIZEN1

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AP80

LABEL: MAIN REASON DID NOT VOTE

VALUE:		FREQ	%
-1	INAPPLICABLE	12402	57.23
1	I DISLIKE POLITICS	1189	5.49
2	VOTING HAS LITTLE TO DO WITH THE WAY REA	517	2.39
3	I DID NOT LIKE ANY OF THE CANDIDATES ON	714	3.29
4	MY ONE VOTE IS NOT GOING TO AFFECT HOW T	390	1.80
5	I WAS NOT INFORMED ENOUGH ABOUT THE CAND	1946	8.98
6	I DID NOT SEE A DIFFERENCE BETWEEN THE C	247	1.14
7	I WAS NOT INTERESTED IN WHAT WAS HAPPENI	392	1.81
8	I JUST DID NOT THINK ABOUT DOING IT.	779	3.59
9	I FORGOT OR WAS TOO LAZY	1107	5.11
10	I HAD TO WORK OR WAS TOO BUSY TO VOTE	477	2.20
11	I DID NOT HAVE TRANSPORTATION	92	0.42
12	AGAINST RELIGIOUS/OTHER BELIEFS OR MY RE	85	0.39
91	OTHER	1334	6.16

UNIVERSE: ADULTS WHO DO NOT ALWAYS VOTE IN ALL PRESIDENTIAL, STATE, LOCAL
ELECTIONS

INPUT VAR:

NOTES: NEW COVID CATEGORY ADDED IN 2020

VARNAME: VOTE_RSNNO

LABEL: MAIN REASON DID NOT VOTE

VALUE:		FREQ	%
-1	INAPPLICABLE	12402	57.23
1	TOO BUSY OR FORGOT	2363	10.90
2	DON'T LIKE OR CARE ABOUT POLITICS	2295	10.59
3	VOTING DOESN'T MAKE A DIFFERENCE	907	4.19
4	DON'T KNOW ENOUGH ABOUT CANDIDATES/ISSUE	2193	10.12
5	OTHER	1511	6.97

UNIVERSE: ADULTS WHO SOMETIMES OR NEVER VOTE IN ELECTIONS

INPUT VAR: AP80

NOTES:

SECTION CV: COVID-19

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: CV5V2

LABEL: EVER RECEIVED POSITIVE TEST RESULT FOR COVID-19

			FREQ	%
VALUE:	1	YES	11416	52.68
	2	NO	10255	47.32

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PREVIOUS VERSION: CV5. NEW VERSION IN 2023 DUE TO NEW UNIVERSE

VARNAME: CV15V2

LABEL: EVER EXPERIENCED LONG-LASTING COVID-19 SYMPTOMS FOR 2 MONTHS OR L

			FREQ	%
VALUE:	-1	INAPPLICABLE	10255	47.32
	1	YES	3068	14.16
	2	NO	8348	38.52

UNIVERSE: ADULTS WHO HAVE EVER RECEIVED A POSITIVE TEST RESULT FOR COVID-19

INPUT VAR:

NOTES: PREVIOUS VERSION: CV15. NEW VERSION IN 2023 DUE TO NEW UNIVERSE.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: CV7V3_5

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: CHILDCARE DIFFICULTIES

VALUE:			FREQ	%
1	YES		448	2.07
2	NO		21223	97.93

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NEW VERSION CREATED IN CHIS 2023. PREVIOUS VERSIONS: CV7 & CV7V2.
MATCHES OPTION 8 FROM QUESTIONNAIRE.

VARNAME: CV7V3_6

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: DIFFICULTIES PAYING RE

VALUE:			FREQ	%
1	YES		2144	9.89
2	NO		19527	90.11

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NEW VERSION CREATED IN CHIS 2023. PREVIOUS VERSIONS: CV7 & CV7V2.
MATCHES OPTION 9 FROM QUESTIONNAIRE.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: CV7V3_8

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: TREATED UNFAIRLY DUE T

VALUE:			FREQ	%
1	YES		518	2.39
2	NO		21153	97.61

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NEW VERSION CREATED IN CHIS 2023. PREVIOUS VERSIONS: CV7 & CV7V2.
MATCHES OPTION 11 FROM QUESTIONNAIRE.

VARNAME: CV7V3_10

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: NONE OF THESE

VALUE:			FREQ	%
1	YES		18648	86.05
2	NO		3023	13.95

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NEW VERSION CREATED IN CHIS 2023. PREVIOUS VERSIONS: CV7 & CV7V2.
MATCHES OPTION 13 FROM QUESTIONNAIRE.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: CV7V3_15

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: QUIT JOB TO TAKE CARE

VALUE:			FREQ	%
1	YES		487	2.25
2	NO		21184	97.75

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NEW VERSION CREATED IN CHIS 2023. PREVIOUS VERSIONS: CV7 & CV7V2.
MATCHES OPTION 7 FROM QUESTIONNAIRE.

VARNAME: CV7V3_16

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: FINANCIAL DIFFICULTIES

VALUE:			FREQ	%
1	YES		239	1.10
2	NO		21432	98.90

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NEW VERSION CREATED IN CHIS 2023. PREVIOUS VERSIONS: CV7 & CV7V2.
MATCHES OPTION 14 FROM QUESTIONNAIRE.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: CV17_1

LABEL: REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: WORRIED A

VALUE:			FREQ	%
-1	INAPPLICABLE		19812	91.42
1	YES		925	4.27
2	NO		934	4.31

UNIVERSE: ALL ADULTS WHO ARE NOT FULLY VACCINATED

INPUT VAR:

NOTES:

VARNAME: CV17_2

LABEL: REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: VACCINE D

VALUE:			FREQ	%
-1	INAPPLICABLE		19812	91.42
1	YES		753	3.47
2	NO		1106	5.10

UNIVERSE: ALL ADULTS WHO ARE NOT FULLY VACCINATED

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: CV17_3

LABEL: REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: DON'T KNO

VALUE:			FREQ	%
-1	INAPPLICABLE		19812	91.42
1	YES		435	2.01
2	NO		1424	6.57

UNIVERSE: ALL ADULTS WHO ARE NOT FULLY VACCINATED

INPUT VAR:

NOTES:

VARNAME: CV17_4

LABEL: REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: VACCINE I

VALUE:			FREQ	%
-1	INAPPLICABLE		19812	91.42
1	YES		819	3.78
2	NO		1040	4.80

UNIVERSE: ALL ADULTS WHO ARE NOT FULLY VACCINATED

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: CV17_5

LABEL: REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: DON'T BEL

VALUE:			FREQ	%
-1	INAPPLICABLE		19812	91.42
1	YES		329	1.52
2	NO		1530	7.06

UNIVERSE: ALL ADULTS WHO ARE NOT FULLY VACCINATED

INPUT VAR:

NOTES:

VARNAME: CV17_6

LABEL: REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: PLAN TO G

VALUE:			FREQ	%
-1	INAPPLICABLE		19812	91.42
1	YES		116	0.54
2	NO		1743	8.04

UNIVERSE: ALL ADULTS WHO ARE NOT FULLY VACCINATED

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: CV17_7

LABEL: REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: ALREADY H

VALUE:			FREQ	%
-1	INAPPLICABLE		19812	91.42
1	YES		25	0.12
2	NO		1834	8.46

UNIVERSE: ALL ADULTS WHO ARE NOT FULLY VACCINATED

INPUT VAR:

NOTES:

VARNAME: CV17_91

LABEL: REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: OTHER

VALUE:			FREQ	%
-1	INAPPLICABLE		19812	91.42
1	YES		75	0.35
2	NO		1784	8.23

UNIVERSE: ALL ADULTS WHO ARE NOT FULLY VACCINATED

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: CV16A

LABEL: COMPLETED PRIMARY SERIES OF COVID-19 VACCINE

VALUE:			FREQ	%
1	YES		19812	91.42
2	NO		1859	8.58

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV16B

LABEL: RECEIVED ANY ADDTL COVID-19 DOSES OR BOOSTERS

VALUE:			FREQ	%
-1	INAPPLICABLE		1859	8.58
1	YES		16057	74.09
2	NO		3755	17.33

UNIVERSE: ADULTS WHO HAVE COMPLETED PRIMARY SERIES OF COVID-19 VACCINE

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: CV23

LABEL: HOW RECEIVED POSITIVE TEST RESULT FOR COVID-19

VALUE:			FREQ	%
-1	INAPPLICABLE		10255	47.32
1	FROM A CLINIC, HOSPITAL, LAB OR OTHER TE		2778	12.82
2	FROM A SELF-TEST KIT		5590	25.79
3	FROM BOTH A TESTING SITE AND A SELF-TEST		3048	14.06

UNIVERSE: ADULTS WHO HAVE EVER RECEIVED A POSITIVE TEST RESULT FOR COVID-19

INPUT VAR:

NOTES:

VARNAME: CV24

LABEL: WILL GET ADDITIONAL COVID-19 VACCINE DOSES IF GUIDELINES RECOMMEN

VALUE:			FREQ	%
1	YES		14939	68.94
2	NO		6732	31.06

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: CV25

LABEL: WHAT WOULD MAKE MORE LIKELY TO GET ADDITIONAL COVID-19 VACCINE DO

VALUE:		FREQ	%
-1	INAPPLICABLE	14939	68.94
2	I WOULD NOT GET THEM	4182	19.30
3	DON'T KNOW	1488	6.87
4	MANDATORY REQUIREMENTS (JOB, TRAVEL, OR	185	0.85
5	ADDITIONAL STUDIES/SCIENTIFIC EVIDENCE/B	243	1.12
6	NEW VARIANT/OUTBREAK/PANDEMIC OCCURS OR	219	1.01
7	HIGHER PERSONAL RISK OF GETTING COVID/SI	119	0.55
8	VACCINE IMPROVEMENTS OR REDUCED SIDE EFF	157	0.72
91	OTHER	139	0.64

UNIVERSE: ADULTS WHO WOULD NOT GET ADDITIONAL COVID-19 VACCINE DOSES IF
GUIDELINES RECOMMEND

INPUT VAR:

NOTES:

VARNAME: CV26

LABEL: HAVE N95/KN95/KF94 MASK

VALUE:		FREQ	%
1	YES	15365	70.90
2	NO	6306	29.10

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: CV27

LABEL: COULD GET N95/KN95/KF94 MASK IF RECOMMENDED TO PROTECT FROM COVID

VALUE:		FREQ	%
-1	INAPPLICABLE	15365	70.90
1	YES	3431	15.83
2	NO	531	2.45
3	I WOULD NOT WEAR ONE	913	4.21
4	DON'T KNOW	1431	6.60

UNIVERSE: ADULTS WHO DO NOT HAVE N95/KN95/KF94 MASK

INPUT VAR:

NOTES:

VARNAME: CV28_1

LABEL: REASON UNABLE TO GET N95/KN95/KF94 MASK: TOO EXPENSIVE

VALUE:		FREQ	%
-1	INAPPLICABLE	21140	97.55
1	YES	232	1.07
2	NO	299	1.38

UNIVERSE: ADULTS WHO DO NOT HAVE N95/KN95/KF94 MASK AND COULD NOT GET ONE IF RECOMMENDED TO PROTECT FROM COVID-19

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: CV28_2

LABEL: REASON UNABLE TO GET N95/KN95/KF94 MASK: DON'T KNOW WHERE TO BUY/

VALUE:			FREQ	%
-1	INAPPLICABLE		21140	97.55
1	YES		230	1.06
2	NO		301	1.39

UNIVERSE: ADULTS WHO DO NOT HAVE N95/KN95/KF94 MASK AND COULD NOT GET ONE IF
RECOMMENDED TO PROTECT FROM COVID-19

INPUT VAR:

NOTES:

VARNAME: CV28_3

LABEL: REASON UNABLE TO GET N95/KN95/KF94 MASK: DON'T KNOW

VALUE:			FREQ	%
-1	INAPPLICABLE		21140	97.55
1	YES		120	0.55
2	NO		411	1.90

UNIVERSE: ADULTS WHO DO NOT HAVE N95/KN95/KF94 MASK AND COULD NOT GET ONE IF
RECOMMENDED TO PROTECT FROM COVID-19

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: COVID_VAX

LABEL: LEVEL OF COVID-19 VACCINATION

		FREQ	%
VALUE:	1 COMPLETED PRIMARY VACCINE SERIES AND REC	16057	74.09
	2 COMPLETED PRIMARY VACCINE SERIES BUT HAS	3755	17.33
	3 DID NOT COMPLETE THE PRIMARY VACCINE SER	1859	8.58

UNIVERSE: ALL ADULTS

INPUT VAR: CV16A CV16B

NOTES: CV CREATED IN CHIS 2023.

VARNAME: MASK_VAX

LABEL: OWNS COVID-19 MASK BASED ON COVID-19 PRIMARY VACCINE SERIES STATU

		FREQ	%
VALUE:	1 DID NOT COMPLETE PRIMARY COVID VACCINE S	941	4.34
	2 DID NOT COMPLETE PRIMARY COVID VACCINE S	918	4.24
	3 COMPLETED PRIMARY COVID VACCINE SERIES A	14424	66.56
	4 COMPLETED PRIMARY COVID VACCINE SERIES,	5388	24.86

UNIVERSE: ALL ADULTS

INPUT VAR: CV16A CV26

NOTES: CV CREATED IN CHIS 2023.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: MORE_VAX

LABEL: WOULD GET ADDITIONAL COVID-19 DOSE BASED ON PRIMARY SERIES STATUS

VALUE:			FREQ	%
1	COMPLETED PRIMARY VACCINE SERIES AND WOU	14767	68.14	
2	COMPLETED PRIMARY VACCINE SERIES, BUT WO	5045	23.28	
3	DID NOT COMPLETE PRIMARY VACCINE SERIES	1859	8.58	

UNIVERSE: ALL ADULTS

INPUT VAR: CV16A CV24

NOTES: CV CREATED IN CHIS 2023.

VARNAME: MORE_VAX2

LABEL: WOULD GET ADDITIONAL COVID-19 DOSE BASED ON COVID-19 VACCINE STAT

VALUE:			FREQ	%
1	DID NOT GET ADDITIONAL COVID DOSES, BUT	1637	7.55	
2	DID NOT GET ADDITIONAL COVID DOSES AND W	3977	18.35	
3	ALREADY GOT ADDITIONAL COVID DOSES AND W	13302	61.38	
4	ALREADY GOT ADDITIONAL COVID DOSES, BUT	2755	12.71	

UNIVERSE: ALL ADULTS

INPUT VAR: CV16A CV16B CV24

NOTES: CV CREATED IN CHIS 2023.

SECTION GV: GUN VIOLENCE

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AGV1_P1

LABEL: # OF FIREARMS KEPT IN HOME (PUF 1 YR RECODE)

VALUE:			FREQ	%
0	0 FIREARMS		17408	80.33
1	1 FIREARM		1599	7.38
2	2 FIREARMS		969	4.47
3	3 FIREARMS		535	2.47
4	4 FIREARMS		308	1.42
5	5 FIREARMS		282	1.30
6	6 FIREARMS		142	0.66
7	7 FIREARMS		49	0.23
8	8 FIREARMS		65	0.30
9	9 FIREARMS		17	0.08
10	10 FIREARMS		120	0.55
11	11-20 FIREARMS		122	0.56
12	MORE THAN 20 FIREARMS		55	0.25

UNIVERSE: ALL ADULTS

INPUT VAR: AGV1

NOTES: CHIS 2021 PUF RECODE

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AGV2_P1

LABEL: # OF HANDGUNS KEPT IN HOME (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	19007	87.71
0	0 HANDGUNS	329	1.52
1	1 HANDGUN	877	4.05
2	2 HANDGUNS	778	3.59
3	3 HANDGUNS	298	1.38
4	4 HANDGUNS	144	0.66
5	5 HANDGUNS	98	0.45
6	6 HANDGUNS	42	0.19
7	7 HANDGUNS	17	0.08
8	8 HANDGUNS	17	0.08
9	9 HANDGUNS	8	0.04
10	10 HANDGUNS	15	0.07
11	11-20 HANDGUNS	26	0.12
12	MORE THAN 20 HANDGUNS	15	0.07

UNIVERSE: ADULTS WHO HAVE MORE THAN ONE FIREARM KEPT IN HOME

INPUT VAR: AGV2

NOTES: CHIS 2021 PUF RECODE

VARNAME: AGV3

LABEL: FIREARM IS A HANDGUN

VALUE:		FREQ	%
-1	INAPPLICABLE	20072	92.62
1	YES	1071	4.94
2	NO	528	2.44

UNIVERSE: ADULTS WHO HAVE ONE FIREARM KEPT IN HOME

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AGV9

LABEL: ANY FIREARMS KEPT LOADED AND UNLOCKED

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		17396	80.27
1	YES		719	3.32
2	NO		3540	16.34

UNIVERSE: ADULTS WHO HAVE AT LEAST ONE FIREARM KEPT IN HOME

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AGV8V2

LABEL: ABLE TO GET FIREARM IF WANTED WITHIN 2 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
-1	INAPPLICABLE		21265	98.13
1	YES		91	0.42
2	NO		299	1.38

UNIVERSE: ADULTS AGES 18-20

INPUT VAR:

NOTES: PREVIOUS VERSION: AGV8. NEW VERSION IN 2023 DUE TO NEW UNIVERSE.
PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: FIREARM

LABEL: FIREARM KEPT IN HOME

VALUE:			FREQ	%
1	YES		4263	19.67
2	NO		17408	80.33

UNIVERSE: ALL ADULTS

INPUT VAR: AGV1

NOTES:

VARNAME: HANDGUN

LABEL: HANDGUN KEPT IN HOME

VALUE:			FREQ	%
1	YES		3406	15.72
2	NO		18265	84.28

UNIVERSE: ALL ADULTS

INPUT VAR: AGV1 AGV2 AGV3

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: HANDGUNNUM_P1

LABEL: NUMBER OF HANDGUNS KEPT IN HOME (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	17408	80.33
0	0 HANDGUNS	857	3.95
1	1 HANDGUN	1948	8.99
2	2 HANDGUNS	778	3.59
3	3 HANDGUNS	298	1.38
4	4 HANDGUNS	144	0.66
5	5 HANDGUNS	98	0.45
6	6 HANDGUNS	42	0.19
7	7 HANDGUNS	17	0.08
8	8 HANDGUNS	17	0.08
9	9 HANDGUNS	8	0.04
10	10 HANDGUNS	15	0.07
11	11-20 HANDGUNS	26	0.12
12	MORE THAN 20 HANDGUNS	15	0.07

UNIVERSE: ADULTS WHO HAVE AT LEAST ONE FIREARM KEPT IN HOME

INPUT VAR: HANDGUN_NUM

NOTES: PUF RECODE CREATED IN 2022.

SECTION R: ADVERSE CHILDHOOD EXPERIENCES

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AQ1

LABEL: LIVED WITH ANYONE WHO WAS DEPRESSED/MENTALLY ILL/SUICIDAL BEFORE

			FREQ	%
VALUE:	1	YES	5146	23.75
	2	NO	16525	76.25

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ2

LABEL: LIVED WITH ANYONE WHO WAS A PROBLEM DRINKER/ALCOHOLIC BEFORE AGE

			FREQ	%
VALUE:	1	YES	5625	25.96
	2	NO	16046	74.04

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ3

LABEL: LIVED WITH ANYONE WHO USED ILLEGAL DRUGS/ABUSED PRESCRIPTION MEDS

			FREQ	%
VALUE:	1	YES	2325	10.73
	2	NO	19346	89.27

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AQ4

LABEL: LIVED WITH ANYONE WHO SERVED JAIL/PRISON TIME BEFORE AGE 18

VALUE:			FREQ	%
1	YES		1518	7.00
2	NO		20153	93.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ5

LABEL: PARENTS SEPARATED OR DIVORCED BEFORE AGE 18

VALUE:			FREQ	%
1	YES		5603	25.85
2	NO		15503	71.54
3	PARENTS NOT MARRIED		565	2.61

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AQ6

LABEL: HOW OFTEN ADULTS IN HOME PHYSICALLY FOUGHT EACH OTHER BEFORE AGE

			FREQ	%
VALUE:	1	NEVER	16994	78.42
	2	ONCE	1466	6.76
	3	MORE THAN ONCE	3211	14.82

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ7

LABEL: HOW OFTEN ADULTS IN HOME PHYSICALLY HURT R BEFORE AGE 18

			FREQ	%
VALUE:	1	NEVER	16250	74.99
	2	ONCE	1414	6.52
	3	MORE THAN ONCE	4007	18.49

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AQ8

LABEL: HOW OFTEN ADULTS IN HOME SWEARED AT OR INSULTED R BEFORE AGE 18

			FREQ	%
VALUE:	1	NEVER	12962	59.81
	2	ONCE	1474	6.80
	3	MORE THAN ONCE	7235	33.39

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ12

LABEL: EVER BEEN VICTIM OF VIOLENCE OR WITNESSED VIOLENCE IN NEIGHBORHOOD

			FREQ	%
VALUE:	1	YES	4924	22.72
	2	NO	16747	77.28

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ13

LABEL: EVER BEEN TREATED UNFAIRLY DUE TO RACE/ETHNICITY BEFORE AGE 18

			FREQ	%
VALUE:	1	YES	4285	19.77
	2	NO	17386	80.23

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AQ14

LABEL: EVER LIVED WITH A PARENT WHO DIED BEFORE AGE 18

VALUE:			FREQ	%
1	YES		3499	16.15
2	NO		18172	83.85

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ15

LABEL: HOW OFTEN HARD TO GET BY ON FAMILY'S INCOME BEFORE AGE 18

VALUE:			FREQ	%
1	VERY OFTEN		2565	11.84
2	SOMEWHAT OFTEN		3416	15.76
3	NOT VERY OFTEN		6184	28.54
4	NEVER		9506	43.87

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AQ23V2

LABEL: EVER COMPLETED AN ACES ASSESSMENT WITH A HEALTH PROFESSIONAL

VALUE:			FREQ	%
1	YES		1199	5.53
2	NO		19119	88.22
3	DON'T KNOW		1353	6.24

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PREVIOUS VERSION: AQ23. NEW VERSION DUE TO ADDITIONAL RESPONSE CATEGORY IN 2023. ADDITION OF DISPLAYED RESPONSE CATEGORY FOR "DON'T KNOW" IN 2023, WHICH DIFFERS FROM -8 VALUE USED ACROSS ALL VARIABLES FOR NON-VALID RESPONSE.

VARNAME: AQ24V2

LABEL: EVER COMPLETED AN ACES ASSESSMENT FOR TEEN WITH A HEALTH PROFESSI

VALUE:			FREQ	%
-1	INAPPLICABLE		19191	88.56
1	YES		236	1.09
2	NO		1904	8.79
3	DON'T KNOW		340	1.57

UNIVERSE: ADULTS WITH SAMPLED TEEN IN HH

INPUT VAR:

NOTES: PREVIOUS VERSION: AQ24. NEW VERSION DUE TO ADDITIONAL RESPONSE CATEGORY IN 2023. ADDITION OF DISPLAYED RESPONSE CATEGORY FOR "DON'T KNOW" IN 2023, WHICH DIFFERS FROM -8 VALUE USED ACROSS ALL VARIABLES FOR NON-VALID RESPONSE.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AQ25V2

LABEL: EVER COMPLETED AN ACES ASSESSMENT FOR CHILD WITH A HEALTH PROFESS

VALUE:			FREQ	%
-1	INAPPLICABLE		18929	87.35
1	YES		220	1.02
2	NO		2230	10.29
3	DON'T KNOW		292	1.35

UNIVERSE: ADULTS WITH SAMPLED CHILD IN HH

INPUT VAR:

NOTES: PREVIOUS VERSION: AQ25. NEW VERSION DUE TO ADDITIONAL RESPONSE CATEGORY IN 2023. ADDITION OF DISPLAYED RESPONSE CATEGORY FOR "DON'T KNOW" IN 2023, WHICH DIFFERS FROM -8 VALUE USED ACROSS ALL VARIABLES FOR NON-VALID RESPONSE.

VARNAME: AQ28

LABEL: EVER HEARD THE TERM ADVERSE CHILDHOOD EXPERIENCES OR ACES

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
1	YES		5441	25.11
2	NO		14232	65.67
3	DON'T KNOW		1982	9.15

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION. ADDITION OF DISPLAYED RESPONSE CATEGORY FOR "DON'T KNOW" IN 2023, WHICH DIFFERS FROM -8 VALUE USED ACROSS ALL VARIABLES FOR NON-VALID RESPONSE.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AQ29

LABEL: HEALTH PRO DISCUSSED STRENGTHS/RESILIENCE/POSITIVE EXPERIENCES BA

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
-1	INAPPLICABLE	20458	94.40
1	YES	746	3.44
2	NO	451	2.08

UNIVERSE: ADULTS WHO HAVE EVER COMPLETED AN ACES ASSESSMENT WITH A HEALTH PROFESSIONAL

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AQ30

LABEL: AMOUNT OF CHILDHOOD HAD ADULT IN HH WHO MADE FEEL SAFE/PROTECTED

VALUE:		FREQ	%
-2	PROXY SKIPPED	16	0.07
1	NEVER	783	3.61
2	A LITTLE OF THE TIME	1032	4.76
3	SOME OF THE TIME	2075	9.58
4	MOST OF THE TIME	5222	24.10
5	ALL OF THE TIME	12543	57.88

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AQ31

LABEL: AMOUNT OF CHILDHOOD HAD ADULT IN HH WHO TRIED TO MAKE SURE BASIC

VALUE:			FREQ	%
-2	PROXY SKIPPED		16	0.07
1	NEVER		358	1.65
2	A LITTLE OF THE TIME		504	2.33
3	SOME OF THE TIME		1099	5.07
4	MOST OF THE TIME		3914	18.06
5	ALL OF THE TIME		15780	72.82

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: ACE_A

LABEL: ADVERSE CHILDHOOD EXPERIENCES SCALE

VALUE:			FREQ	%
1	0 ACE		6820	31.47
2	1 ACE		4197	19.37
3	2 ACE		3021	13.94
4	3 ACE		2451	11.31
5	4+ ACE		5182	23.91

UNIVERSE: ALL ADULTS

INPUT VAR: AQ1 - AQ11

NOTES: 11 POINT ACE SCALE MIRRORS 2009-2020 BRFSS ACE MODULE

2023 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: ACES

LABEL: ADVERSE CHILDHOOD EXPERIENCES SCALE (8 PT SCALE)

VALUE:			FREQ	%
1	0	ACE	6820	31.47
2	1	ACE	4455	20.56
3	2	ACE	3230	14.90
4	3	ACE	2594	11.97
5	4+	ACE	4572	21.10

UNIVERSE: ALL ADULTS

INPUT VAR: AQ1 - AQ11

NOTES: 8 POINT SCALE COMBINES TWO ACE MODULE QUESTIONS ON HOUSEHOLD
SUBSTANCE ABUSE INTO ONE ITEM AND THREE ACE MODULE QUESTIONS ON
SEXUAL ABUSE INTO ONE ITEM
