BINARY

UNIT 2.1

PREPARED BY JAMES SOKO FOR MR. PAUL M. MUTUNDA © 2025 KAPASA MAKASA UNIVERSITY

HOW TO CONVERT A DECIMAL NUMBER INTO BINARY (POWERS OF 2)

- To achieve this will utilize the **powers of 2.**

2 ^ 0 = **1**

2 ^ 1 = **2**

2 ^ 2 = **4**

2 ^ 3 = **8**

2 ^ 4 = **16**

2 ^ 5 = **32**

2 ^ 6 = **64**

2 ^ 7 = **128**

```
>>> bin(75)
'0b1001011'
>>>
```

- For example, let's convert **75** into binary

128 64 32 16 8 4 2 1


0 **1 0 0 1 0 1 1** = **75**

Sign (+) Magnitude

HOW TO CONVERT A DECIMAL NUMBER INTO BINARY (POWERS OF 2) (CONTINUES…)

- Let's take another example of **339**

512 256 128 64 32 16 8 4 2 1



- **1 = True**
- **0 = False**

```
>>> int(True)
1
>>> int(False)
0
>>>
```

```
>>> bin(339)
'0b101010011'
>>>
```

HOW TO CONVERT A DECIMAL NUMBER INTO BINARY SUCCESSIVE DIVISION

- Now, let's use **successive division** to find the binary of *75*

75 / 2 = 37 R **1**

37 / 2 = 18 R **1**

18 / 2 = 9 R **0**

9 / 2 = 4 R **1**

4 / 2 = 2 R **0**

2 / 2 = 1 R **0**

1 / 2 = 0 R **1**

- We now get the binary from the bottom to the top, making it:

1001011

```
>>> bin(75)
'0b1001011'
>>> 0b1001011
75
>>>
```

HOW TO ADD BINARY NUMBERS

- Here are some basics of addition:


0 + 0 = **0**

0 + 1 = **1**

1 + 0 = **1**

1 + 1 = **10**

```
   1
+  1
____
```



1 **0**, this is the same as 1 + 1 = 2

2 / 2 = **1** R **0**

HOW TO ADD BINARY NUMBERS (CONTINUES…)

```
    1
    1
+   1
-----
  1 1
```

```
>>> bin(1+1+1)
'0b11'
>>>
```

This is the same as 1+1+1 = 3

3 / 2 = **1** R **1**

- **NOTE:** On the bottom we are putting the **reminder** (**R**) and **carrying** the number of times 2 enters into the target number.

HOW TO ADD BINARY NUMBERS (CONTINUES…)

- Let's take an example below:

```
  1 0 1 0  = 10
+ 1 0 0 1  =  9
-----------  ---
  1 0 0 1 1 = 19
```

16	8	4	2	1	Decimal
	1	0	1	0	10
	1	0	0	1	9
1	0	0	1	1	19

```
>>> bin(10)
'0b1010'
>>> bin(9)
'0b1001'
>>> bin(19)
'0b10011'
>>>
```

HOW TO SUBTRACT BINARY NUMBERS

- Here are some basics of subtraction:

1 - 0 = 1

1 - 1 = 0

```
>>> bin(8-1)
'0b111'
>>>
```

	1	1	
0	~~2~~	~~2~~	2
~~1~~	~~0~~	~~0~~	0
-			1
0	1	1	1

→

8	4	2	1
8			
-			1
			7

1 0 → 0 2

- 1 → 1

1 In base 2, will get a 2 from the nearest value.

PREPARED BY JAMES SOKO FOR MR. PAUL M. MUTUNDA © 2025 KAPASA MAKASA UNIVERSITY

1'S & 2'S COMPLEMENT

1'S COMPLEMENT

- Obtain 1's complement of **1010**.
- **NOTE:** In ones complement we **slip** the numbers, 1 becomes 0 and 0 becomes 1.
- Therefore 1's complement of **1010** is **0101**.

2'S COMPLEMENT

- Formular:

  2's complement = 1's complement + 1

QUESTION: Obtain 1's complement of **10111010**.

1s complement = **01000101**

2s complement = **01000110**

SIGNED MAGNITUDE

CONVERTING A BINARY

- Let's take an example, let's express (**-6**) using the signed magnitude.

1. What is (**+6**) in binary?

8 4 2 1

0 1 1 0 = +6

Sign (+) ← 0 | 1 1 0 → Magnitude

NEGATIVE BINARY REPRESENTATION

2. The **Sign (+)** will change from **0** to **1** **Sign (-).**

8 4 2 1

Sign (-) ← **1 1 1 0**

NOTE: 1 represent **negative** and **0** **positive**

2'S COMPLEMENT

NEGATIVE NUMBERS

- Represent **-12** in binary using the 2's complement.

16 8 4 2 1

0 1 1 0 0 = **12**

1 0 0 1 1 = 1's complement

2'S COMPLEMENT (-12)

1 0 0 1 1

\+ 1

---

1 0 1 0 0 = **-16** + **4** = **-12**

Sign (-) Magnitude

PREPARED BY JAMES SOKO FOR MR. PAUL M. MUTUNDA © 2025 KAPASA MAKASA UNIVERSITY

2'S COMPLEMENT SUBTRACTION

BINARY CONVERSATION

- Let's subtract **39 – (25).**
- Using normal math operation 39 – 25 = 14.

1. Convert 39 and 25 into binary.

64 32 16 8 4 2 1

0 1 2 2

0 1 0 0 1 1 1 = **39**

- 0 0 1 1 0 0 1 = **25**

0 0 0 1 1 1 0 = **14**, Proof (**8+4+12**)

1'S & 2'S COMPLEMENT

2. Find the 1's complement 25.

1 1 0 0 1 1 0 = **25** 1's complement

3. Find the 2's complement of 25.

1 1 0 0 1 1 1 = **25** 2's complement

NOTE: We are targeting **25,** because in 2's complement subtraction we **change the sign** of the number after the minus (-) sign, so **25** becomes **-25.**

2'S COMPLEMENT SUBTRACTION (CONTINUES…)

2'S COMPLEMENT SUBTRACTION

4. Finally, do the 2's complement subtraction of 39 and 25.

  0 1 0 0 1 1 1

+1 1 0 0 1 1 1

(1) 0 0 0 1 1 1 0

NOTE: We have a carry 1 at the end, but we are just ignoring it, meaning an **overflow** as occurred.

VERIFICATION

- Is 0001110 14?

  128 64 32 16 8 4 2 1

  0 0 0 0 1 1 1 0

- 8 + 4 + 2 = 14, **NOTE:** In 2's complement subtraction we **add** two binaries, think of it as 39 – 25 is the same as 39 + (-25).

PREPARED BY JAMES SOKO FOR MR. PAUL M. MUTUNDA © 2025 KAPASA MAKASA UNIVERSITY

PERT CHART


UNIT 2.2

PERT CHART EXAMPLE 1

- Question

Activities	Dependencies
A	
B	
C	A
D	B
E	C,D

- PERT Chart




PERT CHART EXAMPLE 2

- Question

Activities	Dependencies
A	
B	A
C	A
D	A
E	A
F	E
G	D
H	G,F
I	C,H
J	B

- PERT Chart



PREPARED BY JAMES SOKO FOR MR. PAUL M. MUTUNDA © 2025 KAPASA MAKASA UNIVERSITY

QUESTION


1. Construct a network diagram.
2. Find the critical path.
3. Determine the duration the project is likely to take you to complete.

PERT CHART EXAMPLE 3

1. Construct a network diagram.

Activities	Dependencies	Duration (Days)
A		5
B		3
C	A	10
D	B	2
E	C,D	6

- PERT Chart



Eeriest Start Time (ES) = ES + Duration

Latest Start Time (LC) = LC - Duration

Critical Path (CMP) = 1 – 2 – 4 – 5


Duration of The Project = 5 + 10 + 6
= 21 Days

PREPARED BY JAMES SOKO FOR MR. PAUL M. MUTUNDA © 2025 KAPASA MAKASA UNIVERSITY

PERT CHART EXAMPLE 4

Activities	Dependencies	Duration (Days)
A		5
B		6
C		3
D	A	5
E	B	7
F	C	4
G	D	10
H	E	2
I	F	4
J	G,H,I	6

- PERT Chart



PREPARED BY JAMES SOKO FOR MR. PAUL M. MUTUNDA © 2025 KAPASA MAKASA UNIVERSITY

PERT CHART

TASK 1


Activities	Dependencies	Duration (Days)
A		4
B		3
C		2
D	A	5
E	A,B	6
F	C	3
G	D	4
H	E	2
I	F	3
J	G,H,I	5

TASK 2

TASK ID	TASK DESCRIPTION	TASK PRE-DESSOR (S)	TASK DURATION (HOURS)
A	Project Starts		0
B	Buy Materials for A	A	10
C	Buy Materials for B	A	20
D	Build A	B,C	30
E	Build B	B,C	20
F	Finish building B	E	40
G	Join A and B	D,F	20
H	Finish Project	G	0

TASK 1

STECTCH



TASK 1 (CONTINUES…)

PERT CHART




TASK 2

SKETCH



TASK 2 (CONTINUES…)



PERT CHART GUIDE

Activity	A	B	C	D	E	F	G
Immediate Predecessors			A	A,B	D	C,E	E
Expected Time (weeks)	7	9	12	8	9	6	5

A	ES	EF
t	LS	LF

KEY

A. Activities
t. Expected duration or Activity Time
ES. Earliest Start Time
EF. Earliest Finish Time
LS. Latest Start Time
LF. Latest Finish Time


OBJECTIVES

1. Construct a project network
2. Perform forward and back passes
3. Determine project completion time
4. Calculate slack values
5. State the critical path

PREPARED BY JAMES SOKO FOR MR. PAUL M. MUTUNDA © 2025 KAPASA MAKASA UNIVERSITY

STEPS WHEN CREATING A PERT CHART

1. Create a draft or sketch.




NOTE: Since F and G have nor predecessors they go to finish.

STEPS WHEN CREATING A PERT CHART (CONTINUES…)

KEY
Activity Time (t)

2. Creating the actual PERT Chart.




STEPS WHEN CREATING A PERT CHART (CONTINUES…)

KEY
Activity Time (t)
Forward Pass

3. Calculating the **Forward Pass: EF = ES + t**

NOTE: F is dependent on C and E to start and in Forward Pass we consider the highest EF (26)



NOTE: FINISH is dependent on F and G to stop and in Forward Pass we consider the highest EF (32)

NOTE: D is dependent on A and B to start and in Forward Pass we consider the highest EF (9)

PREPARED BY JAMES SOKO FOR MR. PAUL M. MUTUNDA © 2025 KAPASA MAKASA UNIVERSITY

STEPS WHEN CREATING A PERT CHART (CONTINUES…)

KEY
Activity Time (t)
Forward Pass
Backward Pass

4. Calculating the **Backward Pass: LS = LF - t**



NOTE: A is dependent on C and D to start and in Backward Pass we consider the lowest LF (9)

NOTE: START is dependent on A and B to start and in Backward Pass we consider the lowest LF (0)


NOTE: E is dependent on F and G to start and in Backward Pass we consider the lowest LF (26)

PREPARED BY JAMES SOKO FOR MR. PAUL M. MUTUNDA © 2025 KAPASA MAKASA UNIVERSITY

STEPS WHEN CREATING A PERT CHART (CONTINUES…)

KEY
Activity Time (t)
Forward Pass
Backward Pass
Slack

5. Calculating the **Slack: LS – ES or LF - EF**




PREPARED BY JAMES SOKO FOR MR. PAUL M. MUTUNDA © 2025 KAPASA MAKASA UNIVERSITY

STEPS WHEN CREATING A PERT CHART (CONTINUES…)

KEY
Activity Time (t)
Forward Pass
Backward Pass
Slack
Critical Path

6. Identifying the **Critical Path**: slack = 0




Critical Path = B – D – E – F

PREPARED BY JAMES SOKO FOR MR. PAUL M. MUTUNDA © 2025 KAPASA MAKASA UNIVERSITY


STEPS WHEN CREATING A PERT CHART (CONTINUES…)

7. Final PERT Chart



PREPARED BY JAMES SOKO FOR MR. PAUL M. MUTUNDA © 2025 KAPASA MAKASA UNIVERSITY

- E > B, C; F, G > D; H,I > E, F; J > I, G; K > H; B > A




Activities	Predecessors
A	
B	A
C	
D	
E	B, C
F	D
G	D
H	E, F
I	E, F
J	I, G
K	H

PREPARED BY JAMES SOKO FOR MR. PAUL M. MUTUNDA © 2025 KAPASA MAKASA UNIVERSITY




PREPARED BY JAMES SOKO FOR MR. PAUL M. MUTUNDA © 2025 KAPASA MAKASA UNIVERSITY



PREPARED BY JAMES SOKO FOR MR. PAUL M. MUTUNDA © 2025 KAPASA MAKASA UNIVERSITY

1. Calculate the Earliest Finish (EF), Eeliest Start (ES), Latest finish (LF) and Latest Start (LS).
2. Compute the Total Float, Free Float, Independent Float and Interfering Float.


Activities	Duration
1 – 2	8
1 – 3	7
1 – 5	12
2 – 3	4
2 – 4	10
3 – 4	3
3 – 5	5
3 – 6	10
4 – 6	7
5 – 6	4



PREPARED BY JAMES SOKO FOR MR. PAUL M. MUTUNDA © 2025 KAPASA MAKASA UNIVERSITY

Activities	Duration (Days)	Earliest Start (ES)	Earliest Finish (EF)	Latest Start (LS)	Latest Finish (LF)	Total Float (LS – ES)	Free Float (TF) – Slack Head	Independent Float (FF) – Slack Tail	Interference Float (TF – FF)
1 – 2	8	0	8	0	8	0	0	0	0
1 – 3	7	0	7	8	15	8	5	5	3
1 – 5	12	0	12	9	21	9	5	5	4
2 – 3	4	8	12	11	15	3	0	0	3
2 – 4	10	8	18	8	18	0	0	0	0
3 – 4	3	12	15	15	18	3	3	0	0
3 – 5	5	12	17	16	21	4	0	-3	4
3 - 6	10	12	22	15	25	3	3	0	0
4 – 6	7	18	25	18	25	0	0	0	0
5 - 6	4	17	21	21	25	4	4	0	0


Activities	Duration
1 – 2	13
1 – 3	12
2 – 4	2
3 – 4	8
2 – 5	15
4 – 5	2



Critical Path = 1 – 2 – 4 – 6

PREPARED BY JAMES SOKO FOR MR. PAUL M. MUTUNDA © 2025 KAPASA MAKASA UNIVERSITY

Activity	Optimistic (O or to)	Pessimistic (P or tp)	Most Likely (M or tm)	4tm	Te = to + 4tm + tp	$\sigma^2 = (tp - to/6)^2$	$\sigma = tp - to / 6$
1 – 2	1	3	2	4(2) =8	1 + 8 + 3 = 12	$0.33^2 = 0.11$	3 – 1 / 6 = 0.33
1 – 3	5	7	6	4(6) = 12	5 + 12 + 7 = 36	$0.33^2 = 0.11$	7 – 5 / 6 = 0.33
1 – 4	3	7	5	4(5) = 20	3 + 20 + 7 = 30	$0.66^2 = 0.44$	7 – 3 / 6 = 0.66
2 – 5	5	9	7	4(7) = 28	5 + 28 + 9 = 42	$0.66^2 = 0.44$	9 – 5 / 6 = 0.66
3 – 5	2	6	4	4(4) = 16	2 + 16 + 6 = 24	$0.66^2 = 0.44$	6 – 2 / 6 = 0.66
5 – 6	4	6	5	4(5) = 20	4 + 20 + 6 = 30	$0.33^2 = 0.11$	6 – 4 / 6 = 0.33
4 – 7	4	8	6	4(6) = 24	4 + 24 + 8 = 36	$0.66^2 = 0.44$	8 – 4 / 6 = 0.66
6 – 7	2	4	3	4(3) = 3	2 + 12 + 4 = 18	$0.33^2 = 0.11$	4 – 2 / 6 = 0.33




Critical Path = 1 – 3 – 5 – 6 – 7

Critical Variance = 0.11 + 0.44 + 0.11 + 0.11
= 0.77

PREPARED BY JAMES SOKO FOR MR. PAUL M. MUTUNDA © 2025 KAPASA MAKASA UNIVERSITY

Activity	Optimistic (O or to)	Pessimistic (P or tp)	Most Likely (M or tm)	4tm	Te = to + 4tm + tp	$\sigma^2 = (tp - to/6)^2$	$\sigma = tp - to / 6$
1 – 2	3	15	6	4(6) = 24	3 + 24 + 15 = 42	$2^2 = 4$	15 – 3 / 6 = 2
2 – 3	2	14	5	4(5) = 20	2 + 20 + 14 = 36	$2^2 = 4$	14 – 2 / 6 = 2
1 – 4	6	30	12	4(12) = 48	6 + 48 + 30 = 84	$4^2 = 16$	30 – 6 / 6 = 4
2 – 5	2	8	5	4(5) = 20	2 + 20 + 8 = 30	$1^2 = 1$	8 – 2 / 6 = 1
2 – 6	5	17	11	4(11) = 44	5 + 44 + 17 = 66	$2^2 = 4$	17 – 5 / 6 = 2
3 – 6	3	15	6	4(6) = 24	3 + 24 + 15 = 42	$2^2 = 4$	15 – 3 / 6 = 2
4 – 7	3	27	9	4(9) = 36	3 + 36 + 27 = 66	$4^2 = 16$	27 – 3 / 6 = 4
5 – 7	1	7	4	4(4) = 16	1 + 16 + 7 = 24	$1^2 = 1$	7 – 1 / 6 = 1
6 – 7	2	8	5	4(5) = 20	2 + 20 + 8 = 30	$1^2 = 1$	8 – 2 / 6 = 1




Critical Path = 1 – 4 – 7

Critical Variance = 16 + 16
= 32

PREPARED BY JAMES SOKO FOR MR. PAUL M. MUTUNDA © 2025 KAPASA MAKASA UNIVERSITY

		Dependence		Activity					
1	Identify Compromised Systems			1 – 2					
2	Path Vulnerability	1		1 – 6					
3	Secure User Accounts	2		2 – 3					
4	Restore Data	2		2 – 4					
5	Implement additional Controls	3		3 – 5					
6	Revise polices	1		4 – 7					
7	Final Audit and Testing	5,4		5 – 7					


3
5
2
4
7
1
6



	ACTIVITY	DEPENDANCE		ACTIVITIES
1	Root cause analysis			**1 – 2**
2	Patch development	Root cause analysis		**2 – 3**
3	Pact testing	Patch development		**3 – 5**
4	Schedule Maintenance	Pact testing		**3 – 4**
5	Deploy patch	Pact testing		*4 – 5*
6	Validate remediation	Deploy patch		**5 – 6**
7	Update documentation	Validate remediation		**6 – 7**
8	Notify stakeholders	Update documentation, Deploy patch		*7 – 8* *5 – 8*

PREPARED BY JAMES SOKO FOR MR. PAUL M. MUTUNDA © 2025 KAPASA MAKASA UNIVERSITY