

01-configuration-reference

Loaded from 01-configuration-reference.md

Configuration Reference

Audience: Admin operators with full access to both Waratah Apps Script projects.

This file is the **canonical, single source of truth** for every Script Property used by The Waratah's two Apps Script projects. If you are changing settings, this is where you look.

The Waratah system runs across two Apps Script projects:

Project	What it powers	Properties stored
Shift Report project	The shift report spreadsheet (nightly send, weekly rollover, dashboards, warehouse writes)	20 written by <code>setupScriptProperties()</code> (18 required + 2 default AI Insights); plus 3 optional manually-set properties = up to 23 total
Task Management project	The Task Management spreadsheet (task tracking, dashboard, escalations)	6 properties (overlapping with Shift Report project; see Section 8 for which are functionally dual-read)

The two projects are separate Apps Script bundles with their own Script Properties stores. Some properties exist in both projects and must be kept in sync.

1. How to View or Change Script Properties

1. Open the relevant spreadsheet (Shift Report spreadsheet for shift-report properties; Task Management spreadsheet for task properties).
2. Go to **Extensions > Apps Script**. This opens the Apps Script editor for that spreadsheet's bound project.
3. In the left sidebar, click the gear icon (**Project Settings**).
4. Scroll down to the **Script Properties** section.
5. Click **Edit script properties** to add, edit, or delete a property.
6. After changes, click **Save script properties** at the bottom.

After saving, the new value takes effect immediately on the next code execution. You do not need to redeploy or restart anything.

Two-project caution: if you are editing a property that exists in BOTH projects (see Section 8), edit BOTH copies in the same session for hygiene. Note that only `MENU_PASSWORD` and `TASK_MANAGEMENT_SPREADSHEET_ID` are functionally read by both projects at runtime; the others are stored in the Shift Report project for symmetry only.

2. Shift Report Project Properties (20 written by setup, plus optional)

Venue and Access

Property	Format	Required	What it does
VENUE_NAME	String, always "WARATAH"	Yes	Controls which code path runs (shared codebase between venues). Must be exactly WARATAH . Never change.
MENU_PASSWORD	Plain string	Yes	Admin password for password-gated menu items. Also stored in Task Management project; the two must match. See 02-staff-and-access-management.md Section 6 for rotation procedure.

Slack Webhooks

Property	Format	Required	What it does
WARATAH_SLACK_WEBHOOK_LIVE	Slack incoming webhook URL	Yes	Where LIVE shift report Slack messages go. Test by sending a LIVE report. Note: read dynamically as <code>\${VENUE_NAME}_SLACK_WEBHOOK_LIVE</code> (<code>NightlyExportWaratah.js:32-53</code>); changing VENUE_NAME would change the expected key name.
WARATAH_SLACK_WEBHOOK_TEST	Slack incoming webhook URL	Yes	Where TEST shift report messages go. A separate channel for safe testing. Read dynamically (see note above).
SLACK_MANAGERS_CHANNEL_WEBHOOK	Slack incoming webhook URL	Yes	Managers channel for task escalations and related alerts. Stored in the Shift Report project for symmetry, but read only by the Task Management project at runtime.
SLACK_DM_WEBHOOKS	JSON object, <code>{"StaffName": "webhook_url", ...}</code>	Yes	Personal Slack DMs per staff member, used by the Task Management project. Six recipients currently configured (see 02-staff-and-access-management.md Section 4). Stored in the Shift Report project for symmetry only; the Shift Report nightly pipeline does not read this property.

Email Recipients

Property	Format	Required	What it does
WARATAH_EMAIL_RECIPIENTS	JSON object, {"email1": "Name1", "email2": "Name2", ...}	Yes	Six recipients of the nightly PDF. JSON object format, not JSON array.
INTEGRATION_ALERT_EMAIL_PRIMARY	Email address (string)	Yes	Primary email for warehouse-write and integration-hub failure alerts.
INTEGRATION_ALERT_EMAIL_SECONDARY	Email address (string)	Yes	Backup email for failures, used if primary cannot be reached.

Spreadsheet and Folder IDs

Property	Format	Required	What it does
WARATAH_SHIFT_REPORT_CURRENT_ID	Google Sheets file ID	Yes	The shift report spreadsheet itself. Used by setup and verification routines.
WARATAH_WORKING_FILE_ID	Google Sheets file ID	Yes	Used by the weekly rollover as a safety guard comparing against the active spreadsheet ID. Usually identical to <code>WARATAH_SHIFT_REPORT_CURRENT_ID</code> .
WARATAH_SHEET_ID	Google Sheets file ID	Optional fallback	Recognised by <code>IntegrationHubWaratah.js:31</code> as a fallback for <code>WARATAH_SHIFT_REPORT_CURRENT_ID</code> . Keep in sync if set.
WARATAH_TASK_MANAGEMENT_ID	Google Sheets file ID	Yes	The Task Management spreadsheet. Read by <code>IntegrationHubWaratah.js</code> .
TASK_MANAGEMENT_SPREADSHEET_ID	Google Sheets file ID	Yes	Read by <code>TaskIntegrationWaratah.js</code> and the EnhancedTaskManagement code path. These are independent properties read by different files; admins must set them to identical values.
WARATAH_DATA_WAREHOUSE_ID	Google Sheets file ID	Yes	Central data warehouse spreadsheet for nightly numbers.
WARATAH_CASH_RECON_FOLDER_ID	Google Drive folder ID	Yes	Drive folder holding cash reconciliation copies.
ARCHIVE_ROOT_FOLDER_ID	Google Drive folder ID	Yes	Root of weekly rollover archive structure (subfolders per week).

Task Management Escalation

Property	Format	Required	What it does
ESCALATION_EMAIL	Email address (string)	Yes	Where BLOCKED-for-14-days task escalations are emailed. Usually Evan. Read by the Task Management project; the Shift Report project stores it for symmetry only.
ESCALATION_SLACK_WEBHOOK	Slack incoming webhook URL	Yes	Where escalations post to Slack. Usually the manager channel or Evan's DM. Read by the Task Management project; the Shift Report project stores it for symmetry only.

AI Insights (optional but recommended)

Property	Format	Required	What it does
ANTHROPIC_API_KEY	API key string, starts with <code>sk-ant-</code>	Optional	Enables Claude-powered shift summaries in the Slack message. If unset, a simpler generic summary is used. Set via <code>setAnthropicApiKey_Waratah()</code> menu item, never hard-coded.
AI_INSIGHTS_MODE	String, <code>"evan_only"</code> or <code>"live"</code>	Optional (defaulted by setup to <code>evan_only</code>)	Soft-launch routing. <code>evan_only</code> sends upgraded AI insights to Evan only; everyone else gets generic summary. <code>live</code> sends upgraded insights to everyone.
AI_INSIGHTS_EVAN_EMAIL	Email address (string)	Optional (defaulted by setup)	The email address recognised as Evan for the <code>evan_only</code> routing mode.

Sheet Protection (optional, manual)

Property	Format	Required	What it does
SHEET_PROTECTION_OWNER_EMAIL	Email address (string)	Optional	If set, only this email can edit protected ranges. If unset, falls back to the script owner. Used by <code>RunWaratah.js</code> setup of sheet protections. Not in the standard <code>_SETUP_ScriptProperties.js</code> ; set manually only if sheet protection is wanted.

3. Task Management Project Properties (6, with overlap into Shift Report)

The Task Management project has its own Script Properties store. Six of its properties are also written into the Shift Report project's setup. Of these, only `MENU_PASSWORD` and `TASK_MANAGEMENT_SPREADSHEET_ID` are functionally read by both projects at runtime. The remaining four are stored in the Shift Report project for hygiene and symmetry only; the Shift Report runtime does not read them.

Property	Format	Required	Read by Shift Report runtime?
MENU_PASSWORD	Plain string	Yes	Yes (must match)
TASK_MANAGEMENT_SPREADSHEET_ID	Google Sheets file ID	Yes	Yes (must match)
SLACK_MANAGERS_CHANNEL_WEBHOOK	Slack webhook URL	Yes	No (SR copy is hygiene only)
SLACK_DM_WEBHOOKS	JSON object	Yes	No (SR copy is hygiene only)
ESCALATION_EMAIL	Email address	Yes	No (SR copy is hygiene only)
ESCALATION_SLACK_WEBHOOK	Slack webhook URL	Yes	No (SR copy is hygiene only)

Keeping the two copies in sync is still recommended discipline, but a drift on the four hygiene-only properties will not affect Shift Report behaviour. Drift on `MENU_PASSWORD` or

TASK_MANAGEMENT_SPREADSHEET_ID will: the password may work in one spreadsheet's menus but not the other, and task sync may target the wrong file.

4. Setup, Verify, and Reset Functions

The Shift Report project contains three helper functions for managing Script Properties as a batch:

setupScriptProperties()

Sets all 20 standard properties to their initial values. Most values are `<SET_IN_SCRIPT_EDITOR>` placeholders that you must replace by hand after running. Run once after a fresh clasp push of new code. Located in `_SETUP_ScriptProperties.js`.

verifyScriptProperties()

Reads all properties and logs which are set vs missing. Identifies the 18 required properties and the 3 AI Insights properties (optional). Useful sanity check after a deployment or when troubleshooting. Located in `_SETUP_ScriptProperties.js`.

resetScriptProperties()

Destructive. Deletes every Script Property in the project. Use only if rebuilding from scratch. Prompts a YES/NO confirmation in the UI before deleting. Located in `_SETUP_ScriptProperties.js`.

The Task Management project has its own equivalent setup file (`_SETUP_ScriptProperties.gs`) that handles its 6 properties.

5. Google Drive Folder Structure

The weekly rollover archives copies of the spreadsheet and PDF to Google Drive. The configured structure:

```
[Archive Root Folder, set via ARCHIVE_ROOT_FOLDER_ID]
├── 2026-W17/
│   ├── Waratah_Week_YYYY-MM-DD.pdf
│   ├── Waratah_Shift_Report_YYYY-MM-DD.gsheel
│   └── Waratah_Tasks_YYYY-MM-DD.gsheel (if task archive ran)
├── 2026-W18/
└── ...
```

Each week's folder is auto-created on Monday at 9pm by the rollover script. The naming convention is `YYYY-Www` (ISO week).

The cash reconciliation copies live in a separate folder set by `WARATAH_CASH_RECON_FOLDER_ID`.

If Drive permissions or folder paths change, update the relevant ID in Script Properties. The script owner must have write access to both folders.

6. Property Value Formats

A few formats are easy to get wrong. Use these examples as templates.

WARATAH_EMAIL_RECIPIENTS (JSON object)

```
{
  "evan@pollenhospitality.com": "Evan",
  "cynthia@pollenhospitality.com": "Cynthia",
  "nick@sakurahousesydney.com": "Nick",
  "properties.litster@gmail.com": "Ian",
  "chef@pollenhospitality.com": "Chef",
  "bar@thewaratahsydney.com": "Jaiden",
  "adam@pollenhospitality.com": "Adam"
}
```

When you store this in Script Properties, paste the whole JSON as a single string. Apps Script's `JSON.parse()` reads it at run time. Common mistakes: stray trailing commas (invalid JSON), unescaped quotes inside names, or accidentally using a JSON array form (`["email1", "email2"]`). Must be a JSON object mapping email to display-name, not an array.

SLACK_DM_WEBHOOKS (JSON object)

```
{
  "Evan": "https://hooks.slack.com/services/T.../B.../...",
  "Cynthia": "https://hooks.slack.com/services/T.../B.../...",
  "Adam": "https://hooks.slack.com/services/T.../B.../...",
  "Jaiden": "https://hooks.slack.com/services/T.../B.../...",
  "Joffy": "https://hooks.slack.com/services/T.../B.../...",
  "Nick": "https://hooks.slack.com/services/T.../B.../..."
}
```

Keys must exactly match the staff names in the `STAFF_LIST` constant (case-sensitive). Howie has no DM webhook by choice; he is omitted.

Spreadsheet IDs

The 44-character string between `/d/` and `/edit` in a Google Sheets URL. For example:

```
https://docs.google.com/spreadsheets/d/1rcfHTtey_HXC291FAmjpquYkRjwNGbFtClz2szKXfKA/edit
                        ^----- this part -----^
```

Store the ID without the URL prefix or `/edit` suffix.

Drive Folder IDs

Open the folder in Drive, copy the ID from the URL after `/folders/` :

```
https://drive.google.com/drive/folders/1ABC123XYZ.../
                        ^- ID -^
```

Webhook URLs

Slack incoming webhooks have the form `https://hooks.slack.com/services/T.../B.../...`. Treat them as secrets; do not check them into git.

7. Things You Should Never Change

Some values are load-bearing for the entire system. Changing them breaks things downstream. Avoid unless you understand the full implication.

- **VENUE_NAME** : must be exactly "WARATAH" . The shared codebase branches on this value.
 - **Sheet layout**: do not insert or delete rows or columns on day tabs (Wednesday through Sunday) or on the Read Me, Task Management, Analytics, or Executive Dashboard tabs of the shift report spreadsheet. The code refers to named ranges; insertions and deletions shift them or break them.
 - **Formula cells**: cells starting with `=` are calculations. Editing them blanks out the formula and silently breaks downstream calculations. To restore, run the appropriate Reapply menu item.
 - **Tab names**: the rollover script renames tabs each Monday. Do not rename tabs manually. Adding new tabs is fine; renaming the day tabs is not.
 - **STAFF_LIST in code (EnhancedTaskManagementWaratah.gs)**: this is hard-coded, not stored in Script Properties. Changes require a clasp push. See [02-staff-and-access-management.md](#) Section 4.
-

8. Properties That Exist in Both Projects

Six properties are written into both projects' Script Properties stores. Only two are functionally read by both projects at runtime; the other four are stored in the Shift Report project for symmetry only.

Property	Read by SR runtime?	Read by TM runtime?	Notes
MENU_PASSWORD	Yes	Yes	Both projects gate admin menu items with this. If they diverge, the password works in one project's menu but not the other. Functionally dual-read.
TASK_MANAGEMENT_SPREADSHEET_ID	Yes	Yes	Both projects need to know where the task spreadsheet is. Functionally dual-read.
SLACK_MANAGERS_CHANNEL_WEBHOOK	No	Yes	Stored in SR setup for symmetry; only the Task Management project reads it at runtime.
SLACK_DM_WEBHOOKS	No	Yes	Stored in SR setup for symmetry; only the Task Management project reads it at runtime. The Shift Report nightly pipeline does not send personal DMs.
ESCALATION_EMAIL	No	Yes	Stored in SR setup for symmetry; only the Task Management project reads it at runtime.
ESCALATION_SLACK_WEBHOOK	No	Yes	Stored in SR setup for symmetry; only the Task Management project reads it at runtime.

Procedure when changing one:

1. Open Shift Report spreadsheet, Extensions > Apps Script > Project Settings > Script Properties.
Update the value.
2. Open Task Management spreadsheet, Extensions > Apps Script > Project Settings > Script Properties.
Update the same value.
3. Save in both. Verify by running `verifyScriptProperties()` in each project.

For `MENU_PASSWORD` and `TASK_MANAGEMENT_SPREADSHEET_ID`, dual update is required for correct behaviour. For the other four, dual update is hygiene only; drift will not affect Shift Report behaviour, only Task Management.

9. Verifying Configuration Health

After any property change, run a verification sequence:

1. In the Shift Report project, run `verifyScriptProperties()`. Logger output lists all required and optional properties with their values (or `NOT SET`).
 2. In the Task Management project, run the equivalent verify function (located in the TM project's setup file).
 3. From the spreadsheet menu, **Waratah Tools > Daily Reports > Export & Email (TEST to me)**. A TEST report posts to the test Slack channel and emails the test recipient (Evan by default); it does not write to the warehouse or push tasks. If it succeeds end-to-end, the configuration is healthy.
 4. If anything failed, see [03-advanced-troubleshooting.md](#) for diagnosis.
-

10. Property Change Log

Whenever you change a Script Property in production, leave a one-line note in `docs/waratah/_archive/CONFIG_CHANGE_LOG.md` (create the file the first time):

2026-05-17: Updated `WARATAH_EMAIL_RECIPIENTS` to drop Dipti, add Joffy. Updated `SLACK_DM_WEBHOOKS` to match. Verified TEST report send.

This is not enforced by the system; it is a discipline. Future debugging of "the email went to the wrong people" depends on having this trail.