GT: three-run comparison of the routing strategies

Generated 2026-10-04 15:30 EDT. Sources: /Users/elenabaron/MITxPro/RAGandContextEng/capstone/rag_and_context_engineering/wikipedia_retrieval_engine/Capstone Checkpoint 7.1/cost_efficiency/wikipedia_GT

Question set	Configurations	Runs	Question-runs	Baseline	Highest quality	Lowest list cost	Fastest
GT test set	7	17	323	7.1 final	7.1 final, gpt-5.4 (0.886)	6.1 survivor ($0.0485)	6.1 survivor (13.1 s)

How to read this report

Quality. pass = 1, partial = 0.5, fail = 0, averaged over question-runs (RAGAS judge).

List cost. every input token at the full price: the comparison of record. Billed cost charges cached input at the cached rate, so it falls when runs repeat the same questions.

Seconds. agent graph plus answer per question, judge excluded. Provider speed varies by hour; §6 shows how much.

Dominated. another configuration is at least as good and no more expensive (or slower), and better on one of the two.

Paired. each question's mean over its runs, configuration minus baseline; p from the Wilcoxon signed-rank test over the questions that changed.

Paths. Table: the TOC review flagged a table. Text, escalated: an assessment asked for more evidence. Text, ready: neither.

Loader warnings


- adoring_hopper: list cost repriced from its calls with the current price table ($4.9619 recorded -> $6.4348, +29.7%).


GT test set

7 configuration(s), 17 run(s), 323 question-runs. Baseline: 7.1 final (requested).

1. Frontier: quality against cost and time

Configuration	Runs (with telemetry)	Quality (run range)	Pass / partial / fail	List $/q (run range)	Billed $/q	Cached	Seconds mean / median	Calls/q	Input tokens/q	List $ per quality point	Dominated on cost by	Dominated on time by
6.1 survivor	3 (3)	0.789 (0.737-0.816)	40/10/7	$0.0485 ($0.0402-$0.0570)	$0.0350	35%	13.1 / 11.8	6.77	56.8K	$0.0615	-	-
7.1 final	3 (3)	0.711 (0.658-0.763)	37/7/13	$0.0502 ($0.0459-$0.0539)	$0.0348	38%	13.8 / 12.6	6.84	59.3K	$0.0706	6.1 survivor	6.1 survivor
7.1 final, gpt-5.4	3 (3)	0.886 (0.842-0.947)	49/3/5	$0.3457 ($0.3387-$0.3516)	$0.2609	30%	24.7 / 23.4	7.26	98.1K	$0.3902	-	-
7.1 router by question type	1 (1)	0.816 (0.816)	15/1/3	$0.3009 ($0.3009)	$0.2451	18%	22.0 / 19.4	7.74	94.9K	$0.3688	7.1 Router B (assessor + answer); 7.1 answer check 0.5 + large to gpt-5.4	7.1 Router B (assessor + answer)
7.1 Router B (assessor + answer)	3 (3)	0.868 (0.868)	47/5/5	$0.1725 ($0.1417-$0.1924)	$0.1288	35%	21.3 / 21.1	7.54	77.1K	$0.1986	-	-
7.1 answer check 0.5 + large to gpt-5.4	1 (1)	0.842 (0.842)	16/0/3	$0.1275 ($0.1275)	$0.0816	43%	22.8 / 15.7	8.95	71.2K	$0.1514	-	7.1 Router B (assessor + answer)
7.1 Router B + answer check 0.5	3 (3)	0.798 (0.763-0.842)	40/11/6	$0.2260 ($0.1485-$0.3145)	$0.1599	35%	26.4 / 16.6	10.40	108.3K	$0.2832	7.1 Router B (assessor + answer); 7.1 answer check 0.5 + large to gpt-5.4	7.1 final, gpt-5.4; 7.1 router by question type; 7.1 Router B (assessor + answer); 7.1 answer check 0.5 + large to gpt-5.4






Small dots are runs; a large dot is the configuration mean, with lines across its run range. Gray: dominated.

2. Paired against the baseline (7.1 final)


Configuration	Questions	Quality	Δ quality	Better / worse / same	p (quality)	Δ list $/q	p (cost)	Δ seconds	p (time)	Trade-off
6.1 survivor	19	0.711 -> 0.789	+0.079	6 / 2 / 11	0.188	-$0.0016 (-3%)	0.679	-0.7	0.061	dominates the baseline: at least as good, no more expensive
7.1 final, gpt-5.4	19	0.711 -> 0.886	+0.175	9 / 1 / 9	0.055	+$0.2955 (+589%)	<0.001	+10.9	<0.001	pays $0.1684 per question for each +0.10 quality
7.1 router by question type	19	0.711 -> 0.816	+0.105	6 / 3 / 10	0.133	+$0.2507 (+500%)	<0.001	+8.2	<0.001	pays $0.2382 per question for each +0.10 quality
7.1 Router B (assessor + answer)	19	0.711 -> 0.868	+0.158	8 / 1 / 10	0.047	+$0.1223 (+244%)	<0.001	+7.5	<0.001	pays $0.0775 per question for each +0.10 quality
7.1 answer check 0.5 + large to gpt-5.4	19	0.711 -> 0.842	+0.132	6 / 2 / 11	0.031	+$0.0773 (+154%)	0.196	+9.0	0.045	pays $0.0588 per question for each +0.10 quality
7.1 Router B + answer check 0.5	19	0.711 -> 0.798	+0.088	6 / 4 / 9	0.246	+$0.1759 (+350%)	<0.001	+12.5	<0.001	pays $0.2005 per question for each +0.10 quality

Per-question change in quality, worst first (right column: change in list cost):


6.1 survivor against 7.1 final




7.1 final, gpt-5.4 against 7.1 final




7.1 router by question type against 7.1 final




7.1 Router B (assessor + answer) against 7.1 final




7.1 answer check 0.5 + large to gpt-5.4 against 7.1 final



7.1 Router B + answer check 0.5 against 7.1 final



3. Where the cost goes: by role




Configuration	Role	Calls/q	Input tokens/q	Output tokens/q	Cached	List $/q	Share of list	Model s/q	Share of time	Median s/call
7.1 final	decomposer	1.00	0.4K	104	0%	$0.0008	2%	1.1	10%	1.04
7.1 final	toc_reviewer	1.00	3.0K	361	82%	$0.0039	8%	2.3	20%	2.20
7.1 final	assessor	2.02	26.9K	505	34%	$0.0224	45%	4.3	38%	1.89
7.1 final	table_planner	1.82	3.9K	140	47%	$0.0036	7%	1.9	17%	1.00
7.1 final	answer	1.00	25.1K	149	37%	$0.0195	39%	1.6	15%	1.52

Configuration	Role	Calls/q	Input tokens/q	Output tokens/q	Cached	List $/q	Share of list	Model s/q	Share of time	Median s/call
6.1 survivor	decomposer	1.00	0.4K	105	0%	$0.0008	2%	1.0	10%	1.02
6.1 survivor	toc_reviewer	1.00	3.0K	353	55%	$0.0038	8%	2.1	19%	1.99
6.1 survivor	assessor	2.09	26.9K	534	38%	$0.0226	46%	4.2	39%	1.85
6.1 survivor	table_planner	1.68	3.7K	137	38%	$0.0034	7%	1.7	16%	0.95
6.1 survivor	answer	1.00	22.8K	184	30%	$0.0180	37%	1.7	16%	1.42
7.1 final, gpt-5.4	decomposer	1.00	0.4K	113	0%	$0.0028	1%	1.9	9%	1.84
7.1 final, gpt-5.4	toc_reviewer	1.00	3.1K	353	27%	$0.0130	4%	4.1	19%	3.82
7.1 final, gpt-5.4	assessor	2.25	51.5K	750	36%	$0.1660	52%	10.3	46%	4.42
7.1 final, gpt-5.4	table_planner	2.02	5.1K	138	26%	$0.0148	5%	2.8	12%	1.34
7.1 final, gpt-5.4	answer	1.00	37.9K	182	23%	$0.1233	39%	3.1	14%	2.36
7.1 router by question type	decomposer	1.00	0.4K	103	0%	$0.0008	0%	1.2	6%	1.00
7.1 router by question type	toc_reviewer	1.00	3.0K	353	9%	$0.0038	1%	1.8	9%	1.76
7.1 router by question type	assessor	2.21	48.3K	735	33%	$0.1627	54%	10.3	53%	4.87
7.1 router by question type	table_planner	2.53	6.1K	175	15%	$0.0178	6%	3.4	17%	1.34
7.1 router by question type	answer	1.00	37.1K	205	0%	$0.1158	38%	2.8	15%	2.15
7.1 Router B (assessor + answer)	decomposer	1.00	0.4K	105	0%	$0.0008	0%	1.2	6%	1.08
7.1 Router B (assessor + answer)	toc_reviewer	1.00	3.1K	362	76%	$0.0039	2%	2.6	14%	2.40
7.1 Router B (assessor + answer)	assessor	2.19	36.9K	708	37%	$0.1008	58%	9.6	52%	4.20
7.1 Router B (assessor + answer)	table_planner	2.35	5.4K	186	34%	$0.0049	3%	2.5	13%	1.01
7.1 Router B (assessor + answer)	answer	1.00	31.2K	185	30%	$0.0620	36%	2.8	15%	2.29
7.1 answer check 0.5 + large to gpt-5.4	decomposer	1.21	0.5K	135	0%	$0.0015	1%	1.6	8%	1.13
7.1 answer check 0.5 + large to gpt-5.4	toc_reviewer	1.21	3.6K	429	70%	$0.0066	5%	3.2	16%	2.33
7.1 answer check 0.5 + large to gpt-5.4	assessor	2.79	34.6K	834	36%	$0.0608	48%	9.2	47%	2.53
7.1 answer check 0.5 + large to gpt-5.4	table_planner	2.53	5.7K	195	48%	$0.0087	7%	2.8	14%	1.07
7.1 answer check 0.5 + large to gpt-5.4	answer	1.21	26.8K	231	47%	$0.0495	39%	2.7	14%	1.63

Configuration	Role	Calls/q	Input tokens/q	Output tokens/q	Cached	List $/q	Share of list	Model s/q	Share of time	Median s/call
7.1 Router B + answer check 0.5	decomposer	1.35	0.6K	151	0%	$0.0011	0%	1.5	7%	1.08
7.1 Router B + answer check 0.5	toc_reviewer	1.35	4.1K	490	68%	$0.0053	2%	3.1	14%	2.13
7.1 Router B + answer check 0.5	assessor	3.09	55.6K	995	35%	$0.1205	53%	10.9	48%	2.75
7.1 Router B + answer check 0.5	table_planner	3.26	7.9K	273	37%	$0.0072	3%	3.5	16%	1.04
7.1 Router B + answer check 0.5	answer	1.35	40.1K	274	32%	$0.0916	41%	3.6	16%	2.14


4. By path: text ready, text escalated, table



Configuration	Path	Question-runs (share)	Quality	List $/q	Billed $/q	Seconds/q	Share of list spend
7.1 final	Text, ready at first assessment	15 (26%)	0.833	$0.0380	$0.0191	9.3	20%
7.1 final	Table	42 (74%)	0.667	$0.0545	$0.0404	15.4	80%
6.1 survivor	Text, ready at first assessment	13 (23%)	0.962	$0.0381	$0.0203	8.9	18%
6.1 survivor	Text, escalated	1 (2%)	1.000	$0.0200	$0.0200	8.2	1%
6.1 survivor	Table	43 (75%)	0.733	$0.0524	$0.0398	14.5	81%
7.1 final, gpt-5.4	Text, ready at first assessment	12 (21%)	1.000	$0.1146	$0.0635	13.9	7%
7.1 final, gpt-5.4	Text, escalated	3 (5%)	1.000	$0.3339	$0.2437	23.9	5%
7.1 final, gpt-5.4	Table	42 (74%)	0.845	$0.4126	$0.3185	27.8	88%
7.1 router by question type	Text, ready at first assessment	4 (21%)	1.000	$0.0338	$0.0332	8.9	2%
7.1 router by question type	Text, escalated	1 (5%)	0.000	$0.1000	$0.1000	11.3	2%
7.1 router by question type	Table	14 (74%)	0.821	$0.3916	$0.3160	26.5	96%
7.1 Router B (assessor + answer)	Text, ready at first assessment	16 (28%)	0.906	$0.0360	$0.0178	9.1	6%
7.1 Router B (assessor + answer)	Table	41 (72%)	0.854	$0.2257	$0.1722	26.1	94%
7.1 answer check 0.5 + large to gpt-5.4	Text, ready at first assessment	4 (21%)	1.000	$0.0980	$0.0235	11.1	16%
7.1 answer check 0.5 + large to gpt-5.4	Text, escalated	1 (5%)	1.000	$0.3310	$0.1949	25.0	14%
7.1 answer check 0.5 + large to gpt-5.4	Table	14 (74%)	0.786	$0.1214	$0.0901	26.0	70%

Configuration	Path	Question-runs (share)	Quality	List $/q	Billed $/q	Seconds/q	Share of list spend
7.1 Router B + answer check 0.5	Text, ready at first assessment	13 (23%)	1.000	$0.0912	$0.0227	10.8	9%
7.1 Router B + answer check 0.5	Text, escalated	3 (5%)	1.000	$0.3283	$0.1924	22.5	8%
7.1 Router B + answer check 0.5	Table	41 (72%)	0.720	$0.2613	$0.2010	31.6	83%

5. Tail and waste




Configuration	List p50	List p90	List max	Max / mean	Seconds p50	Seconds p90	Seconds max	Spend on fails	Spend on partials	List $ per pass
7.1 final	$0.0343	$0.0902	$0.2360	4.7x	12.6	21.2	30.8	23%	14%	$0.0773
6.1 survivor	$0.0333	$0.0813	$0.3144	6.5x	11.8	20.1	30.5	13%	34%	$0.0692
7.1 final, gpt-5.4	$0.1128	$0.5370	$3.4416	10.0x	23.4	43.3	52.1	25%	38%	$0.4021
7.1 router by question type	$0.0927	$0.4252	$3.4103	11.3x	19.4	39.6	46.0	10%	60%	$0.3811
7.1 Router B (assessor + answer)	$0.0750	$0.3352	$1.3563	7.9x	21.1	39.6	49.6	19%	35%	$0.2092
7.1 answer check 0.5 + large to gpt-5.4	$0.0569	$0.3380	$0.6678	5.2x	15.7	57.0	79.1	31%	0%	$0.1514
7.1 Router B + answer check 0.5	$0.0909	$0.3820	$3.5301	15.6x	16.6	59.2	77.0	6%	63%	$0.3221

Most expensive question-runs:

Configuration	Run	Question	Path	Verdict	List $	Seconds	Calls
7.1 Router B + answer check 0.5	vigilant_page	GT09	Table	partial	$3.5301	49.8	17
7.1 final, gpt-5.4	adoring_hopper	GT09	Table	partial	$3.4416	42.0	12
7.1 final, gpt-5.4	pedantic_neumann	GT09	Table	partial	$3.4274	39.5	11
7.1 final, gpt-5.4	hardcore_turing	GT09	Table	fail	$3.4223	39.4	11
7.1 router by question type	wizardly_yao	GT09	Table	partial	$3.4103	35.9	11

Configuration	Run	Question	Path	Verdict	List $	Seconds	Calls
7.1 Router B (assessor + answer)	reverent_diffie	GT09	Table	partial	$1.3563	38.1	11
7.1 Router B + answer check 0.5	reverent_bezos	GT09	Table	partial	$1.2535	50.6	18
7.1 Router B (assessor + answer)	focused_huffman	GT09	Table	partial	$1.0553	32.4	10
7.1 Router B (assessor + answer)	suspicious_liskov	GT09	Table	partial	$0.7671	30.8	10
7.1 Router B + answer check 0.5	brave_liskov	GT03	Table	partial	$0.7157	63.6	23

6. Comparability: run order, caching, and provider speed



Run (order)	Results CSV	Finished	Quality	List $/q	Billed $/q	Billed / list	Cached	Seconds per q	Decomp. s/call	TOC s/call	Assessor s/call	Planner s/call	Answer s/call
1. 6.1 survivor	eager_torvalds	2026-10-04 01:41	0.737	$0.0402	$0.0368	0.92	11%	11.3	0.96	1.80	1.58	0.93	1.30
2. 7.1 final	admiring_diffie	2026-10-04 01:45	0.658	$0.0507	$0.0432	0.85	19%	11.8	0.93	1.80	1.64	0.92	1.46
3. 6.1 survivor	hardcore_page	2026-10-04 01:50	0.816	$0.0570	$0.0372	0.65	43%	13.3	1.00	1.76	1.82	0.94	1.32
4. 7.1 final	eloquent_hoare	2026-10-04 01:55	0.711	$0.0459	$0.0286	0.62	48%	14.0	1.01	2.13	1.91	0.98	1.52
5. 6.1 survivor	confident_stallman	2026-10-04 02:00	0.816	$0.0485	$0.0310	0.64	45%	14.7	1.05	2.41	2.13	1.09	1.64
6. 7.1 final	confident_zuckerberg	2026-10-04 02:06	0.763	$0.0539	$0.0325	0.60	49%	15.6	1.14	2.52	2.08	1.10	1.63
7. 7.1 final, gpt-5.4	adoring_hopper	2026-10-04 10:12	0.868	$0.3387	$0.2787	0.82	20%	24.2	1.80	4.42	4.38	1.34	2.35
8. 7.1 router by question type	wizardly_yao	2026-10-04 13:03	0.816	$0.3009	$0.2451	0.81	18%	22.0	1.00	1.76	4.87	1.34	2.15
9. 7.1 Router B (assessor + answer)	suspicious_liskov	2026-10-04 13:11	0.868	$0.1417	$0.1013	0.72	42%	20.8	1.03	2.24	4.06	0.97	2.15

Run (order)	Results CSV	Finished	Quality	List $/q	Billed $/q	Billed / list	Cached	Seconds per q	Decomp. s/call	TOC s/call	Assessor s/call	Planner s/call	Answer s/call
10. 7.1 answer check 0.5 + large to gpt-5.4	gifted_yao	2026-10-04 13:31	0.842	$0.1275	$0.0816	0.64	43%	22.8	1.13	2.33	2.53	1.07	1.63
11. 7.1 Router B + answer check 0.5	reverent_bezos	2026-10-04 14:40	0.842	$0.2150	$0.1550	0.72	31%	28.1	1.18	2.08	2.69	1.02	2.29
12. 7.1 Router B (assessor + answer)	reverent_diffie	2026-10-04 14:47	0.868	$0.1924	$0.1506	0.78	26%	22.0	1.13	2.51	4.69	1.01	2.57
13. 7.1 Router B + answer check 0.5	brave_liskov	2026-10-04 14:56	0.789	$0.1485	$0.0995	0.67	40%	25.7	1.04	2.23	2.87	1.06	2.14
14. 7.1 Router B (assessor + answer)	focused_huffman	2026-10-04 15:04	0.868	$0.1834	$0.1346	0.73	40%	21.2	1.10	2.40	3.91	1.03	2.19
15. 7.1 Router B + answer check 0.5	vigilant_page	2026-10-04 15:12	0.763	$0.3145	$0.2253	0.72	35%	25.3	1.03	2.11	2.75	1.04	1.96
16. 7.1 final, gpt-5.4	pedantic_neumann	2026-10-04 15:21	0.947	$0.3468	$0.2558	0.74	33%	24.6	1.89	3.55	4.47	1.33	2.36
17. 7.1 final, gpt-5.4	hardcore_turing	2026-10-04 15:30	0.842	$0.3516	$0.2481	0.71	38%	25.4	1.83	3.66	4.42	1.35	2.48

Run times from: run_manifest.csv.

Warnings

- Single run: 7.1 router by question type, 7.1 answer check 0.5 + large to gpt-5.4. One run cannot show a difference smaller than the run-to-run spread of a repeated configuration.

- 6.1 survivor: list cost per question ranges from $0.0402 to $0.0570 across its own runs (42% apart).

- 7.1 Router B (assessor + answer): list cost per question ranges from $0.1417 to $0.1924 across its own runs (36% apart).

- 7.1 Router B + answer check 0.5: list cost per question ranges from $0.1485 to $0.3145 across its own runs (112% apart).

- Cached share ranges from 11% to 49% across runs (it grows with repeats of the same questions). Billed cost depends on run order; compare list cost.

- The decomposer's median call took 0.93-1.89 s across runs (103% apart). Its prompt is the same in every configuration, so time differences of this size are the provider's speed, not the system.

7. Safeguard markers

Configuration	Question-runs	Evidence notice	Noticed: pass / partial / fail	Grounding checked	Flagged	Flagged: pass / partial / fail	Check passed, judge failed	Input sanitized
7.1 final	57	17 (30%)	11/4/2	57	10 (18%)	8/1/1	12	0
6.1 survivor	57	17 (30%)	12/4/1	not checked	-	-	-	0
7.1 final, gpt-5.4	57	18 (32%)	12/3/3	57	6 (11%)	4/2/0	5	0
7.1 router by question type	19	6 (32%)	5/1/0	19	5 (26%)	3/1/1	2	0
7.1 Router B (assessor + answer)	57	28 (49%)	21/4/3	57	8 (14%)	4/2/2	3	0
7.1 answer check 0.5 + large to gpt-5.4	19	7 (37%)	6/0/1	19	3 (16%)	2/0/1	2	0
7.1 Router B + answer check 0.5	57	22 (39%)	12/9/1	57	10 (18%)	4/5/1	5	0

A flagged answer the judge passed is a false alarm the user still sees (policy 'surface' labels it). 'Check passed, judge failed' counts wrong answers the deterministic check cannot see.


Spans the grounding check could not find in the evidence:

Span	Kind	Times	Judge: pass / partial / fail	Configurations
Russian Empire	name	13	13/0/0	7.1 Router B (assessor + answer); 7.1 Router B + answer check 0.5; 7.1 answer check 0.5 + large to gpt-5.4; 7.1 final; 7.1 final, gpt-5.4; 7.1 router by question type
Russia-related Olympic	name	3	3/0/0	7.1 final
Spanish armies, led by Fernando Álvarez de Toledo, 3rd Duke of Alba, defending the claim of King Philip II of Spain to the Portuguese throne, defeat the armies of Portuguese claimant António, Prior of Crato	quotation	3	3/0/0	7.1 Router B (assessor + answer); 7.1 final; 7.1 router by question type
every person who was nominated at all three ceremonies	quotation	3	0/1/2	7.1 Router B (assessor + answer); 7.1 Router B + answer check 0.5; 7.1 answer check 0.5 + large to gpt-5.4
Winter Olympic Games Sport	name	2	2/0/0	7.1 final
could not be found or computed	quotation	2	0/2/0	7.1 Router B + answer check 0.5; 7.1 router by question type
could not complete	quotation	2	0/2/0	7.1 Router B + answer check 0.5
from 1976 onward	quotation	2	2/0/0	7.1 Router B + answer check 0.5; 7.1 final, gpt-5.4
A computed intersection of nominee persons across all three ceremonies is still missing/unfinished	quotation	1	0/0/1	7.1 Router B + answer check 0.5
Barack Obama.html	name	1	0/0/1	7.1 router by question type
Bill Clinton-Joe Biden	name	1	0/0/1	7.1 Router B (assessor + answer)
Bill Clinton-Joe Biden	quotation	1	0/0/1	7.1 Router B (assessor + answer)
Bill Clinton.html	name	1	0/0/1	7.1 router by question type

Span	Kind	Times	Judge: pass / partial / fail	Configurations
Estimates vary from 316,000 Haitian government to 222,570 UN OCHA estimate to 158,000 Medicine, Conflict and Survival to between 46,000 and 85,000 report commissioned by USAID	quotation	1	1/0/0	7.1 Router B + answer check 0.5
For each person nominated at all three ceremonies, at least one nominated work from each ceremony has not been deterministically extracted	quotation	1	0/0/1	7.1 Router B + answer check 0.5
INCOMPLETE table computation: it did not produce a usable result	quotation	1	0/0/1	7.1 Router B + answer check 0.5
If I Didnt Have You from Monsters, Inc.	name	1	0/0/1	7.1 Router B + answer check 0.5
My Heart Will Go On from Titanic	name	1	0/0/1	7.1 Router B + answer check 0.5
Summer Olympic Games Sport	name	1	0/0/1	7.1 final
To Barack Obama	name	1	0/1/0	7.1 final
To Bill Clinton	name	1	0/1/0	7.1 final
Whether each such person won at any of the three ceremonies ... has not been deterministically computed after identifying the intersection set	quotation	1	0/0/1	7.1 Router B + answer check 0.5
a computed cross-ceremony intersection of all nominated people across the 68th, 70th, and 74th Academy Awards is not supplied	quotation	1	0/1/0	7.1 final, gpt-5.4
a computed cross-country comparison/correlation between 2023 population size and 2010-2015 life expectancy is still missing	quotation	1	0/1/0	7.1 Router B (assessor + answer)
a final combined computation across all relevant tables that normalizes actor names and identifies which actor or actors have the highest number of wins from 2000 through 2020 inclusive is not supplied	quotation	1	1/0/0	7.1 router by question type
a supported conclusion about whether the relationship is meaningfully correlated cannot be made	quotation	1	0/1/0	7.1 final, gpt-5.4
correlation statistic	quotation	1	0/1/0	7.1 Router B (assessor + answer)
did not produce a usable result	quotation	1	1/0/0	7.1 answer check 0.5 + large to gpt-5.4
has not been computed or explicitly listed	quotation	1	0/1/0	7.1 Router B + answer check 0.5
identify every person who was nominated at all three ceremonies	quotation	1	0/0/1	7.1 Router B + answer check 0.5
is not explicitly provided by the supplied evidence	quotation	1	0/1/0	7.1 Router B + answer check 0.5
supported assessment	quotation	1	0/1/0	7.1 Router B (assessor + answer)

8. Routing

Cheap: 7.1 final. Strong: 7.1 final, gpt-5.4. Text categories for the category policy: Direct fact; Direct fact and quotation; Process explanation; Inference limitation; Diagnostic reasoning and limitations; People connection: intermediary person; People connection: shared work and roles.



Policy	Rule	Quality	List $/q	Seconds/q	Sent to strong	Paid twice	Saving vs all strong
1. All cheap	every question on the cheap configuration	0.711	$0.0502	13.8	0%	0%	85%
2. All strong	every question on the strong configuration	0.886	$0.3457	24.7	100%	0%	0%
3. Route on the cheap run's table flag	strong when the cheap run's TOC review flagged a table	0.842	$0.3140	23.0	74%	0%	9%
4. Route on the strong runs' table flag	strong when most strong runs flagged a table for the question	0.842	$0.3140	23.0	74%	0%	9%
5. Route on the question's category	strong unless the category is one of the text categories	0.842	$0.3249	23.5	79%	0%	6%
6. Escalate on the evidence notice	cheap first; rerun on strong when the evidence notice fired (both paid)	0.769	$0.1526	22.7	30%	30%	56%
7. Perfect router (hindsight)	strong only where the strong mean scores higher; the lower bound for any router	0.921	$0.1274	19.7	35%	0%	63%

Simulated on saved runs: a routed question takes the strong configuration's mean outcome, cost, and time for that question. A routed system is a different run, so the simulation predicts and a live run confirms.

Configuration	Route	Question-runs (share)	Quality	List $/q	Seconds/q
7.1 router by question type	cheap	5 (26%)	0.800	$0.0470	9.4
7.1 router by question type	strong	14 (74%)	0.821	$0.3916	26.5

Configuration	Route	Question-runs (share)	Quality	List $/q	Seconds/q
7.1 Router B (assessor + answer)	cheap	16 (28%)	0.906	$0.0360	9.1
7.1 Router B (assessor + answer)	strong	41 (72%)	0.854	$0.2257	26.1
7.1 answer check 0.5 + large to gpt-5.4	cheap	11 (58%)	0.818	$0.0354	13.6
7.1 answer check 0.5 + large to gpt-5.4	escalated	4 (21%)	0.750	$0.3309	55.9
7.1 answer check 0.5 + large to gpt-5.4	strong	4 (21%)	1.000	$0.1773	15.1
7.1 Router B + answer check 0.5	cheap	25 (44%)	0.820	$0.0253	12.0
7.1 Router B + answer check 0.5	escalated	20 (35%)	0.650	$0.5066	51.3
7.1 Router B + answer check 0.5	strong	12 (21%)	1.000	$0.1766	14.7