

Use Case 1.0 Manage Users

Use Case Name	Authentication
Use Case ID	UC1.1
Author	Ervyne Anthony V. Chan
Purpose	To verify user credentials and prevent unauthorized access.
Requirement Traceability	
Priority	High
Preconditions	1. The user must have a registered account.
Postconditions	1. The user is successfully logged into the system and granted access based on their role.
Actors	Encoder, Editor, Approver, Admin, Super Admin
Basic Flow	1. The user navigates to the login screen. 2. The user enters their username and password. 3. The system validates the credentials. 4. If valid, the system logs the user in and redirects to the dashboard. 5. The system displays a success message: "Login successful."
Alternate Flow	1. The user navigates to the login screen. 2. The user enters their username and password.

	3. The system validates the credentials. 4. If invalid, the system displays error message 5. The system returns you to the login page.
--	--

Use Case Name	Create User
Use Case ID	UC1.2
Author	Ervyne Anthony V. Chan
Purpose	To allow Admins or Super Admins to create users.
Requirement Traceability	
Priority	High
Preconditions	1. The user must be logged into the system. 2. The user must have either an “Admin” or “Super Admin” role.
Postconditions	1. The created user will be given a “User ID”
Actors	Admin, Super Admin
Basic Flow	1. The user navigates to the “User Management” section. 2. The user clicks the “Create User” button. 3. The system displays a form for user details. 4. The user fills in the required fields and submits the form. 5. The system validates the input and creates the user account.

	6. The system displays a success message: “User successfully created.”
Alternate Flow	1. The user navigates to the “User Management” section. 2. The user clicks the “Create User” button. 3. The system displays a form for user details. 4. The user fills in the required fields and submits the form. 5. The system validates the input. 6. The system detects that there is an existing user. 7. The system returns the user to fill up required fields.

Use Case Name	Edit User
Use Case ID	UC1.3
Author	Ervyne Anthony V. Chan
Purpose	To allow an Admin or Super Admin to edit an existing user’s details.
Requirement Traceability	
Priority	High
Preconditions	1. The user must be logged into the system. 2. The user must have either an “Admin” or “Super Admin” role.
Postconditions	
Actors	Admin, Super Admin

Basic Flow	1. The user navigates to the “User Management” section. 2. The user selects a user from the list. 3. The system displays the selected user’s details. 4. The user clicks the “Edit” button. 5. The system displays an editable form. 6. The user modifies the necessary fields and submits the form. 7. The system validates the input and updates the user record. 8. The system displays a success message: “User details successfully updated.”
Alternate Flow	1. The user navigates to the “User Management” section. 2. The user selects a user from the list. 3. The system displays the selected user’s details. 4. The user clicks the “Edit” button. 5. The system displays an editable form. 6. The user modifies the necessary fields and submits the form. 7. The system validates the input. (Invalid) 8. The system displays errors 9. The system returns you to edit the form for resubmission.

Use Case Name	Create User Role
Use Case ID	UC1.4
Author	Ervyne Anthony V. Chan

Purpose	To allow an Admin or Super Admin to create user roles with specific permissions.
Requirement Traceability	
Priority	High
Preconditions	1. The user must be logged into the system. 2. The user must have either an “Admin” or “Super Admin” role.
Postconditions	1. A new user role is created and stored in the database. 2. The role can be assigned to users.
Actors	Admin, Super Admin
Basic Flow	1. The user navigates to the “Role Management” section. 2. The user clicks the “Create Role” button. 3. The system displays a form for role details and permissions. 4. The user fills in the required fields and submits the form. 5. The system validates the input and creates the role. 6. The system displays a success message: “Role successfully created.”
Alternate Flow	1. The user navigates to the “Role Management” section. 2. The user clicks the “Create Role” button. 3. The system displays a form for role details and permissions. 4. The user fills in the required fields and submits the form.

	5. The system validates the input and creates the role. (Invalid) 6. The system displays errors and returns the user to answer form.
--	--

Use Case Name	Edit User Role
Use Case ID	UC1.5
Author	Ervyne Anthony V. Chan
Purpose	To allow an Admin or Super Admin to edit an existing user role and its permissions.
Requirement Traceability	
Priority	High
Preconditions	1. The user must be logged into the system. 2. The user must have either an “Admin” or “Super Admin” role.
Postconditions	1. The selected role is updated in the database. 2. Changes are reflected in the permissions of users assigned to that role.
Actors	Admin, Super Admin
Basic Flow	1. The user navigates to the “Role Management” section. 2. The user selects a role from the list. 3. The system displays the role’s details. 4. The user clicks the “Edit” button.

	- The system displays an editable form. - The user modifies the necessary fields and submits the form. - The system validates the input and updates the role. (Yes) - The system displays a success message: “Role successfully updated.”
Alternate Flow	- The user navigates to the “Role Management” section. - The user selects a role from the list. - The system displays the role’s details. - The user clicks the “Edit” button. - The system displays an editable form. - The user modifies the necessary fields and submits the form. - The system validates the input. (Invalid) - The system displays errors

Use Case Name	Assign User Role
Use Case ID	UC1.6
Author	Ervyne Anthony V. Chan
Purpose	To allow an Admin or Super Admin to assign users with a specific role.
Requirement Traceability	
Priority	High

Preconditions	1. The user must be logged into the system. 2. The user must have either an “Admin” or “Super Admin” role. 3. The target user must be registered in the system.
Postconditions	1. The selected role is assigned to the user. 2. The user’s access and permissions are updated accordingly.
Actors	Admin, Super Admin
Basic Flow	1. The user navigates to the “User Management” section. 2. The user selects a user from the list. 3. The system displays the user’s details. 4. The user clicks the “Assign Role” button. 5. The system displays a list of available roles. 6. The user selects a role and confirms the assignment. 7. The system validates the role assignment. (Valid) 8. The system updates the user’s role and displays a success message: “Role successfully assigned.”
Alternate Flow	1. The user navigates to the “User Management” section. 2. The user selects a user from the list. 3. The system displays the user’s details. 4. The user clicks the “Assign Role” button. 5. The system displays a list of available roles. 6. The user selects a role and confirms the assignment.

	7. The system validates the role assignment. (Invalid) 8. The system displays error message “Role cannot be given to user”
--	--

Use Case Name	Delete User
Use Case ID	UC1.7
Author	Ervyne Anthony V. Chan
Purpose	To allow Admins or Super Admins to delete users.
Requirement Traceability	
Priority	High
Preconditions	1. The user must be logged into the system. 2. The user must have either an “Admin” or “Super Admin” role.
Postconditions	1. The selected user account is deleted from the database. 2. The user can no longer log in or access the system.
Actors	Admin, Super Admin
Basic Flow	1. The user navigates to the “User Management” section. 2. The user selects a user from the list. 3. The system displays the user’s details. 4. The user clicks the “Delete” button.

	5. The system prompts confirmation: “Are you sure you want to delete this user?” 6. The user confirms the deletion. 7. The system deletes the user account from the database. 8. The system displays a success message: “User successfully deleted.”
Alternate Flow	1. The user navigates to the “User Management” section. 2. The user selects a user from the list. 3. The system displays the user’s details. 4. The user clicks the “Delete” button. 5. The system prompts confirmation: “Are you sure you want to delete this user?” 6. The user cancels the deletion. 7. The system returns the user to the user list.

Use Case 2.0 Manage Content

Use Case Name	Upload Content
Use Case ID	UC2.1
Author	Ervyne Anthony V. Chan
Purpose	To be able to upload content
Requirement Traceability	
Priority	High
Preconditions	1. The user must be logged into the system. 2. The user must have “Encoder” or “Editor” role.
Postconditions	1. The uploaded content will be given a “Content ID”. 2. The uploaded content will be given the status “For Final Editing”. 3. The uploaded content will be saved in the database.
Actors	Encoder, Editor
Basic Flow	1. The Encoder or Editor will click the “Upload Content” button. 2. The Encoder or Editor will select a file from their device. 3. The Encoder or Editor will click the “Upload” button. 4. The system will confirm the upload and output “Content Uploaded”. 5. The system will provide a “Content ID” to the uploaded content.

	6. The system will set the status of the uploaded content as “For Final Editing” 7. The system will save the uploaded content into the database.
Alternate Flow	1. The Encoder or Editor will click the “Upload Content” button. 2. The Encoder or Editor will select a file from their device. 3. The Encoder or Editor will click the “Upload” button. 4. The system will confirm that the upload has failed and will output “Content Failed to Upload”. 5. The system will request the user to upload another file.

Use Case Name	Edit Content
Use Case ID	UC2.2
Author	Ervyne Anthony V. Chan
Purpose	To be able to edit already uploaded content.
Requirement Traceability	
Priority	High
Preconditions	1. The user must be logged into the system. 2. The user must have “Editor” role.
Postconditions	1. The edited content will be given the status “For Approval”.
Actors	Editor

Basic Flow	1. The Editor will click the “Search” button. 2. The Editor will click the “Content ID” filter. 3. The Editor will input the “Content ID”. 4. The system will check if content is found. (Yes) 5. The system will output the specific uploaded content with the searched “Content ID”. 6. The Editor will conduct the needed changes on the already uploaded content. 7. The Editor will click the “Save Changes” button. 8. The system will set the status of the edited content as “For Approval”. 9. The system will save the edited content into the database.
Alternate Flow	1. The Editor will click the “Search” button. 2. The Editor will click the “Content ID” filter. 3. The Editor will input the “Content ID”. 4. The system will check if content is found. (No) 5. The system will display “Content not Found”

Use Case Name	Approve Content
Use Case ID	UC2.3
Author	Ervyne Anthony V. Chan
Purpose	To be able to approve content for publishing.

Requirement Traceability	
Priority	High
Preconditions	1. The user must be logged into the system. 2. The user must have the “Approver” role. 3. The content status should be “For Approval”.
Postconditions	1. The approved content will be given the status “For Publishing”
Actors	Approver
Basic Flow	1. The Approver will click the “Search” button. 2. The Approver will click the “For Approval” filter. 3. The Approver will input a “Content ID”. 4. The system will search for content with “For Approval” status. 5. The system has content with “For Approval” status. 6. The system will output the content list with “For Approval” status. 7. The Approver will choose from the list of content. 8. The system will output the chosen content. 9. The Approver will verify the content. 10. The Approver will click the “Approve” button. 11. The system will set the status of the approved content to "For Publishing”.

	12. The system will save the status update to the database.
Alternate Flow	1. The Approver will click the “Search” button. 2. The Approver will click the “For Approval” filter. 3. The Approver will input a “Content ID”. 4. The system will search for content with “For Approval” status. 5. The system has no content with “For Approval” status. 6. Display “No content available for Approval”
Alternate Flow	1. The Approver will click the “Search” button. 2. The Approver will click the “For Approval” filter. 3. The Approver will input a “Content ID”. 4. The system will search for content with “For Approval” status. 5. The system has content with “For Approval” status. 6. The system will output the content list with “For Approval” status. 7. The Approver will choose from the list of content. 8. The system will output the chosen content. 9. The Approver will verify the content. 10. The Approver will click the “Disapprove” button. 11. The system will set the status of the disapproved content to "For editing”. 12. The system will save the status update to the database.

Use Case Name	Publish Content
Use Case ID	UC2.4
Author	Ervyne Anthony V. Chan
Purpose	To be able to publish approved content.
Requirement Traceability	
Priority	High
Preconditions	1. The user must be logged into the system. 2. The user must have the “Approver” role. 3. The content to be published must have the “For Publishing” status.
Postconditions	1. The content published will be given the status “Published”. 2. The published content will be saved into the database where the mobile application can be accessed.
Actors	Approver
Basic Flow	1. The Approver clicks the “Search” button. 2. The Approver selects the “For Publishing” filter. 3. The system displays content items with the status “For Publishing”. 4. The Approver selects a content item from the list. 5. The system displays the selected content.

	6. The Approver reviews the content for final publishing. 7. The Approver clicks the “Publish” button. 8. The system updates the content status to “Published”. 9. The system saves the published content to the database. 10. The content becomes accessible to the mobile application.
Alternate Flow	1. The Approver clicks the “Search” button. 2. The Approver selects the “For Publishing” filter. 3. The system searches database for content with “For publishing” status. 4. The system has no content found 5. The system displays “None ready for publishing”

Use Case Name	Delete Content
Use Case ID	UC2.5
Author	Ervyne Anthony V. Chan
Purpose	To be able to delete content.
Requirement Traceability	
Priority	High
Preconditions	1. The user must be logged into the system. 2. The user must have either an “Admin” or “Super Admin” role.

Postconditions	1. The selected content will be deleted from the database. 2. The content will no longer be accessible via the CMS or mobile application.
Actors	Admin, Super Admin
Basic Flow	1. The user will click the “Delete Content” button. 2. The system will show the list of content within the database. 3. The user will select the specific content item. 4. The system will show the selected content. 5. The user will click the “Delete” button. 6. The system prompts confirmation “Are you sure you want to delete this content?”. 7. The user confirms the deletion. 8. The system deletes the content from the database. 9. The system displays a success message: “Content successfully deleted.”
Alternate Flow	1. The user will click the “Delete Content” button. 2. The system will show the list of content within the database. 3. The user will select the specific content item. 4. The system will show the selected content. 5. The user will click the “Delete” button.

	6. The system prompts confirmation “Are you sure you want to delete this content?”. 7. The user declines deletion. 8. The system cancels deletion. 9. The system returns the user to the content list.
--	--

Use Case 3.0 Manage Analytics Reports

Use Case Name	Generate Analytics Reports
Use Case ID	UC3.1
Author	Eryne Anthony V. Chan
Purpose	To allow Admin or Super Admin to generate analytics reports based on system data.
Requirement Traceability	
Priority	High
Preconditions	1. The user must be logged into the system. 2. The user must have either an “Admin” or “Super Admin” role.
Postconditions	1. A new analytics report is generated and stored in the system.
Actors	Admin, Super Admin
Basic Flow	1. The user navigates to the “Analytics Reports” section. 2. The system displays a list of analytics. 3. The user clicks the “Generate Report” button. 4. The system displays a form to select report metrics. 5. The user fills in the required fields and submits the form. 6. The system processes the data and generates the report.

	7. The system displays a success message: “Report successfully generated.”
Alternate Flow	1. The user navigates to the “Analytics Reports” section. 2. The system displays a list of analytics. 3. The user clicks the “Generate Report” button. 4. The system displays a form to select report metrics. 5. The user fills in the required fields and submits the form. 6. The system validates input. (Invalid) 7. The system rejects the form and asks the user to resubmit. 8. The system returns you to fill out the form.
Alternate Flow	1. The user navigates to the “Analytics Reports” section. 2. The system displays a list of analytics. 3. The user clicks the “Generate Report” button. 4. The system displays a form to select report metrics. 5. The user fills in the required fields and submits the form. 6. The system validates input. (Duplicate Report) 7. The system rejects the form and displays that the report exists already.

Use Case Name	View Analytics Reports
Use Case ID	UC3.2
Author	Eryne Anthony V. Chan
Purpose	To allow an Admin or Super Admin to view previously generated analytics reports.
Requirement Traceability	
Priority	High
Preconditions	1. The user must be logged into the system. 2. The user must have either an “Admin” or “Super Admin” role. 3. At least one report must be saved in the system.
Postconditions	1. The selected report is displayed on the screen.
Actors	Admin, Super Admin
Basic Flow	1. The user navigates to the “Analytics Reports” section. 2. The system checks if there are reports available. (Yes) 3. The system displays a list of available reports. 4. The user selects a report from the list. 5. The system displays the report's content.
Alternate Flow	1. The user navigates to the “Analytics Reports” section. 2. The system checks if there are reports available. (No) 3. The system displays “No reports have been made”.

	4. The system returns the user to the Analytics Reports section.
--	--

Use Case Name	Download Analytics Reports
Use Case ID	UC3.3
Author	Ervyne Anthony V. Chan
Purpose	To allow an Admin or Super Admin to download analytics reports for offline use or sharing.
Requirement Traceability	
Priority	High
Preconditions	1. The user must be logged into the system. 2. The user must have either an “Admin” or “Super Admin” role. 3. At least one report must exist in the system.
Postconditions	1. The selected report is downloaded to the user’s device.
Actors	Admin, Super Admin
Basic Flow	1. The user navigates to the “Analytics Reports” section. 2. The system checks if there are reports available. (Yes) 3. The system displays a list of available reports. 4. The user selects a report 5. The system makes sure it's the correct report. (Yes) 6. The system prepares the report file.

	7. The system initiates the download and displays a success message: “Report successfully downloaded.”
Alternate Flow	1. The user navigates to the “Analytics Reports” section. 2. The system checks if there are reports available. (No) 3. The system displays “No reports have been made”. 4. The system returns the user to the Analytics Reports section.
Alternate Flow	1. The user navigates to the “Analytics Reports” section. 2. The system checks if there are reports available. (Yes) 3. The system displays a list of available reports. 4. The user selects a report 5. The system makes sure it's the correct report. (No) 6. The system returns the user to select a report.