

Impact Analysis (I/A Solution) - [NASA-10568] Cont. Migration data จาก TLPro มา TLSmart - [R2][S17]

Overview	งานนี้เป็นการ Migrate ข้อมูลจาก TLPro+ มาลงใน TLSmart table
Changes	API Functionality Area DB prospect Table prospect_address Table Screen
Microservice	
Linked Database Tables	{same as above}
Linked External APIs	{same as above}
Linked Internal APIs/Service	{same as above}
Document Owner	@[SA] Varunee.V [Neung]
Reference Document	BRD : Figma :
Status	 NASA-10568: Cont. Migration data จาก TLPro มา TLSmart OPEN

Legend

-  – New End point
-  – Enhance End point
-  – Deprecate End point

And Clarify What change...

Impact Analysis (I/A Solution)

Type	Number (Number	Detail	Remark

	of impact		
TLI - PO Back (EDS)	function)	N/A	
Integration Solution	N/A	Migration Integration Solution — NASA-10568 TLPro → TLSmart [Scope: Lead & Prospect only] <pre> graph TD Start(()) --> Step1[Step 1 : Trigger] Step1 --> Trigger[Trigger Migration Job] Trigger --> Step2[Step 2 : Query] Step2 --> Query[Query ข้อมูลจาก TLPro DB - เฉพาะ prospect ที่ consent PDPA แล้ว - ข้อมูลย้อนหลัง 3 ปี] Query --> Step3[Step 3 : Transform] Step3 --> Transform[Transform & Map fields ตาม Mapping Workbook (prospect, prospect_address)] Transform --> Step4[Step 4 : Insert] Step4 --> Duplicate{Duplicate?} Duplicate -- มีแล้ว --> Skip[Skip & Log] Duplicate -- ไม่มี --> Insert[INSERT ลง TLSmart Tables prospect prospect_address] Skip --> Merge(()) Insert --> Merge Merge --> Step5[Step 5 : Report] Step5 --> Report[สร้าง Migration Report] Report --> End(()) End --- Note[Out of Scope (after R2.2) - Quotation data - Application data] </pre>	
Infrastructure and DevOps	N/A	N/A	
Front-end (Mobile/ Tablet)	N/A	N/A	
Front-end (BOF)	N/A	N/A	
Back-end - Internal API	N/A	N/A	
Backend - Batch Scheduler	N/A	N/A	

Database	N/A	Source: TLPro DB — table <code>prospect</code> Filter condition: <code>consentstatus = 'Y'</code> (PDPA consented) <code>createdatetime >= NOW() - INTERVAL '3 years'</code> Target: TLSmart DB schema <code>asa_sale</code>	
SQL Script (Optional)	3	1. [Ex.]SELECT จาก TLPro (filter scope) a. <pre>1 SELECT * FROM prospect 2 WHERE consentstatus = 'Y' 3 4 AND status = p 5 AND createdatetime >= NOW() - INTERVAL '3 years';</pre> 2. [Ex.]INSERT ลง prospect (TLSmart) a. <pre>1 INSERT INTO asa_sale.prospect (id, agent_id, customer_type, consent_status, source, ...) 2 SELECT gen_random_uuid(), agentid, customertype, 'Y', 'TLPROPLUS', ... 3 FROM tlpro.prospect 4 WHERE consentstatus = 'Y' 5 AND createdatetime >= NOW() - INTERVAL '3 years' 6 ON CONFLICT DO NOTHING;</pre> 3. [Ex.]INSERT ลง prospect_address (TLSmart) a. <pre>1 INSERT INTO asa_sale.prospect_address (prospect_id, address_type, is_prefer_contact, address_no, ...) 2 SELECT <mapped_id>, customertype, TRUE, addressno, ... 3 FROM tlpro.prospect p 4 JOIN asa_sale.prospect ps ON ps.id = <mapped_id> 5 ON CONFLICT DO NOTHING;</pre> ตัว ExampleSQLScript ที่ใกล้เคียงอยู่ใน sheet สามารถ reference ได้	
Configuration Baseline	N/A	N/A	
Notification	N/A	N/A	

Event Code	N/A	N/A	
Static Content	N/A	N/A	
Other	N/A	[NASA_R2] Migration data & support existing case from TLPro.xlsx	
Test Scope	N/A	N/A	
Total Efforts	N/A	N/A	