

Step 1 : Coverage Information - [R2][S14]

Overview	To add coverage information.
Details	CHANGE Add icon i to step 1
Microservice	ms-sales
Linked Database Tables	life_planning Table life_planning_prospect Table
Linked External APIs	
Linked Internal APIs/Service	
Document Owner	
Reference Document	BRD: https://docs.google.com/document/d/1o9I28WvyaYvNhXlomPyJKRKx9x10dGhDHyfrnSZeEs/edit?pli=1&tab=t.0 Connect your Google Drive account Figma: https://www.figma.com/design/PMIJVNaosQBmQtbozuCzJg/-Working-File--Sprint-6-Life-Planing?node-id=122-125441&p=f&t=MNpuO6LiWb1Iawno-0 Can't find link
Status	NASA-8810: เช็คเงื่อนไขอายุความคุ้มครองเพิ่มใน Step 2 เป้าหมายเกษียณ COMPLETE


Table of Contents

Coverage Information

Noted:

Noted:

Coverage Information

Screen	Screen Fields	Referen ce Link	Field Name	Remark
	Onload	GET /ms-sale/s/v1/life-plannin g/{lifePla nningId}		
	Icon i			<u>Logic:</u> • If prospectAge <= 50 • Else if prospectAge between 51-65 ◦ X = prospectAge + 5 • Else prospectAge > 65 ปี,hide icon <pre>1 "examples": [2 "prospectAge": 51, 3 "X": "56" 4]</pre>
	ช่วงอายุ ความ คุ้มครอง (เริ่มต้น)	GET /ms-sale/s/v1/life-plannin g/{lifePla nningId}	data.ageStart	<u>Noted:</u> • Default value is the prospect's age and cannot be edited. • suffix = ปี • Min age = 0
	ช่วงอายุ ความ คุ้มครอง (สิ้นสุด)	GET /ms-sale/s/v1/life-plannin g/{lifePla nningId}	data.ageEnd	<u>Logic:</u> • Coverage (End) range: allows 1–99 years. • Minimum allowed is {minYears} years (Coverage Start Age + 2), show helper text: “กรุณาระบุต่ำสุด {ตามที่


ระบุในเงื่อนไข) ปี”

where {ตามที่ระบุในเงื่อนไข}


= Coverage Age

(Start) + 2 .

- If the value **exceeds 99**, show helper text: “การระบุสูงสุด 99 ปี”
- If **Data from** [GET /ms-sales/v1/life-planning/{lifePlanningId}](#) is Difference with new data



- **Confirm:** call API [PUT /ms-sales/v1/life-planning/{lifePlanningId}/reset](#) to reset server snapshots if applicable.
 - If error and error code = 550070




- **Accept (ต้องการ):** Call [POST /ms-sales/v1/life-planning](#) for create new life planning and call [PUT /ms-sales/v1/life-planning/{lifePlanning](#)


			Id} for update all data and new data in this step. Behavior - Onblur - Validate data - If error, show inline error.
ทุนประกันภัย	GET / ms-sale s/v1/life- plannin g/{lifePla nningId}	data.sumAssured	Logic: MinSA gets data from sum AssuredCalculation - Display Helper text for the minimum required amount, computed from the formula: minSA = max(minFloor, rate * premium) <pre> 1 [2 { "plan": "UWB", 3 "ageMin": 0, "ageMax": 49, 4 "rate": 8, "minFloor": 100000 }, 5 { "plan": "UWB", 6 "ageMin": 0, "ageMax": 49, 7 "rate": 8, "minFloor": 50000, "rider": ["HDD"] }, 8 { "plan": "UWB", 9 "ageMin": 50, "ageMax": 90, 10 "rate": 5, "minFloor": 100000 }, 11 { "plan": "UWB", 12 "ageMin": 50, "ageMax": 90, 13 "rate": 5, "minFloor": 50000, "rider": ["HDD"] }, 14 { "plan": "UWD", 15 "ageMin": 0, "ageMax": 49, 16 "rate": 8, "minFloor": 0 }, 17 { "plan": "UWD", 18 "ageMin": 50, "ageMax": 80, 19 "rate": 5, "minFloor": 0 } 20] </pre> Validation rule: If the entered amount is below the computed minimum, show: “กรณารับค่าสุด {ตามที่ระบุในเงื่อนไข} บาท”

where `{minAmount}` = the calculated minimum.

- If **Data from** `GET /ms-sales/v1/life-planning/{lifePlanningId}` is Difference with new data



- **Confirm:** call API `PUT /ms-sales/v1/life-planning/{lifePlanningId}/reset` to reset server snapshots if applicable.
- If error and error code = `550070`



- **Accept (ต้องการ):** Call `POST /ms-sales/v1/life-planning` for create new life planning and call `PUT /ms-sales/v1/life-planning/{lifePlanningId}` for update all data and new data in this step.

Behavior

- Onblur

			◦ Validate data ◦ If error, show inline error. Remark 1. sumAssured a. If input sumAssured < min sumAssured then auto change to min sumAssured. b. If input sumAssured > max sumAssured then auto change to max sumAssured. c. If input out of range step(base on config <code>product_duct_step_sumassure Table</code>) then round down (sample input 12,001 but possible value for next step is 12,100 then change to 12,000) 2. premium a. base on config(<code>product_ul_premium Table</code>) where paymentMode and default paymentMode = 1 (รายปี)
EM	GET /ms-sales/v1/life-planning/{lifePlanningId}	data.emRate	Noted: • Default ◦ empty (no value selected). ◦ If already data will default “ไม่ระบุ” • Options: start at 25%, increase in 25% steps, up to 400% • It's an Optional field.


			The action icon ⓘ shows a pop-up Extra Mortality (EM) × คือ อัตราภัยต่ำกว่ามาตรฐาน เนื่องจากสุขภาพ (ส่งผลกระทบต่อการประกันภัย และทุนประกันภัยสูงสุดที่สามารถซื้อได้)
	บันทึกข้อมูล		Noted: Action “DRAFT” Validate inputs (required fields, data types, ranges, cross-field rules). - If Data from ⓘ GET /ms-sale s/v1/life-planning/{lifePlanningId} is Difference with new data - If EM fields changed → Show pop-up ⓘ บันทึกรายการใหม่ มีการแก้ไขข้อมูลการคำนวณด้วยข้อมูลประวัติ ต้องการบันทึกเป็นรายการใหม่หรือไม่ ต้องการ ไม่ต้องการ Accept (ต้องการ): Call ⓘ POST /ms-sales/v1/life-planning for create new life planning and call ⓘ PUT /ms-sales/v1/life-planning/{lifePlanningId} for update below step data and new data in this step. Decline (ไม่ต้องการ): Call ⓘ PUT /ms-sales/v1/

life-planning/{lifePlanningId}


- Else. (Happy Case)
 - If have lifePlanningId, call `PUT /ms-sales/v1/life-planning/{lifePlanningId}`
 - Else (new case), call `POST /ms-sales/v1/life-planning`

Remark:

- Logic when call `PUT /ms-sales/v1/life-planning/{lifePlanningId}`
 - **Response**
 - Success



- Fail with error code = 550070 , Display modal




- **Confirm:** Call `POST /ms-sales/v1/life-planning`
- Fail with other error code, display common error

			If any error except specific error code, display common error.
	ถัดไป >		Noted: Action “SAVE” Validate inputs (required fields, data types, ranges, cross-field rules). - If Data from <code>GET /ms-sale/s/v1/life-planning/{lifePlanningId}</code> is Difference with new data - If EM fields changed → Show pop-up  บันทึกรายการใหม่ มีการแก้ไขข้อมูลการคำนวณตัวอย่างผลประโยชน์ ต้องการบันทึกเป็นรายการใหม่หรือไม่ ต้องการ ไม่ต้องการ ▪ Accept (ต้องการ): Call <code>POST /ms-sales/v1/life-planning</code> for create new life planning and call <code>PUT /ms-sales/v1/life-planning/{lifePlanningId}</code> for update below step data and new data in this step. ▪ Decline (ไม่ต้องการ): Call <code>PUT /ms-sales/v1/life-planning/{lifePlanningId}</code> • Else. (Happy Case)

- If have lifePlanningId, call `PUT /ms-sales/v1/life-planning/{lifePlanningId}`
- Else (new case), call `POST /ms-sales/v1/life-planning`

Remark:

- Logic when call `PUT /ms-sales/v1/life-planning/{lifePlanningId}`
 - **Response**
 - Success → Next tab.
 - Fail with error code = 550070 , Display modal



- **Confirm:** Call `POST /ms-sales/v1/life-planning`
 - Fail with other error code, display common error
- If any error except specific error code, display common error.