

GET /ms-after/v1/customer/landing - [R3][S20]

Overview	To get list of customer feature on landing page.
Changes	NEW
Microservice	
Linked Database Tables	N/A
Linked External APIs	
Linked Internal APIs/Service	POST /ms-members/v1/members/agent/get-permission
Document Owner	@[SA] Nuttinee K. (Baitong)
Status	NASA-12005: Check After Sales Service Status COMPLETE

▼ Table of Contents


- [Legend](#)
- [Sequence Diagram](#)
- [I/O Spec](#)
 - [Input](#)
 - [Request Header](#)
 - [Output \(Success\)](#)
 - [Output \(Fail\)](#)
 - [Mapping Data](#)
 - [Mapping when calling Internal](#)
 - [Mapping when calling Internal](#)
 - [Sample Request](#)
 - [Sample Response](#)
 - [Response Code](#)

▼ Legend

Legend

	No changes
	New
	Change
	To be confirmed
	Removed with strikethrough

Sequence Diagram



I/O Spec

Input

Request Header

Field Name	M/O/CM	Data Type (Length)	Description	List of Values	Remarks
Authorization	M	string	Authorization Bearer <access token>		
Accept-Language	M	string	Determines the language for the response	• EN • TH	• EN = English • TH = Thai

Output (Success)

Field Name	M / O/CM	Data Type (Length)	Description	List of Values	Location (Header/Body)	Mapping Type (Fixed Value/ Direct/ Logic)	Mapping APIs / Database Table	Mapping Field Name	Remarks
status	M	integer	Status Code of the response	• 1000 = "Success"	Body	Fixed Value			<u>Fixed Value:</u> status = 1000

data	M	object	Response data info	-	-	-	-	-	-
data.featureLists	M	Array object	List of features depend on UAM.						
data.featureLists.code	O	string	feature code.		Body	Direct	GET /ms -members/v1/menu/list-features	data.featureLists	
data.featureLists.permission[]	O	array string	permission of feature code.	- LVF AMI LY - RYP	Body	Direct	GET /ms -members/v1/menu/list-features	permissionList	

Output (Fail)

Field Name	M / O / C M	Data Type (Length)	Description	List of Values	Location (Header / Body)	Mapping Type (Fixed Value / Direct / Logic)	Mapping APIs / Database Table	Mapping Field Name	Remarks
status	M	integer	Status Code of the response	4000 = "Bu	Body	Logic			

menuNavigationCode	M	string	Menu code of menu navigation.	• HOME • SALES • EXPAND • LEARNING • CUSTOMER • MANAGE	Body	Fixed Value			<u>Fixed Value:</u> menuNavigationCode = "CUSTOMER"
--------------------	---	--------	-------------------------------	--	------	-------------	--	--	---

				N T • S U P P O R T				
--	--	--	--	---	--	--	--	--

Sample Request

Scenario	Example request
Request	Header<pre>1 { 2 "Authorization": "Bearer eyJhbGciOiJSUzI1NiIsInR5cCIgOiAiSldUIiwia2lkIiA6ICJTd" 3 "Accept-Language": "TH" 4 }</pre> Body<pre>1 N/A</pre>

Sample Response

Scenario	Example response
200 OK - Success	<pre>1 { 2 "status": 1000, 3 "data": { 4 "featureLists" : [5 { 6 "code" : "LVFAMILY", 7 "permission" : ["LVFAMILY_VIEW","LVFAMILY_CREATE","LVFAMILY_UPDATE","LVFAMILY_DELETE"] 8 }, 9 { 10 "code" : "RYP", 11 "permission" : ["RYP_VIEW","RYP_CREATE","RYP_UPDATE","RYP_DELETE"] 12 } 13] 14 } 15 }</pre>
200 OK - Success	<pre>1 { 2 "status": 1000, 3 "data": {</pre>

Not found feature.	<pre> 4 "featureLists" : [] 5 } 6 } </pre>
200 OK - Success - Validate request data - Required field is null or empty - Invalid possible value - Wrong data type	<pre> 1 { 2 "status": 4000, 3 "error": { 4 "code": 760002, 5 "message": "Invalid Request" 6 } 7 } </pre>
500 - Internal Server Error DB Generic Error	<pre> 1 { 2 "status": 5000, 3 "error": { 4 "code": 760003, 5 "message": "Unable to proceed" 6 } 7 } </pre>
401 - Fail - Authorization token is invalid - Authorization token not found	<pre> 1 { 2 "status": 4001, 3 "error": { 4 "code": 760000, 5 "message": "Unauthorized" 6 } 7 } </pre>

Response Code

[\[BE\] Common API Response Code](#)