

GET /ms-sales/v1/life-planning/{lifePlanningId} - [R2][S12]

|                          |                                                                                                                                                                                                                                                                         |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Overview                 | To get life planning info.                                                                                                                                                                                                                                              |
| Changes                  | <div>CHANGE</div> <ul style="list-style-type: none"><li>Add logic to validate permission</li></ul>                                                                                                                                                                      |
| Microservice             | <div>ms_sale</div>                                                                                                                                                                                                                                                      |
| Linked Database Tables   | <div>life_planning Table</div>                                                                                                                                                                                                                                          |
| Linked Internal APIs     | <div>POST /ms-members/v1/members/agent/get-permission</div>                                                                                                                                                                                                             |
| Linked Internal Services | <div><div>getCoverageInformation Service</div><div>getFinancialInformation Service</div><div>getRiderInformation Service</div><div>getPaymentPeriodInformation Service</div><div>getReturnRateInformation Service</div><div>getRecommendInformation Service</div></div> |
| Document Owner           | <div>KT</div> <div>@[SA] Patitta S. (Nungning)</div>                                                                                                                                                                                                                    |
| Status                   | <div><div>NASA-6853: set UAM ให้ ผอ. ใบอนุญาตฯหมดอายุเข้าใช้งาน</div><div>COMPLETE</div></div>                                                                                                                                                                          |


Table of Contents

- Legend
- Sequence Diagram
- I/O Spec
  - Input
    - Request Header
    - Request Path Param
    - Request Query Param
  - Output (Success)
  - Output (Fail)


- Mapping Data
  - Mapping when calling Internal life\_planning Table
  - Mapping when calling Internal getProspectInformation Service
  - Mapping when calling Internal getCoverageInformation Service
  - Mapping when calling Internal getFinancialInformation Service
  - Mapping when calling Internal getRiderInformation Service
  - Mapping when calling Internal getPaymentPeriodInformation Service
  - Mapping when calling Internal getReturnRateInformation Service
  - Mapping when calling Internal getRecommendInformation Service
- Sample Request
- Sample Response
- Response Code


▼ Legend

## Legend

|                                                                                     |                                       |
|-------------------------------------------------------------------------------------|---------------------------------------|
|    | No changes                            |
|    | New                                   |
|    | Change                                |
|   | To be confirmed                       |
|  | Removed with <del>strikethrough</del> |

## Sequence Diagram





## I/O Spec

### Input

#### Request Header

| Field Name      | M/O/CM | Data Type (Lenght) | Description                         | List of Values                                                   | Remarks                                                                           |
|-----------------|--------|--------------------|-------------------------------------|------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| Authorization   | M      | string             | Authorization Bearer <access token> |                                                                  | Keycloak's access token                                                           |
| Accept-Language | M      | string             | Determines the language for the     | <ul style="list-style-type: none"> <li>EN</li> <li>TH</li> </ul> | <ul style="list-style-type: none"> <li>EN = English</li> <li>TH = Thai</li> </ul> |

|  |  |  |          |  |  |
|--|--|--|----------|--|--|
|  |  |  | response |  |  |
|--|--|--|----------|--|--|

Request Path Param

| Field Name     | M/O/CM | Data Type (Length) | Description      | List of Values | Remarks |
|----------------|--------|--------------------|------------------|----------------|---------|
| lifePlanningId | M      | int                | life Planning Id |                |         |

Request Query Param

| Field Name | M/O/CM | Data Type (Length) | Description               | List of Values                                                                                                                                                                                                                       | Remarks |
|------------|--------|--------------------|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| field      | O      | array of string    | Field that willing to get | <ul style="list-style-type: none"> <li>• <b>{null} = get all values</b></li> <li>• prospect</li> <li>• coverage</li> <li>• financial</li> <li>• rider</li> <li>• paymentPeriod</li> <li>• returnRate</li> <li>• recommend</li> </ul> |         |

Output (Success)

| Field Name | M / O | Data Type | Description | List of | Location | Mapping Type | Mapping APIs / | Mapping Field Name | Remarks |
|------------|-------|-----------|-------------|---------|----------|--------------|----------------|--------------------|---------|
|------------|-------|-----------|-------------|---------|----------|--------------|----------------|--------------------|---------|

|                       | / C M | pe (Length) |                             | Values             | (Header/Body) | (Fixed Value/ Direct/ Logic) | Database Table                      |               |                                      |
|-----------------------|-------|-------------|-----------------------------|--------------------|---------------|------------------------------|-------------------------------------|---------------|--------------------------------------|
| status                | M     | integer     | Status Code of the response | • 1000 = "Success" | Body          | Fixed Value                  |                                     |               | <b>Fixed Value:</b><br>status = 1000 |
| data                  | M     | object      | Response data info          |                    | Body          | Logic                        |                                     |               |                                      |
| data.life Planning Id | M     | int         | Life plannig ID             |                    | Body          | Direct                       |                                     |               |                                      |
| data.quotationId      | M     | uuid        | quotation ID                |                    | Body          | Direct                       | <a href="#">life_planning Table</a> | quotati on_id |                                      |
| data.productType      | M     | string      | product Type                |                    | Body          | Direct                       | <a href="#">life_planning Table</a> | product _type |                                      |
| data.planType         | M     | string      | plan Type                   |                    | Body          | Direct                       | <a href="#">life_planning Table</a> | plan_ty pe    |                                      |
| data.planCode         | M     | string      | plan Code                   |                    | Body          | Direct                       | <a href="#">life_planning Table</a> | plan_co de    |                                      |

|                |   |        |                                    |  |      |        |                                                |           |                                                                                                                                                                                                                                                                                                                |
|----------------|---|--------|------------------------------------|--|------|--------|------------------------------------------------|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| data.planName  | M | string | plan Name                          |  | Body | Direct | <a href="#">life_planning Table</a>            | plan_name |                                                                                                                                                                                                                                                                                                                |
| data.status    | M | object | Status that stages each step in UI |  | Body | Direct | <a href="#">life_planning Table</a>            | meta_data | <p>Example Response:</p> <pre> 1 { 2   "status": { 3     "coverage": 4       false, 5     "financial": 6       false, 7     "rider": 8       false, 9     "paymentPeriod": 10      false, 11    "returnRate": 12      false, 13    "recommend": 14      false, 15    "summary": 16      false 17  } 18 }</pre> |
| data.prospect  | M | object | Response prospect info             |  | Body | Direct | <a href="#">getProspectInformation Service</a> | data      | <p>Reference Response Structure to:</p> <p><a href="#">getProspectInformation Service</a></p> <pre> 1 { 2   "prospect": 3     &lt;&lt;internal service&gt;&gt; 4 }</pre>                                                                                                                                       |
| data.coverage  | O | object | Response coverage info             |  | Body | Direct | <a href="#">getCoverageInformation Service</a> | data      | <p>Reference Response Structure to:</p> <p><a href="#">getCoverageInformation Service</a></p> <pre> 1 { 2   "coverage": 3     &lt;&lt;internal service&gt;&gt; 4 }</pre>                                                                                                                                       |
| data.financial | O | object | Response financial info            |  | Body | Direct | <a href="#">getFinancialInformation</a>        | data      | <p>Reference Response Structure to:</p> <p><a href="#">getFinancialInformation Service</a></p>                                                                                                                                                                                                                 |

|                    |   |        |                              |  |      |        |                                    |      |                                                                                                                                                                 |
|--------------------|---|--------|------------------------------|--|------|--------|------------------------------------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                    |   |        |                              |  |      |        | ation S<br>ervice                  |      | <pre> 1 { 2   "financial":   &lt;&lt;internal   service&gt;&gt; 3 }</pre>                                                                                       |
| data.rider         | O | object | Response rider info          |  | Body | Direct | getRiderInformationService         | data | <p>Reference Response Structure to:</p> <p>getRiderInformationService</p> <pre> 1 { 2   "rider":   &lt;&lt;internal   service&gt;&gt; 3 }</pre>                 |
| data.paymentPeriod | O | object | Response Payment Period info |  | Body | Direct | getPaymentPeriodInformationService | data | <p>Reference Response Structure to:</p> <p>getPaymentPeriodInformationService</p> <pre> 1 { 2   "paymentPeriod":   &lt;&lt;internal   service&gt;&gt; 3 }</pre> |
| data.returnRate    | O | object | Response Return Rate info    |  | Body | Direct | getReturnRateInformationService    | data | <p>Reference Response Structure to:</p> <p>getReturnRateInformationService</p> <pre> 1 { 2   "returnRate":   &lt;&lt;internal   service&gt;&gt; 3 }</pre>       |
| data.recommend     | O | object | Response Recommend info      |  | Body | Direct | getRecommendationService           | data | <p>Reference Response Structure to:</p> <p>getRecommendationService</p> <pre> 1 { 2   "recommend":   &lt;&lt;internal   service&gt;&gt; 3 }</pre>               |



|                        |   |        |                     |  |      |       |                                                                                                                                                                           |                  |                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------|---|--------|---------------------|--|------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| data.permission        | M | object | Permission settings |  | Body | Logic |                                                                                                                                                                           |                  |                                                                                                                                                                                                                                                                                                                                                                                |
| data.permission.view   | M | true   | View permission     |  | Body | Logic | <div> <div>POS</div> <div>T /ms-</div> <div>member</div> <div>rs/v1/m</div> <div>ember</div> <div>s/agen</div> <div>t/get-p</div> <div>ermissi</div> <div>on</div> </div> | permissionList[] | Logic: <ul style="list-style-type: none"> <li>if               <ul style="list-style-type: none"> <li>"QUOTATION_VIEW" IN &lt;&lt;agentPermission.permissionList[]&gt;&gt;                   <ul style="list-style-type: none"> <li>set true</li> </ul> </li> <li>else                   <ul style="list-style-type: none"> <li>set false</li> </ul> </li> </ul> </li> </ul>   |
| data.permission.create | M | true   | Create permission   |  | Body | Logic | <div> <div>POS</div> <div>T /ms-</div> <div>member</div> <div>rs/v1/m</div> <div>ember</div> <div>s/agen</div> <div>t/get-p</div> <div>ermissi</div> <div>on</div> </div> | permissionList[] | Logic: <ul style="list-style-type: none"> <li>if               <ul style="list-style-type: none"> <li>"QUOTATION_CREATE" IN &lt;&lt;agentPermission.permissionList[]&gt;&gt;                   <ul style="list-style-type: none"> <li>set true</li> </ul> </li> <li>else                   <ul style="list-style-type: none"> <li>set false</li> </ul> </li> </ul> </li> </ul> |
| data.permission.update | M | true   | Update permission   |  | Body | Logic | <div> <div>POS</div> <div>T /ms-</div> <div>member</div> <div>rs/v1/m</div> <div>ember</div> <div>s/agen</div> <div>t/get-p</div> <div>ermissi</div> <div>on</div> </div> | permissionList[] | Logic: <ul style="list-style-type: none"> <li>if               <ul style="list-style-type: none"> <li>"QUOTATION_UPDATE" IN &lt;&lt;agentPermission.permissionList[]&gt;&gt;                   <ul style="list-style-type: none"> <li>set true</li> </ul> </li> <li>else                   <ul style="list-style-type: none"> <li>set false</li> </ul> </li> </ul> </li> </ul> |
| data.permission.delete | M | true   | Delete permission   |  | Body | Logic | <div> <div>POS</div> <div>T /ms-</div> <div>member</div> <div>rs/v1/m</div> </div>                                                                                        | permissionList[] | Logic: <ul style="list-style-type: none"> <li>if               <ul style="list-style-type: none"> <li>"QUOTATION_DELETE" IN</li> </ul> </li> </ul>                                                                                                                                                                                                                             |

|  |  |  |  |  |  |  |                                                                                        |  |                                                                                                                                                                                                  |
|--|--|--|--|--|--|--|----------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  | <div>ember</div> <div>s/agen</div> <div>t/get-p</div> <div>ermissi</div> <div>on</div> |  | <<agentPermission.<br>permissionList[]>> <ul style="list-style-type: none"> <li>◦ set true</li> <li>• else             <ul style="list-style-type: none"> <li>◦ set false</li> </ul> </li> </ul> |
|--|--|--|--|--|--|--|----------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Output (Fail)

| Field Name | M / O / C M | Data Type (Length) | Description                 | List of Values                                                                                              | Location (Header / Body) | Mapping Type (Fixed Value/ Direct/ Logic) | Mapping APIs / Database Table | Mapping Field Name | Remarks |
|------------|-------------|--------------------|-----------------------------|-------------------------------------------------------------------------------------------------------------|--------------------------|-------------------------------------------|-------------------------------|--------------------|---------|
| status     | M           | integer            | Status Code of the response | <ul style="list-style-type: none"> <li>• 4000 = “Business Logic Error”</li> <li>• 5000 = “System</li> </ul> | Body                     | Logic                                     |                               |                    |         |

|                   |   |                 |                       |            |          |           |  |  |  |
|-------------------|---|-----------------|-----------------------|------------|----------|-----------|--|--|--|
|                   |   |                 |                       | Err<br>or” |          |           |  |  |  |
| error             | M | obj<br>ect      | Contain<br>Error Info |            | Bod<br>y | Logi<br>c |  |  |  |
| error.cod<br>e    | M | Int<br>eg<br>er | Error<br>Code         |            | Bod<br>y | Logi<br>c |  |  |  |
| error.mes<br>sage | M | stri<br>ng      | Error<br>message      |            | Bod<br>y | Logi<br>c |  |  |  |

## Mapping Data

Mapping when calling Internal [life\\_planning Table](#)

| Mapping<br>Field Name | Mapping Type<br>(Fixed Value /<br>Direct / Logic) | Location<br>(Request.Heade<br>r/Request.Body) | Field Name     | Remarks                                                                                                                                             |
|-----------------------|---------------------------------------------------|-----------------------------------------------|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>SELECT</b>         |                                                   |                                               |                |                                                                                                                                                     |
| metadata              |                                                   |                                               |                |                                                                                                                                                     |
| quotation_id          |                                                   |                                               |                |                                                                                                                                                     |
| product_type          |                                                   |                                               |                |                                                                                                                                                     |
| plan_type             |                                                   |                                               |                |                                                                                                                                                     |
| plan_code             |                                                   |                                               |                |                                                                                                                                                     |
| plan_name             |                                                   |                                               |                |                                                                                                                                                     |
| <b>WHERE</b>          |                                                   |                                               |                |                                                                                                                                                     |
| lifePlanningId        | Direct                                            | Body                                          | lifePlanningId |                                                                                                                                                     |
| agent_id              | Logic                                             | Header                                        | Authorization  | <b><u>Logic:</u></b> <ul style="list-style-type: none"> <li>set &lt;Extract<br/>username from the<br/>Authorization<br/>access token&gt;</li> </ul> |

Mapping when calling Internal [getProspectInformation Service](#)

| Field Name      | M/O | Data Type (Length) | Description      | List of Values | Location (Header/Body) | Mapping Type (Fixed Value / Direct / Logic) | Mapping APIs / Database Table | Mapping Field Name | Remarks |
|-----------------|-----|--------------------|------------------|----------------|------------------------|---------------------------------------------|-------------------------------|--------------------|---------|
| <b>Request</b>  |     |                    |                  |                |                        |                                             |                               |                    |         |
| lifePlanning Id | M   | int                | Life Planning Id |                | Body                   | Direct                                      | Request.Param                 | lifePlanningId     |         |

Mapping when calling Internal [getCoverageInformation Service](#)

| Field Name      | M/O | Data Type (Length) | Description      | List of Values | Location (Header/Body) | Mapping Type (Fixed Value / Direct / Logic) | Mapping APIs / Database Table | Mapping Field Name | Remarks |
|-----------------|-----|--------------------|------------------|----------------|------------------------|---------------------------------------------|-------------------------------|--------------------|---------|
| <b>Request</b>  |     |                    |                  |                |                        |                                             |                               |                    |         |
| lifePlanning Id | M   | int                | Life Planning Id |                | Body                   | Direct                                      | Request.Param                 | lifePlanningId     |         |

Mapping when calling Internal [getFinancialInformation Service](#)

| Field Name | M/O | Data Type (Length) | Description | List of Values | Location (Header/Body) | Mapping Type (Fixed Value / | Mapping APIs / Database Table | Mapping Field Name | Remarks |
|------------|-----|--------------------|-------------|----------------|------------------------|-----------------------------|-------------------------------|--------------------|---------|
|------------|-----|--------------------|-------------|----------------|------------------------|-----------------------------|-------------------------------|--------------------|---------|

|                    |   |     |                        |  |      |          |                   |                    |  |
|--------------------|---|-----|------------------------|--|------|----------|-------------------|--------------------|--|
|                    |   | ngt |                        |  |      | Direct / |                   |                    |  |
| <b>Request</b>     |   |     |                        |  |      |          |                   |                    |  |
| lifePlanning<br>Id | M | int | Life<br>Planning<br>Id |  | Body | Direct   | Reques<br>t.Param | lifePlan<br>ningId |  |

Mapping when calling Internal [getRiderInformation Service](#)

| Field Name         | M/<br>O | Data<br>Type<br>(Length) | Description            | List of<br>Values | Location<br>(Header/Body) | Mapping<br>Type<br>(Fixed<br>Value /<br>Direct /<br>Logic) | Mapping<br>APIs /<br>Database<br>Table | Mapping<br>Field<br>Name | Remarks |
|--------------------|---------|--------------------------|------------------------|-------------------|---------------------------|------------------------------------------------------------|----------------------------------------|--------------------------|---------|
| <b>Request</b>     |         |                          |                        |                   |                           |                                                            |                                        |                          |         |
| lifePlanning<br>Id | M       | int                      | Life<br>Planning<br>Id |                   | Body                      | Direct                                                     | Reques<br>t.Param                      | lifePlan<br>ningId       |         |

Mapping when calling Internal [getPaymentPeriodInformation Service](#)

| Field Name         | M/<br>O | Data<br>Type<br>(Length) | Description            | List of<br>Values | Location<br>(Header/Body) | Mapping<br>Type<br>(Fixed<br>Value /<br>Direct /<br>Logic) | Mapping<br>APIs /<br>Database<br>Table | Mapping<br>Field<br>Name | Remarks |
|--------------------|---------|--------------------------|------------------------|-------------------|---------------------------|------------------------------------------------------------|----------------------------------------|--------------------------|---------|
| <b>Request</b>     |         |                          |                        |                   |                           |                                                            |                                        |                          |         |
| lifePlanning<br>Id | M       | int                      | Life<br>Planning<br>Id |                   | Body                      | Direct                                                     | Reques<br>t.Param                      | lifePlan<br>ningId       |         |

Mapping when calling Internal [getReturnRateInformation Service](#)

| Field Name      | M/O | Data Type (Length) | Description      | List of Values | Location (Header/Body) | Mapping Type (Fixed Value / Direct / Logic) | Mapping APIs / Database Table | Mapping Field Name | Remarks |
|-----------------|-----|--------------------|------------------|----------------|------------------------|---------------------------------------------|-------------------------------|--------------------|---------|
| <b>Request</b>  |     |                    |                  |                |                        |                                             |                               |                    |         |
| lifePlanning Id | M   | int                | Life Planning Id |                | Body                   | Direct                                      | Request.Param                 | lifePlanningId     |         |

Mapping when calling Internal [getRecommendInformation Service](#)

| Field Name      | M/O | Data Type (Length) | Description      | List of Values | Location (Header/Body) | Mapping Type (Fixed Value / Direct / Logic) | Mapping APIs / Database Table | Mapping Field Name | Remarks |
|-----------------|-----|--------------------|------------------|----------------|------------------------|---------------------------------------------|-------------------------------|--------------------|---------|
| <b>Request</b>  |     |                    |                  |                |                        |                                             |                               |                    |         |
| lifePlanning Id | M   | int                | Life Planning Id |                | Body                   | Direct                                      | Request.Param                 | lifePlanningId     |         |

 Please recheck request and response in **each internal service**, especially error codes

### Sample Request

| Scenario | Example request                 |
|----------|---------------------------------|
| Request  | <b>Header</b><br><pre>1 {</pre> |

```
2  "Authorization": "Bearer
   eyJhbGciOiJSUzI1NiIsInR5cCIgOiAiSldUIiwia2lkIiA6ICJTd..."
3  "Accept-Language": "TH"
4  }
```

### Body

```
1  /ms-sales/v1/life-planning/99
```

## Sample Response

| Scenario                                                                                                                                             | Example response                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 200 OK - Success                                                                                                                                     | <pre>1  { 2    "status": 1000, 3    "data": { 4      "lifePlanningId": 123456, 5      "quotationId": null 6      "productType": "UL", 7      "planType": "UL" 8      "planCode": "aaa", 9      "planName": "xxxx", 10     "status": { 11       "coverage": false, 12       "financial": false, 13       "rider": false, 14       "paymentPeriod": false, 15       "returnRate": false, 16       "recommend": false, 17       "summary": false 18     }, 19     "prospect": "&lt;&lt;internal service&gt;&gt;", 20     "coverage": "&lt;&lt;internal service&gt;&gt;", 21     "financial": "&lt;&lt;internal service&gt;&gt;", 22     "rider": "&lt;&lt;internal service&gt;&gt;", 23     "paymentPeriod": "&lt;&lt;internal service&gt;&gt;", 24     "returnRate": "&lt;&lt;internal service&gt;&gt;", 25     "recommend": "&lt;&lt;internal service&gt;&gt;", 26     "permission": { 27       "view": true, 28       "create": true, 29       "update": true, 30       "delete": true 31     } 32   } 33 }</pre> |
| 200 OK - Success<br><ul style="list-style-type: none"><li>Data not found<ul style="list-style-type: none"><li>Get data not found</li></ul></li></ul> | <pre>1  { 2    "status": 4000, 3    "error": { 4      "code": 550002, 5      "message": "Not found" 6    } 7  }</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

|                                                                                                                                                                                                                                                            |                                                                                                                         |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| <p><b>200 OK - Success</b></p> <ul style="list-style-type: none"> <li>• Validate request data <ul style="list-style-type: none"> <li>◦ Required field is null or empty</li> <li>◦ Invalid possible value</li> <li>◦ Wrong data type</li> </ul> </li> </ul> | <pre> 1 { 2   "status": 4000, 3   "error": { 4     "code": 550003, 5     "message": "Invalid Request" 6   } 7 }</pre>   |
| <p><b>500 - Internal Server Error</b></p> <ul style="list-style-type: none"> <li>• DB Generic Error</li> </ul>                                                                                                                                             | <pre> 1 { 2   "status": 5000, 3   "error": { 4     "code": 559999, 5     "message": "Unable to proceed" 6   } 7 }</pre> |
| <p><b>403 - Forbidden</b></p> <ul style="list-style-type: none"> <li>• Validate permission <ul style="list-style-type: none"> <li>◦ Not has permission to access</li> </ul> </li> </ul>                                                                    | <pre> 1 { 2   "status": 4003, 3   "error": { 4     "code": 550001, 5     "message": "Permission Denied" 6   } 7 }</pre> |
| <p><b>401 - Fail</b></p> <ul style="list-style-type: none"> <li>• Token is invalid</li> </ul>                                                                                                                                                              | <pre> 1 { 2   "status": 4001, 3   "error": { 4     "code": 550000, 5     "message": "Unauthorized" 6   } 7 }</pre>      |

## Response Code

 [\[BE\] Common API Response Code](#)