



TTB Spreader beam for Big-Bags

Capacity 1000 - 2000 kg


This four-point spreader beam in a fixed frame construction with weld-on hooks and safety latch is designed for lifting and transporting of Big-Bags.

Technical data TTB

Model	Art.-No.	Capacity kg	Working width Z mm	Weight kg
TTB 1,0/1090 - 1090	N53156300	1000	750 - 800	27
TTB 1,0/1320 - 1320	N53156301	1000	900 - 970	33
TTB 2,0/1090 - 1090	N53156302	2000	750 - 800	42
TTB 2,0/1320 - 1320	N53156303	2000	900 - 970	44



Dimensions TTB

Model	TTB 1,0/1090 - 1090	TTB 1,0/1320 - 1320	TTB 2,0/1090 - 1090	TTB 2,0/1320 - 1320
B, mm	210	210	240	240
C, mm	60	60	75	75
D, mm	110	110	135	135




DRAFT

Changed Date	Changed By	Approved By	Description	Revision



ID-Merke



Notes:

- 1 Standard: Maskin Direktiv 2006/42/EC
- 2 Sertifikat: Løfetsertifikat Form 4
- 3 Overflate behandling: Lakkert med farge RAL 1004
- 4 Møking av Produkt: FRAM CE + Prod År T63358251 BN xxxx WLL 2,5 Tonn
- 5 Prøve kraft: 59 kN
- 6 Vekt: 25 Kg

Fab. Tol. Welded	Fab. Tol. Machined	Broken edges	Welding	NDE Insp. cat	MPI Acpt	VT Acpt	Wire
NS-EN ISO 13920.B	NS-EN ISO 2768-1	Rmin = 2mm	NS-EN 15617-1	Norsk M101 sec 5, cat A	2327 Lev 1	NS-EN 3877 lev B	NS EN 13114-1

Date: 17.01.2026	Design / Drawing: GB	Tracet:	Scale:
Revision: 01	Heat Treatment:	Approved:	

Kryss åk for Storsekk
WLL 2.5 Tonn
Vare nr: T63458251

FRAM

Replacement for:

Replaced by:

Drawing nr:

634-58251




Reference:

Calculations:


Size: A3

Page 1 of 2

Changed Date	Changed By	Approved By	Description	Revision



SECTION A-A



Notes:					
1	Standard:	Maskin Direktiv 2006/42/EC			
2	Sertifikat:	Løftesertifikat Form 4			
3	Overflate behandling:	Lakkert med farge RAL 1004			
4	Merkning av Produkt:	FRAM CE + Prod År T63458262 EN xxxx WLL 2 Tonn			
5	Prøve kraft:	39 kN			
6	Vekt:	19 Kg			

Fab. Tol. Welded	Fab. Tol. Machined	Broken edges	Welding	NDE Insp. cat.	MPI Acpt.	VT Acpt.	Wire
NS-EN ISO 13920.B	NS-EN ISO 2768-1	Rmin = 2mm	NS-EN 15614-1	Norsk M001 sec 5, cat A	NS-EN ISO 23228 Lev 1	NS-EN 5817 lev B	NS EN 1314-1
Date: 17.01.2026	Design / Drawing: GB	Trace:	Scale:	FRAM			
Revision: 03	Heat Treatment: HG	Approved:	Replaced by:	634-58262			
Kryssak for storekk Lavtbyggende WLL 2 ton				Drawing nr:			
Item No: T63458262				Size: A3			
Reference:				Page 1 of 1			