


# TDT4205 Compiler Technology Problem Set 2


January 31, 2014

## Problem 1, Regular languages

a)



b)



c) Not quite sure if this is the expected answer, but if the program encounters a while loop without brackets as such:

```
while(condition)
    singleOperation();
```

, the program will remove all code until a '{' and a matching '}' are encountered. As a result, the code snippet

```
while(condition)
    singleOperation();
int a = 0;
int b = 1;
for(int i=0; i<10; ++i){
    oneOperation();
    anotherOperation();
}
++a;
++b;
```

will be trimmed down to

```
++a;
++b;
```

## Problem 2, Grammars

- An ambiguous grammar is a grammar for which there exists a string that can have more than one leftmost derivation.<sup>1</sup>
- The grammar is not ambiguous, as every string from the grammar can have only one leftmost derivation.

- c) A left recursive grammar is a grammar whose left-most symbol in any non-terminal production either immediately or through other non-terminal definitions rewrites to the same non-terminal production.<sup>2</sup>
- d) If i read the grammar correctly (Sp is a combination of the non-terminal S and a p), the grammar is left recursive.

## References

- [1] [http://en.wikipedia.org/wiki/Ambiguous\\_grammar](http://en.wikipedia.org/wiki/Ambiguous_grammar)
- [2] [http://en.wikipedia.org/wiki/Left\\_recursion](http://en.wikipedia.org/wiki/Left_recursion)