

CS101: Introduction to Programming

Table of Contents

Python: Hello World	4
Comments.....	4
Arithmetic Operations.....	4
Plus-Equals Operator +=	4
Variables.....	4
Modulo Operator %.....	5
Integers	5
String Concatenation.....	5
Errors	6
ZeroDivisionError	6
Strings.....	6
SyntaxError.....	6
NameError.....	7
Floating Point Numbers	7
print() Function.....	7
Python: Control Flow	7
elif Statement	7
or Operator.....	8
Equal Operator ==.....	8
Not Equals Operator !=	8
Comparison Operators.....	9
if Statement	9
else Statement.....	10
and Operator	10
Boolean Values.....	10
not Operator.....	11
SyntaxError.....	11
Python: Lists	11
Lists	11
Adding Lists Together	11
Python Lists: Data Types	11
List Method .append()	12
Zero-Indexing.....	12
List Indices	12
Negative List Indices.....	12
Modifying 2D Lists.....	12
Accessing 2D Lists.....	13
List Method .remove()	13

List Method .count()	13
Determining List Length with len()	13
List Method .sort().....	13
List Slicing	14
sorted() Function.....	14
List Method .insert().....	14
List Method .pop()	14
Python: Loops.....	15
break Keyword.....	15
Python List Comprehension	15
Python For Loop.....	15
The Python continue Keyword	16
Python Loops with range().....	16
Infinite Loop.....	16
Python while Loops	16
Python Nested Loops	17
Python: Functions	17
Function Parameters.....	17
Multiple Parameters	17
Functions.....	17
Function Indentation	18
Calling Functions.....	18
Function Arguments	18
Function Keyword Arguments.....	18
Returning Multiple Values	19
The Scope of Variables.....	19
Returning Value from Function.....	19
Global Variables	19
Parameters as Local Variables.....	20
Python On Your Own Computer.....	20
pwd Print Working Directory.....	20
mkdir Make Directory.....	20
ls List	20
cd Change Directory	21
Filesystem Structure	21
touch Create New File	21
The Command Line.....	21
Helper Commands.....	21
Basic Git Workflow	21
Checking the Status of a Git Repository	21
Initializing a Git Repository.....	21
Displaying Differences with Git Diff.....	22
Showing Git Commit Logs.....	22
Committing Your Code	22
Git.....	23
Adding Changes to the Staging Area	23
Git Project Workflow	23
Python: Strings.....	23

Strings.....	23
Escaping Characters.....	23
The in Syntax	23
Indexing and Slicing Strings	23
Iterate String.....	24
Built-in Function len()	24
String Concatenation.....	24
Immutable strings	24
IndexError.....	24
Python String .format().....	25
String Method .lower()	25
String Method .strip()	25
String Method .title()	25
String Method .split().....	25
Python string method .find()	26
String replace	26
String Method .upper()	26
String Method .join()	26
Python: Modules	26
Date and Time in Python	26
Aliasing with 'as' keyword.....	27
Import Python Modules	27
random.randint() and random.choice().....	27
Module importing.....	28
Python: Dictionaries	28
Accessing and writing data in a Python dictionary	28
Syntax of the Python dictionary.....	28
Merging dictionaries with the .update() method in Python.....	28
Dictionary value types	29
Python dictionaries	29
Dictionary Key-Value Methods	29
get() Method for Dictionary	29
The .pop() Method for Dictionaries in Python	30
Object Oriented Programming	30
Python repr method	30
Python class methods	30
Instantiate Python Class.....	30
Python Class Variables	30
Python init method.....	31
Python type() function.....	31
Python class.....	31
Python dir() function.....	31
__main__ in Python.....	32

Python: Hello World

Comments

A comment is a piece of text within a program that is not executed. It can be used to provide additional information to aid in understanding the code.

The # character is used to start a comment and it continues until the end of the line.

```
# Comment on a single line

user = "JDoe" # Comment after code
```

Arithmetic Operations

Python supports different types of arithmetic operations that can be performed on literal numbers, variables, or some combination. The primary arithmetic operators are:

- + for addition
- - for subtraction
- * for multiplication
- / for division
- % for modulus (returns the remainder)
- ** for exponentiation

```
# Arithmetic operations

result = 10 + 30
result = 40 - 10
result = 50 * 5
result = 16 / 4
result = 25 % 2
result = 5 ** 3
```

Plus-Equals Operator +=

The plus-equals operator += provides a convenient way to add a value to an existing variable and assign the new value back to the same variable. In the case where the variable and the value are strings, this operator performs string concatenation instead of addition.

The operation is performed in-place, meaning that any other variable which points to the variable being updated will also be updated.

```
# Plus-Equal Operator

counter = 0
counter += 10

# This is equivalent to

counter = 0
counter = counter + 10

# The operator will also perform string concatenation

message = "Part 1 of message "
message += "Part 2 of message"
```

Variables

A variable is used to store data that will be used by the program. This data can be a number, a string, a Boolean, a list or some other data type. Every variable has a name which can consist of letters, numbers, and the underscore character `_`.

The equal sign `=` is used to assign a value to a variable. After the initial assignment is made, the value of a variable can be updated to new values as needed.

```
# These are all valid variable names and assignment

user_name = "codey"
user_id = 100
verified = False

# A variable's value can be changed after assignment

points = 100
points = 120
```

Modulo Operator %

A modulo calculation returns the remainder of a division between the first and second number. For example:

- The result of the expression `4 % 2` would result in the value 0, because 4 is evenly divisible by 2 leaving no remainder.
- The result of the expression `7 % 3` would return 1, because 7 is not evenly divisible by 3, leaving a remainder of 1.

```
# Modulo operations

zero = 8 % 4

nonzero = 12 % 5
```

Integers

An integer is a number that can be written without a fractional part (no decimal). An integer can be a positive number, a negative number or the number 0 so long as there is no decimal portion.

The number `0` represents an integer value but the same number written as `0.0` would represent a floating point number.

```
# Example integer numbers

chairs = 4
tables = 1
broken_chairs = -2
sofas = 0

# Non-integer numbers

lights = 2.5
left_overs = 0.0
```

String Concatenation

Python supports the joining (concatenation) of strings together using the `+` operator. The `+` operator is also used for mathematical addition operations. If the parameters passed to the `+` operator are strings, then concatenation will be performed. If the

parameter passed to + have different types, then Python will report an error condition. Multiple variables or literal strings can be joined together using the + operator.

```
# String concatenation

first = "Hello "
second = "World"

result = first + second

long result = first + second + "!"
```

Errors

The Python interpreter will report errors present in your code. For most error cases, the interpreter will display the line of code where the error was detected and place a caret character ^ under the portion of the code where the error was detected.

```
if False ISNOTEQUAL True:
    ^
SyntaxError: invalid syntax
```

ZeroDivisionError

A ZeroDivisionError is reported by the Python interpreter when it detects a division operation is being performed and the denominator (bottom number) is 0. In mathematics, dividing a number by zero has no defined value, so Python treats this as an error condition and will report a ZeroDivisionError and display the line of code where the division occurred. This can also happen if a variable is used as the denominator and its value has been set to or changed to 0.

```
numerator = 100
denominator = 0
bad_results = numerator / denominator

ZeroDivisionError: division by zero
```

Strings

A string is a sequence of characters (letters, numbers, whitespace or punctuation) enclosed by quotation marks. It can be enclosed using either the double quotation mark " or the single quotation mark '.

If a string has to be broken into multiple lines, the backslash character \ can be used to indicate that the string continues on the next line.

```
user = "User Full Name"
game = 'Monopoly'

longer = "This string is broken up \
over multiple lines"
```

SyntaxError

A SyntaxError is reported by the Python interpreter when some portion of the code is incorrect. This can include misspelled keywords, missing or too many brackets or parenthesis, incorrect operators, missing or too many quotation marks, or other conditions.

```
age = 7 + 5 = 4

File "<stdin>", line 1
SyntaxError: can't assign to operator
```

NameError

A `NameError` is reported by the Python interpreter when it detects a variable that is unknown. This can occur when a variable is used before it has been assigned a value or if a variable name is spelled differently than the point at which it was defined. The Python interpreter will display the line of code where the `NameError` was detected and indicate which name it found that was not defined.

```
misspelled_variable_name
```

```
NameError: name 'misspelled variable name' is not defined
```

Floating Point Numbers

Python variables can be assigned different types of data. One supported data type is the floating point number. A floating point number is a value that contains a decimal portion. It can be used to represent numbers that have fractional quantities. For example, $a = 3/5$ can not be represented as an integer, so the variable `a` is assigned a floating point value of `0.6`.

```
# Floating point numbers
```

```
pi = 3.14159  
meal_cost = 12.99  
tip_percent = 0.20
```

`print()` Function

The `print()` function is used to output text, numbers, or other printable information to the console.

It takes one or more arguments and will output each of the arguments to the console separated by a space. If no arguments are provided, the `print()` function will output a blank line.

```
print("Hello World!")
```

```
print(100)
```

```
pi = 3.14159  
print(pi)
```

Python: Control Flow

`elif` Statement

The Python `elif` statement allows for continued checks to be performed after an initial `if` statement. An `elif` statement differs from the `else` statement because another expression is provided to be checked, just as with the initial `if` statement. If the expression is `True`, the indented code following the `elif` is executed. If the expression evaluates to `False`, the code can continue to an optional `else` statement. Multiple `elif` statements can be used following an initial `if` to perform a series of

checks. Once an `elif` expression evaluates to `True`, no further `elif` statements are executed.

```
# elif Statement

pet_type = "fish"

if pet_type == "dog":
    print("You have a dog.")
elif pet_type == "cat":
    print("You have a cat.")
elif pet_type == "fish":
    # this is performed
    print("You have a fish")
else:
    print("Not sure!")
```

or Operator

The Python `or` operator combines two Boolean expressions and evaluates to `True` if at least one of the expressions returns `True`. Otherwise, if both expressions are `False`, then the entire expression evaluates to `False`.

```
True or True      # Evaluates to True
True or False     # Evaluates to True
False or False    # Evaluates to False
1 < 2 or 3 < 1    # Evaluates to True
3 < 1 or 1 > 6    # Evaluates to False
1 == 1 or 1 < 2   # Evaluates to True
```

Equal Operator ==

The equal operator, `==`, is used to compare two values, variables or expressions to determine if they are the same.

If the values being compared are the same, the operator returns `True`, otherwise it returns `False`.

The operator takes the data type into account when making the comparison, so a string value of `"2"` is *not* considered the same as a numeric value of `2`.

```
# Equal operator

if 'Yes' == 'Yes':
    # evaluates to True
    print('They are equal')

if (2 > 1) == (5 < 10):
    # evaluates to True
    print('Both expressions give the same result')

c = '2'
d = 2

if c == d:
    print('They are equal')
else:
    print('They are not equal')
```

Not Equals Operator !=

The Python not equals operator, `!=`, is used to compare two values, variables or expressions to determine if they are NOT the same. If they are NOT the same, the operator returns `True`. If they are the same, then it returns `False`.

The operator takes the data type into account when making the comparison so a value of 10 would NOT be equal to the string value "10" and the operator would return `True`. If expressions are used, then they are evaluated to a value of `True` or `False` before the comparison is made by the operator.

```
# Not Equals Operator

if "Yes" != "No":
    # evaluates to True
    print("They are NOT equal")

val1 = 10
val2 = 20

if val1 != val2:
    print("They are NOT equal")

if (10 > 1) != (10 > 1000):
    # True != False
    print("They are NOT equal")
```

Comparison Operators

In Python, *relational operators* compare two values or expressions. The most common ones are:

- < less than
- > greater than
- <= less than or equal to
- >= greater than or equal too

If the relation is sound, then the entire expression will evaluate to `True`. If not, the expression evaluates to `False`.

```
a = 2
b = 3
a < b # evaluates to True
a > b # evaluates to False
a >= b # evaluates to False
a <= b # evaluates to True
a <= a # evaluates to True
```

if Statement

The Python `if` statement is used to determine the execution of code based on the evaluation of a Boolean expression.

- If the `if` statement expression evaluates to `True`, then the indented code following the statement is executed.
- If the expression evaluates to `False` then the indented code following the `if` statement is skipped and the program executes the next line of code which is indented at the same level as the `if` statement.

```
# if Statement

test_value = 100

if test_value > 1:
    # Expression evaluates to True
    print("This code is executed!")
```

```

if test_value > 1000:
    # Expression evaluates to False
    print("This code is NOT executed!")

print("Program continues at this point.")

```

else Statement

The Python `else` statement provides alternate code to execute if the expression in an `if` statement evaluates to `False`.

The indented code for the `if` statement is executed if the expression evaluates to `True`. The indented code immediately following the `else` is executed only if the expression evaluates to `False`. To mark the end of the `else` block, the code must be unindented to the same level as the starting `if` line.

```

# else Statement

test_value = 50

if test_value < 1:
    print("Value is < 1")
else:
    print("Value is >= 1")

test_string = "VALID"

if test_string == "NOT_VALID":
    print("String equals NOT_VALID")
else:
    print("String equals something else!")

```

and Operator

The Python `and` operator performs a Boolean comparison between two Boolean values, variables, or expressions. If both sides of the operator evaluate to `True` then the `and` operator returns `True`. If either side (or both sides) evaluates to `False`, then the `and` operator returns `False`. A non-Boolean value (or variable that stores a value) will always evaluate to `True` when used with the `and` operator.

```

True and True      # Evaluates to True
True and False     # Evaluates to False
False and False    # Evaluates to False
1 == 1 and 1 < 2    # Evaluates to True
1 < 2 and 3 < 1     # Evaluates to False
"Yes" and 100      # Evaluates to True

```

Boolean Values

Booleans are a data type in Python, much like integers, floats, and strings. However, booleans only have two values:

- `True`
- `False`

Specifically, these two values are of the `bool` type. Since booleans are a data type, creating a variable that holds a boolean value is the same as with other data types.

```

is_true = True
is_false = False

print(type(is_true))
# will output: <class 'bool'>

```

not Operator

The Python Boolean `not` operator is used in a Boolean expression in order to evaluate the expression to its inverse value. If the original expression was `True`, including the `not` operator would make the expression `False`, and vice versa.

```
not True      # Evaluates to False
not False     # Evaluates to True
1 > 2         # Evaluates to False
not 1 > 2      # Evaluates to True
1 == 1        # Evaluates to True
not 1 == 1     # Evaluates to False
```

SyntaxError

A `SyntaxError` is reported by the Python interpreter when some portion of the code is incorrect. This can include misspelled keywords, missing or too many brackets or parenthesis, incorrect operators, missing or too many quotation marks, or other conditions.

Python: Lists

Lists

In Python, lists are ordered collections of items that allow for easy use of a set of data. List values are placed in between square brackets `[]`, separated by commas. It is good practice to put a space between the comma and the next value. The values in a list do not need to be unique (the same value can be repeated).

Empty lists do not contain any values within the square brackets.

```
primes = [2, 3, 5, 7, 11]
print(primes)
```

```
empty_list = []
```

Adding Lists Together

In Python, lists can be added to each other using the plus symbol `+`. As shown in the code block, this will result in a new list containing the same items in the same order with the first list's items coming first.

Note: This will not work for adding one item at a time (use `.append()` method). In order to add one item, create a new list with a single value and then use the plus symbol to add the list.

```
items = ['cake', 'cookie', 'bread']
total_items = items + ['biscuit', 'tart']
print(total_items)
# Result: ['cake', 'cookie', 'bread', 'biscuit', 'tart']
```

Python Lists: Data Types

In Python, lists are a versatile data type that can contain multiple different data types within the same square brackets. The possible data types within a list include numbers, strings, other objects, and even other lists.

```
numbers = [1, 2, 3, 4, 10]
names = ['Jenny', 'Sam', 'Alexis']
mixed = ['Jenny', 1, 2]
```

```
list_of_lists = [['a', 1], ['b', 2]]
```

List Method .append()

In Python, you can add values to the end of a list using the `.append()` method. This will place the object passed in as a new element at the very end of the list. Printing the list afterwards will visually show the appended value. This `.append()` method is *not* to be confused with returning an entirely new list with the passed object.

```
orders = ['daisies', 'periwinkle']
orders.append('tulips')
print(orders)
# Result: ['daisies', 'periwinkle', 'tulips']
```

Zero-Indexing

In Python, list index begins at zero and ends at the length of the list minus one. For example, in this list, 'Andy' is found at index 2.

```
names = ['Roger', 'Rafael', 'Andy', 'Novak']
```

List Indices

Python list elements are ordered by *index*, a number referring to their placement in the list. List indices start at 0 and increment by one.

To access a list element by index, square bracket notation is used: `list[index]`.

```
berries = ["blueberry", "cranberry", "raspberry"]

berries[0]    # "blueberry"
berries[2]    # "raspberry"
```

Negative List Indices

Negative indices for lists in Python can be used to reference elements in relation to the end of a list. This can be used to access single list elements or as part of defining a list range. For instance:

- To select the last element, `my_list[-1]`.
- To select the last three elements, `my_list[-3:]`.
- To select everything except the last two elements, `my_list[:-2]`.

```
soups = ['minestrone', 'lentil', 'pho', 'laksa']
soups[-1]    # 'laksa'
soups[-3:]   # 'lentil', 'pho', 'laksa'
soups[:-2]   # 'minestrone', 'lentil'
```

Modifying 2D Lists

In order to modify elements in a 2D list, an index for the sublist and the index for the element of the sublist need to be provided. The format for this

is `list[sublist_index][element_in_sublist_index] = new_value`.

```
# A 2D list of names and hobbies
class_name_hobbies = [["Jenny", "Breakdancing"], ["Alexus", "Photography"],
["Grace", "Soccer"]]

# The sublist of Jenny is at index 0. The hobby is at index 1 of the sublist.
class_name_hobbies[0][1] = "Meditation"
print(class_name_hobbies)

# Output
# [["Jenny", "Meditation"], ["Alexus", "Photography"], ["Grace", "Soccer"]]
```

Accessing 2D Lists

In order to access elements in a 2D list, an index for the sublist and the index for the element of the sublist both need to be provided. The format for this

is `list[sublist_index][element_in_sublist_index]`.

```
# 2D list of people's heights
heights = [["Noelle", 61], ["Ali", 70], ["Sam", 67]]
# Access the sublist at index 0, and then access the 1st index of that sublist.
noelles_height = heights[0][1]
print(noelles_height)

# Output
# 61
```

List Method `.remove()`

The `.remove()` method in Python is used to remove an element from a list by passing in the value of the element to be removed as an argument. In the case where two or more elements in the list have the same value, the first occurrence of the element is removed.

```
# Create a list
shopping_line = ["Cole", "Kip", "Chris", "Sylvana", "Chris"]

# Removes the first occurrence of "Chris"
shopping_line.remove("Chris")
print(shopping_line)

# Output
# ["Cole", "Kip", "Sylvana", "Chris"]
```

List Method `.count()`

The `.count()` Python list method searches a list for whatever search term it receives as an argument, then returns the number of matching entries found.

```
backpack = ['pencil', 'pen', 'notebook', 'textbook', 'pen', 'highlighter', 'pen']
numPen = backpack.count('pen')

print(numPen)
# Output: 3
```

Determining List Length with `len()`

The Python `len()` function can be used to determine the number of items found in the list it accepts as an argument.

```
knapsack = [2, 4, 3, 7, 10]
size = len(knapsack)
print(size)
# Output: 5
```

List Method `.sort()`

The `.sort()` Python list method will sort the contents of whatever list it is called on. Numerical lists will be sorted in ascending order, and lists of Strings will be sorted into alphabetical order. It modifies the original list, and has no return value.

```
exampleList = [4, 2, 1, 3]
exampleList.sort()
print(exampleList)
# Output: [1, 2, 3, 4]
```

List Slicing

A *slice*, or sub-list of Python list elements can be selected from a list using a colon-separated starting and ending point.

The syntax pattern is `myList[START_NUMBER:END_NUMBER]`. The slice will include the `START_NUMBER` index, and everything until but excluding the `END_NUMBER` item.

When slicing a list, a new list is returned, so if the slice is saved and then altered, the original list remains the same.

```
tools = ['pen', 'hammer', 'lever']
tools_slice = tools[1:3] # ['hammer', 'lever']
tools_slice[0] = 'nail'

# Original list is unaltered:
print(tools) # ['pen', 'hammer', 'lever']
```

sorted() Function

The Python `sorted()` function accepts a list as an argument, and will return a new, sorted list containing the same elements as the original. Numerical lists will be sorted in ascending order, and lists of Strings will be sorted into alphabetical order. It does not modify the original, unsorted list.

```
unsortedList = [4, 2, 1, 3]
sortedList = sorted(unsortedList)
print(sortedList)
# Output: [1, 2, 3, 4]
```

List Method .insert()

The Python list method `.insert()` allows us to add an element to a specific index in a list.

It takes in two inputs:

- The index that you want to insert into.
- The element that you want to insert at the specified index.

```
# Here is a list representing a line of people at a store
store_line = ["Karla", "Maxium", "Martim", "Isabella"]

# Here is how to insert "Vikor" after "Maxium" and before "Martim"
store_line.insert(2, "Vikor")

print(store_line)
# Output: ['Karla', 'Maxium', 'Vikor', 'Martim', 'Isabella']
```

List Method .pop()

The `.pop()` method allows us to remove an element from a list while also returning it. It accepts one optional input which is the index of the element to remove. If no index is provided, then the last element in the list will be removed and returned.

```
cs_topics = ["Python", "Data Structures", "Balloon Making", "Algorithms", "Clowns 101"]

# Pop the last element
removed_element = cs_topics.pop()

print(cs_topics)
print(removed_element)
```

```
# Output:
# ['Python', 'Data Structures', 'Balloon Making', 'Algorithms']
# 'Clowns 101'

# Pop the element "Balloon Making"
cs_topics.pop(2)
print(cs_topics)

# Output:
# ['Python', 'Data Structures', 'Algorithms']
```

Python: Loops

break Keyword

In a loop, the `break` keyword escapes the loop, regardless of the iteration number. Once `break` executes, the program will continue to execute after the loop.

In this example, the output would be:

```
•          0
•          254
•          2
•          Negative number detected!
numbers = [0, 254, 2, -1, 3]

for num in numbers:
    if (num < 0):
        print("Negative number detected!")
        break
    print(num)

# 0
# 254
# 2
# Negative number detected!
```

Python List Comprehension

Python list comprehensions provide a concise way for creating lists. It consists of brackets containing an expression followed by a `for` clause, then zero or more `for` or `if` clauses: `[EXPRESSION for ITEM in LIST <if CONDITIONAL>]`.

The expressions can be anything - any kind of object can go into a list.

A list comprehension always returns a list.

```
# List comprehension for the squares of all even numbers between 0 and 9
result = [x**2 for x in range(10) if x % 2 == 0]

print(result)
# [0, 4, 16, 36, 64]
```

Python For Loop

A Python `for` loop can be used to iterate over a list of items and perform a set of actions on each item. The syntax of a `for` loop consists of assigning a temporary value to a variable on each successive iteration.

When writing a `for` loop, remember to properly indent each action, otherwise an `IndentationError` will result.

```
for <temporary variable> in <list variable>:
    <action statement>
    <action statement>

#each num in nums will be printed below
nums = [1,2,3,4,5]
for num in nums:
    print(num)
```

The Python `continue` Keyword

In Python, the `continue` keyword is used inside a loop to skip the remaining code inside the loop code block and begin the next loop iteration.

```
big_number_list = [1, 2, -1, 4, -5, 5, 2, -9]

# Print only positive numbers:
for i in big_number_list:
    if i < 0:
        continue
    print(i)
```

Python Loops with `range()`.

In Python, a `for` loop can be used to perform an action a specific number of times in a row.

The `range()` function can be used to create a list that can be used to specify the number of iterations in a `for` loop.

```
# Print the numbers 0, 1, 2:
for i in range(3):
    print(i)

# Print "WARNING" 3 times:
for i in range(3):
    print("WARNING")
```

Infinite Loop

An infinite loop is a loop that never terminates. Infinite loops result when the conditions of the loop prevent it from terminating. This could be due to a typo in the conditional statement within the loop or incorrect logic. To interrupt a Python program that is running forever, press the `Ctrl` and `C` keys together on your keyboard.

Python `while` Loops

In Python, a `while` loop will repeatedly execute a code block as long as a condition evaluates to `True`.

The condition of a `while` loop is always checked first before the block of code runs. If the condition is not met initially, then the code block will never run.

```
# This loop will only run 1 time
hungry = True
while hungry:
    print("Time to eat!")
    hungry = False

# This loop will run 5 times
i = 1
```



```
while i < 6:
    print(i)
    i = i + 1
```

Python Nested Loops

In Python, loops can be *nested* inside other loops. Nested loops can be used to access items of lists which are inside other lists. The item selected from the outer loop can be used as the list for the inner loop to iterate over.

```
groups = [["Jobs", "Gates"], ["Newton", "Euclid"], ["Einstein", "Feynman"]]

# This outer loop will iterate over each list in the groups list
for group in groups:
    # This inner loop will go through each name in each list
    for name in group:
        print(name)
```

Python: Functions

Function Parameters

Sometimes functions require input to provide data for their code. This input is defined using *parameters*.

Parameters are variables that are defined in the function definition. They are assigned the values which were passed as arguments when the function was called, elsewhere in the code.

For example, the function definition defines parameters for a character, a setting, and a skill, which are used as inputs to write the first sentence of a book.

```
def write_a_book(character, setting, special_skill):
    print(character + " is in " +
          setting + " practicing her " +
          special_skill)
```

Multiple Parameters

Python functions can have multiple *parameters*. Just as you wouldn't go to school without both a backpack and a pencil case, functions may also need more than one input to carry out their operations.

To define a function with multiple parameters, parameter names are placed one after another, separated by commas, within the parentheses of the function definition.

```
def ready_for_school(backpack, pencil_case):
    if (backpack == 'full' and pencil_case == 'full'):
        print("I'm ready for school!")
```

Functions

Some tasks need to be performed multiple times within a program. Rather than rewrite the same code in multiple places, a function may be defined using the `def` keyword.

Function definitions may include parameters, providing data input to the function.

Functions may return a value using the `return` keyword followed by the value to return.

```
# Define a function my_function() with parameter x

def my_function(x):
    return x + 1
```

```
# Invoke the function

print(my_function(2))      # Output: 3
print(my_function(3 + 5))  # Output: 9
```

Function Indentation

Python uses indentation to identify blocks of code. Code within the same block should be indented at the same level. A Python function is one type of code block. All code under a function declaration should be indented to identify it as part of the function. There can be additional indentation within a function to handle other statements such as `for` and `if` so long as the lines are not indented less than the first line of the function code.

```
# Indentation is used to identify code blocks

def testfunction(number):
    # This code is part of testfunction
    print("Inside the testfunction")
    sum = 0
    for x in range(number):
        # More indentation because 'for' has a code block
        # but still part of the function
        sum += x
    return sum
print("This is not part of testfunction")
```

Calling Functions

Python uses simple syntax to use, invoke, or *call* a preexisting function. A function can be called by writing the name of it, followed by parentheses.

For example, the code provided would call the `doHomework()` method.

```
doHomework()
```

Function Arguments

Parameters in python are variables — placeholders for the actual values the function needs. When the function is *called*, these values are passed in as *arguments*.

For example, the arguments passed into the function `.sales()` are the "The Farmer's Market", "toothpaste", and "\$1" which correspond to the

parameters `grocery_store`, `item_on_sale`, and `cost`.

```
def sales(grocery_store, item_on_sale, cost):
    print(grocery_store + " is selling " + item_on_sale + " for " + cost)

sales("The Farmer's Market", "toothpaste", "$1")
```

Function Keyword Arguments

Python functions can be defined with named arguments which may have default values provided. When function arguments are passed using their names, they are referred to as keyword arguments. The use of keyword arguments when calling a function allows the arguments to be passed in any order — *not* just the order that they were defined in the function. If the function is invoked without a value for a specific argument, the default value will be used.

```
def findvolume(length=1, width=1, depth=1):
    print("Length = " + str(length))
    print("Width = " + str(width))
```

```

print("Depth = " + str(depth))
return length * width * depth;

findvolume(1, 2, 3)
findvolume(length=5, depth=2, width=4)
findvolume(2, depth=3, width=4)

```

Returning Multiple Values

Python functions are able to return multiple values using one `return` statement. All values that should be returned are listed after the `return` keyword and are separated by commas.

In the example, the function `square_point()` returns `x_squared`, `y_squared`, and `z_squared`.

```

def square_point(x, y, z):
    x_squared = x * x
    y_squared = y * y
    z_squared = z * z
    # Return all three values:
    return x_squared, y_squared, z_squared

three_squared, four_squared, five_squared = square_point(3, 4, 5)

```

The Scope of Variables

In Python, a variable defined inside a function is called a local variable. It cannot be used outside of the scope of the function, and attempting to do so without defining the variable outside of the function will cause an error.

In the example, the variable `a` is defined both inside and outside of the function. When the function `f1()` is implemented, `a` is printed as `2` because it is locally defined to be so. However, when printing `a` outside of the function, `a` is printed as `5` because it is implemented outside of the scope of the function.

```

a = 5

def f1():
    a = 2
    print(a)

print(a)    # Will print 5
f1()        # Will print 2

```

Returning Value from Function

A `return` keyword is used to return a value from a Python function. The value returned from a function can be assigned to a variable which can then be used in the program. In the example, the function `check_leap_year` returns a string which indicates if the passed parameter is a leap year or not.

```

def check_leap_year(year):
    if year % 4 == 0:
        return str(year) + " is a leap year."
    else:
        return str(year) + " is not a leap year."

year_to_check = 2018
returned_value = check_leap_year(year_to_check)
print(returned_value) # 2018 is not a leap year.

```

Global Variables

A variable that is defined outside of a function is called a global variable. It can be accessed inside the body of a function.

In the example, the variable `a` is a global variable because it is defined outside of the function `prints_a`. It is therefore accessible to `prints_a`, which will print the value of `a`.

```
a = "Hello"

def prints_a():
    print(a)

# will print "Hello"
prints_a()
```

Parameters as Local Variables

Function parameters behave identically to a function's local variables. They are initialized with the values passed into the function when it was called.

Like local variables, parameters cannot be referenced from outside the scope of the function.

In the example, the parameter `value` is defined as part of the definition of `my_function`, and therefore can only be accessed within `my_function`. Attempting to print the contents of `value` from outside the function causes an error.

```
def my_function(value):
    print(value)

# Pass the value 7 into the function
my_function(7)

# Causes an error as `value` no longer exists
print(value)
```

Python On Your Own Computer

pwd Print Working Directory

The shell command `pwd` displays the file path from the root directory to the current working directory.

```
$ pwd
/Users/sonny/Downloads
```

mkdir Make Directory

The shell command `mkdir` is used to make a new directory in the filesystem according to its argument. If a file path is given, the new directory will be placed at the end. Otherwise, it will create a new directory in the current working directory.

```
$ mkdir new-directory
$ ls
old-directory  new-directory
```

ls List

The shell command `ls` is used to list the contents of a directory. If no arguments are given, it will list the contents of the current working directory.

```
$ ls Desktop
resume.pdf
photo.png
```

cd Change Directory

The shell command `cd` is used to move throughout the filesystem of a computer. It accepts a variety of arguments:

- Full file paths.
- Names of children of the current directory.
- `..` the parent of the current directory.

```
$ cd some-directory  
$ cd ..
```

Filesystem Structure

A computer's filesystem organizes the data stored by a computer, so that it can be easily retrieved by the user.

Files are generally represented in a tree-like structure, in which any parent directory can have any number of children. The root directory is then found at the base of the tree.

touch Create New File

The shell command `touch` creates a new file in the current working directory with the name provided.

```
$ touch grocery-list.txt
```

The Command Line

The command line allows a user to navigate the filesystem and run built-in programs or custom scripts. In Unix, the command line interface is called Bash, and the shell prompt is the `$`.

```
$
```

Helper Commands

Helper commands for the command line include:

- `clear` to clear the terminal
- `tab` to autocomplete the line
- `↑` and `↓` to cycle through previous commands

Basic Git Workflow

Checking the Status of a Git Repository

The `git status` command is used within a Git repository to its current status including the current commit, any modified files, and any new files not being tracked by Git.

The output of `git status` can vary widely, and it often includes helpful messages to direct the user to manage their repository. For example, `git status` will show the user the files they would commit by running `git commit` and the files they could commit by running `git add` before running `git commit`.

Initializing a Git Repository

The `git init` command creates or initializes a new Git project, or *repository*. It creates a `.git` folder with all the tools and data necessary to maintain versions. This command

only needs to be used once per project to complete the initial setup. For instance, the code block sets up the **home** folder as a new git repository.

```
$ cd /home
$ git init
```

Displaying Differences with Git Diff

The `git diff filename` command will display the differences between the working directory and the staging area in one specific file. Use `git diff filename` before adding new content to ensure that you are making the changes you expect.

```
$ git diff hello.txt
diff --git a/hello.txt b/hello.txt
index 557db03..980a0d5 100644
--- a/hello.txt
+++ b/hello.txt
@@ -1,1 @@
-Hello World
+Hello World!
```

Showing Git Commit Logs

In Git, the `git log` command shows all of the commit logs for a project. The following is displayed for each commit:

- A 40-character code, called a SHA, that uniquely identifies the commit.
- The commit author
- The date and time of the commit
- The commit message

This command is particularly useful when you need to refer back to an old version of your project. The unique SHA code allows you to identify a point in your program's history that you would like to revert to.

```
$ git log
commit 9d63f80111447544c303e9f1776fa08593a87310
Author: codecademy <exampleuser@codecademy.com>
Date:   Wed Jan 13 18:55:53 2021 +0000

    Added updates to the file

commit 3ba6efbeece6ed530d85de5e313e52123fdf8cb4
Author: codecademy <exampleuser@codecademy.com>
Date:   Wed Jan 6 10:11:13 2021 -0400

    Completed first line of dialogue
```

Committing Your Code

The `git commit -m "log message here"` command creates a new commit containing:

- The current contents of the staging area
- A log message describing the changes to the repository

A commit is the last step in our Git workflow. A commit permanently stores changes from the staging area inside the repository. This command is almost always used in conjunction with the `git add` command as `git add` is used to add files to the staging area.

```
$ git commit -m "Added About section to README"
[master 9d63f80] Added About section to README
1 file changed, 10 insertions(+), 1 deletion(-)
```

Git

Git is a command line software that keeps track of changes made to a project over time. Git works by recording the changes made to a project, storing those changes, then allowing a programmer to reference them as needed.

All Git commands follow the pattern `git <action>` and, in order to use Git for a project, a project must first be initialized using the `git init` command in the project's root directory.

Adding Changes to the Staging Area

The `git add filename` command is used to add the `filename` file to the staging area. After your changes have been staged, you can use the `git commit` command to permanently store your changes.

Git Project Workflow

A Git project has three parts:

- A Working Directory: where files are created, edited, deleted, and organized
- A Staging Area: where changes that are made to the working directory are listed
- A Repository: where Git permanently stores changes as different versions of the project

The Git workflow consists of editing files in the working directory, adding files to the staging area, and saving changes to a Git repository.

Python: Strings

Strings

In computer science, sequences of characters are referred to as *strings*. Strings can be any length and can include any character such as letters, numbers, symbols, and whitespace (spaces, tabs, new lines).

Escaping Characters

Backslashes (`\`) are used to escape characters in a Python string.

For instance, to print a string with quotation marks, the given code snippet can be used.

```
txt = "She said \"Never let go\"."
print(txt) # She said "Never let go".
```

The in Syntax

The `in` syntax is used to determine if a letter or a substring exists in a string. It returns `True` if a match is found, otherwise `False` is returned.

```
game = "Popular Nintendo Game: Mario Kart"

print("l" in game) # Prints: True
print("x" in game) # Prints: False
```

Indexing and Slicing Strings

Python strings can be indexed using the same notation as lists, since strings are lists of characters. A single character can be accessed with bracket notation (`[index]`), or a substring can be accessed using slicing (`[start:end]`).

Indexing with negative numbers counts from the end of the string.

```
str = 'yellow'
str[1]      # => 'e'
str[-1]     # => 'w'
str[4:6]    # => 'ow'
str[:4]     # => 'yell'
str[-3:]    # => 'low'
```

Iterate String

To iterate through a string in Python, “for...in” notation is used.

```
str = "hello"
for c in str:
    print(c)

# h
# e
# l
# l
# o
```

Built-in Function len ()

In Python, the built-in `len()` function can be used to determine the length of an object. It can be used to compute the length of strings, lists, sets, and other countable objects.

```
length = len("Hello")
print(length)
# Output: 5

colors = ['red', 'yellow', 'green']
print(len(colors))
# Output: 3
```

String Concatenation

To combine the content of two strings into a single string, Python provides the `+` operator. This process of joining strings is called concatenation.

```
x = 'One fish, '
y = 'two fish.'

z = x + y

print(z)
# Output: One fish, two fish.
```

Immutable strings

Strings are immutable in Python. This means that once a string has been defined, it can't be changed.

There are no mutating methods for strings. This is unlike data types like lists, which can be modified once they are created.

IndexError

When indexing into a string in Python, if you try to access an index that doesn't exist, an `IndexError` is generated. For example, the following code would create

an `IndexError`:

```
fruit = "Berry"
indx = fruit[6]
```

Python String .format()

The Python string method `.format()` replaces empty brace (`{}`) placeholders in the string with its arguments.

If keywords are specified within the placeholders, they are replaced with the corresponding named arguments to the method.

```
msg1 = 'Fred scored {} out of {} points.'
msg1.format(3, 10)
# => 'Fred scored 3 out of 10 points.'

msg2 = 'Fred {verb} a {adjective} {noun}.'
msg2.format(adjective='fluffy', verb='tickled', noun='hamster')
# => 'Fred tickled a fluffy hamster.'
```

String Method .lower()

The string method `.lower()` returns a string with all uppercase characters converted into lowercase.

```
greeting = "Welcome To Chili's"

print(greeting.lower())
# Prints: welcome to chili's
```

String Method .strip()

The string method `.strip()` can be used to remove characters from the beginning and end of a string.

A string argument can be passed to the method, specifying the set of characters to be stripped. With no arguments to the method, whitespace is removed.

```
text1 = '  apples and oranges  '
text1.strip()      # => 'apples and oranges'

text2 = '...+...lemons and limes...-...'

# Here we strip just the "." characters
text2.strip('.')    # => '+...lemons and limes...-'

# Here we strip both "." and "+" characters
text2.strip('+.')   # => 'lemons and limes...-'

# Here we strip ".", "+", and "-" characters
text2.strip('+-')   # => 'lemons and limes'
```

String Method .title()

The string method `.title()` returns the string in title case. With title case, the first character of each word is capitalized while the rest of the characters are lowercase.

```
my_var = "dark knight"
print(my_var.title())

# Prints: Dark Knight
```

String Method .split()

The string method `.split()` splits a string into a list of items:

- If no argument is passed, the default behavior is to split on whitespace.
- If an argument is passed to the method, that value is used as the delimiter on which to split the string.

```
text = "Silicon Valley"

print(text.split())
# Prints: ['Silicon', 'Valley']

print(text.split('i'))
# Prints: ['S', 'l', 'con Valley']
```

Python string method `.find()`

The Python string method `.find()` returns the index of the first occurrence of the string passed as the argument. It returns `-1` if no occurrence is found.

```
mountain name = "Mount Kilimanjaro"
print(mountain name.find("o")) # Prints 1 in the console.
```

String replace

The `.replace()` method is used to replace the occurrence of the first argument with the second argument within the string.

The first argument is the old substring to be replaced, and the second argument is the new substring that will replace every occurrence of the first one within the string.

```
fruit = "Strawberry"
print(fruit.replace('r', 'R'))

# StRawbeRRy
```

String Method `.upper()`

The string method `.upper()` returns the string with all lowercase characters converted to uppercase.

```
dinosaur = "T-Rex"

print(dinosaur.upper())
# Prints: T-REX
```

String Method `.join()`

The string method `.join()` concatenates a list of strings together to create a new string joined with the desired delimiter.

The `.join()` method is run on the delimiter and the array of strings to be concatenated together is passed in as an argument.

```
x = "-".join(["Codecademy", "is", "awesome"])

print(x)
# Prints: Codecademy-is-awesome
```

Python: Modules

Date and Time in Python

Python provides a module named `datetime` to deal with dates and times.

It allows you to set `date`, `time` or both `date` and `time` using the `date()`, `time()` and `datetime()` functions respectively, after importing the `datetime` module.

```
import datetime
feb_16_2019 = datetime.date(year=2019, month=2, day=16)
feb_16_2019 = datetime.date(2019, 2, 16)
print(feb_16_2019) #2019-02-16

time_13_48min_5sec = datetime.time(hour=13, minute=48, second=5)
time_13_48min_5sec = datetime.time(13, 48, 5)
print(time_13_48min_5sec) #13:48:05

timestamp= datetime.datetime(year=2019, month=2, day=16, hour=13, minute=48, second=5)
timestamp = datetime.datetime(2019, 2, 16, 13, 48, 5)
print (timestamp) #2019-01-02 13:48:05
```

Aliasing with 'as' keyword

In Python, the `as` keyword can be used to give an alternative name as an alias for a Python module or function.

```
# Aliasing matplotlib.pyplot as plt
from matplotlib import pyplot as plt
plt.plot(x, y)

# Aliasing calendar as c
import calendar as c
print(c.month_name[1])
```

Import Python Modules

The Python **import** statement can be used to import Python modules from other files. Modules can be imported in three different ways: `import module`, `from module import functions`, **OR** `from module import *`. `from module import *` is discouraged, as it can lead to a cluttered local namespace and can make the namespace unclear.

```
# Three different ways to import modules:
# First way
import module
module.function()

# Second way
from module import function
function()

# Third way
from module import *
function()
```

random.randint() and **random.choice()**

In Python, the `random` module offers methods to simulate non-deterministic behavior in selecting a random number from a range and choosing a random item from a list. The `randint()` method provides a uniform random selection from a range of integers. The `choice()` method provides a uniform selection of a random element from a sequence.

```
# Returns a random integer N in a given range, such that start <= N <= end
# random.randint(start, end)
r1 = random.randint(0, 10)
```

```
print(r1) # Random integer where 0 <= r1 <= 10

# Prints a random element from a sequence
seq = ["a", "b", "c", "d", "e"]
r2 = random.choice(seq)
print(r2) # Random element in the sequence
```

Module importing

In Python, you can import and use the content of another file using `import filename`, provided that it is in the same folder as the current file you are writing.

```
# file1 content
# def f1_function():
#     return "Hello World"

# file2
import file1

# Now we can use f1_function, because we imported file1
f1_function()
```

Python: Dictionaries

Accessing and writing data in a Python dictionary

Values in a Python dictionary can be accessed by placing the key within square brackets next to the dictionary. Values can be written by placing key within square brackets next to the dictionary and using the assignment operator (`=`). If the key already exists, the old value will be overwritten. Attempting to access a value with a key that does not exist will cause a `KeyError`.

To illustrate this review card, the second line of the example code block shows the way to access the value using the key `"song"`. The third line of the code block overwrites the value that corresponds to the key `"song"`.

```
my_dictionary = {"song": "Estranged", "artist": "Guns N' Roses"}
print(my_dictionary["song"])
my_dictionary["song"] = "Paradise City"
```

Syntax of the Python dictionary

The syntax for a Python dictionary begins with the left curly brace (`{`), ends with the right curly brace (`}`), and contains zero or more `key : value` items separated by commas (`,`). The `key` is separated from the `value` by a colon (`:`).

```
roaster = {"q1": "Ashley", "q2": "Dolly"}
```

Merging dictionaries with the `.update()` method in Python

Given two dictionaries that need to be combined, Python makes this easy with the `.update()` function.

For `dict1.update(dict2)`, the key-value pairs of `dict2` will be written into the `dict1` dictionary.

For keys in *both* `dict1` and `dict2`, the value in `dict1` will be overwritten by the corresponding value in `dict2`.

```
dict1 = {'color': 'blue', 'shape': 'circle'}
dict2 = {'color': 'red', 'number': 42}
```

```
dict1.update(dict2)
```

```
# dict1 is now {'color': 'red', 'shape': 'circle', 'number': 42}
```

Dictionary value types

Python allows the *values* in a dictionary to be any type – string, integer, a list, another dictionary, boolean, etc. However, *keys* must always be an immutable data type, such as strings, numbers, or tuples.

In the example code block, you can see that the keys are strings or numbers (int or float). The values, on the other hand, are many varied data types.

```
dictionary = {  
    1: 'hello',  
    'two': True,  
    '3': [1, 2, 3],  
    'Four': {'fun': 'addition'},  
    5.0: 5.5  
}
```

Python dictionaries

A python dictionary is an unordered collection of items. It contains data as a set of key: value pairs.

```
my_dictionary = {1: "L.A. Lakers", 2: "Houston Rockets"}
```

Dictionary Key-Value Methods

When trying to look at the information in a Python dictionary, there are multiple methods that return objects that contain the dictionary keys and values.

- `.keys()` returns the keys through a `dict_keys` object.
- `.values()` returns the values through a `dict_values` object.
- `.items()` returns both the keys and values through a `dict_items` object.

```
ex_dict = {"a": "anteater", "b": "bumblebee", "c": "cheetah"}
```

```
ex_dict.keys()  
# dict_keys(["a", "b", "c"])
```

```
ex_dict.values()  
# dict_values(["anteater", "bumblebee", "cheetah"])
```

```
ex_dict.items()  
# dict_items([("a", "anteater"), ("b", "bumblebee"), ("c", "cheetah")])
```

get() Method for Dictionary

Python provides a `.get()` method to access a `dictionary` value if it exists. This method takes the `key` as the first argument and an optional default value as the second argument, and it returns the value for the specified `key` if `key` is in the dictionary. If the second argument is not specified and `key` is not found then `None` is returned.

```
# without default  
{"name": "Victor"}.get("name")  
# returns "Victor"
```

```
{"name": "Victor"}.get("nickname")  
# returns None
```

```
# with default  
{"name": "Victor"}.get("nickname", "nickname is not a key")
```

```
# returns "nickname is not a key"
```

The .pop() Method for Dictionaries in Python

Python dictionaries can remove key-value pairs with the .pop() method. The method takes a key as an argument and removes it from the dictionary. At the same time, it also returns the value that it removes from the dictionary.

```
famous_museums = {'Washington': 'Smithsonian Institution', 'Paris': 'Le Louvre',  
'Athens': 'The Acropolis Museum'}  
famous_museums.pop('Athens')  
print(famous_museums) # {'Washington': 'Smithsonian Institution', 'Paris': 'Le  
Louvre'}
```

Object Oriented Programming

Python repr method

The Python __repr__() method is used to tell Python what the *string representation* of the class should be. It can only have one parameter, *self*, and it should return a string.

```
class Employee:  
    def __init__(self, name):  
        self.name = name  
  
    def __repr__(self):  
        return self.name  
  
john = Employee('John')  
print(john) # John
```

Python class methods

In Python, *methods* are functions that are defined as part of a class. It is common practice that the first argument of any method that is part of a class is the actual object calling the method. This argument is usually called **self**.

```
# Dog class  
class Dog:  
    # Method of the class  
    def bark(self):  
        print("Ham-Ham")  
  
# Create a new instance  
charlie = Dog()  
  
# Call the method  
charlie.bark()  
# This will output "Ham-Ham"
```

Instantiate Python Class

In Python, a class needs to be instantiated before use.

As an analogy, a class can be thought of as a blueprint (Car), and an instance is an actual implementation of the blueprint (Ferrari).

```
class Car:  
    "This is an empty class"  
    pass  
  
# Class Instantiation  
ferrari = Car()
```

Python Class Variables

In Python, class variables are defined outside of all methods and have the same value for every instance of the class.

Class variables are accessed with

the `instance.variable` or `class_name.variable` syntaxes.

```
class my_class:
    class_variable = "I am a Class Variable!"

x = my_class()
y = my_class()

print(x.class_variable) #I am a Class Variable!
print(y.class_variable) #I am a Class Variable!
```

Python init method

In Python, the `.__init__()` method is used to initialize a newly created object. It is called every time the class is instantiated.

```
class Animal:
    def __init__(self, voice):
        self.voice = voice

# When a class instance is created, the instance variable
# 'voice' is created and set to the input value.
cat = Animal('Meow')
print(cat.voice) # Output: Meow

dog = Animal('Woof')
print(dog.voice) # Output: Woof
```

Python type() function

The Python `type()` function returns the data type of the argument passed to it.

```
a = 1
print(type(a)) # <class 'int'>

a = 1.1
print(type(a)) # <class 'float'>

a = 'b'
print(type(a)) # <class 'str'>

a = None
print(type(a)) # <class 'NoneType'>
```

Python class

In Python, a class is a template for a data type. A class can be defined using the `class` keyword.

```
# Defining a class
class Animal:
    def __init__(self, name, number_of_legs):
        self.name = name
        self.number_of_legs = number_of_legs
```

Python dir() function

In Python, the built-in `dir()` function, without any argument, returns a list of all the attributes in the current scope.

With an object as argument, `dir()` tries to return all valid object attributes.

```
class Employee:
    def __init__(self, name):
```

```

    self.name = name

    def print_name(self):
        print("Hi, I'm " + self.name)

print(dir())
# ['Employee', '__builtins__', '__doc__', '__file__', '__name__', '__package__',
'new_employee']

print(dir(Employee))
# ['__doc__', '__init__', '__module__', 'print_name']

```

__main__ in Python

In Python, `__main__` is an identifier used to reference the current file context. When a module is read from standard input, a script, or from an interactive prompt, its `__name__` is set equal to `__main__`.

Suppose we create an instance of a class called `CoolClass`. Printing the `type()` of the instance will result in:

```
<class '__main__.CoolClass'>
```

This means that the class `CoolClass` was defined in the current script file.