COVID-19 subject UPHS-0313

2021-06-23

The table below provides a summary of subject samples for which sequencing data is available.
The experiments column shows the number of sequencing experiments performed for each specimen.
Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with > 90% sequence coverage.

Table 1. Sample summary.

Experiment	Type	Genomes	Sample type	Sample date	Largest contig (KD)	Lineage	Reference read coverage	Reference read coverage (>= 5 reads)
VSP1358-1	single experiment	NA	Saline	2021-03-17	29.90	B.1.2	99.8%	99.7%

Variants shared across samples

The heat map below shows how variants (reference genome /home/common/SARS-CoV-2-Philadelphia/Wuhan-Hu-1) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in $> 50\%$ of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.




Saline
2021−03−17
241 intergenic
778 ORF1ab silent
1059 ORF1ab T265I
1387 ORF1ab silent
3037 ORF1ab silent
4320 ORF1ab A1352V
8083 ORF1ab M2606I
8982 ORF1ab T2906I
10319 ORF1ab L3352F
13072 ORF1ab silent
14408 ORF1ab P314L
14805 ORF1ab silent
18424 ORF1ab N1653D
21304 ORF1ab R2613C
21760 S silent
23191 S silent
23403 S D614G
23593 S Q677H
24666 S G1035V
25563 ORF3a Q57H
25907 ORF3a G172V
26775 M A85S
27382 ORF6 D61Y
27964 ORF8 S24L
28472 N P67S
28869 N P199L
29402 N D377Y
29752 intergenic
1218
3584
1677
2077
2359
3394
3133
5492
4287
8954
2601
4709
4497
2911
2044
2915
4572
3698
2929
4780
2270
3262
1500
2820
7434
560
1039
198
VSP1358−1
Base change
Expected
A
T
C
G
N
Ins/Del
No data

Analyses of individual experiments and composite results

VSP1358-1 | 2021-03-17 | Saline | UPHS-0313 | genomes | single experiment

The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



Software environment

Software/R package	Version
R	3.4.0
bwa	0.7.17-r1198-dirty
samtools	1.10 Using htslib 1.10
bcftools	1.10.2-34-g1a12af0-dirty Using htslib 1.10.2-57-gf58a6f3
pangolin	3.1.3
genbankr	1.4.0
optparse	1.6.0
forcats	0.3.0
stringr	1.4.0
dplyr	0.8.1
purrr	0.2.5
readr	1.1.1
tidyr	0.8.1
tibble	2.1.2
ggplot2	3.3.3
tidyverse	1.2.1
ShortRead	1.34.2
GenomicAlignments	1.12.2
SummarizedExperiment	1.6.5
DelayedArray	0.2.7
matrixStats	0.54.0
Biobase	2.36.2
Rsamtools	1.28.0
GenomicRanges	1.28.6
GenomeInfoDb	1.12.3
Biostrings	2.44.2
XVector	0.16.0
IRanges	2.10.5
S4Vectors	0.14.7
BiocParallel	1.10.1
BiocGenerics	0.22.1