COVID-19 subject SARS_CoV_176

2021-06-29


The table below provides a summary of subject samples for which sequencing data is available. The experiments column shows the number of sequencing experiments performed for each specimen. Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with > 90% sequence coverage.

Table 1. Sample summary.

Experiment	Туре	Genomes	Sample type	Sample date	Largest contig (KD)	Lineage	Reference read coverage	Reference read coverage (>= 5 reads)
VSP3050-1	single experiment	NA	NA	2021 - 03 - 17	14.89	B.1.526	99.8%	99.8%

Variants shared across samples

The heat map below shows how variants (reference genome /home/common/SARS-CoV-2-Philadelphia/NC_0455) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in > 50% of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.




NA 2021-03-17

	2021–03–17	
241 intergenic	940	
1059 ORF1ab T265I	672	
9207 ORF1ab S2981F	1233	
11288 ORF1ab del 9	1801	
14408 ORF1ab P314L	1602	
16500 ORF1ab Q1011H	6399	
20262 ORF1ab silent	1039	
21575 S L5F	1776	
21846 S T95I	1740	Base change
22320 S D253G	1915	Expected A
23012 S E484K	440	T C
23403 S D614G	3836	G N
23664 S A701V	1186	Ins/Del No data
24173 S A871S	1785	
25489 ORF3a A33S	1477	
25517 ORF3a P42L	610	
25563 ORF3a Q57H	1684	
27925 ORF8 T11I	4924	
28271 intergenic del 1	5399	
28869 N P199L	2580	
28975 N M234I	4532	
	VSP3050-1	


Analyses of individual experiments and composite results

$VSP3050\text{-}1 \mid 2021\text{-}03\text{-}17 \mid NA \mid SARS_CoV_176 \mid genomes \mid single \; experiment$


The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



Software environment

Software/R package	Version				
R	3.4.0				
bwa	0.7.17-r1198-dirty				
samtools	1.10 Using htslib 1.10				
bcftools	1.10.2-34-g1a12af0-dirty Using htslib 1.10.2-57-gf58a6f3				
pangolin	3.1.3				
genbankr	1.4.0				
optparse	1.6.0				
forcats	0.3.0				
stringr	1.4.0				
dplyr	0.8.1				
purrr	0.2.5				
readr	1.1.1				
tidyr	0.8.1				
tibble	2.1.2				
ggplot2	3.3.3				
tidyverse	1.2.1				
ShortRead	1.34.2				
GenomicAlignments	1.12.2				
${\bf Summarized Experiment}$	1.6.5				
DelayedArray	0.2.7				
matrixStats	0.54.0				
Biobase	2.36.2				
Rsamtools	1.28.0				
GenomicRanges	1.28.6				
GenomeInfoDb	1.12.3				
Biostrings	2.44.2				
XVector	0.16.0				
IRanges	2.10.5				
S4Vectors	0.14.7				
BiocParallel	1.10.1				
BiocGenerics	0.22.1				