COVID-19 subject UPHS-0176

2021-06-23


The table below provides a summary of subject samples for which sequencing data is available. The experiments column shows the number of sequencing experiments performed for each specimen. Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with > 90% sequence coverage.

Table 1. Sample summary.

Experiment	Туре	Genomes	Sample type	Sample date	Largest contig (KD)	Lineage	Reference read coverage	Reference read coverage (>= 5 reads)
VSP1160-1	single experiment	NA	Saline	2021-03-15	29.84	B.1.2	99.7%	99.7%

Variants shared across samples

The heat map below shows how variants (reference genome /home/common/SARS-CoV-2-Philadelphia/Wuhan-Hu-1) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in > 50% of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.



Saline 2021-03-15


	2021-03-13
241 intergenic	2519
1059 ORF1ab T265I	1934
3037 ORF1ab silent	2704
3962 ORF1ab K1233E	4454
5869 ORF1ab silent	4367
8083 ORF1ab M2606I	4967
10319 ORF1ab L3352F	6283
11595 ORF1ab Q3777R	9380
14408 ORF1ab P314L	7309
14768 ORF1ab A434V	10516
14805 ORF1ab silent	9306
18424 ORF1ab N1653D	8016
18923 ORF1ab E1819G	13052
21304 ORF1ab R2613C	6404
23403 S D614G	7160
24134 S L858F	4029
25563 ORF3a Q57H	5278
25907 ORF3a G172V	3145
26606 M silent	4429
27964 ORF8 S24L	6555
28472 N P67S	10971
28869 N P199L	2158
29402 N D377Y	5428
	1160–1
	7




Analyses of individual experiments and composite results

VSP1160-1 | 2021-03-15 | Saline | UPHS-0176 | genomes | single experiment


The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



Software environment

Software/R package	Version
R	3.4.0
bwa	0.7.17-r1198-dirty
samtools	1.10 Using htslib 1.10
bcftools	1.10.2-34-g1a12af0-dirty Using htslib 1.10.2-57-gf58a6f3
pangolin	3.1.3
genbankr	1.4.0
optparse	1.6.0
forcats	0.3.0
stringr	1.4.0
dplyr	0.8.1
purrr	0.2.5
readr	1.1.1
tidyr	0.8.1
tibble	2.1.2
ggplot2	3.3.3
tidyverse	1.2.1
ShortRead	1.34.2
GenomicAlignments	1.12.2
${\bf Summarized Experiment}$	1.6.5
DelayedArray	0.2.7
matrixStats	0.54.0
Biobase	2.36.2
Rsamtools	1.28.0
GenomicRanges	1.28.6
GenomeInfoDb	1.12.3
Biostrings	2.44.2
XVector	0.16.0
IRanges	2.10.5
S4Vectors	0.14.7
BiocParallel	1.10.1
BiocGenerics	0.22.1