# COVID-19 subject ACUTE21000991

2021-04-17


The table below provides a summary of subject samples for which sequencing data is available. The experiments column shows the number of sequencing experiments performed for each specimen. Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with > 90% sequence coverage.

Table 1. Sample summary.

Experiment	Туре	Genomes	Sample type	Sample date	Largest contig (KD)	Lineage	Reference read coverage	Reference read coverage (>= 5 reads)
VSP0643-1	single experiment	NA	VTM	2021-01-22	29.84	B.1.243	99.8%	99.7%

#### Variants shared across samples

The heat map below shows how variants (reference genome /home/everett/projects/SARS-CoV-2-Philadelphia/USA-WA1-2020) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in > 50% of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.



#### VTM 2021-01-22


241 intergenic	3517
1408 orf1ab silent	969
1578 orf1ab V438A	589
2155 orf1ab W630C	1828
3037 orf1ab silent	2069
6618 orf1ab G2118D	2313
7764 orf1ab S2500F	2366
7833 orf1ab N2523T	2635
8782 orf1ab silent	1821
10741 orf1ab silent	1635
12073 orf1ab silent	3882
14408 orf1ab P314L	4326
18060 orf1ab silent	2088
19086 orf1ab K1873N	4050
19584 orf1ab silent	618
20268 orf1ab silent	495
23403 S D614G	6587
23604 S P681H	4466
24076 S silent	995
28144 orf8 S84L	4933
28854 N S194L	434
29266 N silent	1983
29710 intergenic	65
	43–1
	SP0643-1




### Analyses of individual experiments and composite results

#### $VSP0643-1 \mid 2021-01-22 \mid VTM \mid H2101140648 \mid genomes \mid single experiment$


The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



## Software environment

Software/R package	Version
R	3.4.0
bwa	0.7.17-r1198-dirty
samtools	1.10 Using htslib 1.10
bcftools	1.10.2-34-g1a12af0-dirty Using htslib 1.10.2-57-gf58a6f3
pangolin	2.3.8
genbankr	1.4.0
optparse	1.6.0
forcats	0.3.0
stringr	1.4.0
dplyr	0.8.1
purrr	0.2.5
readr	1.1.1
tidyr	0.8.1
tibble	2.1.2
ggplot2	3.0.0
tidyverse	1.2.1
ShortRead	1.34.2
${\it Genomic Alignments}$	1.12.2
SummarizedExperiment	1.6.5
DelayedArray	0.2.7
matrixStats	0.54.0
Biobase	2.36.2
Rsamtools	1.28.0
GenomicRanges	1.28.6
$\operatorname{GenomeInfoDb}$	1.12.3
Biostrings	2.44.2
XVector	0.16.0
IRanges	2.10.5
S4Vectors	0.14.7
BiocParallel	1.10.1
BiocGenerics	0.22.1