

# COVID-19 subject 3120

*2021-04-17*

The table below provides a summary of subject samples for which sequencing data is available. The experiments column shows the number of sequencing experiments performed for each specimen. Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with  $> 90\%$  sequence coverage.

Table 1. Sample summary.

Experiment	Type	Genomes	Sample type	Sample date	Largest contig (KD)	Lineage	Reference read coverage	Reference read coverage ( $\geq 5$ reads)
VSP0607-1	single experiment	NA	Saliva	2020-12-15	29.82	B.1.2	99.8%	99.8%

## Variants shared across samples

The heat map below shows how variants (reference genome /home/everett/projects/SARS-CoV-2-Philadelphia/USA-WA1-2020) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in > 50% of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.



Saliva  
2020-12-15

241 intergenic	5562
1059 orf1ab T265I	2930
3037 orf1ab silent	2907
8083 orf1ab M2606I	3390
8782 orf1ab silent	2453
10165 orf1ab silent	4151
10319 orf1ab L3352F	4978
14408 orf1ab P314L	5986
14805 orf1ab silent	5877
18060 orf1ab silent	3272
18424 orf1ab N1653D	6289
21304 orf1ab R2613C	3134
23403 S D614G	15459
25563 orf3a Q57H	8143
25819 orf3a A143T	5910
25907 orf3a G172V	2931
27041 M silent	12045
27074 M silent	12207
27964 orf8 S24L	7012
28144 orf8 S84L	5696
28472 N P67S	8414
28869 N P199L	659
29545 intergenic	2332

Base change


Expected
A
T
C
G
N
Ins/Del
No data

VSP0607-1


# Analyses of individual experiments and composite results

VSP0607-1 | 2020-12-15 | Saliva | 3120 | genomes | single experiment


The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



## Software environment

Software/R package	Version
R	3.4.0
bwa	0.7.17-r1198-dirty
samtools	1.10 Using htlib 1.10
bcftools	1.10.2-34-g1a12af0-dirty Using htlib 1.10.2-57-gf58a6f3
pangolin	2.3.8
genbankr	1.4.0
optparse	1.6.0
forcats	0.3.0
stringr	1.4.0
dplyr	0.8.1
purrr	0.2.5
readr	1.1.1
tidyr	0.8.1
tibble	2.1.2
ggplot2	3.0.0
tidyverse	1.2.1
ShortRead	1.34.2
GenomicAlignments	1.12.2
SummarizedExperiment	1.6.5
DelayedArray	0.2.7
matrixStats	0.54.0
Biobase	2.36.2
Rsamtools	1.28.0
GenomicRanges	1.28.6
GenomeInfoDb	1.12.3
Biostrings	2.44.2
XVector	0.16.0
IRanges	2.10.5
S4Vectors	0.14.7
BiocParallel	1.10.1
BiocGenerics	0.22.1