COVID-19 subject UPHS-0695

2021-04-20


The table below provides a summary of subject samples for which sequencing data is available. The experiments column shows the number of sequencing experiments performed for each specimen. Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with > 90% sequence coverage.

Table 1. Sample summary.

Experiment	Type	Genomes	Sample type	Sample date	Largest contig (KD)	Lineage	Reference read coverage	Reference read coverage (>= 5 reads)
VSP1913-1	single experiment	NA	Saliva	2021-04-05	29.86	B.1.243	99.8%	99.8%

Variants shared across samples

The heat map below shows how variants (reference genome /home/everett/projects/SARS-CoV-2-Philadelphia/USA-WA1-2020) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in > 50% of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.



Saliva 2021-04-05


	202. 0. 00
241 intergenic	5799
346 orf1ab silent	10065
1968 orf1ab T568I	7182
2706 orf1ab T814I	16336
3037 orf1ab silent	10516
7981 orf1ab silent	17672
8782 orf1ab silent	8189
9508 orf1ab silent	20386
10741 orf1ab silent	12278
14408 orf1ab P314L	12565
17014 orf1ab D1183Y	23846
18060 orf1ab silent	11658
19542 orf1ab M2025I	9736
19961 orf1ab T2165M	11565
20268 orf1ab silent	4359
22458 S T299I	319
23179 S silent	4962
23403 S D614G	11040
23604 S P681H	12183
24076 S silent	4879
24774 S Q1071L	22532
26270 E T9I	17436
28144 orf8 S84L	9913
28854 N S194L	2430
29266 N silent	5248
29710 intergenic	1602
	7




Analyses of individual experiments and composite results

VSP1913-1 | 2021-04-05 | Saliva | UPHS-0695 | genomes | single experiment


The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



Software environment

Software/R package	Version
R	3.4.0
bwa	0.7.17-r1198-dirty
samtools	1.10 Using htslib 1.10
bcftools	1.10.2-34-g1a12af0-dirty Using htslib 1.10.2-57-gf58a6f3
pangolin	2.3.8
genbankr	1.4.0
optparse	1.6.0
forcats	0.3.0
stringr	1.4.0
dplyr	0.8.1
purrr	0.2.5
readr	1.1.1
tidyr	0.8.1
tibble	2.1.2
ggplot2	3.0.0
tidyverse	1.2.1
ShortRead	1.34.2
${\it Genomic Alignments}$	1.12.2
SummarizedExperiment	1.6.5
DelayedArray	0.2.7
matrixStats	0.54.0
Biobase	2.36.2
Rsamtools	1.28.0
GenomicRanges	1.28.6
$\operatorname{GenomeInfoDb}$	1.12.3
Biostrings	2.44.2
XVector	0.16.0
IRanges	2.10.5
S4Vectors	0.14.7
BiocParallel	1.10.1
BiocGenerics	0.22.1