COVID-19 subject UPHS-0689

2021-04-20

The table below provides a summary of subject samples for which sequencing data is available.
The experiments column shows the number of sequencing experiments performed for each specimen.
Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with > 90% sequence coverage.

Table 1. Sample summary.

Experiment	Type	Genomes	Sample type	Sample date	Largest contig (KD)	Lineage	Reference read coverage	Reference read coverage (>= 5 reads)
VSP1907-1	single experiment	NA	Saliva	2021-04-05	29.84	R.1	99.8%	99.8%

Variants shared across samples

The heat map below shows how variants (reference genome /home/everett/projects/SARS-CoV-2-Philadelphia/USA-WA1-2020) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in > 50% of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.




Saliva
2021−04−05
241 intergenic
4170
3037 orf1ab silent
5607
5239 orf1ab silent
8515
8644 orf1ab silent
4219
8782 orf1ab silent
5669
14340 orf1ab silent
10675
14408 orf1ab P314L
12617
17551 orf1ab G1362R
16224
18060 orf1ab silent
6480
18877 orf1ab silent
13507
19167 orf1ab silent
15208
19274 orf1ab P1936H
19491
19839 orf1ab silent
18379
21304 orf1ab R2613C
13736
22017 S W152L
2728
23012 S E484K
1118
23403 S D614G
11361
23868 S G769V
3366
26604 M F28L
10325
27213 orf6 silent
7015
27532 orf7a H47N
13898
28144 orf8 S84L
9574
28271 intergenic del 1
8468
28833 N S187L
2875
28881 N R203K
2013
28882 N R203K
2001
28883 N G204R
2006
29527 N Q418H
1983
29733 intergenic
1156
VSP1907−1
Base change
Expected
A
T
C
G
N
Ins/Del
No data

Analyses of individual experiments and composite results

VSP1907-1 | 2021-04-05 | Saliva | UPHS-0689 | genomes | single experiment

The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



Software environment

Software/R package	Version
R	3.4.0
bwa	0.7.17-r1198-dirty
samtools	1.10 Using htslib 1.10
bcftools	1.10.2-34-g1a12af0-dirty Using htslib 1.10.2-57-gf58a6f3
pangolin	2.3.8
genbankr	1.4.0
optparse	1.6.0
forcats	0.3.0
stringr	1.4.0
dplyr	0.8.1
purrr	0.2.5
readr	1.1.1
tidyr	0.8.1
tibble	2.1.2
ggplot2	3.0.0
tidyverse	1.2.1
ShortRead	1.34.2
GenomicAlignments	1.12.2
SummarizedExperiment	1.6.5
DelayedArray	0.2.7
matrixStats	0.54.0
Biobase	2.36.2
Rsamtools	1.28.0
GenomicRanges	1.28.6
GenomeInfoDb	1.12.3
Biostrings	2.44.2
XVector	0.16.0
IRanges	2.10.5
S4Vectors	0.14.7
BiocParallel	1.10.1
BiocGenerics	0.22.1