# COVID-19 subject UPHS-0307

2021-06-23


The table below provides a summary of subject samples for which sequencing data is available. The experiments column shows the number of sequencing experiments performed for each specimen. Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with > 90% sequence coverage.

Table 1. Sample summary.

Experiment	Туре	Genomes	Sample type	Sample date	Largest contig (KD)	Lineage	Reference read coverage	Reference read coverage (>= 5 reads)
VSP1352-1	single experiment	NA	Saline	2021-03-15	29.69	R.1	99.3%	99.2%

#### Variants shared across samples

The heat map below shows how variants (reference genome /home/common/SARS-CoV-2-Philadelphia/Wuhan-Hu-1) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in > 50% of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.



#### Saline 2021-03-15


	2021-03-13
241 intergenic	793
3037 ORF1ab silent	1352
5719 ORF1ab H1818Q	3067
8644 ORF1ab silent	1602
14340 ORF1ab silent	2165
14408 ORF1ab P314L	2328
17551 ORF1ab G1362R	5038
18877 ORF1ab silent	7042
19167 ORF1ab silent	4663
19274 ORF1ab P1936H	7258
19839 ORF1ab silent	5513
22017 S W152L	1512
23012 S E484K	32
23403 S D614G	4347
23868 S G769V	1125
26604 M F28L	3773
27213 ORF6 silent	3052
27575 ORF7a T61I	2535
28271 intergenic del 1	2628
28833 N S187L	714
28881 N R203K	481
28882 N R203K	480
28883 N G204R	481
29402 N D377Y	407
29527 N Q418H	254
	1352-1
	135




### Analyses of individual experiments and composite results

#### VSP1352-1 | 2021-03-15 | Saline | UPHS-0307 | genomes | single experiment


The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



## Software environment

Software/R package	Version
R	3.4.0
bwa	0.7.17-r1198-dirty
samtools	1.10 Using htslib 1.10
bcftools	1.10.2-34-g1a12af0-dirty Using htslib 1.10.2-57-gf58a6f3
pangolin	3.1.3
genbankr	1.4.0
optparse	1.6.0
forcats	0.3.0
stringr	1.4.0
dplyr	0.8.1
purrr	0.2.5
readr	1.1.1
tidyr	0.8.1
tibble	2.1.2
ggplot2	3.3.3
tidyverse	1.2.1
ShortRead	1.34.2
GenomicAlignments	1.12.2
${\bf Summarized Experiment}$	1.6.5
DelayedArray	0.2.7
matrixStats	0.54.0
Biobase	2.36.2
Rsamtools	1.28.0
GenomicRanges	1.28.6
GenomeInfoDb	1.12.3
Biostrings	2.44.2
XVector	0.16.0
IRanges	2.10.5
S4Vectors	0.14.7
BiocParallel	1.10.1
BiocGenerics	0.22.1