# COVID-19 subject 468

2021-06-23


The table below provides a summary of subject samples for which sequencing data is available. The experiments column shows the number of sequencing experiments performed for each specimen. Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with > 90% sequence coverage.

Table 1. Sample summary.

Experiment	Туре	Genomes	Sample type	Sample date	Largest contig (KD)	Lineage	Reference read coverage	Reference read coverage (>= 5 reads)
VSP0796-1	single experiment	NA	Saliva	2021-02-05	29.82	B.1.2	99.8%	99.8%

#### Variants shared across samples

The heat map below shows how variants (reference genome /home/common/SARS-CoV-2-Philadelphia/Wuhan-Hu-1) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in > 50% of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.



### Saliva 2021-02-05


	202. 02 00
241 intergenic	60
683 ORF1ab silent	383
1059 ORF1ab T265I	635
3037 ORF1ab silent	1144
5497 ORF1ab silent	1667
9928 ORF1ab M3221I	612
10319 ORF1ab L3352F	825
11962 ORF1ab silent	1542
14408 ORF1ab P314L	1732
18424 ORF1ab N1653D	1747
18573 ORF1ab silent	1330
21304 ORF1ab R2613C	1649
23114 S silent	74
23403 S D614G	2578
25563 ORF3a Q57H	2032
25672 ORF3a L94F	1957
25907 ORF3a G172V	1517
26828 M silent	1969
27687 ORF7a silent	1197
27964 ORF8 S24L	3592
28472 N P67S	3243
28869 N P199L	1011
29402 N D377Y	1185
29422 N silent	1109
	796–1
	<u>~</u>




## Analyses of individual experiments and composite results

#### VSP0796-1 | 2021-02-05 | Saliva | 468s | genomes | single experiment


The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



## Software environment

Software/R package	Version
R	3.4.0
bwa	0.7.17-r1198-dirty
samtools	1.10 Using htslib 1.10
bcftools	1.10.2-34-g1a12af0-dirty Using htslib 1.10.2-57-gf58a6f3
pangolin	3.1.3
genbankr	1.4.0
optparse	1.6.0
forcats	0.3.0
stringr	1.4.0
dplyr	0.8.1
purrr	0.2.5
readr	1.1.1
tidyr	0.8.1
tibble	2.1.2
ggplot2	3.3.3
tidyverse	1.2.1
ShortRead	1.34.2
GenomicAlignments	1.12.2
${\bf Summarized Experiment}$	1.6.5
DelayedArray	0.2.7
matrixStats	0.54.0
Biobase	2.36.2
Rsamtools	1.28.0
GenomicRanges	1.28.6
GenomeInfoDb	1.12.3
Biostrings	2.44.2
XVector	0.16.0
IRanges	2.10.5
S4Vectors	0.14.7
BiocParallel	1.10.1
BiocGenerics	0.22.1