COVID-19 subject UPHS-0808

2021-05-21

The table below provides a summary of subject samples for which sequencing data is available. The experiments column shows the number of sequencing experiments performed for each specimen. Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with > 90% sequence coverage.

Table 1. Sample summary.

Experiment	Type	Genomes	Sample type	Sample date	Largest contig (KD)	Lineage	Reference read coverage	Reference read coverage (>= 5 reads)
VSP2022-2	single experiment	NA	Saline	2021-03-30	29.82	B.1.1.207	99.8%	99.7%

Variants shared across samples

The heat map below shows how variants (reference genome /home/everett/projects/SARS-CoV-2-Philadelphia/Wuhan-Hu-1) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in $>$ 50% of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.

Saline
2021−03−30

Position	Count
241 intergenic	160
1547 ORF1ab S428G	1168
3037 ORF1ab silent	544
9172 ORF1ab silent	722
10948 ORF1ab silent	941
10977 ORF1ab A3571V	562
14408 ORF1ab P314L	2885
22468 S silent	27
23012 S E484K	35
23403 S D614G	4632
23604 S P681H	859
24874 S silent	1263
25350 S P1263L	1861
25819 ORF3a A143S	2237
26456 E P71L	607
26730 M V70F	1962
26927 M silent	4391
28881 N R203K	377
28882 N R203K	375
28883 N G204R	377
29424 N Q384R	851
29733 intergenic	38
29766 intergenic	36

VSP2022−2

Base change

Expected	(grey)
A	(green)
T	(red)
C	(blue)
G	(yellow)
N	(purple)
Ins/Del	(black)
No data	(light grey)

3

Analyses of individual experiments and composite results

**VSP2022-2 | 2021-03-30 | Saline | UPHS-0808 | genomes | single experiment**

The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.

Excerpt from plot above focusing on reads coverage from 0 to 50 NT.

The longest five assembled contigs are shown below colored by their edit distance to the reference genome.

Software environment

Software/R package	Version
R	3.4.0
bwa	0.7.17-r1198-dirty
samtools	1.10 Using htslib 1.10
bcftools	1.10.2-34-g1a12af0-dirty Using htslib 1.10.2-57-gf58a6f3
pangolin	2.3.8
genbankr	1.4.0
optparse	1.6.0
forcats	0.3.0
stringr	1.4.0
dplyr	0.8.1
purrr	0.2.5
readr	1.1.1
tidyr	0.8.1
tibble	2.1.2
ggplot2	3.3.3
tidyverse	1.2.1
ShortRead	1.34.2
GenomicAlignments	1.12.2
SummarizedExperiment	1.6.5
DelayedArray	0.2.7
matrixStats	0.54.0
Biobase	2.36.2
Rsamtools	1.28.0
GenomicRanges	1.28.6
GenomeInfoDb	1.12.3
Biostrings	2.44.2
XVector	0.16.0
IRanges	2.10.5
S4Vectors	0.14.7
BiocParallel	1.10.1
BiocGenerics	0.22.1