COVID-19 subject UPHS-0735

2021-06-23

The table below provides a summary of subject samples for which sequencing data is available. The experiments column shows the number of sequencing experiments performed for each specimen. Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with > 90% sequence coverage.

Table 1. Sample summary.

Experiment	Type	Genomes	Sample type	Sample date	Largest contig (KD)	Lineage	Reference read coverage	Reference read coverage (>= 5 reads)
VSP1953-1	single experiment	NA	Saliva	2021-03-16	29.66	B.1.526	99.3%	99.3%

Variants shared across samples

The heat map below shows how variants (reference genome /home/common/SARS-CoV-2-Philadelphia/Wuhan-Hu-1) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in > 50% of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.

Saliva
2021−03−16

Position	VSP1953−1
241 intergenic	1435
1059 ORF1ab T265I	1176
3037 ORF1ab silent	1228
6101 ORF1ab G1946S	1095
7201 ORF1ab silent	220
8809 ORF1ab silent	838
9867 ORF1ab L3201P	144
11288 ORF1ab del 9	1106
14408 ORF1ab P314L	2697
16500 ORF1ab Q1011H	4942
20262 ORF1ab silent	1164
21575 S L5F	251
21618 S T19I	276
21846 S T95I	1799
22320 S D253G	201
22992 S S477N	242
23403 S D614G	2125
24432 S Q957R	1330
25477 ORF3a V29F	2037
25517 ORF3a P42L	1846
25563 ORF3a Q57H	2425
25968 ORF3a silent	1762
27739 ORF7a L116F	1165
27925 ORF8 T11I	1678
28271 intergenic del 1	2148
28311 N P13L	2277
28879 N S202R	543

Base change

Expected
A
T
C
G
N
Ins/Del
No data

Analyses of individual experiments and composite results

**VSP1953-1 | 2021-03-16 | Saliva | UPHS-0735 | genomes | single experiment**

The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.

Excerpt from plot above focusing on reads coverage from 0 to 50 NT.

The longest five assembled contigs are shown below colored by their edit distance to the reference genome.

Software environment

Software/R package	Version
R	3.4.0
bwa	0.7.17-r1198-dirty
samtools	1.10 Using htslib 1.10
bcftools	1.10.2-34-g1a12af0-dirty Using htslib 1.10.2-57-gf58a6f3
pangolin	3.1.3
genbankr	1.4.0
optparse	1.6.0
forcats	0.3.0
stringr	1.4.0
dplyr	0.8.1
purrr	0.2.5
readr	1.1.1
tidyr	0.8.1
tibble	2.1.2
ggplot2	3.3.3
tidyverse	1.2.1
ShortRead	1.34.2
GenomicAlignments	1.12.2
SummarizedExperiment	1.6.5
DelayedArray	0.2.7
matrixStats	0.54.0
Biobase	2.36.2
Rsamtools	1.28.0
GenomicRanges	1.28.6
GenomeInfoDb	1.12.3
Biostrings	2.44.2
XVector	0.16.0
IRanges	2.10.5
S4Vectors	0.14.7
BiocParallel	1.10.1
BiocGenerics	0.22.1