

COVID-19 subject 256

2020-09-14


The table below provides a summary of subject samples for which sequencing data is available. The experiments column shows the number of sequencing experiments performed for each specimen. Experiment specific analyses are shown at the end of this report. The code base for this analysis can be found ([here](#)).

Table 1. Sample summary.

Experiment	Type	Input genomes	Sample type	Sample date	Largest contig (KD)	Reference read coverage	Reference read coverage (>= 5 reads)
VSP0107	composite	NA	NP-OP	2020-05-08	29.99	99.9%	99.9%
VSP0118	composite	NA	NP-OP	2020-05-11	2.63	62.0%	58.2%
VSP0100-1	single experiment	2760000	ETA	2020-05-08	29.82	99.7%	99.7%
VSP0107-1	single experiment	595000	NP-OP	2020-05-08	29.88	99.9%	99.8%
VSP0107-2	single experiment	595000	NP-OP	2020-05-08	29.99	99.9%	99.8%
VSP0118-1	single experiment	269	NP-OP	2020-05-11	2.67	56.6%	53.5%
VSP0118-2	single experiment	1345	NP-OP	2020-05-11	0.58	9.2%	5.7%
VSP0118-3	single experiment	1345	NP-OP	2020-05-11	0.53	10.9%	7.7%
VSP0118-4	single experiment	1345	NP-OP	2020-05-11	0.60	10.6%	6.8%
VSP0123-1	single experiment	123000	ETA	2020-05-11	29.89	99.9%	99.8%

Variants shared across samples

The heat map below shows how variants (reference genome USA-WA1-2020) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 for more reads, the alternative base is found in $> 50\%$ of read pairs and the variant yields a PHRED score > 20 . Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.



	ETA 020-05-0	ETA 020-05-1	NP-OP 2020-05-08		NP-OP 2020-05-11			
241 transgenic	955	2086	5416	1966	921			
1059 orf1ab T265I	2253	1752	6183	1697				
1897 orf1ab silent	6774	3246	11384	2922	8	13	2	5
2880 orf1ab A872V	775	1517	1801	2618	31			
2903 orf1ab I880V	395	984	1886	2606	222	62	28	10
3037 orf1ab silent	400	1167	1979	2651				
4299 orf1ab V1345G	3852	2788	5611	1759		1	8	6
5260 orf1ab silent	25	600	20	490	9	51	44	56
5891 orf1ab T1876P	1796	3683	443	2357		8		5
8782 orf1ab silent	63	1367	39	998				
10665 orf1ab V3467A	619	2291	812	1133		28	12	21
10685 orf1ab A3474T	789	2560	1747	1466	1	9	3	7
13040 orf1ab E4259stop	9304	4098	7995	3424	2800			
14408 orf1ab P314L	779	2264	3269	1258	2256			
18060 orf1ab silent	174	596	1395	1319	2494			
20371 orf1ab silent	29	1003	16	241	1035			
23403 S D614G	18281	5494	8818	6370	1208			1
25563 orf3a Q57H	2424	3050	5380	2764	1	40865		
28109 orf8 Q72H	2707	4710	4079	6933				
28144 orf8 S84L	4380	4192	1487	7643				
28684 N silent	4593	3961	11661	5348	1		7	
	VSP0100-1	VSP0123-1	VSP0107-1	VSP0107-2	VSP0118-1	VSP0118-2	VSP0118-3	VSP0118-4


Base change

- Expected
- A
- T
- C
- G
- N
- Ins/Del
- No data


Analyses of individual experiments and composite results.

VSP0107 | 2020-05-08 | NP-OP | 256no-t | composite result


The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.




Excerpt from plot above focusing on reads coverage from 0 to 50 NT.




The longest five assembled contigs are shown below colored by their edit distance to the reference genome.




The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.




Excerpt from plot above focusing on reads coverage from 0 to 50 NT.




The longest five assembled contigs are shown below colored by their edit distance to the reference genome.




The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.




Excerpt from plot above focusing on reads coverage from 0 to 50 NT.




The longest five assembled contigs are shown below colored by their edit distance to the reference genome.




The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.




Excerpt from plot above focusing on reads coverage from 0 to 50 NT.




The longest five assembled contigs are shown below colored by their edit distance to the reference genome.




The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.




Excerpt from plot above focusing on reads coverage from 0 to 50 NT.




The longest five assembled contigs are shown below colored by their edit distance to the reference genome.




The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.




Excerpt from plot above focusing on reads coverage from 0 to 50 NT.




The longest five assembled contigs are shown below colored by their edit distance to the reference genome.




The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.




Excerpt from plot above focusing on reads coverage from 0 to 50 NT.




The longest five assembled contigs are shown below colored by their edit distance to the reference genome.




The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.




Excerpt from plot above focusing on reads coverage from 0 to 50 NT.




The longest five assembled contigs are shown below colored by their edit distance to the reference genome.




The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.




Excerpt from plot above focusing on reads coverage from 0 to 50 NT.




The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.

