# COVID-19 subject UPHS-0541

2021-06-03


The table below provides a summary of subject samples for which sequencing data is available. The experiments column shows the number of sequencing experiments performed for each specimen. Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with > 90% sequence coverage.

Table 1. Sample summary.

Experiment	Туре	Genomes	Sample type	Sample date	Largest contig (KD)	Lineage	Reference read coverage	Reference read coverage (>= 5 reads)
VSP1667-1	single experiment	NA	NA	2021-03-26	29.84	B.1.526	99.8%	99.7%

#### Variants shared across samples

The heat map below shows how variants (reference genome /home/common/SARS-CoV-2-Philadelphia/Wuhan-Hu-1) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in > 50% of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.



#### NA 2021-03-26


	2021-03-20
241 intergenic	226
1059 ORF1ab T265I	352
3037 ORF1ab silent	406
9207 ORF1ab S2981F	374
9867 ORF1ab L3201P	520
14408 ORF1ab P314L	390
16500 ORF1ab Q1011H	551
20262 ORF1ab silent	162
21575 S L5F	175
21846 S T95I	246
22264 S silent	403
22320 S D253G	58
22484 S V308L	29
23012 S E484K	154
23403 S D614G	1321
23664 S A701V	376
25489 ORF3a A33S	239
25517 ORF3a P42L	184
25563 ORF3a Q57H	331
27228 ORF6 silent	347
27925 ORF8 T11I	271
28271 intergenic del 1	334
28869 N P199L	85
28975 N M234I	78
	27-1
	/SP1667-1
	> %




### Analyses of individual experiments and composite results

#### VSP1667-1 | 2021-03-26 | NA | UPHS-0541 | genomes | single experiment


The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



## Software environment

Software/R package	Version
R	3.4.0
bwa	0.7.17-r1198-dirty
samtools	1.10 Using htslib 1.10
bcftools	1.10.2-34-g1a12af0-dirty Using htslib 1.10.2-57-gf58a6f3
pangolin	2.3.8
genbankr	1.4.0
optparse	1.6.0
forcats	0.3.0
stringr	1.4.0
dplyr	0.8.1
purrr	0.2.5
readr	1.1.1
tidyr	0.8.1
tibble	2.1.2
ggplot2	3.3.3
tidyverse	1.2.1
ShortRead	1.34.2
${\it Genomic Alignments}$	1.12.2
SummarizedExperiment	1.6.5
DelayedArray	0.2.7
matrixStats	0.54.0
Biobase	2.36.2
Rsamtools	1.28.0
GenomicRanges	1.28.6
$\operatorname{GenomeInfoDb}$	1.12.3
Biostrings	2.44.2
XVector	0.16.0
IRanges	2.10.5
S4Vectors	0.14.7
BiocParallel	1.10.1
BiocGenerics	0.22.1