COVID-19 subject UPHS-0526

2021-06-03


The table below provides a summary of subject samples for which sequencing data is available. The experiments column shows the number of sequencing experiments performed for each specimen. Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with > 90% sequence coverage.

Table 1. Sample summary.

Experiment	Туре	Genomes	Sample type	Sample date	Largest contig (KD)	Lineage	Reference read coverage	Reference read coverage (>= 5 reads)
VSP1652-1	single experiment	NA	NA	2021 - 03 - 25	29.83	B.1.526	99.8%	99.7%

Variants shared across samples

The heat map below shows how variants (reference genome /home/common/SARS-CoV-2-Philadelphia/Wuhan-Hu-1) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in > 50% of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.



NA 2021-03-25


	2021-03-23
241 intergenic	78
1059 ORF1ab T265I	237
3037 ORF1ab silent	208
4543 ORF1ab silent	266
5730 ORF1ab T1822I	413
9867 ORF1ab L3201P	365
10642 ORF1ab silent	279
11296 ORF1ab F3677L	377
14408 ORF1ab P314L	170
14724 ORF1ab silent	197
16500 ORF1ab Q1011H	326
16726 ORF1ab H1087Y	605
20262 ORF1ab silent	92
21575 S L5F	122
21846 S T95I	134
22320 S D253G	47
23012 S E484K	111
23403 S D614G	1034
23664 S A701V	242
25249 S M1229I	283
25517 ORF3a P42L	147
25563 ORF3a Q57H	250
27925 ORF8 T11I	169
28271 intergenic del 1	224
28869 N P199L	134
28975 N M234I	114
29586 ORF10 P10L	372
	7
	165,
	VSP1652-1
	•




Analyses of individual experiments and composite results

VSP1652-1 | 2021-03-25 | NA | UPHS-0526 | genomes | single experiment


The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



Software environment

Software/R package	Version
R	3.4.0
bwa	0.7.17-r1198-dirty
samtools	1.10 Using htslib 1.10
bcftools	1.10.2-34-g1a12af0-dirty Using htslib 1.10.2-57-gf58a6f3
pangolin	2.3.8
genbankr	1.4.0
optparse	1.6.0
forcats	0.3.0
stringr	1.4.0
dplyr	0.8.1
purrr	0.2.5
readr	1.1.1
tidyr	0.8.1
tibble	2.1.2
ggplot2	3.3.3
tidyverse	1.2.1
ShortRead	1.34.2
${\it Genomic Alignments}$	1.12.2
SummarizedExperiment	1.6.5
DelayedArray	0.2.7
matrixStats	0.54.0
Biobase	2.36.2
Rsamtools	1.28.0
GenomicRanges	1.28.6
$\operatorname{GenomeInfoDb}$	1.12.3
Biostrings	2.44.2
XVector	0.16.0
IRanges	2.10.5
S4Vectors	0.14.7
BiocParallel	1.10.1
BiocGenerics	0.22.1