COVID-19 subject H2102230858

2021-06-01

The table below provides a summary of subject samples for which sequencing data is available.
The experiments column shows the number of sequencing experiments performed for each specimen.
Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with > 90% sequence coverage.

Table 1. Sample summary.

Experiment	Type	Genomes	Sample type	Sample date	Largest contig (KD)	Lineage	Reference read coverage	Reference read coverage (>= 5 reads)
VSP0681	composite	NA	VTM	2021-03-01	29.86	B.1.526	99.9%	99.7%
VSP0681-1	single experiment	NA	VTM	2021-03-01	29.86	B.1.526	99.9%	99.7%
VSP0681-2	single experiment	NA	VTM	2021-03-01	29.84	B.1.526	99.8%	99.7%
VSP0681-3	single experiment	NA	VTM	2021-03-01	17.67	B.1.562.3	99.4%	98.5%

Variants shared across samples

The heat map below shows how variants (reference genome /home/common/SARS-CoV-2-Philadelphia/Wuhan-Hu-1) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in > 50% of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.


VTM
2021−03−01
241 intergenic
1059 ORF1ab T265I
3037 ORF1ab silent
9867 ORF1ab L3201P
11288 ORF1ab del 9
14408 ORF1ab P314L
16500 ORF1ab Q1011H
20262 ORF1ab silent
21575 S L5F
21846 S T95I
22320 S D253G
23012 S E484K
23403 S D614G
23664 S A701V
25517 ORF3a P42L
25563 ORF3a Q57H
27925 ORF8 T11I
28271 intergenic del 1
28869 N P199L
28975 N M234I
2606
923
18
3605
1129
37
5011
1716
32
2698
1192
28
9854
2879
43
7473
2228
26
7718
3123
56
1864
870
9
2330
805
9
5957
1822
26
505
246
6
7801
2035
27
9174
3174
91
7857
2491
34
4034
1156
22
3819
1223
29
10763
2914
29
5148
1874
38
1043
316
9
892
327
5
VSP0681−1
VSP0681−2
VSP0681−3
Base change
Expected
A
T
C
G
N
Ins/Del
No data

Analyses of individual experiments and composite results

VSP0681 | 2021-03-01 | VTM | H2102230858 | composite result

The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



VSP0681-1 | 2021-03-01 | VTM | H2102230858 | genomes | single experiment

The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



VSP0681-2 | 2021-03-01 | VTM | H2102230858 | genomes | single experiment

The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



VSP0681-3 | 2021-03-01 | VTM | H2102230858 | genomes | single experiment

The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



Software environment

Software/R package	Version
R	3.4.0
bwa	0.7.17-r1198-dirty
samtools	1.10 Using htslib 1.10
bcftools	1.10.2-34-g1a12af0-dirty Using htslib 1.10.2-57-gf58a6f3
pangolin	2.3.8
genbankr	1.4.0
optparse	1.6.0
forcats	0.3.0
stringr	1.4.0
dplyr	0.8.1
purrr	0.2.5
readr	1.1.1
tidyr	0.8.1
tibble	2.1.2
ggplot2	3.3.3
tidyverse	1.2.1
ShortRead	1.34.2
GenomicAlignments	1.12.2
SummarizedExperiment	1.6.5
DelayedArray	0.2.7
matrixStats	0.54.0
Biobase	2.36.2
Rsamtools	1.28.0
GenomicRanges	1.28.6
GenomeInfoDb	1.12.3
Biostrings	2.44.2
XVector	0.16.0
IRanges	2.10.5
S4Vectors	0.14.7
BiocParallel	1.10.1
BiocGenerics	0.22.1