

# COVID-19 subject patient\_\_A1

*2021-03-09*

The table below provides a summary of subject samples for which sequencing data is available.

The experiments column shows the number of sequencing experiments performed for each specimen.


Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with > 90% sequence coverage.

Table 1. Sample summary.

Experiment	Type	Genomes	Sample type	Sample date	Largest contig (KD)	Lineage	Reference read coverage	Reference read coverage (>= 5 reads)
VSP9965-1	single experiment	NA	ImmunoComp2021	2021-03-01	29.88	B.1.243	99.9%	99.9%

**Variants shared across samples**

The heat map below shows how variants (reference genome USA-WA1-2020) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in > 50% of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.



ImmunoComp\_sim  
2021-03-01

241 intergenic	97
1578 orf1ab V438A	98
3037 orf1ab silent	98
6618 orf1ab G2118D	98
7393 orf1ab silent	98
7833 orf1ab N2523T	99
7860 orf1ab T2532I	98
8782 orf1ab silent	98
10741 orf1ab silent	98
12153 orf1ab A3963V	98
12896 orf1ab P4211T	98
14408 orf1ab P314L	98
18060 orf1ab silent	98
20268 orf1ab silent	98
23403 S D614G	98
23604 S P681H	98
24076 S silent	98
27923 orf8 silent	98
28144 orf8 S84L	98
28854 N S194L	98
29266 N silent	98
29710 intergenic	97

Base change


Expected
A
T
C
G
N
Ins/Del
No data

VSP9965-1


# Analyses of individual experiments and composite results

VSP9965-1 | 2021-03-01 | ImmunoComp\_sim | patient\_A1 | genomes | single experiment


The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



## Software environment

Software/R package	Version
R	3.4.0
bwa	0.7.17-r1198-dirty
samtools	1.10 Using htlib 1.10
bcftools	1.10.2-34-g1a12af0-dirty Using htlib 1.10.2-57-gf58a6f3
pangolin	2.3.3
genbankr	1.4.0
optparse	1.6.0
forcats	0.3.0
stringr	1.4.0
dplyr	0.8.1
purrr	0.2.5
readr	1.1.1
tidyr	0.8.1
tibble	2.1.2
ggplot2	3.0.0
tidyverse	1.2.1
ShortRead	1.34.2
GenomicAlignments	1.12.2
SummarizedExperiment	1.6.5
DelayedArray	0.2.7
matrixStats	0.54.0
Biobase	2.36.2
Rsamtools	1.28.0
GenomicRanges	1.28.6
GenomeInfoDb	1.12.3
Biostrings	2.44.2
XVector	0.16.0
IRanges	2.10.5
S4Vectors	0.14.7
BiocParallel	1.10.1
BiocGenerics	0.22.1