COVID-19 subject UPHS-1613

2021-06-03

The table below provides a summary of subject samples for which sequencing data is available.
The experiments column shows the number of sequencing experiments performed for each specimen.
Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with > 90% sequence coverage.

Table 1. Sample summary.

Experiment	Type	Genomes	Sample type	Sample date	Largest contig (KD)	Lineage	Reference read coverage	Reference read coverage (>= 5 reads)
VSP2914-1	single experiment	NA	VTM	2021-03-05	29.86	B.1.526.2	99.7%	99.7%

Variants shared across samples

The heat map below shows how variants (reference genome /home/common/SARS-CoV-2-Philadelphia/Wuhan-Hu-1) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in $> 50\%$ of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.




VTM
2021−03−05
241 intergenic
299
807 ORF1ab A181V
785
1059 ORF1ab T265I
386
3037 ORF1ab silent
658
6101 ORF1ab G1946S
339
7201 ORF1ab silent
288
8809 ORF1ab silent
611
9867 ORF1ab L3201P
509
11288 ORF1ab del 9
1175
14408 ORF1ab P314L
712
16500 ORF1ab Q1011H
2253
20262 ORF1ab silent
495
21137 ORF1ab K2557R
1479
21575 S L5F
157
21846 S T95I
467
22320 S D253G
124
22992 S S477N
165
23403 S D614G
935
24432 S Q957R
779
25106 S E1182Q
657
25517 ORF3a P42L
364
25563 ORF3a Q57H
871
25968 ORF3a silent
1175
27739 ORF7a L116F
647
27925 ORF8 T11I
571
28271 intergenic del 1
487
28311 N P13L
433
28879 N S202R
98
29046 N P258L
310
29095 N silent
471
VSP2914−1
Base change
Expected
A
T
C
G
N
Ins/Del
No data

Analyses of individual experiments and composite results

VSP2914-1 | 2021-03-05 | VTM | UPHS-1613 | genomes | single experiment

The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



Software environment

Software/R package	Version
R	3.4.0
bwa	0.7.17-r1198-dirty
samtools	1.10 Using htslib 1.10
bcftools	1.10.2-34-g1a12af0-dirty Using htslib 1.10.2-57-gf58a6f3
pangolin	2.3.8
genbankr	1.4.0
optparse	1.6.0
forcats	0.3.0
stringr	1.4.0
dplyr	0.8.1
purrr	0.2.5
readr	1.1.1
tidyr	0.8.1
tibble	2.1.2
ggplot2	3.3.3
tidyverse	1.2.1
ShortRead	1.34.2
GenomicAlignments	1.12.2
SummarizedExperiment	1.6.5
DelayedArray	0.2.7
matrixStats	0.54.0
Biobase	2.36.2
Rsamtools	1.28.0
GenomicRanges	1.28.6
GenomeInfoDb	1.12.3
Biostrings	2.44.2
XVector	0.16.0
IRanges	2.10.5
S4Vectors	0.14.7
BiocParallel	1.10.1
BiocGenerics	0.22.1