# COVID-19 subject UPHS-0317

*2021-06-23*

The table below provides a summary of subject samples for which sequencing data is available.
The experiments column shows the number of sequencing experiments performed for each specimen.
Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with > 90% sequence coverage.

Table 1. Sample summary.

| Experiment | Type | Genomes | Sample type | Sample date | Largest contig (KD) | Lineage | Reference read coverage | Reference read coverage (>= 5 reads) |
|---|---|---|---|---|---|---|---|---|
| VSP1362-1 | single experiment | NA | Saline | 2021-03-17 | 29.80 | B.1.526 | 99.8% | 99.8% |

**Variants shared across samples**

The heat map below shows how variants (reference genome /home/common/SARS-CoV-2-Philadelphia/Wuhan-Hu-1) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in $> 50\%$ of read pairs and the variant yields a PHRED score $> 20$. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.




Saline
2021−03−17
241 intergenic
832 ORF1ab silent
1059 ORF1ab T265I
2436 ORF1ab R724I
3037 ORF1ab silent
5300 ORF1ab A1679S
5581 ORF1ab silent
8884 ORF1ab I2873M
9165 ORF1ab T2967I
9749 ORF1ab K3162E
9867 ORF1ab L3201P
9891 ORF1ab A3209V
11288 ORF1ab del 9
11804 ORF1ab V3847I
12628 ORF1ab silent
13533 ORF1ab silent
14408 ORF1ab P314L
21801 S D80G
21991 S del 3
22917 S L452R
23403 S D614G
24138 S T859N
24410 S D950H
25413 ORF3a silent
25517 ORF3a P42L
25563 ORF3a Q57H
25703 ORF3a P104L
27925 ORF8 T11I
28044 ORF8 A51S
28271 intergenic del 1
28333 N silent
28887 N T205I
28975 N M234I
1192
4419
1855
3098
2213
4021
6370
5031
4670
944
808
1038
4036
7032
4661
2962
3766
3452
2032
156
6269
4689
5248
4384
2684
5549
2765
3043
3993
4470
4523
629
1006
VSP1362−1
Base change
Expected
A
T
C
G
N
Ins/Del
No data

## Analyses of individual experiments and composite results

### VSP1362-1 | 2021-03-17 | Saline | UPHS-0317 | genomes | single experiment

The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.




Excerpt from plot above focusing on reads coverage from 0 to 50 NT.




The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



## Software environment

| Software/R package | Version |
|---|---|
| R | 3.4.0 |
| bwa | 0.7.17-r1198-dirty |
| samtools | 1.10 Using htslib 1.10 |
| bcftools | 1.10.2-34-g1a12af0-dirty Using htslib 1.10.2-57-gf58a6f3 |
| pangolin | 3.1.3 |
| genbankr | 1.4.0 |
| optparse | 1.6.0 |
| forcats | 0.3.0 |
| stringr | 1.4.0 |
| dplyr | 0.8.1 |
| purrr | 0.2.5 |
| readr | 1.1.1 |
| tidyr | 0.8.1 |
| tibble | 2.1.2 |
| ggplot2 | 3.3.3 |
| tidyverse | 1.2.1 |
| ShortRead | 1.34.2 |
| GenomicAlignments | 1.12.2 |
| SummarizedExperiment | 1.6.5 |
| DelayedArray | 0.2.7 |
| matrixStats | 0.54.0 |
| Biobase | 2.36.2 |
| Rsamtools | 1.28.0 |
| GenomicRanges | 1.28.6 |
| GenomeInfoDb | 1.12.3 |
| Biostrings | 2.44.2 |
| XVector | 0.16.0 |
| IRanges | 2.10.5 |
| S4Vectors | 0.14.7 |
| BiocParallel | 1.10.1 |
| BiocGenerics | 0.22.1 |