# COVID-19 subject UPHS-0750

2021-04-20

The table below provides a summary of subject samples for which sequencing data is available. The experiments column shows the number of sequencing experiments performed for each specimen. Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with > 90% sequence coverage.

Table 1. Sample summary.

Experiment	Type	Genomes	Sample type	Sample date	Largest contig (KD)	Lineage	Reference read coverage	Reference read coverage (>= 5 reads)
VSP1968-1	single experiment	NA	Saliva	2021-04-05	4.61	NA	78.3%	76.8%

Variants shared across samples

The heat map below shows how variants (reference genome /home/everett/projects/SARS-CoV-2-Philadelphia/USA-WA1-2020) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in > 50% of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.

Saliva
2021-04-05

Position	VSP1968-1
241 intergenic	101
733 orf1ab silent	176
1427 orf1ab H388Y	95
2749 orf1ab silent	185
2972 orf1ab A903T	158
3037 orf1ab silent	116
3828 orf1ab S1188L	102
6613 orf1ab silent	194
8782 orf1ab silent	48
11288 orf1ab del 9	68
12778 orf1ab silent	130
13329 orf1ab T4355I	194
13860 orf1ab silent	96
14408 orf1ab P314L	348
18060 orf1ab silent	139
21974 S D138Y	81
23012 S E484K	25
23063 S N501Y	42
23525 S H655Y	30
24642 S T1027I	146
25088 S V1176F	120
28144 orf8 S84L	77
28167 orf8 E92K	61
28262 intergenic ins 4	66
28512 N P80R	95

Base change
- Expected
- A
- T
- C
- G
- N
- Ins/Del
- No data

3

Analyses of individual experiments and composite results

## VSP1968-1 | 2021-04-05 | Saliva | UPHS-0750 | genomes | single experiment

The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.

Excerpt from plot above focusing on reads coverage from 0 to 50 NT.

The longest five assembled contigs are shown below colored by their edit distance to the reference genome.

Software environment

Software/R package	Version
R	3.4.0
bwa	0.7.17-r1198-dirty
samtools	1.10 Using htslib 1.10
bcftools	1.10.2-34-g1a12af0-dirty Using htslib 1.10.2-57-gf58a6f3
pangolin	2.3.8
genbankr	1.4.0
optparse	1.6.0
forcats	0.3.0
stringr	1.4.0
dplyr	0.8.1
purrr	0.2.5
readr	1.1.1
tidyr	0.8.1
tibble	2.1.2
ggplot2	3.0.0
tidyverse	1.2.1
ShortRead	1.34.2
GenomicAlignments	1.12.2
SummarizedExperiment	1.6.5
DelayedArray	0.2.7
matrixStats	0.54.0
Biobase	2.36.2
Rsamtools	1.28.0
GenomicRanges	1.28.6
GenomeInfoDb	1.12.3
Biostrings	2.44.2
XVector	0.16.0
IRanges	2.10.5
S4Vectors	0.14.7
BiocParallel	1.10.1
BiocGenerics	0.22.1