Simple Tables for Municipality Proliferation

May 31, 2023

Contents

| 1 | Po | oled, Urban Populations | 2 |
|------------------|-------------|---|---------------------|
| | 1.1 | CGoodman Full, Per Capita | 2 |
| | 1.2 | Subcounty Governments, Per Capita | 6 |
| | 1.3 | Municipal Governments, Per Capita | 10 |
| | 1.4 | • | |
| 2 | Sta | acked Tables, Urban Populations | 18 |
| | 2.1 | CGoodman Full, Per Capita | 18 |
| | 2.2 | Subcounty Governments, Per Capita | 22 |
| | 2.3 | • | |
| | 2.4 | | |
| | | | |
| \mathbf{L}^{i} | ist | of Figures | |
| \mathbf{L}^{i} | ist | of Tables | |
| | 1 | D. ATHER SHAPE OF THE STATE OF | _ |
| | 1 | Deference trade I wo with v=Earliest Year of Municipal Incorporation Per Capita (100,000) Pooled, Census Region controls | - 2 |
| | 2 | Dererencourt Table Two with y=Earliest Year of Municipal Incorporation Per Capita (100,000) Pooled, Census Region controls Dererencourt Table Two with y=Number of Subcounty Govts (town, twp, muni) Per Capita (100,000) Pooled, Census Region controls | |
| | 3 | Dererencourt Table Two with y=Number of Subcounty Govts (town, twp, muni) Per Capita (100,000) Pooled, Census Region controls Dererencourt Table Two with y=Number of Municipal Govts Per Capita (100,000) Pooled, Census Region controls | 6 10 |
| | 3 4 | Dererencourt Table Two with y=Number of Subcounty Govts (town, twp, muni) Per Capita (100,000) Pooled, Census Region controls Dererencourt Table Two with y=Number of Municipal Govts Per Capita (100,000) Pooled, Census Region controls | 6 10 14 |
| | 3 4 5 | Dererencourt Table Two with y=Number of Subcounty Govts (town, twp, muni) Per Capita (100,000) Pooled, Census Region controls Dererencourt Table Two with y=Number of Municipal Govts Per Capita (100,000) Pooled, Census Region controls Dererencourt Table Two with y=Number of Independent School Districts Per Capita (100,000) Pooled, Census Region controls Dererencourt Table Two with y=Earliest Year of Municipal Incorporation Per Capita (100,000) Pooled, Census Region and Decade FEs controls. | 6 10 14 |
| | 3 4 | Dererencourt Table Two with y=Number of Subcounty Govts (town, twp, muni) Per Capita (100,000) Pooled, Census Region controls Dererencourt Table Two with y=Number of Municipal Govts Per Capita (100,000) Pooled, Census Region controls Dererencourt Table Two with y=Number of Independent School Districts Per Capita (100,000) Pooled, Census Region controls Dererencourt Table Two with y=Earliest Year of Municipal Incorporation Per Capita (100,000) Pooled, Census Region and Decade FEs controls. Dererencourt Table Two with y=Number of Subcounty Govts (town, twp, muni) Per Capita (100,000) Pooled, Census Region and Decade | 6 10 14 18 |
| | 3 4 5 | Dererencourt Table Two with y=Number of Subcounty Govts (town, twp, muni) Per Capita (100,000) Pooled, Census Region controls Dererencourt Table Two with y=Number of Municipal Govts Per Capita (100,000) Pooled, Census Region controls Dererencourt Table Two with y=Number of Independent School Districts Per Capita (100,000) Pooled, Census Region controls Dererencourt Table Two with y=Earliest Year of Municipal Incorporation Per Capita (100,000) Pooled, Census Region and Decade FEs controls. | 6 10 14 18 |

1 Pooled, Urban Populations


1.1 CGoodman Full, Per Capita


Table 1: Dererencourt Table Two with y=Earliest Year of Municipal Incorporation Per Capita (100,000) Pooled, Census Region controls.

| | First Stage (1) | OLS (2) | Reduced Form (3) | 2SLS (4) |
|------------------------|----------------------|-----------------|------------------|-----------------|
| GM_hat2_raw_pp | 0.996*** (0.0945) | | 0.386 (0.337) | |
| GM_{raw_pp} | | 0.296 (0.201) | | 0.388 (0.329) |
| F-Stat Observations | 52.613 130 | 130 | 130 | 130 |


Standard errors in parentheses

^{*} p¡0.10, ** p¡0.05, *** p¡0.01





Data at CZ level, 1940-70 sample, with Census Region controls.



Data at CZ level, 1940-70 sample, with Census Region controls.


1.2 Subcounty Governments, Per Capita


Table 2: Dererencourt Table Two with y=Number of Subcounty Govts (town, twp, muni) Per Capita (100,000) Pooled, Census Region controls.


| | First Stage (1) | OLS (2) | Reduced Form (3) | 2SLS (4) |
|------------------------|----------------------|---------------------|--------------------|--------------------|
| GM_hat2_raw_pp | 0.996*** (0.0945) | | 2.195** (0.884) | |
| GM_raw_pp | | 1.579*** (0.503) | | 2.204** (0.860) |
| F-Stat Observations | 52.613 130 | 130 | 130 | 130 |

Standard errors in parentheses

^{*} pi0.10, ** pi0.05, *** pi0.01








1.3 Municipal Governments, Per Capita


 $\begin{tabular}{ll} Table 3: Dererencourt Table Two with y=Number of Municipal Govts Per Capita (100,000) Pooled, Census Region controls. \\ \end{tabular}$


| | First Stage (1) | OLS (2) | Reduced Form (3) | 2SLS (4) |
|------------------------|----------------------|-----------------|------------------|-----------------|
| GM_hat2_raw_pp | 0.996*** (0.0945) | | 0.286 (0.446) | |
| GM_raw_pp | | 0.314 (0.280) | | 0.287 (0.437) |
| F-Stat Observations | 52.613 130 | 130 | 130 | 130 |

Standard errors in parentheses

^{*} pi0.10, ** pi0.05, *** pi0.01








1.4 School Districts, Per Capita


Table 4: Dererencourt Table Two with y=Number of Independent School Districts Per Capita (100,000) Pooled, Census Region controls.

| | First Stage (1) | OLS (2) | Reduced Form (3) | 2SLS (4) |
|------------------------|----------------------|---------------------|---------------------|---------------------|
| GM_hat2_raw_pp | 0.996*** (0.0945) | | 32.08*** (9.628) | |
| GM_raw_pp | | 23.69*** (5.370) | | 32.21*** (9.509) |
| F-Stat Observations | 52.613 130 | 130 | 130 | 130 |


Standard errors in parentheses

^{*} p;0.10, ** p;0.05, *** p;0.01





Data at CZ level, 1940-70 sample, with Census Region controls.



Data at CZ level, 1940-70 sample, with Census Region controls.

2 Stacked Tables, Urban Populations


2.1 CGoodman Full, Per Capita

Table 5: Dererencourt Table Two with y=Earliest Year of Municipal Incorporation Per Capita (100,000) Pooled, Census Region and Decade FEs controls.


| | First Stage (1) | OLS (2) | Reduced Form (3) | 2SLS (4) |
|------------------------|----------------------|-----------------|------------------|-----------------|
| GM_hat2_raw_ppc | 1.256*** (0.0261) | | 8.245 (8.359) | |
| GM_raw_ppc | | 8.459 (5.991) | | 6.563 (6.591) |
| F-Stat Observations | 413.537 390 | 390 | 390 | 390 |

Standard errors in parentheses


^{*} p;0.10, ** p;0.05, *** p;0.01



Data at CZ-decade level, 1940-70 sample, with Census Region and Decade FEs controls, urban sample.



Data at CZ-decade level, 1940-70 sample, with Census Region and Decade FEs controls.



Data at CZ-decade level, 1940-70 sample, with Census Region and Decade FEs controls.


2.2 Subcounty Governments, Per Capita

Table 6: Dererencourt Table Two with y=Number of Subcounty Govts (town, twp, muni) Per Capita (100,000) Pooled, Census Region and Decade FEs controls.


| | First Stage (1) | OLS (2) | Reduced Form (3) | 2SLS (4) |
|------------------------|----------------------|---------------------|---------------------|---------------------|
| GM_hat2_raw_ppc | 1.259*** (0.0218) | | 55.87*** (18.07) | |
| GM_raw_ppc | | 47.20*** (13.23) | | 44.39*** (14.22) |
| F-Stat Observations | 569.965 390 | 390 | 390 | 390 |


Standard errors in parentheses

^{*} p¡0.10, ** p¡0.05, *** p¡0.01



Data at CZ-decade level, 1940-70 sample, with Census Region and Decade FEs controls, urban sample.






2.3 Municipal Governments, Per Capita

Table 7: Dererencourt Table Two with y=Number of Municipal Govts Per Capita (100,000) Pooled, Census Region and Decade FEs controls.


| | First Stage (1) | OLS (2) | Reduced Form (3) | 2SLS (4) |
|------------------------|----------------------|-----------------|------------------|-----------------|
| GM_hat2_raw_ppc | 1.259*** (0.0218) | | 6.093 (8.369) | |
| GM_raw_ppc | | 7.642 (6.120) | | 4.841 (6.585) |
| F-Stat Observations | 569.965 390 | 390 | 390 | 390 |

Standard errors in parentheses


^{*} p;0.10, ** p;0.05, *** p;0.01



Data at CZ-decade level, 1940-70 sample, with Census Region and Decade FEs controls, urban sample.



Data at CZ-decade level, 1940-70 sample, with Census Region and Decade FEs controls.



Data at CZ-decade level, 1940-70 sample, with Census Region and Decade FEs controls.


2.4 School Districts, Per Capita

Table 8: Dererencourt Table Two with y=Number of Independent School Districts Per Capita (100,000) Pooled, Census Region and Decade FEs controls.


| | First Stage (1) | OLS (2) | Reduced Form (3) | 2SLS (4) |
|------------------------|----------------------|--------------------|---------------------|---------------------|
| GM_hat2_raw_ppc | 1.259*** (0.0218) | | 921.3*** (188.4) | |
| GM_raw_ppc | | 720.7*** (139.2) | | 731.9*** (149.6) |
| F-Stat Observations | 569.965 390 | 390 | 390 | 390 |

Standard errors in parentheses


^{*} p¡0.10, ** p¡0.05, *** p¡0.01



Data at CZ-decade level, 1940-70 sample, with Census Region and Decade FEs controls, urban sample.



Data at CZ-decade level, 1940-70 sample, with Census Region and Decade FEs controls.



Data at CZ-decade level, 1940-70 sample, with Census Region and Decade FEs controls.