

Simple Tables for Municipality Proliferation

May 28, 2023

Contents

1	Pooled, Urban Populations	2
1.1	CGoodman, Per Capita	2
1.2	School Districts, Per Capita	6
2	Stacked Tables, Urban Populations	10
2.1	CGoodman, Per Capita	10
2.2	School Districts, Per Capita	14
3	Stacked Tables, Urban Populations, DCourt 130 only	18
3.1	CGoodman, Per Capita	18
3.2	School Districts, Per Capita	22

List of Figures

List of Tables

1	Dererencourt Table Two with y=Earliest Year of Municipal Incorporation Per Capita (100,000) Pooled, Census Region controls.	2
2	Dererencourt Table Two with y=Number of Independent School Districts Per Capita (100,000) Pooled, Census Region controls.	6
3	Dererencourt Table Two with y=Earliest Year of Municipal Incorporation Per Capita (100,000) Pooled, Census Region and Decade FEs controls.	10
4	Dererencourt Table Two with y=Number of Independent School Districts Per Capita (100,000) Pooled, Census Region and Decade FEs controls.	14
5	Dererencourt Table Two with y=Earliest Year of Municipal Incorporation Per Capita (100,000) Pooled, Census Region and Decade FEs controls.	18
6	Dererencourt Table Two with y=Number of Independent School Districts Per Capita (100,000) Pooled, Census Region and Decade FEs controls.	22


1 Pooled, Urban Populations

1.1 CGoodman, Per Capita


Table 1: Dererencourt Table Two with y=Earliest Year of Municipal Incorporation Per Capita (100,000) Pooled, Census Region controls.

	First Stage (1)	OLS (2)	Reduced Form (3)	2SLS (4)
GM_hat2_raw_pp	0.996*** (0.0945)		0.386 (0.337)	
GM_raw_pp		0.296 (0.201)		0.388 (0.329)
F-Stat	52.613			
Observations	130	130	130	130
Standard errors in parentheses				
* p _i 0.10, ** p _i 0.05, *** p _i 0.01				


First Stage, Pooled



Data at CZ level, 1940-70 sample, with Census Region controls.



Data at CZ level, 1940-70 sample, with Census Region controls.




Data at CZ level, 1940-70 sample, with Census Region controls.

1.2 School Districts, Per Capita


Table 2: Dererencourt Table Two with y=Number of Independent School Districts Per Capita (100,000) Pooled, Census Region controls.

	First Stage (1)	OLS (2)	Reduced Form (3)	2SLS (4)
GM_hat2_raw_pp	0.996*** (0.0945)		32.08*** (9.628)	
GM_raw_pp		23.69*** (5.370)		32.21*** (9.509)
F-Stat	52.613			
Observations	130	130	130	130
Standard errors in parentheses				
* p 0.10, ** p 0.05, *** p 0.01				


First Stage, Pooled



Data at CZ level, 1940-70 sample, with Census Region controls.



Data at CZ level, 1940-70 sample, with Census Region controls.



Data at CZ level, 1940-70 sample, with Census Region controls.


2 Stacked Tables, Urban Populations

2.1 CGoodman, Per Capita


Table 3: Dererencourt Table Two with y=Earliest Year of Municipal Incorporation Per Capita (100,000) Pooled, Census Region and Decade FEs controls.

	First Stage (1)	OLS (2)	Reduced Form (3)	2SLS (4)
GM_hat2_raw_ppc	1.258*** (0.0227)		7.108 (8.240)	
GM_raw_ppc		8.875 (6.034)		5.650 (6.488)
F-Stat	523.712			
Observations	390	390	390	390
Standard errors in parentheses				
* p 0.10, ** p 0.05, *** p 0.01				


First Stage, Stacked



Data at CZ-decade level, 1940-70 sample, with Census Region and Decade FEs controls, urban sample.



Data at CZ-decade level, 1940-70 sample, with Census Region and Decade FEs controls.




Data at CZ-decade level, 1940-70 sample, with Census Region and Decade FEs controls.

2.2 School Districts, Per Capita


Table 4: Dererencourt Table Two with y=Number of Independent School Districts Per Capita (100,000) Pooled, Census Region and Decade FEs controls.

	First Stage (1)	OLS (2)	Reduced Form (3)	2SLS (4)
GM_hat2_raw_ppc	1.258*** (0.0227)		917.7*** (188.3)	
GM_raw_ppc		728.7*** (140.3)		729.5*** (149.7)
F-Stat	523.712			
Observations	390	390	390	390
Standard errors in parentheses				
* p 0.10, ** p 0.05, *** p 0.01				


First Stage, Stacked



Data at CZ-decade level, 1940-70 sample, with Census Region and Decade FEs controls, urban sample.



Data at CZ-decade level, 1940-70 sample, with Census Region and Decade FEs controls.



Data at CZ-decade level, 1940-70 sample, with Census Region and Decade FEs controls.


3 Stacked Tables, Urban Populations, DCourt 130 only

3.1 CGoodman, Per Capita


Table 5: Dererencourt Table Two with y=Earliest Year of Municipal Incorporation Per Capita (100,000) Pooled, Census Region and Decade FEs controls.

	First Stage (1)	OLS (2)	Reduced Form (3)	2SLS (4)
GM_hat2_raw_ppc	1.258*** (0.0227)		7.108 (8.240)	
GM_raw_ppc		8.875 (6.034)		5.650 (6.488)
F-Stat	523.712			
Observations	390	390	390	390
Standard errors in parentheses				
* p 0.10, ** p 0.05, *** p 0.01				


First Stage, Stacked



Data at CZ-decade level, 1940-70 sample, with Census Region and Decade FEs controls, urban sample.



Data at CZ-decade level, 1940-70 sample, with Census Region and Decade FEs controls.




Data at CZ-decade level, 1940-70 sample, with Census Region and Decade FEs controls.

3.2 School Districts, Per Capita


Table 6: Dererencourt Table Two with y=Number of Independent School Districts Per Capita (100,000) Pooled, Census Region and Decade FEs controls.

	First Stage (1)	OLS (2)	Reduced Form (3)	2SLS (4)
GM_hat2_raw_ppc	1.258*** (0.0227)		917.7*** (188.3)	
GM_raw_ppc		728.7*** (140.3)		729.5*** (149.7)
F-Stat	523.712			
Observations	390	390	390	390
Standard errors in parentheses				
* p 0.10, ** p 0.05, *** p 0.01				


First Stage, Stacked



Data at CZ-decade level, 1940-70 sample, with Census Region and Decade FEs controls, urban sample.



Data at CZ-decade level, 1940-70 sample, with Census Region and Decade FEs controls.



Data at CZ-decade level, 1940-70 sample, with Census Region and Decade FEs controls.