

README for Replication Package

Municipality Proliferation

June 24, 2026

Overview

This replication package contains the Stata and R code used to construct the analysis data and reproduce the tables and figures for *Shattered Metropolis: The Great Migration and The Fragmentation of Political Jurisdictions*. The main entry point is `code/master.do`. That file sets up the file structure of the replication package, constructs cleaned/interim datasets, and then runs the analysis scripts that write tables to `exhibits/tables` and figures to `exhibits/figures`. A considerable dependency of this replication is the output of the replication package of Derenoncourt (2022a). We provide instructions on how to set up their package and provide modified versions of their programs that produce the necessary output, while omitting those extraneous for computational brevity. To execute the replication, users should update the if-else block of global paths in `code/master.do` to reflect where they've downloaded the data and code for the replication, as well as their version of Rterm.exe.

Data Availability and Provenance Statements

Statement About Rights

- ☐ I certify that the author(s) of the manuscript have legitimate access to and permission to use the data used in this manuscript.
- ☐ I certify that the author(s) of the manuscript have documented permission to redistribute/publish the data contained within this replication package.

TODO: Check these boxes only after confirming the redistribution terms for all raw and derived inputs, especially IPUMS extracts, Derenoncourt replication inputs, CoreLogic-derived files, and any court-order or school-achievement files.

License for Data

TODO: Specify the data license for the replication package. The repository contains a `LICENSE` file, but this README draft does not determine whether it covers code only or both code and redistributed data. Some source data may have inherited licenses or redistribution restrictions.

Summary of Availability

- ☐ All data are publicly available.
- ☐ Some data cannot be made publicly available.
- ☐ No data can be made publicly available.

The majority of data are publicly available, with two exceptions. First, the ICPSR restricted access data used in the [dcourt] replication files. The readme of [dcourt] provides instruction on how to access these. Second, while we provide the derived city-level Corelogic data, the microdata used to produce it are not publicly available.

Details on Each Data Source

The table below lists the external and pre-generated data inputs identified from programs called by `code/master.do`. The Derenoncourt replication package is intentionally treated as one upstream input, as requested. Census, NHGIS, Census of Governments, and Individual Finance files are split into separate rows so source checks can be completed one file family at a time.

Data source	Files or folders used by code	Expected location	Notes	Citation
Derenoncourt replication package	<code>dcourt/replication_AER/</code> ; includes Derenoncourt migration, crosswalk, city population, industry employment, and mechanism files used throughout the pipeline.	<code>data/raw/dcourt/replication_AER/</code> ; outputs also written to <code>data/interim/dcourt/</code> .	Need to obtain restricted access data from ICPSR per package readme.	Derenoncourt (2022b)
C. Goodman municipal incorporation data	<code>cbgoodman/muni_incorporation_date.dta</code>	<code>data/raw/cbgoodman/</code>	Used to construct municipal incorporation outcomes and shapefile attributes.	Goodman (2023)
1930-40 Linked Census	<code>census/usa_00072.dta/usa_00072.dta</code>	<code>data/raw/census/</code>	Used by <code>black_linked_characteristics.do</code> for linked Black migrant characteristics.	Ruggles et al. (2025b)
1900-50 Full Count Censuses	<code>census/usa_00108.dta/usa_00108.dta</code> , <code>census/usa_00109.dta/usa_00109.dta</code> , <code>census/usa_00110.dta/usa_00110.dta</code> , <code>census/usa_00111.dta/usa_00111.dta</code> , <code>census/usa_00116.dta/usa_00116.dta</code> , <code>census/usa_00118.dta/usa_00118.dta</code>	<code>data/raw/census/</code>	Used by <code>cz_pop_occscore_mfg.do</code> for full-count CZ population, race, OCCSCORE, and manufacturing share variables.	Ruggles et al. (2025a)
Census Gazetteer / national county file	<code>census/national_county.txt</code>	<code>data/raw/census/</code>	Used by <code>place_county_xwalk.do</code> to build the place-county crosswalk	U.S. Census Bureau (2025)
Census Gazetteer / national places file	<code>census/national_places.txt</code>	<code>data/raw/census/</code>	Used by <code>place_county_xwalk.do</code> to build the place-county crosswalk.	U.S. Census Bureau (2025)
Census metro reference file	<code>census/99mfips.txt</code>	<code>data/raw/census/</code>	Used by <code>cog_cleaning.do</code> for PMSA/MSA names and county-PMSA crosswalks. Source comment points to the 1999 Census historical delineation file.	U.S. Census Bureau (1999)
Census place FIPS crosswalk	<code>census/census_place_fips_xwalk.txt</code>	<code>data/raw/census/</code>	Used by <code>incomes.do</code> and <code>mechanisms.do</code> to translate 1970 Census place codes to FIPS place codes. TODO: Confirm source and citation.	Notes
Geocorr block-group to place crosswalk	<code>census/geocorr/geocorr2014_mo_il.csv</code> , <code>census/geocorr/geocorr2014_in_ne.csv</code> , <code>census/geocorr/geocorr2014_nv_sc.csv</code>	<code>data/raw/census/geocorr/</code> , <code>census/geocorr/geocorr2014_sd_wy.csv</code>	Used by <code>incomes.do</code> for 2010 place-level household income. TODO: Confirm Geocorr parameters and access date.	Missouri Census Data Center (2014)
NHGIS extract	<code>census/nhgis0017_csv/nhgis0017_csv/nhgis0017_ts_nominal_county.csv</code>	<code>data/raw/census/</code>	Used by <code>cz_place_race_pop_1970_2010.do</code> for county race/population time series. TODO: Add NHGIS extract citation and access date.	Notes

Data source	Files or folders used by code	Expected location	Notes	Citation
NHGIS extract	census/nhgis0019_csv/nhgis0019_ds94_1970_county.csv	data/raw/census/	Used by <code>cz_place_race_pop_1970_2010.do</code> for 1970 county race/population. TODO: Add NHGIS extract citation.	Notes
NHGIS extract	census/nhgis0020_fixed/nhgis0020_fixed/nhgis0020_ds172_2010_county.do and associated data files	data/raw/census/	Used by <code>cz_pop_occscore_mfg.do</code> for 2010 urban population. TODO: Confirm all files required by the NHGIS Stata import script.	Notes
NHGIS extract	census/nhgis0025_csv/nhgis0025_csv/nhgis0025_ds258_2020_place.csv	data/raw/census/	Used by <code>municipal_shapefile.R</code> for 2020 place population attributes. TODO: Add NHGIS extract citation.	Notes
NHGIS extract	census/nhgis0027_csv/nhgis0027_csv/nhgis0027_ts_nominal_place.csv	data/raw/census/	Used by <code>cz_place_race_pop_1970_2010.do</code> for 1970 and 2010 place race/population variables. TODO: Add NHGIS extract citation.	Notes
NHGIS extract	census/nhgis0035_csv/nhgis0035_csv/nhgis0035_ds176_20105_blk_grp.csv	data/raw/census/	Used by <code>incomes.do</code> for 2010 household income at CZ and place level. TODO: Add NHGIS extract citation.	Notes
NHGIS extract	census/nhgis0036_csv/nhgis0036_csv/nhgis0036_ds99_1970_county.csv	data/raw/census/	Used by <code>incomes.do</code> for 1970 CZ family income. TODO: Add NHGIS extract citation.	Notes
NHGIS extract	census/nhgis0036_csv/nhgis0036_csv/nhgis0036_ds99_1970_place.csv	data/raw/census/	Used by <code>incomes.do</code> for 1970 place family income and house value variables. TODO: Add NHGIS extract citation.	Notes
NHGIS extract	census/nhgis0038_csv/nhgis0038_ds172_2010_place.csv	data/raw/census/	Used by <code>maxcitypop.do</code> for maximum principal-city population in 2010. TODO: Add NHGIS extract citation.	Notes
NHGIS extract	census/nhgis0041_csv/nhgis0041_csv/nhgis0041_ts_nominal_county.csv	data/raw/census/	Used by <code>cz_place_race_pop_1970_2010.do</code> for 1970 education variables. TODO: Add NHGIS extract citation.	Notes

Data source	Files or folders used by code	Expected location	Notes	Citation
NHGIS extract	census/nhgis0046_csv/nhgis0046_csv/nhgis0046_ts_nominal_county.csv	data/raw/census/	Used by <code>dataprep.do</code> for additional county/CZ controls. TODO: Confirm exact variables and extract citation.	Notes
NHGIS extract	census/nhgis0048_csv/nhgis0048_csv/nhgis0048_ds107_1980_county.csv	data/raw/census/	Used by <code>cz_pop_occscore_mfg.do</code> for 1980 manufacturing/labor-force shares. TODO: Add NHGIS extract citation.	Notes
NHGIS extract	census/nhgis0048_csv/nhgis0048_csv/nhgis0048_ds123_1990_county.csv	data/raw/census/	Used by <code>cz_pop_occscore_mfg.do</code> for 1990 manufacturing/labor-force shares. TODO: Add NHGIS extract citation.	Notes
NHGIS extract	census/nhgis0048_csv/nhgis0048_csv/nhgis0048_ds151_2000_county.csv	data/raw/census/	Used by <code>cz_pop_occscore_mfg.do</code> for 2000 manufacturing/labor-force shares. TODO: Add NHGIS extract citation.	Notes
NHGIS extract	census/nhgis0052_csv/nhgis0052_csv/nhgis0052_ds99_1970_place.csv	data/raw/census/	Used by <code>mechanisms.do</code> for 1970 white-flight / mover measures. TODO: Add NHGIS extract citation.	Notes
Census TIGER/Line place shapefiles	census/tiger/states/tl_2022_*_place.shp and sidecar files	data/raw/census/tiger/states/	Used by <code>municipal_shapefile.R</code>	U.S. Census Bureau (2022)
Census cartographic/TIGER cache	tigris-downloaded county/place shapes cached under <code>census/tiger/CB</code> , <code>census/tiger/full</code> , and <code>census/tiger/states_2011/</code> .	data/raw/census/tiger/ or downloaded by R package <code>tigris</code> .	Used by R spatial cleaning scripts. Requires network access if the <code>tigris</code> cache is not pre-populated.	U.S. Census Bureau (2021); U.S. Census Bureau (2022)
Census of Governments crosswalks	<code>cog/4_Govt_Org_Directory_Surveys/GOVS_ID_to_FIPS_Place_Codes_2002.xls</code> , <code>cog/1-3_Govt_Org_Nat_CoArea_ElecOff/GOVS_to_FIPS_Codes_State_&County_2007.xls</code> , <code>cog/1-3_Govt_Org_Nat_CoArea_ElecOff/2012_GOVS_COUNTY_to_FIPS_COUNTY.xls</code>	data/raw/cog/	Used by <code>cog_cleaning.do</code> to build the COG to FIPS crosswalks.	U.S. Census Bureau (2014)
Census of Governments county counts	<code>cog/1-3_Govt_Org_Nat_CoArea_ElecOff/2_Govt_Org_County_Area_Counts.xls</code>	data/raw/cog/	Used by <code>cog_cleaning.do</code> for municipal, county, school district, and special district counts.	U.S. Census Bureau (2014)
Census of Governments individual-government directory	ODBC DSN <code>4_Govt_Org_Directory_Surveys</code> , pointing to the downloaded database/files under <code>cog/4_Govt_Org_Directory_Surveys/</code> .	data/raw/cog/ plus local ODBC DSN	Used by <code>cog_cleaning.do</code> for tables 2–4 of individual governments. Requires ODBC setup to access.	U.S. Census Bureau (2014)

Data source	Files or folders used by code	Expected location	Notes	Citation
Census Government Units file	cog/Govt_Units_2021_Final.xlsx	data/raw/cog/	Used by <code>cog_cleaning.do</code> for the 2021 master unit file. TODO: Confirm exact citation.	U.S. Census Bureau (2014)
Census historical city finance database	ODBC DSN City_Gov_Fin, table City_Govt_Finances.	data/raw/cog/ or other local database path	Used by <code>cog_cleaning.do</code> for historical city-government finance variables. Requires ODBC setup to access.	U.S. Census Bureau (2012)
Census Individual Finance file	census/_IndFin_1967-2012/IndFin12a.txt, census/_IndFin_1967-2012/IndFin12b.txt, census/_IndFin_1967-2012/IndFin12c.txt	data/raw/census/_IndFin_1967-2012/	Used by <code>IndFin_cleaning.do</code> to build <code>data/interim/census/IndFin12.dta</code>	U.S. Census Bureau (2012)
NCES / CRDC / ED Facts / EDGE school data	nces/school-districts_lea_directory.csv; nces/EDGE_SCHOOLDISTRICT_TL23_SY2223/.../EDGE_SCHOOLDISTRICT_TL23_SY2223.shp; pre-generated school_ccd_directory.dta, school_offerings.dta, school_race_ccd.dta, cz_achievement_segregation.dta.	data/raw/nces/; data/interim/nces/; data/xwalks/ncessch_place_xwalk.dta.	Used for school district geography, offerings, race/enrollment, court-order shares, and school segregation/achievement outcomes.	NCES (2017); NCES (2023); Reardon et al. (2024)
School desegregation / court-order data	other/district_court_order_data_feb2021.dta	data/raw/other/	Used to construct commuting-zone court-order variables.	Sean F. Reardon and Greenberg (2012)
GNIS domestic names / streams	Files under GNIS/DomesticNames_AllStates_Text/Text/.	data/raw/GNIS/	Used to count stream features by commuting zone.	U.S. Board on Geographic Names (2026)
Transportation and railroad covariates	covariates/RR_NetworkDatabase_DH_Oct2015/.../Cost_ID_county.xlsx; NSFtranspCost.dta; Historical_Railroads__Vanderbilt.shp.	data/raw/covariates/	Used for transport cost and rail density controls.	Donaldson and Hornbeck (2016); Atack (2016)
Coastline and climate covariates	coastline-counties-list.xlsx; NOAA/NCEI climdiv-*.txt.	data/raw/covariates/	Used for coastal status and 1940 climate controls.	U.S. Census Bureau (2018); Vose et al. (2014)
CoreLogic-derived place characteristics	corelogic/censusplace_clogic_chars.csv	data/interim/corelogic/	Used in municipal shapefile attributes and mechanisms.	CoreLogic (2023)
1990 CZ-County Crosswalk	cw_cty_czone.dta; consistent_1990.dta; consistent_1940_1970.dta; place_county_xwalk.dta; cz_place_xwalk.dta; COG ID-FIPS crosswalks; ncessch_place_xwalk.dta.	data/xwalks/	Several are generated by the cleaning scripts, while others appear to be required inputs. TODO: Separate generated crosswalks from source crosswalks in the final deposit.	Notes

Dataset List

The code creates the following analysis and intermediate datasets. This list is based on `save`, `write_dta`, `write.csv`, and `st_write` commands in the programs called by `code/master.do`.

Dataset	Description	Created by
data/clean/cz_pooled.dta	Main commuting-zone analysis dataset; merges Derenoncourt city/CZ data, municipal outcomes, school district outcomes, controls, instruments, court-order variables, streams, population, income, education, and shift-share objects.	code/cleaning/dataprep.do
data/clean/mechanisms.dta	Place-level mechanisms dataset used for long-run mechanism, white-flight, distance, finance, land-use, and school exclusivity analyses.	code/cleaning/mechanisms.do
data/clean/panel_a_data.dta	Data for the paper's first-panel migration/instrument figure.	code/cleaning/panel_a_data.do
data/clean/pccarrow_fig_data.dta	Data for principal-city arrow figures.	code/cleaning/pccarrow_fig_data.do
data/interim/dcourt/*.dta	Derenoncourt-derived city/CZ datasets, original 130 CZ sample, white migration LASSO prediction files, and city-CZ crosswalks.	code/dcourt_setup/*.do; code/cleaning/2_lasso_white.do
∞ data/interim/ssaggregate_prep/*.dta	Shift-share shares, shocks, destination instruments, interacted shares, and 1,000 placebo instrument files.	code/cleaning/create_sumshares.do; code/ado/create_sumshare*.ado
data/interim/counts/*_cz.dta	CZ-level municipal, county, school district, and special-purpose government counts.	code/cleaning/muni_counts.do; code/cleaning/cog_cleaning.do
data/interim/census/*.dta	Income, education, population, occupation score, manufacturing share, urban population, municipal finance, and linked migrant characteristics.	Multiple cleaning scripts
data/interim/cgoodman/*.dta	C. Goodman place-county geography, original geographies, and CZ geography summaries.	code/cleaning/cgoodman_place_county_geog.R; code/cleaning/geogs.do
data/interim/cog/*.dta	Census of Governments county counts, individual-government extracts, 2021 master unit file, and historical city finance data.	code/cleaning/cog_cleaning.do
data/interim/other/*.dta, *.csv, *.shp	Municipal shapefile and attributes, spatial covariates, central-city distances, covered exclusive school district indicator, streams.	R and Stata cleaning scripts

Dataset	Description	Created by
<code>data/interim/nces/*.dta</code>	School offerings, place offerings, CZ court order variables, and school achievement/segregation files.	<code>code/cleaning/ncessch_cleaning.do</code> ; TODO: achievement/segregation source script not in active master
<code>data/xwalks/*.dta</code>	Crosswalks used in cleaning and analysis.	Some generated by current cleaning scripts; some required as inputs

Computational Requirements

Software Requirements

The main code is Stata and R. `code/master.do` declares `version17.0`, so Stata 17 or newer is recommended. The preferred R version for replication is R 4.4.2. Replicators should set `$Rterm_path` in `code/master.do` to the local R 4.4.2 executable before running the code. The replication was performed using Windows 11; no Linux/macOS run has been verified.

- Stata 17 or newer.
- R 4.4.2.
- Stata community packages can be installed by running `code/setup_stata_packages.do` from the repository root. The setup script installs the Stata packages used by the active project code and by the edited Derenoncourt replication scripts, including those found in `code/dependencies/stata_packages.csv`.
- R package versions are found in `code/dependencies/r_packages.csv`. `code/setup_r_packages.R` reads that file and installs the locked CRAN versions using `remotes::install_version(..., upgrade="never")`. This requires internet access unless the exact package versions are already installed.
- The Tigris/Line shapefiles and the NCES data was downloaded via API using the R package `tigris` and Stata package `educationdata`. To ensure replicability, we provide cached versions of the raw data that was downloaded from these APIs, but retain the code used to generate them for reference.

R Package Versions

The following R package versions are locked for replication under R 4.4.2. These versions are recorded in `code/dependencies/r_packages.csv` and enforced by `code/dependencies/locked_packages.R`.

Package	Version	Source
<code>tidyverse</code>	2.0.0	CRAN
<code>sf</code>	1.1-0	CRAN
<code>haven</code>	2.5.5	CRAN
<code>tigris</code>	2.2.1	CRAN
<code>stringr</code>	1.6.0	CRAN
<code>readxl</code>	1.4.5	CRAN
<code>readr</code>	2.2.0	CRAN
<code>purrr</code>	1.2.2	CRAN
<code>tibble</code>	3.3.1	CRAN
<code>terra</code>	1.9-11	CRAN
<code>ggplot2</code>	4.0.3	CRAN
<code>dplyr</code>	1.2.1	CRAN
<code>tidyr</code>	1.3.2	CRAN
<code>data.table</code>	1.18.2.1	CRAN
<code>stargazer</code>	5.2.3	CRAN
<code>randomForest</code>	4.7-1.2	CRAN
<code>glmnet</code>	4.1-10	CRAN
<code>rpart</code>	4.1.23	CRAN
<code>raster</code>	3.6-32	CRAN

Package	Version	Source
spatialEco	2.0-5	CRAN
elevatr	0.99.1	CRAN
parallel	4.4.2	Base R

ODBC Setup for Census of Governments

`code/cleaning/cog_cleaning.do` uses Stata's `odbc` commands for two Census of Governments inputs. The machine running the replication must have an ODBC driver that matches the Stata architecture. For 64-bit Stata on Windows, install the 64-bit Microsoft Access Database Engine / Access ODBC driver if it is not already available, then open the 64-bit ODBC Data Source Administrator at `C:/Windows/System32/odbcad32.exe`. For 32-bit Stata, use the 32-bit administrator at `C:/Windows/SysWOW64/odbcad32.exe`.

Create either User DSNs or System DSNs with these exact names:

- **4_Govt_Org_Directory_Surveys**: point this DSN to the downloaded Census of Governments individual-government directory database in `$RAWDATA/cog/4_Govt_Org_Directory_Surveys/`. The script queries this DSN, reads tables 2–4, and writes `data/interim/cog/4_*.dta`.
- **City_Gov_Fin**: point this DSN to the historical city-government finance database containing table `City_Govt_Finances`. The script writes `data/interim/cog/city_gov_fin.dta`.

After creating the DSNs, test them in Stata before running the full master file:

```
odbc list
odbc query "4_Govt_Org_Directory_Surveys"
odbc query "City_Gov_Fin"
```

If Stata cannot see either DSN, confirm that the DSN was created in the administrator matching the Stata bitness and that the database driver can open the downloaded file. Stata's Windows ODBC FAQ is linked in `code/cleaning/cog_cleaning.do`: <https://www.stata.com/support/faqs/data-management/configuring-odbc-win/>.

TODO: Confirm the exact database filenames for both DSNs and whether they will be redistributed in the replication package or must be downloaded by replicators.

Controlled Randomness

Random seed is set at line 2 of program `code/cleaning/white_lasso.R`.

Memory, Runtime, and Storage Requirements

TODO: Add the machine specifications, operating system, memory, runtime, and storage requirements from a clean full run of `code/master.do`.

Approximate runtime category:

- ☐ Less than 10 minutes
- ☐ 10–60 minutes
- ☐ 1–2 hours
- ☐ 2–8 hours
- ☐ 8–24 hours
- ☐ 1–3 days

- ☐ 3–14 days
- ☐ More than 14 days

Approximate storage requirement:

- ☐ Less than 25 MB
- ☐ 25 MB–250 MB
- ☐ 250 MB–2 GB
- ☐ 2 GB–25 GB
- ☐ 25 GB–250 GB
- ☐ More than 250 GB

Description of Programs and Code

`code/master.do` is the master script. It performs the following steps:

1. Sets user-specific paths, Stata version, Stata globals, and the ado path.
2. Writes `paths.csv`, which several R scripts read to recover Stata global paths.
3. Copies edited Derenoncourt setup scripts into the Derenoncourt replication directory via `code/cleaning/dcourt_file_setup.do`.
4. Runs the edited Derenoncourt replication master file at `$RAWDATA/dcourt/replication_AER/code/0_MASTER_edited.do`.
5. Runs cleaning scripts under `code/cleaning`.
6. Runs analysis scripts under `code/analysis`.

Cleaning Code

The cleaning stage constructs crosswalks, Derenoncourt-derived inputs, municipal counts, Census/IPUMS/NHGIS-derived controls, spatial covariates, school and court-order inputs, and the final clean analysis datasets. Key outputs are `data/clean/cz_pooled.dta`, `data/clean/mechanisms.dta`, `data/clean/panel_a_data.dta`, and `data/clean/pcarrow_fig_data.dta`.

Analysis Code

The analysis stage reads the cleaned datasets and writes manuscript and appendix outputs to `exhibits/tables` and `exhibits/figures`. Stata helper programs in `code/ado` produce repeated table formats and shift-share/segregation calculations.

License for Code

TODO: Specify the code license. The repository includes `LICENSE`; confirm whether the license is intended for all code in the replication package and whether any bundled third-party code or ado files require separate notices.

Instructions to Replicators

1. Ensure you have the required versions of Stata 17 and R 4.4.2.

2. Download the [dcourt] replication package and unzip to `data/raw/dcourt/replication_AER/`. Follow their instructions for obtaining [restricted].
3. Edit the path block near the top of `code/master.do` so that `$DROPBOX`, `$REPO`, and `$Rterm_path` point to local paths on the replicator's machine.
4. In Stata, from the repository root, run `docode/master.do`.
5. Outputs will be written to `exhibits/tables` and `exhibits/figures`.

List of Tables, Figures, and Programs

The provided code is intended to reproduce:

- ☐ All numbers provided in text in the paper.
- ☐ All tables and figures in the paper.
- ☐ Selected tables and figures in the paper, as explained below.

TODO: Check the appropriate box after comparing this output list with the final manuscript and appendix.

Figure/Table	Program	Output file(s)	Notes
Table 1	code/analysis/summary_table.do	exhibits/tables/T1.tex	Summary statistics.
Table 2	code/analysis/main_table.do; main_table_long_ssaggregate.ado	exhibits/tables/T2.tex	Main 2SLS table.
Table 3	code/analysis/main_table.do; fragmech_long_ssaggregate.ado	exhibits/tables/T3.tex	Fragmentation/mechanism table.
Table 4	code/analysis/occscore_links_diffs_ss.do	exhibits/tables/T4.tex	Linked OCCSCORE heterogeneity. TODO: Confirm manuscript title.
Table 5	code/analysis/long_term_mechanisms.do	exhibits/tables/T5.tex	Long-term mechanisms.
Table 6	code/analysis/segregation_table.do	exhibits/tables/T6.tex	Long-term segregation and achievement-related outcomes.
Figure 1, panels D–E	code/analysis/fig_1_panels_b_c.do	exhibits/figures/F1d.pdf; F1e.pdf	TODO: Confirm panel labels; program name says panels B/C.
Figure 2, panels A–B	code/analysis/event_studies.do	exhibits/figures/F2a.png; F2b.png	Event studies.
Figure 3, panels A–B	code/analysis/pcarrow_fig.do	exhibits/figures/F3a.pdf; F3b.pdf	Principal-city arrow figures.
Appendix Table A1	code/analysis/balancetables.do	exhibits/tables/TA1.tex	Balance table for baseline instrument.
Appendix Table A2	code/analysis/pretrends.do	exhibits/tables/TA2.tex	Pre-trends table.
Appendix Table A3	code/analysis/main_table.do	exhibits/tables/TA3.tex	Town outcome robustness.
Appendix Table A4	code/analysis/corr_matrix.do	exhibits/tables/TA4.tex	Correlation matrix.
Appendix Tables A5–A7	code/analysis/main_table.do	TA5.tex; TA6.tex; TA7.tex	Main-table robustness variants.
Appendix Tables A8–A12	code/analysis/imbalance_decomp.do	TA8.tex–TA12.tex	Imbalanced-controls decomposition for cgoodman, gen_muni, schdist_ind, spdist, and totfrac.

Figure/Table	Program	Output file(s)	Notes
Appendix Tables A13–A14	code/analysis/main_table.do	TA13.tex; TA14.tex	Control-set robustness.
Appendix Table A15 and auxiliary files	code/analysis/balancecontrols_individualeffects.do	TA15.tex; balancecontrols_rf.tex; balancecontrols_rf_sep.tex	Baseline controls individual effects and auxiliary reduced-form balance files. TODO: Confirm whether auxiliary files appear in manuscript/appendix.
Appendix Table A16	code/analysis/balancetables.do	exhibits/tables/TA16.tex	Percentile instrument balance table.
Appendix Table A17	code/analysis/main_table.do	exhibits/tables/TA17.tex	Non-ssaggregate / alternative instrument version. TODO: Confirm description.
Appendix Table A18	code/analysis/main_table.do	exhibits/tables/TA18.tex	Weighted instrument-migration robustness.
Appendix Table A19	code/analysis/balancetables.do	exhibits/tables/TA19.tex	White migration balance table.
Appendix Table A20	code/analysis/main_table.do	exhibits/tables/TA20.tex	White migration robustness table.
Appendix Tables A21–A22	code/analysis/occscore_links_diffs_fs.do	TA21.tex; TA22.tex	First-stage linked OCCSCORE heterogeneity by links/differences.
Appendix Table A23	code/analysis/touching_pct_rev_debt_table.do	exhibits/tables/TA23.tex	Boundary/revenue/debt mechanisms.
Appendix Table A24	code/analysis/main_court_ordered.do	exhibits/tables/TA24.tex	Court-ordered heterogeneity.
Appendix Table A25	code/analysis/white_flight_check.do	exhibits/tables/TA25.tex	White-flight check.
Appendix Figure A1	code/analysis/municipal_incorporations_graph.do	exhibits/figures/FA1.png	Municipal incorporations over time.

Figure/Table	Program	Output file(s)	Notes
Appendix Figure A2 series	<code>code/analysis/loo_test.do</code>	FA2_<outcome>.pdf	Leave-one-out tests for <code>cgoodman</code> , <code>gen_muni</code> , <code>gen_town</code> , <code>schdist_ind</code> , <code>spdist</code> , <code>totfrac</code> .
Appendix Figure A3 series	<code>code/analysis/alt_inst_tests.do</code>	FA3_<outcome>.pdf	Alternative instrument tests for the same outcome family.
Appendix Figure A4 series	<code>code/analysis/placebo_test.do</code>	FA4_<outcome>.pdf	Derenoncourt placebo tests for the same outcome family.
Appendix Figures A5a–A5b	<code>code/analysis/dist_edge_edge.do</code>	FA5a.pdf; FA5b.pdf	Distance to principal city graphs.

References

References

- Jeremy Atack. Historical geographic information systems (gis) database of u.s. railroads, May 2016. URL <https://doi.org/10.3886/E102326V1>. Dataset.
- CoreLogic. Corelogic real estate data, 2023. URL <https://www.corelogic.com/360-property-data/>. Accessed October 1, 2024.
- Ellora Derenoncourt. Can you move to opportunity? evidence from the great migration. *American Economic Review*, 112(2):369–408, 2022a.
- Ellora Derenoncourt. Data and code for can you move to opportunity? evidence from the great migration. *Inter-University Consortium for Political and Social Research, Ann Arbor, MI*, <https://doi.org/10.3886/E147963V1>, 2022b.
- Dave Donaldson and Richard Hornbeck. Railroads and american economic growth: A “market access” approach. *The Quarterly Journal of Economics*, 131(2):799–858, May 2016. doi: 10.1093/qje/qjw002. URL <https://doi.org/10.1093/qje/qjw002>.
- Christopher B. Goodman. Municipal Incorporation Data, 1789-2020, 2023. URL <https://github.com/cbgoodman/muni-incorporation/>.
- Missouri Census Data Center. Geocorr 2014 geographic correspondence engine, 2014. URL <https://mcdc.missouri.edu/applications/geocorr2014.html>. University of Missouri.
- NCES. National center for education statistics common core of data, 2017, 2017. URL <https://educationdata.urban.org/>. Accessed via Urban Institute’s Education Data Explorer.
- NCES. National center for education statistics 2023 school district boundaries shapefile, 2023. URL <https://nces.ed.gov/programs/edge/Geographic/DistrictBoundaries>. U.S. Department of Education.
- Sean F. Reardon, Andrew D. Ho, Benjamin R. Shear, Erin M. Fahle, Demetra Kalogrides, and Jessica Saliba. Stanford education data archive (version 5.0), 2024. URL <https://purl.stanford.edu/cs829jn7849>. Retrieved from Stanford University.
- Steven Ruggles, Sarah Flood, Matthew Sobek, Daniel Backman, Grace Cooper, Julia A. Rivera Drew, Stephanie Richards, Renae Rogers, Jonathan Schroeder, and Kari C. W. Williams. IPUMS USA: Version 16.0, 2025a. URL <https://doi.org/10.18128/D010.V16.0>. 1900-1950 Full Count Censuses.
- Steven Ruggles, Nesile Ozder, Catherine A. Fitch, Matthew Sobek, Julia A. Rivera Drew, J. David Hacker, Jonas Helgertz, Cheyenne Lonobile, Matt A. Nelson, Evan Roberts, and John Robert Warren. IPUMS Multigenerational Longitudinal Panel: Version 2.0. 1930-40 Census, 2025b. URL <https://doi.org/10.18128/D016.V2.0>.
- Demetra Kalogrides Sean F. Reardon, Elena Grewal and Erica Greenberg. Brown fades: The end of court ordered school desegregation and the resegregation of american public schools. *Journal of Policy Analysis and Management*, 31:876–904, 2012. URL <https://doi.org/10.1002/pam.21649>.

- U.S. Board on Geographic Names. Geographic names information system (gnis) domestic names data, 2026. URL <https://www.usgs.gov/us-board-on-geographic-names/download-gnis-data>. U.S. Geological Survey.
- U.S. Census Bureau. 1999 historical delineation files: Fips state and county codes for metropolitan areas, 1999. URL <https://www2.census.gov/programs-surveys/metro-micro/geographies/reference-files/1999/historical-delineation-files/99mfips.txt>. U.S. Department of Commerce.
- U.S. Census Bureau. Annual survey of state and local government finances and census of governments. U.S. Census Bureau Publication, 2012. Available online: <https://www.census.gov/programs-surveys/gov-finances.html>.
- U.S. Census Bureau. Census of Governments, Government Organization Phase. <https://www.census.gov/programs-surveys/cog/data/historical-data.html>, 2014.
- U.S. Census Bureau. U.S. Coastline Counties, August 2018. Released in August 2018 by the US Census Bureau, Population Division.
- U.S. Census Bureau. 2021 tiger/line shapefiles (machine readable data files), 2021. URL <https://www.census.gov/cgi-bin/geo/shapefiles/index.php>. U.S. Department of Commerce.
- U.S. Census Bureau. 2022 tiger/line shapefiles (machine readable data files), 2022. URL <https://www.census.gov/geographies/mapping-files/time-series/geo/tiger-line-file.html>. U.S. Department of Commerce.
- U.S. Census Bureau. Gazetteer files, 2025. URL <https://www.census.gov/geographies/reference-files/time-series/geo/gazetteer-files.html>. U.S. Department of Commerce.
- Russell S. Vose, Scott Applequist, Mike Squires, Imke Durre, Matthew J. Menne, Jr. Williams, Claude N., Chris Fenimore, Karin Gleason, and Derek Arndt. NOAA Monthly U.S. Climate Divisional Database (NClimDiv). NOAA National Climatic Data Center, 2014.

Acknowledgements

This README structure follows the social science replication README template and the AEA Data Editor guidance for preparing files for verification. See <https://aeadataeditor.github.io/aea-de-guidance/preparing-for-data-deposit.html>.