

Handoff — Evergreen Office Cleaning, WordPress → Astro port

Written for another agent picking this up cold. Everything below is the state of the repository at commit `eab08b5` on branch `claude/optimistic-clarke-wz1p8g`.

1. What this is

A **pixel-and-behaviour-faithful clone** of the client's live WordPress site, `evergreencleaningservice.ca`, rebuilt as a static Astro site and deployed to a Cloudflare Workers preview at `evergreencleaningservice.10xconnections.com`.

The brief is *match the original*, not improve it. That distinction has decided a lot of the work: where the port had something the original does not — a post date, previous/next navigation, a "this form is not connected" notice — it was removed rather than kept, because the client reviews the result by taking side-by-side screenshots and flagging differences.

The original runs the **OnePress** WordPress theme (Bootstrap-based grid) with **WPForms**, **Rank Math** SEO, a **Trustindex** Google-reviews widget, and a **Lead Net** floating video widget.

2. The single most important environment fact

The live origin is firewall-blocked from this network. SiteGround answers this IP with an IP-reputation block. Every measurement of "the original" comes from the **Internet Archive**, rendered locally with the site's own stylesheet.

That has a consequence that has caused more wrong turns than anything else:

Archive captures are of different dates, and the site changed between them. A page whose newest snapshot is 2023 shows the old trading name; one from 2025 shows the new one. Two generations of the same WPForms form exist. `/blog/page/3/` holds different posts than it does today.

Before treating any difference as a defect, check the capture date. A regression was shipped once by reading the older generation of a form off a page whose newest capture was July 2024 and "correcting" the newer one to match.

Reference material lives in the scratchpad, not the repo:

<scratchpad>/pages/	raw archived HTML, one file per address (64)
<scratchpad>/refall/	the same, rewritten to render offline (58 paired)
<scratchpad>/best.json	the newest capture per URL, with timestamps
<scratchpad>/pairs.json	ref file ↔ built route, the audit's input
<scratchpad>/theme.css	the original's combined stylesheet – the source of truth for every measured value

`theme.css` is the thing to read when a spacing question comes up. Most "why is this 39px" answers are a single rule in it.

3. Repository layout

src/	
components/	Header, Footer, Sidebar, DotNav, LeadVideo, QuoteForm (WPForms 1381), ContactForm (1384), Comments, PostList, PostCard, ServiceCard
components/home/	Hero, Features, Services, Reviews, About, Gallery, Testimonials, Cta, News, Contact
content/blog/	38 posts (markdown)
content/pages/	7 pages
content/services/	6 service pages
data/site.ts	name, phone, email, nav, footer areas, service areas
data/reviews.ts	the 4 real Google reviews, recovered from Trustindex
layouts/	BaseLayout, PageLayout, PostLayout
lib/excerpt.ts	WordPress's 30-word excerpt
lib/thumb.ts	resolves a featured image to its 300x150 list crop
pages/	routes; [slug].astro is the blog post route
styles/global.css	the ported theme CSS
scripts/	
noindex.mjs	adds the preview's noindex headers
purge.mjs	purges the Cloudflare edge cache after deploy
mkcrops.mjs	regenerates WordPress's 300x150 list crops with sharp
_research/	
gaps.md	EVERY known difference and why – read this first
seo.md	the original's SEO, one entry per address (64 URLs)
audit.mjs	the parity census harness
fonts.md, README.md	
public/images/	100 files
public/video/lead-net.mp4	the client's real clip, 720x540 H.264+AAC

4. Conventions that are not negotiable

- **Branch:** develop and push on `claude/optimistic-clarke-wz1p8g`. Never push to `main` without being told to.
 - **Deploy with** `npm run deploy:preview`, **never** `npm run deploy`. The plain one skips `noindex.mjs`, which means the preview serves `Allow: /` with no `X-Robots-Tag` — a crawlable near-duplicate of the client's live site. This has happened three times.
`deploy:preview` = build + noindex + wrangler deploy + edge purge.
 - **Secrets** (`RECAPTCHA_SECRET`, `SUPABASE_SERVICE_ROLE_KEY`, ...) are Worker secrets, never committed.
 - **Never disable TLS verification or unset** `HTTPS_PROXY`. Report 403/407 egress denials rather than retrying them.
 - Product name in prose is **10XiD** — digits one-zero, capital X, lowercase i, capital D.
 - Commits end with the Claude Code attribution trailer.
-

5. The measurement discipline

Two independent checks exist, and they catch different things.

5.1 The parity census — `_research/audit.mjs`

Differs every paired URL against its archived counterpart at 1440px: visible text nodes, links, images, heading outline, form fields, horizontal overflow. Run it after any change:

```
node _research/audit.mjs      # needs the scratchpad refs; see §2
```

Current state, 58 pages:

```
missing text nodes ... 129      missing links .... 17
missing images ..... 60        form fields ..... 91
heading outlines ..... 6 pages  overflow ..... none

UNEXPLAINED DIFFERENCES ... 0
```

Every one of those is accounted for in `_research/gaps.md` §16 — capture-year differences in the footer line, the stale `/blog/page/3/` snapshot, reCAPTCHA's hidden input, the older generation of form 1381, images the archive never kept, and empty headings the original's editor left behind.

It counts what is present. It does not check spacing or computed style. A page can pass every count and still be several pixels out.

5.2 Measured values

Spacing, type and breakpoints were measured off the original's render and are recorded in the component headers. Key facts that are easy to get wrong:

- **Root font-size steps:** 16px → 15px (≤ 991) → 14px (≤ 767). Everything measured is therefore expressed in rem.
- **Stepped container:** 540 / 720 / 960 / 1140 with 15px gutters.
- **The theme has its own 940px breakpoint**, separate from Bootstrap's 576/768/992/1200. Section titles and the back-to-top arrow step at 940, not 991. Getting this wrong left the 940–991 band a size small.
- **Inner page grid:** content column is 74.7747747748% with 39px padding and a **1px #e9e9e9 rule** to its right; the sidebar takes the rest. At 1440 that is 790 + 39 + 1 + 280.
- `.grid-3` goes 2-across at 576 and 3-across at 992 (`col-sm-6 col-lg-4`).

6. Traps that have already cost time

These are the expensive ones. Read them before changing anything.

1. **Playwright's `newPage({ viewportSize })` is silently ignored** — the correct key is `viewport`. Several "three widths" checks were three runs at 1280, which is how a visible breakpoint bug survived a parity gate.
2. **Node's `fetch()` ignores `HTTPS_PROXY`** here and is refused at the egress layer with a 403. Use `curl` for anything outbound.
3. **The proxy truncates archive transfers at exactly 1 MiB.** A file can have a valid JPEG header and no end-of-image marker. Validate by the terminator (`FFD9` for JPEG, `IEND` for PNG), never by MIME type — `file --mime-type` reads the header and passes a truncated file.
4. **Querying the archive for an exact URL under-reports.** The full-size upload often has no capture while a sibling size does. Query the stem as a prefix (`.../name*`) and take the largest. A claim that eight thumbnails were "unrecoverable" was made on exact-URL queries and proved wrong.
5. **Don't rebuild `dist/` while the audit is running** — it reads from disk and the results silently mix two builds.
6. **CSS animations override inline styles.** `animate.css`'s `slideUp` sets `visibility` in its `from` keyframe; with `animation-fill-mode: both` the element's final visibility comes from the underlying value.
7. **`import.meta.url` points at a build chunk once bundled.** `lib/thumb.ts` silently fell back on every page until it resolved from `process.cwd()`.
8. **Chromium here is the open-source build with no H.264/AAC decoder**, so the Lead Net clip cannot be played in a headless check. It also does not trust the agent proxy's CA, so it cannot load the deployed preview over HTTPS — screenshot `dist/` from a local server instead.

9. `remark-gfm` **autolinks bare URLs**. The original renders one as plain text. An HTML comment breaks the autolinker but splits the text node in two; write the paragraph as raw HTML instead.
10. **The reference cannot render the hero** — the slideshow script is not in the archive, so the hero shows a spinner and its `<h2>` is invisible. The census cannot speak to the hero; it was measured separately.

7. What is known-missing or undecided

`_research/gaps.md` is the full record, 17 sections. The ones that need a human decision:

7.1 The forms have no backend — the launch blocker

`QuoteForm`, `ContactForm` and `Comments` all post to `action="#"`. A visitor's enquiry is **dropped silently**. A visible "this form is not connected" notice used to say so; it was removed because the original has no such line and the brief is to match. The component headers and `gaps.md` record this. Either wire a handler or put the notice back — the client has not chosen.

7.2 Google Tag Manager is not rendered

`site.ts` defines `gtmId: 'GTM-5PRC4HBV'` and **nothing uses it**. The original carries the container on every 2025 capture.

Reading the live container shows it is not decorative: Google Ads `AW-16819334998` with three conversion actions and Enhanced Conversions, remarketing, Microsoft Ads UET `187178776` with four tags, GA4 `G-R27QW21PMT`, a conversion linker, and a SearchKings agency template. **Shipping without it loses all paid-ads conversion tracking on day one.**

It was deliberately not added yet: firing live conversion tags from a staging site the client is clicking through would push fake conversions into their real Google Ads and GA4 accounts. It needs a hostname condition, or to go in at cutover.

7.3 The Simple Banner plugin

The April 2025 capture has it enabled — a `#2ca516` bar across every page pointing at the disinfection service. **Not built**, because the client's own screenshots of the live site show no such bar, so it appears to have been switched off since. Worth one question.

7.4 Images the archive never kept

~54 photos exist only in the client's media library. Ten list crops were regenerated from full-size sources already in the repo (`scripts/mkcrops.mjs`). A sweep for the rest was **in flight when this was written** — see `<scratchpad>/fetch-final.sh` and `fetch-final.log`. It classifies each file by role (`roles.json`): a 300×150 crop is correct for a post list and **wrong inside a post body**, where a 2:1 crop at 300px replaces a 3:2 photo.

7.5 `/services/building-maintenance/`

In the nav, never captured by the archive. The page carries the homepage's summary paragraph as a placeholder. **Needs the real copy from the client.**

8. SEO

`_research/seo.md` has every field the original carries, per address, with the snapshot date each record came from. Summary: technically clean, strategically weak — Rank Math near its defaults.

The port currently **generates its own titles and descriptions** rather than mirroring the original's. That is an open decision: reproduce them exactly (flaws included), or fix them as part of the migration. The flaws are:

- only 3 of 64 titles name Toronto or the GTA, on a local service business
 - four legacy URLs duplicate the `/services/*` pages with no description, no robots directive and an `http://` self-canonical (the port already 301s them)
 - a typo, "Torotno", in `/services/commercial-cleaning/`'s description
 - 35 of 64 titles exceed 60 characters, from a 29-character title suffix
 - no `Service`, `FAQPage`, `Review` or `AggregateRating` schema anywhere
 - `BreadcrumbList` on 3 pages of 64
 - 7 pages with no description; 2 descriptions shared across 7 posts
 - `og:site_name` is the old trading name; `og:locale` is `en_US` on a Canadian business; 18 pages have no `og:image`
-

9. Where to start

1. Read `_research/gaps.md`. It is the record of every known difference.
2. Run `node _research/audit.mjs` to confirm the census still reads zero unexplained. If the scratchpad refs are gone, rebuild them with `mkref-all.mjs` (it needs `<scratchpad>/pages/`).
3. `npm run build`, then serve `dist/` locally to look at anything.
4. Deploy only with `npm run deploy:preview`.

The two things a reviewer will ask about first are the forms (§7.1) and GTM (§7.2). Neither is a code problem; both are decisions.