

AZ.2 Permit Application Checklist

The code editions actually in force where you are, the rules that bind every lot regardless, and the septic and well packages that decide where the house can sit.

Before you use this document

This is a process reference, not legal advice. Arizona adopts no statewide residential building code — every code that binds a house is adopted locally, by ordinance, and the edition on your permit is whatever your city or county's adopting ordinance says it is. What is **not** local: a county building permit is required by statute for any construction over \$1,000, and inside a city the city's own permit ordinance governs; the owner-builder exemption, the signed statement you file with every permit application, the septic general permit and the well rules are all state law and apply whether or not anyone will ever inspect the framing. The unit is the **jurisdiction** — a city inside a county routinely differs from the county around it, and the city has statutory permit clocks the county does not. Confirm every item with the office that will actually handle your parcel before you rely on it. The edition maps were read from each jurisdiction's own website or adopting ordinance on 3 September 2026. Where a cell could not be closed on a primary source it says **confirm** — and every cell, verified or not, is confirmed at the counter by asking for the adopting ordinance number. No fee is printed anywhere in this document, because no state schedule exists.

THE CODE EDITIONS — LOCAL, DATED, CONFIRMED AT THE COUNTER

No edition of anything is statewide. A city adopts a code by reference in an ordinance that "shall be published in full" and filed with the clerk (A.R.S. § 9-802); a county's adopting ordinance is likewise published and filed (§ 11-864), and a county may simply adopt "the largest city in that county"'s code, tracking its changes within ninety days (§ 11-861(C)(1)) — Yuma County does. **The ordinance is the authority, the web page is a summary of it**, and the September 2026 spread runs from the 2003 IRC to the 2024. Read your row, then ask the counter for the ordinance number and write it on the record at the end.

Unincorporated areas — the 15 counties, as their own sites and ordinances stated it on 3 September 2026

County	IRC	NEC	Energy	Adopting instrument, effective
Maricopa	2018	2017	2018 IECC voluntary : Chapter 11 or IECC compliance "is optional unless specifically required through ordinance by Maricopa County"	Local Additions & Addenda TA2022001; Board 17 Aug 2022, effective 30 days later

Unincorporated areas — the 15 counties, as their own sites and ordinances stated it on 3 September 2026

County	IRC	NEC	Energy	Adopting instrument, effective
Pima	2024	2023	IECC per Ord. 2018-30 Ex. G; a 2024 IECC amendment set (Ord. 2026-6) is posted — confirm its effective date	Ord. 2025-15, effective 1 Jan 2026
Pinal	2018	2017	2018 IECC	Ord. 121819-BCO (hearing 18 Dec 2019); PCDSC 6.05.030
Yavapai	2024 (2018 before 1 Jan 2026)	2023	2012 IECC retained (Ord. 2025-13)	Ords. 2025-3 to 2025-13, Oct 2025, effective 1 Jan 2026
Mohave	2018	2017	2018 via IRC Ch. 11: "The Residential Provisions of the IECC are not adopted"	Ord. 2021-03, adopted 7 Jun 2021, effective 30 days after; revised through 15 Jul 2024
Cochise	2024 from 1 Sep 2026 (2015 before)	2023 (2014 before)	2012 IECC continued	Resolution 26-23 (July 2026), replacing Res. 21-15 (eff. 26 Aug 2021). Owner-Builder Amendment: AZ.1
Coconino	2024 (2018 plans accepted through 31 Dec 2026)	2023	2018 IECC (not 2024)	Ordinance 2026-03, effective 2 Jun 2026. AMMP: AZ.1
Navajo	2018	2017 (by reference in the addenda)	None listed	Resolution 9-2022, adopted 22 Mar 2022, effective 22 Jun 2022
Apache	2015	2011	Confirm	Read from an archived copy (March 2025) of the county's own FAQ; the county site was unreachable. Confirm every cell
Gila	2012	2011	County R-value table in ordinance § 103; IRC Ch. 11 "is optional and not required"	Ord. 2017-02, passed 11 Jul 2017, effective 30 days after

Unincorporated areas — the 15 counties, as their own sites and ordinances stated it on 3 September 2026

County	IRC	NEC	Energy	Adopting instrument, effective
Graham	2003	2002 (§ 5.14.2) or 1999 (§ 5.14.9) — the county's own ordinance is inconsistent ; confirm	2003 IECC "for Graham County Government Buildings only"	P&Z Ordinance § 5.14; date not verified. County FAQ: "'dirt work' does not require a permit, everything else does"
Greenlee	None	None	None	No code adopted — County Engineer letter, 19 Oct 2012, still posted. The permit still issues (AZ.1)
La Paz	2018	2020	Not in the adopted list	Ord. 2026-01, adopted 6 Jul 2026, effective 6 Aug 2026
Santa Cruz	2012	2011	None listed	Ord. 2013-03, passed 17 Jul 2013, effective 1 Sep 2013 — read from an archived copy (May 2026) of the county page; confirm
Yuma	2024 (adopts the City of Yuma's code under § 11-861(C) (1))	2020 amendments posted; confirm whether 2023 came in with the city's 2025 adoption	2009 IECC amendments posted	Ord. 2026-01, approved 19 Feb 2026, effective 23 Mar 2026

Five counties have no residential energy code at all or make it optional. The electrical spread — from the 1999/2002 NEC in Graham County to the 2023 — is the widest of any state in this kit line, and it is the reason this kit never prints an NEC year as an Arizona rule.

Inside city limits — 20 cities and towns, as their own sites and ordinances stated it on 3 September 2026

City	IRC	NEC	Energy	Adopting instrument, effective
Phoenix	2024 (Phoenix Building Construction Code)	2023 — enforcement of 210.8(F) Exc. 2 (HVAC GFCI) deferred to 1 Mar 2027	2024 IECC	Ord. G-7397; Council 18 Jun 2025; effective 1 Aug 2025; 2018 code allowed for complete plans through 31 Dec 2025

Inside city limits — 20 cities and towns, as their own sites and ordinances stated it on 3 September 2026

City	IRC	NEC	Energy	Adopting instrument, effective
Tucson	2024 (eff. 1 Jan 2026)	2023 (eff. 1 Jan 2026)	2024 IECC (eff. 1 Jul 2026)	Amendments under Ord. 12171; Mayor & Council 3 Jun 2025 and 16 Dec 2025
Mesa	2024	2023	2024 IECC + App. RE	Ords. 5981/5982/5987, passed 8 Dec 2025, effective 8 Jan 2026 (read from the ordinances; city page unreachable)
Scottsdale	2021	2020	2021 IECC + 2021 IgCC mandatory	Ord. 4550 (20 Sep 2022, effective January 2023); Ord. 4576 (IECC)
Chandler	2024	2023	2024 IECC	Ord. 5108; plans on or after 1 Jul 2025
Gilbert	2018 (App. H, P, Q)	2017	2018 IECC	Ord. 2739; Ord. 2788 (IRC amendments)
Glendale	2024	2023	2024 IECC	Ord. 025-51, passed 9 Dec 2025, effective 9 Jan 2026
Tempe	2024 (eff. 1 Jul 2026; 2018 allowed through 31 Dec 2026)	2023 (2017 allowed through 31 Dec 2026)	2024 IECC	2024 ordinance number not verified — confirm
Peoria	2018	2017	2018 IECC	Ord. 2019-12; date not verified — confirm
Flagstaff	2018	2017	2018 IECC	Res. 2019-26 / Ord. 2019-16, adopted 18 Jun 2019, effective 19 Jul 2019; "2024 Codes ... being evaluated"
Prescott	2024 (App. BF)	2023	2012 IECC "with 2018 Revisions"; IRC Ch. 11 deleted and replaced	Ord. 2025-1924 / Res. 2025-1958 (IRC), Ord. 2025-1923 (NEC), 18 Nov 2025; IECC Ord. 2019-1669
Yuma	2024	2020	2009 IECC amendments (Ord. O2013-15)	Effective 3 Nov 2025; 2024 mandatory from 1 Feb 2026; ordinance number not verified — confirm
Sierra Vista	2018	2017	2006 IECC residential; 2012 commercial	Resolution 2023-043 (amendments); adopting ordinance not verified — confirm

Inside city limits — 20 cities and towns, as their own sites and ordinances stated it on 3 September 2026

City	IRC	NEC	Energy	Adopting instrument, effective
Lake Havasu City	2024	2023	None listed among adopted codes — confirm	Ord. 25-1370; effective 1 Feb 2026; 2018-designed projects accepted to 1 May 2026
Kingman	2018	2017	2018 IECC with residential provisions R101.1-R406.6.5 not adopted ; IRC Ch. 11 amended	Ord. 1916 § 4, 15 Dec 2020
Surprise	2024	2023	2024 IECC	Ord. 2025-14, passed 2 Dec 2025; amendments dated 1 Jan 2026
Goodyear	2024	2023	2024 IECC	Council 23 Mar 2026; building codes effective 23 Jun 2026
Buckeye	2024	2023	2018 IECC	Projects submitted on or after 1 Jan 2025; Ord. 20-24 not directly read — confirm
Queen Creek	2021	2020	2021 IECC	Ord. 797-22; effective 1 Jan 2023
Casa Grande	2018	2017	2018 IECC	2019 Building & Technical Administrative Code, effective 1 Jul 2019

Transition rules are local too. There is no state rule for which edition a plan in the pipeline gets. Phoenix honored 2018 plans "submitted through December 31, 2025"; Tempe accepts either set "through December 31, 2026"; Coconino County accepts 2018 plans "through 12/31/26"; Lake Havasu City accepted 2018-designed projects "up to 90 days (May 1, 2026) after the effective date." **Get the grace-period sentence from your ordinance in writing before you choose an edition to design to** — and if you are in Phoenix wiring to the 2023 NEC, the city is "deferring enforcement" of the HVAC-equipment GFCI rule: "Full enforcement of the GFCI requirement for HVAC equipment will now take effect on March 1st, 2027."

ENERGY — NO STATE CODE, AND DO NOT PRINT ANYONE'S R-VALUES

The only state energy statute directs the governor's energy office to adopt standards "for construction of all new capital projects as defined in section 41-790, including buildings designed and constructed by school districts, community college districts and universities" (A.R.S. § 34-451) — public buildings. A house answers to whatever its jurisdiction adopted, which in the tables above runs from the 2024 IECC (Phoenix, Tucson, Mesa, Chandler, Glendale, Tempe, Surprise, Goodyear) through 2021, 2018, 2012 (Prescott, Yavapai, Cochise), 2009 (Yuma) and 2006 (Sierra Vista) to a county R-value table (Gila), a voluntary chapter (Maricopa County — the largest unincorporated population in the state has no mandatory residential energy code) and none at all (Navajo, Santa Cruz, La Paz, Greenlee). **Any guide that prints a "typical Zone 2B" insulation table as an Arizona requirement is printing the model**

code, not Arizona. Ask the counter for the energy chapter your ordinance adopted, by section, and design to that.

***The one statewide envelope number that exists is a noise rule.** In "territory in the vicinity of a military airport or ancillary military facility," residential buildings outside the noise contours must have "a minimum of R18 exterior wall assembly, a minimum of R30 roof and ceiling assembly, dual-glazed windows and solid wood, foam-filled fiberglass or metal doors," or an architect's or engineer's certification of a 45 dB maximum interior level (A.R.S. § 28-8482(B)). The Cochise Owner-Builder Amendment repeats it (Sec. 4(B)). If Luke, Davis-Monahan, Yuma or a Guard facility is near, ask the planning office whether the parcel is in the mapped territory.*

WHAT APPLIES ON EVERY LOT, WHATEVER YOUR CODE — OR NONE

Everything in this table is state statute. It applies in Greenlee County and under a Cochise Option 2 permit exactly as it applies in Scottsdale, and no city or county may adopt around it.

Statewide by statute — binding in a no-code county and under an opt-out

Subject	The rule	Cite
Sprinklers cannot be mandated	A city or county "shall not adopt a code or ordinance ... that prohibits a person or entity from choosing to install or equip or not install or equip fire sprinklers in a single family detached residence or any residential building that contains not more than two dwelling units"; the only exception is an ordinance "adopted before December 31, 2009." The text must appear on every residential sprinkler permit application	A.R.S. § 9-807; § 11-861(E)
— and access roads cannot back-door them	No fire-code access-road or approved-route requirement "that directly or indirectly requires a one or two family residence ... to install fire sprinklers"; enforceable by private civil action with attorney fees, damages "and the cost of the sprinkler system"	A.R.S. § 9-808(A), (D); § 11-861(G)
Pool barrier	Any pool "eighteen inches or more in depth ... wider than eight feet ... intended for swimming": a barrier at least 5 ft high, no opening a 4-inch sphere passes, self-closing self-latching gates opening outward with the latch 54 in or more above grade, at least 20 in from the water's edge. Where the house is part of the enclosure: a 4-ft interior barrier, a keyed motorized cover, or self-latching doors plus latched or screened windows. Exception: "A residence in which all residents are at least six years of age"	A.R.S. § 36-1681(A)-(D)

Statewide by statute — binding in a no-code county and under an opt-out

Subject	The rule	Cite
Plumbing fixtures	No plumbing fixture may be installed "in any new residential construction" unless lavatory and kitchen faucets and showerheads flow at most 3 gpm at 80 psi, water closets at most 1.6 gal per flush, urinals 1 gal, and evaporative coolers and decorative fountains recycle. Where a permit is required, compliance labels "shall not be removed from the fixtures ... until the fixtures have been installed and inspected"	A.R.S. § 45-312; § 45-314(B)
Utility choice	A permit may not be denied "based on the utility provider proposed," fees may not be structured to restrict the choice, and "utility service" means "water, wastewater, natural gas, including propane gas, or electric service"	A.R.S. § 9-467(B)-(D), (I)(2); § 11-321(B)-(D), (K); § 9-810
No business license as a condition	A city or county "may not require an applicant for a building permit to hold a transaction privilege tax license or business license as a condition for issuing the building permit"	A.R.S. § 9-467(E); § 11-321(E)
The prior owner's unpermitted work	A subsequent owner cannot be made to permit "the construction or addition done by the prior owner before issuing a permit for a building addition," except to enforce a provision "that affects the public health or safety"	A.R.S. § 9-467(F); § 11-321(H)
Solar	The permit "shall not require a stamp from a professional engineer ... unless an engineering stamp is deemed necessary," and then only with "a written explanation"; the fee "shall not exceed the actual cost of issuing a permit," itemized on request. Any deed or CC&R provision that "effectively prohibits the installation or use of a solar energy device ... is void and unenforceable"	A.R.S. § 9-468; § 11-323; § 33-439
Refrigerants; wildland-urban interface	No local code "may prohibit the use of refrigerants that are listed as acceptable pursuant to the clean air act." A city or county "may adopt a current wildland-urban interface code" — optional, so no statewide defensible-space distance exists	A.R.S. § 9-810.01; § 11-861(J); § 9-806; § 11-861(D)
Farming — not a house	The county code article "does not apply to" construction "incidental to" "farming, dairying, agriculture, viticulture, horticulture or stock or poultry raising." Nothing in it says a dwelling is incidental to farming; this kit prints no agricultural route for a house. Get the county's position in writing under § 11-1609 if a barn and a house share the parcel	A.R.S. § 11-865(A)(1)

BEFORE YOU APPLY — THE STATEMENT AND THE HANDOUT

Two things are fixed by statute about the application itself, in every jurisdiction. First, the § 32-1169 statement (AZ.1): you will sign that you claim the § 32-1121(A)(5) exemption and name "any general, mechanical, electrical or plumbing contractor who will be employed on the work" with license numbers (A.R.S. § 32-1169(A)). That means the licensed-sub list is assembled *before* the application, not after. Second, the counter owes you a handout:

What the counter owes you, city or county

	The statute	Cite
At the time you obtain an application	"1. A list of all of the steps the applicant is required to take in order to obtain the license. 2. The applicable licensing time frames. 3. The name and telephone number of a ... contact person ... 4. The website address ... 5. Notice that an applicant may receive a clarification" — "license" includes a permit	A.R.S. § 9-836(A); § 11-1606
Printed on the application	A city or county "shall not base a licensing decision in whole or in part on a licensing requirement or condition that is not specifically authorized by statute, rule, ordinance or code," and must "prominently print" that section on every application	A.R.S. § 9-834(A), (H); § 11-1604(A), (H)
The 30-day clarification letter	A written request stating your name and address, the provision needing clarification, the relevant facts, "the applicant's proposed interpretation," and whether the issue is pending on an existing application; the city or county "shall respond within thirty days ... with a written explanation of its interpretation or application." This is the universal tool for every "varies locally" question in this kit. AZ.5 has the template	A.R.S. § 9-839; § 11-1609

The permit record at the end of this document has a line for each of these — the ordinance number and editions, the statement and whether the Registrar's signature was wanted, the handout and its date.

THE SEPTIC PACKAGE — ADEQ'S GENERAL PERMIT, RUN BY YOUR COUNTY

"Sewage treatment facilities, including on-site wastewater treatment facilities" are discharging facilities that "shall be operated pursuant to either an individual permit or a general permit" — the Aquifer Protection Permit (A.R.S. § 49-241(A), (B)(9)). ADEQ "may delegate to a local environmental agency, county health department, public health services district or municipality any functions, powers or duties" (§ 49-107(A)), and has, county by county (the office in each is in AZ.4). The rulebook is 18 A.A.C. 9, Article 3, and it is the same everywhere. Every number below is a regulatory minimum the county may raise "on a site- or area-specific basis" (A.A.C. R18-9-A312(C)(3)) — and every setback is measured to the facility "Including Reserve Area."

18 A.A.C. 9, Article 3 — the sequence

	Step	What the rule says
1	Site investigation	Only "an Arizona-registered professional engineer," geologist or sanitarian, or a holder of "a certificate of training from a course recognized by the Department" may do it (A310(H)). You cannot self-certify the perc test. Two test locations in the primary area, one in the reserve (A310(E)(1), (F)(1)(a)). A slope "greater than 15 percent," a 100-year flood zone that may affect function, rock, fill, or a subsurface limit within 12 ft is a "limiting condition" that pushes the design off the standard system (A310(C)(2), (D)(2))
2	Notice of Intent to Discharge	ADEQ form DWS 402 (rev. April 2025), filed with the delegated county. It carries ADEQ's own posted clocks under R18-1-525: a single 4.02 general permit is 42 business days administrative + 31 substantive = 73 overall ; each R18-9-A312(G) alternative request "adds eight business days"; and "Review fees established by delegated counties or cities may differ." Those are ADEQ's clocks. A delegated county's clock is the county's — AZ.3
3	Construction Authorization	"A person shall not begin facility construction until the Director issues a Construction Authorization"; "A person shall complete construction within two years of receiving a Construction Authorization," or the notice expires and "the person shall not continue construction or discharge" (A301(D))
4	Who installs	Conventional (everything under R18-9-E302): the Discharge Authorization issues on an accurate site plan and a certification that the tank "passed the watertightness test" — no installer license number is required (A309(C)(1)), so an owner who may do the work "themselves" under § 32-1121(A)(5) may install it, subject to the county's inspection before backfill. Alternative (E303 to E323): requires "The name of the installation contractor and the Registrar of Contractor's license number" and a Certificate of Completion from the designer of record, who must verify installation before backfill (A309(C)(2))
5	Discharge Authorization	After construction you submit the Request for Discharge Authorization; the agency "may inspect the facility before issuing." Changes during construction that still conform need no re-approval but must be recorded on the site plan (A301(D)(1)(e)). Nothing may be paved over a disposal works (E302(C)(1)(h))

Setbacks in feet — A.A.C. R18-9-A312(C), Table 1, measured to the facility including the reserve area

From	Feet	Table row
Building — "Includes porches, decks (including pool decks), and steps ... breezeways, roofed patios, carports, covered walks"	10	Row 1
Property line shared with a lot not served by a common drinking water system or an existing well — reducible "to a minimum of 5 feet" if the neighbor agrees "as evidenced by an appropriately recorded document" to keep any new well 100 ft from your works, and the Department approves	50	Row 2

Setbacks in feet — A.A.C. R18-9-A312(C), Table 1, measured to the facility including the reserve area

From	Feet	Table row
All other property lines	5	Row 3
Public or private water supply well	100	Row 4
Perennial or intermittent stream; lake, reservoir or canal — from the high water line of the 10-year, 24-hour event	100	Rows 5, 6
Wash or drainage easement with a drainage area over 20 acres — from the channel bank; reducible to 25 ft with floodplain-administrator-approved erosion protection	50	Row 8
Water main; domestic service line (crossing allowed at 45-90° with 1 ft vertical separation)	10; 5	Rows 9, 10
Downslope or cut bank over 15%, culvert, ditch — from a trench or bed with no limiting condition; with one	20; 50	Row 11b
Driveway (a reinforced tank may sit under one, "except for disposal works"); swimming pool excavation; easement other than drainage	5	Rows 12-14
Earth fissures	100	Row 15

The two numbers that decide small lots. 100 ft from any well — stated from both sides, because ADWR's rule independently forbids drilling a well "within 100 feet of any septic tank system, sewage disposal area" unless the ADWR Director authorizes it in writing (A.A.C. R12-15-818) — and the 50-ft line on a well-served lot, which is the one that breaks a rural parcel. La Paz County's own "Well-Property Line 50ft Setback Waiver" shows the practice: both owners sign, notarized, "record this document to deed ... within 30 days, or the waiver is null and void." A "common drinking water system" is one that "currently serves or is under legal obligation to serve the property."

Tank size and design flow by bedrooms AND fixture count — A.A.C. R18-9-A314(A)(4)(a)

Bedrooms	Fixture units	Minimum tank, gal	Design flow, gpd
1	≤ 7 / > 7	1,000 / 1,000	150 / 300
2	≤ 14 / > 14	1,000 / 1,000	300 / 450
3	≤ 21 / > 21	1,000 / 1,250	450 / 600
4	≤ 28 / > 28	1,250 / 1,500	600 / 750
5	≤ 35 / > 35	1,500 / 2,000	750 / 900
6	≤ 42 / > 42	2,000 / 2,500	900 / 1,050

Fixture units (A314(A)(4)(a)(ii)): water closet **3**; bathtub, bidet, clothes washer, dishwasher, kitchen sink, utility tub **2** each; service sink 3; single lavatory or bar sink 1. A three-bedroom house with two full baths, kitchen, laundry and a utility sink is already at the 21-unit line — **the fixture count, not the bedroom count, decides whether the tank is 1,000 or 1,250 gallons.** Tank: two compartments, liquid depth at least 42 in, two 20-in access openings with risers to within 6 in of grade (A314(A)(1)). **Absorption area** = design flow ÷

soil absorption rate (A312(D)(1)); the rate comes from the percolation test — at 10 min/in, 0.63 gal/day/sq ft for a trench — so a 450-gpd house at that rate needs about 714 sq ft of trench, **and the same again in reserve:** "a reserve area of 100 percent of the primary area" (A312(D)(4)(a)). Vertical separation to the seasonal high water table: 10 ft at rates from 0.63 to 1.20, 5 ft from 0.20 to 0.63, 60 ft for a seepage pit (A312(E)(1)). **And the sewer test:** you "shall connect to a sewage collection system if" a nitrogen-management designation, an ordinance or an adopted area-wide plan requires it, or a sewer extension is at the property boundary and the connection fee is not more than \$6,000 and the building sewer not more than \$3,000 (A309(A)(5)) — those are the rule's thresholds, not fees.

IF YOU ARE ON A WELL — ADWR, AND THE EXAM THAT LETS YOU DRILL IT

The well sequence — Title 45 and 12 A.A.C. 15, Article 8

	What the statute and rule require
An exempt well	Non-irrigation withdrawals "from wells having a pump with a maximum capacity of not more than thirty-five gallons per minute" are exempt from the Groundwater Code except as listed (A.R.S. § 45-454(B)). Inside an active management area: one exempt well per use per site, a second only if the first cannot produce 3 gpm on a parcel of at least an acre ((I))
The 100-ft municipal-provider ban	Since 2006 an exempt well "may not be drilled on land if any part of the land is within one hundred feet of the operating water distribution system of a municipal provider with an assured water supply designation" in an AMA established by 1 July 1994 — exemptions on request if service is refused within 30 days, costs more than the well, or an easement is refused (§ 45-454(C), (D)). Ask the water provider in writing first
Notice of intent, before drilling	"A person shall file a notice of intention to drill with the director ... before drilling an exempt well or causing an exempt well to be drilled" (§ 45-454(G)), signed by the owner or lessee (A.A.C. R12-15-809). Fee \$150 , or \$100 for a well outside an AMA or irrigation non-expansion area used solely for domestic purposes at 35 gpm or less (§ 45-596(L)). Within 15 days of a complete notice ADWR mails "a drilling card that authorizes the drilling of the well to the well driller" ((D)); drilling starts only with the card "at the well site" (A.A.C. R12-15-810(A)); "The well shall be completed within one year after the date of the notice" ((E))
Domestic well on five acres or less — the site plan	The notice must carry "a well site plan of the property" showing the parcel number, "the proposed well location and the location of any septic tank or sewer system that is either located on the property or within one hundred feet of the proposed well site," and "written approval by the county health authority that controls the installation of septic tanks" (A.R.S. § 45-596(F)). A variance where "parcel size, geology or location of improvements" prevent compliance may require a registered engineer's or geologist's certification ((G))

The well sequence — Title 45 and 12 A.A.C. 15, Article 8

	What the statute and rule require
Who drills — including you	"New well construction ... shall be performed under the direct and personal supervision of a well driller who holds a well driller's license" (A.R.S. § 45-595(A)) — or "A person who drills or modifies an exempt well on land owned by that person shall first obtain a single well license from the department ... No fee may be charged for a single well license " ((D)). The license is an exam, not a form: the application lists the rig, the design, the helpers and "whether the applicant will compensate them"; the exam is offered "no less than six times yearly"; passing grade 70 percent ; valid one year for "one exempt well at the location specified" (A.A.C. R12-15-807)
Construction	Steel or thermoplastic casing at least 1 ft above grade; a surface seal of steel casing and continuous cement grout, "The minimum length of the steel casing ... 20 feet," a 1½-in annulus, a 20-ft seal (A.A.C. R12-15-811(A)(1), (B)(1)). "No well shall be drilled within 100 feet of any septic tank system, sewage disposal area," landfill or fuel storage "unless authorized in writing by the Director" (A.A.C. R12-15-818), who "may require" a longer seal or more distance (A.A.C. R12-15-821)
After	The driller's report within 30 days of completion; your own completion report within 30 days after the pump goes in — equipment, the 4-hour tested capacity, drawdown, static level (A.R.S. § 45-600). Abandonment only by a licensed driller or single well licensee, after a notice and an abandonment card (A.A.C. R12-15-816)

Not in Title 45 or the rule: a well-to-property-line distance. None exists; the property line is reached only through ADEQ's 50-ft septic-to-line rule on the neighbor's side. Do not let anyone print one as state law.

PERMIT RECORD — FILL THIS IN AS EACH ONE ISSUES

Every approval on this build

	Item	Date	Notes
☐	Deed or contract recorded in my own name before any construction (§ 33-1002): Recorded _____ Instrument no. _____		
☐	Septic Construction Authorization from the delegated county, or written confirmation of sewer availability — and the two-year expiry: Number _____ Issued _____ Expires _____		

Every approval on this build

	Item	Date	Notes
☐	Septic Discharge Authorization — the county's inspection before backfill, the tank watertightness certification, and the as-built site plan: Inspected _____ DA issued _____		
☐	ADWR notice of intent file number, the drilling card, the driller's license or my single well license, and the two completion reports — driller's within 30 days of completion, mine within 30 days of the pump: File no. _____ Card _____ License _____ Driller's report _____ My report _____		
☐	Zoning use permit and floodplain permit — the county building permit issues on these: Zoning _____ Flood _____		
☐	Building permit — the issuing jurisdiction, the adopting ordinance and code editions printed on it, its life, the § 32-1169 statement filed with it (and whether the Registrar's signature was wanted), and the § 9-836 / § 11-1606 handout: Number _____ Ordinance / editions _____ Expires _____ Stmt. filed _____ ROC sig.? _____ Handout received _____		
☐	Certificate of occupancy , or the dated record of "completion" where none will issue — the day the one-year clock starts; and if I built under the Cochise or Coconino opt-out, the option and the recorded notice's instrument number: CO no. / completion date _____ Option _____ Recorded notice no. _____		

Everything cited here is free to read. Statutes are at azleg.gov, one section per page (azleg.gov/ars/32/01121.htm — title unpadding, section padded to five digits). Rules are the Arizona Administrative Code, one PDF per chapter at apps.azsos.gov and reproduced section by section at law.cornell.edu/regulations/arizona. **One warning:** the Registrar of Contractors licenses contractors, not owners, and it is not your building department — the city or county is. Read September 2026.