

1.6 Foundation Inspection Form

The official pre-pour inspection record — depths, dimensions, rebar, forms, anchor bolts, and the inspector's sign-off.

Project Name: _____ Inspection Date: _____

Property Address: _____ Permit #: _____

Owner-Builder: _____ Inspection Time: _____

Inspector Name: _____ Weather: _____

PURPOSE: This form documents the official foundation inspection required before concrete can be poured. The inspector will verify that all foundation work complies with approved plans and local building codes. Keep this completed form in your job site binder permanently.

⚠ IMPORTANT

Concrete pour **MUST NOT** proceed until this inspection is PASSED and signed off by the building inspector.

SECTION 1: FOOTER DEPTH MEASUREMENTS

Required frost depth per local code (inches below finished grade): _____

Footer Depth Verification

Measurement Location	Plan Depth (in)	Actual Depth (in)	Pass / Fail	Inspector Notes
Northeast (NE) Corner			☐ Pass ☐ Fail	
Northwest (NW) Corner			☐ Pass ☐ Fail	
Southeast (SE) Corner			☐ Pass ☐ Fail	
Southwest (SW) Corner			☐ Pass ☐ Fail	
North Wall Midpoint			☐ Pass ☐ Fail	

Footer Depth Verification

Measurement Location	Plan Depth (in)	Actual Depth (in)	Pass / Fail	Inspector Notes
South Wall Midpoint			☐ Pass ☐ Fail	
East Wall Midpoint			☐ Pass ☐ Fail	
West Wall Midpoint			☐ Pass ☐ Fail	
Interior Footer/Pier #1			☐ Pass ☐ Fail	
Interior Footer/Pier #2			☐ Pass ☐ Fail	

OVERALL FOOTER DEPTH VERIFICATION: ☐ PASS ☐ FAIL

SECTION 2: FOOTER DIMENSIONS**Footer Dimension Verification**

Item	Required (per plan)	Actual Value	Pass / Fail	Notes
Footer width (inches)			☐ Pass ☐ Fail	
Footer height/depth (inches)			☐ Pass ☐ Fail	
Footer is level (max variance)	1/4" in 10'		☐ Pass ☐ Fail	
Forms are straight and secure	No bowing		☐ Pass ☐ Fail	
Forms properly braced	Per plan		☐ Pass ☐ Fail	

SECTION 3: REBAR INSPECTION

3A: Rebar Size & Configuration

	Item to Verify	Required	Actual / Result
☐	Rebar size matches plan	Size # _____	Actual #: _____ ☐ Pass ☐ Fail
☐	Number of continuous bars in footer	Bars _____	Actual: _____ ☐ Pass ☐ Fail
☐	Rebar spacing meets plan requirements	Spacing _____	Actual: _____ ☐ Pass ☐ Fail

3B: Rebar Placement & Support

	Item to Verify	Required	Actual / Result
☐	Rebar elevated on chairs (min 3" from bottom)	3" clearance	Actual: _____ ☐ Pass ☐ Fail
☐	Rebar has adequate side clearance (min 2" from forms)	2" clearance	Actual: _____ ☐ Pass ☐ Fail
☐	Rebar is continuous (no gaps or breaks)	Continuous	☐ Pass ☐ Fail
☐	Splices overlap minimum 18" and are tied with wire	18" overlap	☐ Pass ☐ Fail
☐	Corner rebar is properly bent or overlapped (no gaps)	Per code	☐ Pass ☐ Fail

3C: Rebar Condition

	Item to Verify	Required	Actual / Result
☐	Rebar is clean (no excessive rust, scale, oil, mud)	Clean surface	☐ Pass ☐ Fail
☐	Rebar is properly secured and will not shift during pour	Secure	☐ Pass ☐ Fail

3D: Wall Rebar (if applicable)

	Item to Verify	Required	Actual / Result
☐	Vertical wall rebar size and spacing per plan	Size/spacing _____	Actual: _____ ☐ Pass ☐ Fail
☐	Horizontal wall rebar installed per plan	Bars _____	Actual: _____ ☐ Pass ☐ Fail
☐	Wall rebar properly tied to footer rebar/dowels	Per plan	☐ Pass ☐ Fail

SECTION 4: FORM ALIGNMENT & LAYOUT**Form Alignment & Layout Verification**

	Item to Verify	Requirement	Actual / Result
☐	Foundation layout matches approved plan dimensions	Per plan	☐ Pass ☐ Fail
☐	All corners are square (diagonal measurements equal)	Within 1/4"	Diag A / B: _____ ☐ Pass ☐ Fail
☐	Foundation walls are plumb (vertical)	1/4" in 10'	☐ Pass ☐ Fail
☐	Foundation walls are level (horizontal top)	1/4" in 10'	☐ Pass ☐ Fail
☐	Wall height matches plan specifications	Inches _____	Actual: _____ ☐ Pass ☐ Fail
☐	Wall thickness matches plan specifications	Inches _____	Actual: _____ ☐ Pass ☐ Fail
☐	Forms are adequately braced to prevent blowout	Secure	☐ Pass ☐ Fail

SECTION 5: ANCHOR BOLTS & HARDWARE

Anchor Bolt & Hardware Verification

	Item to Verify	Requirement	Actual / Result
☐	Anchor bolts on-site and ready for installation	Available	☐ Yes ☐ No
☐	Anchor bolt size matches plan	Diameter _____	Actual: _____ ☐ Pass ☐ Fail
☐	Anchor bolt length is adequate for embedment	Inches _____	Actual: _____ ☐ Pass ☐ Fail
☐	Anchor bolt spacing plan provided	Max 6' o.c.	Spacing: _____ ☐ Pass ☐ Fail
☐	Anchor bolts required within 12" of corners	12" max	☐ Pass ☐ Fail

SECTION 6: PLUMBING UNDER-SLAB (if applicable)

Under-Slab Plumbing Verification

	Item to Verify	Requirement	Actual / Result
☐	Plumbing rough-in inspection passed separately	Required	Date: _____ ☐ Pass ☐ N/A
☐	All drain pipes slope properly (1/4" per foot min)	1/4" per foot	☐ Pass ☐ Fail ☐ N/A
☐	All plumbing stubs are capped/protected	Capped	☐ Pass ☐ Fail ☐ N/A
☐	Plumbing is properly supported (no sagging pipes)	Supported	☐ Pass ☐ Fail ☐ N/A

SECTION 7: VAPOR BARRIER & BASE (for slabs)

Vapor Barrier & Base Verification

	Item to Verify	Requirement	Actual / Result
☐	Gravel base installed and compacted	4-6 inches	Depth: _____ ☐ Pass ☐ Fail ☐ N/A
☐	Vapor barrier installed (minimum 6 mil poly)	6 mil min	Mil: _____ ☐ Pass ☐ Fail ☐ N/A
☐	Vapor barrier seams overlap 6" and are sealed	6" overlap	☐ Pass ☐ Fail ☐ N/A
☐	Vapor barrier has no tears or punctures	Intact	☐ Pass ☐ Fail ☐ N/A
☐	Vapor barrier sealed around all penetrations	Sealed	☐ Pass ☐ Fail ☐ N/A

SECTION 8: GENERAL SITE CONDITIONS

General Site Conditions

	Item to Verify	Result	Inspector Notes
☐	Building permit is posted in visible location on site	☐ Pass ☐ Fail	
☐	Approved foundation plans are available on-site	☐ Pass ☐ Fail	
☐	Site is accessible for concrete delivery trucks	☐ Pass ☐ Fail	
☐	Erosion controls are in place and functional	☐ Pass ☐ Fail	
☐	No unsafe conditions observed on site	☐ Pass ☐ Fail	

SECTION 9: DEFICIENCIES & CORRECTIVE ACTIONS

List all deficiencies found during inspection and required corrective actions.

Deficiency Log

Item #	Deficiency Description	Required Corrective Action	Corrected (date)
1			
2			
3			
4			
5			
6			

SECTION 10: INSPECTION RESULT & SIGN-OFF

INSPECTION RESULT (check one):

☐

PASSED — Approved to pour concrete

☐

CONDITIONAL PASS — Approved with minor corrections (see Section 9)

☐

FAILED — Re-inspection required after corrections

Re-inspection required: ☐ Yes ☐ No

Re-inspection date: _____ Time: _____

Inspector Comments / Additional Requirements

Building Inspector

Signature: _____ Date: _____

Name (printed): _____ License/ID #: _____

Owner-Builder Acknowledgement

Signature: _____ Date: _____