

Operator

The method type for all apis is POST

General Status Cases:

| Case | Description | | |
|------|---|--|--|
| 200 | The request success and the expected response is returned. | | |
| 203 | password not correct | | |
| 204 | The response is empty | | |
| 400 | The request failed because it's a bad request the required parameters didn't send. | | |
| 402 | The request failed because the requester account is deactivated by the application Admin. | | |
| 403 | The request failed because the requester account is not verify | | |
| 404 | The request failed because of resource is not found or another unknown problem. | | |
| 405 | The request failed because the parameters violate the validation rules (Wrong type, Constraint Failed). | | |

Objects Description:

category:

| Parameter | Type | Description |
|-----------|-----------------|-------------|
| id | Int | Required. |
| | a. · | Do maior d |
| name | String | Required. |
| products | Array of Object | Required. |
| products | Thing of Object | |

clients:

| Parameter | Type | Description |
|-----------|--------|-------------|
| id | Int | Required. |
| name | String | Required. |
| phone | Int | Required. |
| address | String | Required. |
| size | Object | Required. |

color

| Parameter | Type | Description |
|-----------|--------|-------------|
| id | Int | Required. |
| name | String | Required. |
| code | Int | Required. |
| image | String | Required. |

cloth

| Parameter | Type | Description |
|-----------|--------|-------------|
| id | Int | Required. |
| | | |
| name | String | Required. |
| price | Int | Required. |

product

| Type | Description |
|-----------------|----------------------------|
| Int | Required. |
| String | Required. |
| Array Of object | Required. |
| Array Of Object | Required. |
| | Int String Array Of object |

size

| Parameter | Type | Description |
|------------------|------|-------------|
| size_of_Waist | Int | Required. |
| size_of_Chest | Int | Required. |
| size_of_Neck | Int | Required. |
| size_of_Thigh | Int | Required. |
| size_of_Back | Int | Required. |
| size_of_Shoulder | Int | Required. |

1) /login

Description:

This api will be used to login emp.

Request Format: JSON request body parameters

| Parameter | Type | Constrains | Description |
|-----------|--------|-------------------|-------------|
| phone | String | Contain {'@','.'} | Required. |
| | | No Spaces | |
| | | Len > 5 | |
| password | String | | Required. |
| | | | |

Response Format:

| Parameter | Туре | Description | |
|-----------|------|--------------------------------|--|
| status | Int | Required. | |
| | | The status of the web service. | |

2) /clients

Description:

This api will be used to all clients in App .

Get all client order By (A-Z)

Request Format:

JSON request body parameters

| Parameter | Type | Constrains | Description |
|-----------|------|------------|-------------|
| | | | |

Response Format:

| Parameter | Туре | Description |
|-----------|-----------------|--------------------------------|
| status | Int | Required. |
| | | The status of the web service. |
| client | Array of Object | Required. |

3) /addClient

Description:

This api will be used to add new client in App .

Request Format: JSON request body parameters

| Parameter | Type | Constrains | Description |
|-----------|--------|------------|-------------|
| name | String | | Required. |
| phone | String | | Required. |
| address | String | | Required |

Response Format:

| Parameter | Type | Description |
|-----------|------|--------------------------------|
| status | Int | Required. |
| | | The status of the web service. |

4) /home

Description:

This api will be used to get all category And product App .

Request Format: JSON request body parameters

Response Format:

| Parameter | Туре | Description |
|------------|-----------------|--------------------------------|
| status | Int | Required. |
| | | The status of the web service. |
| categories | Array Of Object | Required. |

5) /product

Description:

This api will be used to get product By id

Request Format: JSON request body parameters

| Parameter | Type | Constrains | Description |
|------------|------|------------|-------------|
| product_id | int | | Required |

Response Format:

| Parameter | Туре | Description |
|-----------|--------|--|
| status | Int | Required. The status of the web service. |
| product | Object | Required. |

6) /color

Description:

This api will be used to get color info

Request Format: JSON request body parameters

| Parameter | Туре | Constrains | Description |
|-----------|------|------------|-------------|
| color | int | | Required |

Response Format: JSON response body parameters

| Parameter | Туре | Description |
|-----------|--------|--|
| status | Int | Required. The status of the web service. |
| color | Object | Required. |

7) /addOrder

Description:

This api will be used to add Order

Request Format: JSON request body parameters

| Parameter | Type | Constrains | Description |
|------------------|-------------|------------|-------------|
| product_id | int | | Required |
| client_id | int | | |
| color_id | int | | |
| cloth_id | int | | |
| Signature | File/string | | |
| size_of_Waist | int | | |
| size_of_Chest | int | | |
| size_of_Thigh | int | | |
| size_of_Neck | int | | |
| size_of_Back | int | | |
| size_of_Shoulder | int | | |
| phone | string | | |
| address | string | | |
| name | string | | |

Response Format:

| Parameter | Туре | Description |
|-----------|------|--------------------------------|
| status | Int | Required. |
| | | The status of the web service. |