


Отчёт по Лабораторной работе №11.

Цель: развёртывание проекта на FastApi.


Реализация:

1. Перечисление необходимых библиотек в файле requirements.txt.

A screenshot of a text editor window titled 'requirements.txt'. It contains a list of Python packages: fastapi, uvicorn, sqlalchemy, and aiosqlite, each on a new line. Line numbers 1 through 5 are visible on the left side of the editor.

```
1 fastapi
2 uvicorn
3 sqlalchemy
4 aiosqlite
5
```

2. Создание виртуального окружения.


A screenshot of a terminal window. The first command is 'PS C:\Users\evgen\Desktop\study\IVsem\ПРОГ_11> .\venv\Scripts\activate'. The second line shows the prompt has changed to '(venv) PS C:\Users\evgen\Desktop\study\IVsem\ПРОГ_11>'.

```
PS C:\Users\evgen\Desktop\study\IVsem\ПРОГ_11> .\venv\Scripts\activate
(venv) PS C:\Users\evgen\Desktop\study\IVsem\ПРОГ_11>
```

3. Запуск приложения (uvicorn main:app --reload).

A screenshot of a Python script. It imports FastAPI, creates an app, and defines a GET endpoint for '/home' that returns 'Hello, world'.

```
1 from fastapi import FastAPI
2
3 app = FastAPI()
4
5
6 @app.get("/home")
7 def get_home():
8     return "Hello, world"
```

A screenshot of a web browser. The address bar shows '127.0.0.1:8000/home'. The page content displays 'Hello, world'. The browser interface includes a search bar with 'Яндекс' and 'Настройки', and a checkbox for 'Автоформатировать' which is unchecked.

```
< > 127.0.0.1:8000/home
Яндекс Настройки
Автоформатировать
"Hello, world"
```

Результат.

Запуск приложения на FastApi.

FastAPI

0.1.0

OAS 3.1

/openapi.json

Таски

POST /tasks Add Task

Parameters

Cancel

Name	Description
name required string (query)	Яблонская
description (query)	Евгения

Execute

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "ok": true, "task_id": 0}</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }]}</pre>	No links

GET /tasks Get Tasks

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>[{ "name": "string", "description": "string", "id": 0 }]</pre>	No links

Schemas	
HTTPValidationError ^	Collapse all object
detail >	Expand all array<object>
STask ^	Collapse all object
name* string	
description >	Expand all (string null)
id* integer	
STaskId ^	Collapse all object
ok >	Expand all boolean
task_id* integer	
ValidationError ^	Collapse all object
loc* >	Expand all array<(string integer)>
msg* string	
type* string	

Результат Execute:

Responses	
Curl	<pre>curl -X 'POST' \ 'http://127.0.0.1:8000/tasks?name=task1&description=task1' \ -H 'accept: application/json' \ -d ''</pre>
Request URL	<pre>http://127.0.0.1:8000/tasks?name=task1&description=task1</pre>
Server response	

Ссылка на репозиторий:

https://github.com/evgeniiayd/lr11_sem4